(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 4 January 2001 (04.01.2001)

(10) International Publication Number WO 01/00804 A2

| (51) | International Patent C | lassification ⁷ : C1 | 2N 15/00 | ZELDER, Oskar; Rossmarktstrasse 27, D-67346 Speyer (DE). HABERHAUER, Gregor; Moselstrasse | |
|------|--|---------------------------------|---|--|--|
| (21) |) International Application Number: PCT/IB00/00922 42, D-67117 L | | 42, D-67117 Limburgerhof (DE). LEE, Heung-Shick; Korea University, Graduate School of Biotechnology. | | |
| (22) | International Filing Da | ate: 23 June 2000 (2 | 3.06.2000) | Anam Dong, Sungbook-Gu, Seoul 136-701 (KR). KIM, Hyung-Joon; Korea University, Graduate School of Biotechnology, Anam Dong, Sungbook-Gu, Seoul 136-701 (KR). | |
| (25) | Filing Language: | | English | | |
| (26) | Publication Language: | | English | (81) Designated States (national): AE, AG, AL, AM, AT, AU, | |
| (30) | Priority Data: 60/141,031 | 25 June 1999 (25.06.19 | 999) US | AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HILLD, ILLIN IS ID KE KG KP KP KZ LC LK LP | |

1 July 1999 (01.07.1999)

- tes (national): AE, AG, AL, AM, AT, AU, G, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, Z, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- 1 July 1999 (01.07.1999) DE 8 July 1999 (08.07.1999) DE 8 July 1999 (08.07.1999) DE 8 July 1999 (08.07.1999) DE 9 July 1999 (09.07.1999) DE 9 July 1999 (09.07.1999) DE 14 July 1999 (14.07.1999) DE 27 August 1999 (27.08.1999) US 27 August 1999 (27.08.1999) DE 31 August 1999 (31.08.1999)

US

- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- (71) Applicant: **AKTIENGESELLSCHAFT** BASF [DE/DE]; D-67056 Ludwigshafen (DE).

Published:

(72) Inventors: POMPEJUS, Markus; Wenjenstrasse 21, D-67251 Freinsheim (DE). KRÖGER, Burkhard; Im Waldhof 1, D-67117 Limburgerhof (DE). SCHRÖDER, Hartwig; Goethestrasse 5, D-69226 Nussloch (DE). Without international search report and to be republished upon receipt of that report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

60/142,692

199 30 429.7

199 31 541.8

199 31 413.6

199 31 457.8

199 32 230.9

199 32 209.0

199 32 914.1

199 40 764.9

199 41 382.7

60/151,214

(54) Title: CORYNEBACTERIUM GLUTAMICUM GENES ENCODING STRESS, RESISTANCE AND TOLERANCE **PROTEINS**

(57) Abstract: Isolated nucleic acid molecules, designated SRT nucleic acid molecules, which encode novel SRT proteins from Corynebacterium glutamicum are described. The invention also provides antisense nucleic acid molecules, recombinant expression vectors containing SRT nucleic acid molecules, and host cells into which the expression vectors have been introduced. The invention still further provides isolated SRT proteins, mutated SRT proteins, fusion proteins, antigenic peptides and methods for the improvement of production of a desired compound from C. glutamicum based on genetic engineering of SRT genes in this organism.

CORYNEBACTERIUM GLUTAMICUM GENES ENCODING STRESS, RESISTANCE AND TOLERANCE PROTEINS

Related Applications

This application claims priority to prior filed U.S. Provisional Patent Application Serial No. 60/141031, filed June 25, 1999, U.S. Provisional Patent Application Serial No. 60/142692, filed July 1, 1999, and also to U.S. Provisional Patent Application Serial No. 60/151214, filed August 27, 1999. This application also claims priority to German Patent Application No. 19930429.7, filed July 1, 1999, German Patent Application No. 19931475.8, filed July 8, 1999, German Patent Application No. 19931457.8, filed July 8, 1999, German Patent Application No. 19931541.8, filed July 8, 1999, German Patent Application No. 19932230.9, filed July 9, 1999, German Patent Application No. 19932230.9, filed July 9, 1999, German Patent Application No. 19932914.1, filed July 14, 1999, German Patent Application No. 19940764.9, filed August 27, 1999, and German Patent Application No. 19941382.7, filed August 31, 1999. The entire contents of all of the aforementioned applications are hereby expressly incorporated herein in their entirety by this reference.

Background of the Invention

20

30

Certain products and by-products of naturally-occurring metabolic processes in cells have utility in a wide array of industries, including the food, feed, cosmetics, and pharmaceutical industries. These molecules, collectively termed 'fine chemicals', include organic acids, both proteinogenic and non-proteinogenic amino acids, nucleotides and nucleosides, lipids and fatty acids, diols, carbohydrates, aromatic compounds, vitamins and cofactors, and enzymes. Their production is most conveniently performed through large-scale culture of bacteria developed to produce and secrete large quantities of a particular desired molecule. One particularly useful organism for this purpose is *Corynebacterium glutamicum*, a gram positive, nonpathogenic bacterium. Through strain selection, a number of mutant strains have been developed which produce an array of desirable compounds. However, selection of strains improved for the production of a particular molecule is a time-consuming and difficult process.

PCT/IB00/00922

Summary of the Invention

WO 01/00804

10

20

30

The invention provides novel bacterial nucleic acid molecules which have a variety of uses. These uses include the identification of microorganisms which can be used to produce fine chemicals, the modulation of fine chemical production in *C. glutamicum* or related bacteria, the typing or identification of *C. glutamicum* or related bacteria, as reference points for mapping the *C. glutamicum* genome, and as markers for transformation. These novel nucleic acid molecules encode proteins, referred to herein as stress, resistance and tolerance (SRT) proteins.

- 2 -

C. glutamicum is a gram positive, aerobic bacterium which is commonly used in industry for the large-scale production of a variety of fine chemicals, and also for the degradation of hydrocarbons (such as in petroleum spills) and for the oxidation of terpenoids. The SRT nucleic acid molecules of the invention, therefore, can be used to identify microorganisms which can be used to produce fine chemicals, e.g., by fermentation processes. Modulation of the expression of the SRT nucleic acids of the invention, or modification of the sequence of the SRT nucleic acid molecules of the invention, can be used to modulate the production of one or more fine chemicals from a microorganism (e.g., to improve the yield or production of one or more fine chemicals from a Corynebacterium or Brevibacterium species).

The SRT nucleic acids of the invention may also be used to identify an organism as being Corynebacterium glutamicum or a close relative thereof, or to identify the presence of C. glutamicum or a relative thereof in a mixed population of microorganisms. The invention provides the nucleic acid sequences of a number of C. glutamicum genes; by probing the extracted genomic DNA of a culture of a unique or mixed population of microorganisms under stringent conditions with a probe spanning a region of a C. glutamicum gene which is unique to this organism, one can ascertain whether this organism is present. Although Corynebacterium glutamicum itself is nonpathogenic, it is related to species pathogenic in humans, such as Corynebacterium diphtheriae (the causative agent of diphtheria); the detection of such organisms is of significant clinical relevance.

The SRT nucleic acid molecules of the invention may also serve as reference points for mapping of the C. glutamicum genome, or of genomes of related organisms.

- 3 -

Similarly, these molecules, or variants or portions thereof, may serve as markers for genetically engineered Corynebacterium or Brevibacterium species.

The SRT proteins encoded by the novel nucleic acid molecules of the invention are capable of, for example, permitting C. glutamicum to survive in a setting which is either chemically or environmentally hazardous to this microorganism. Given the availability of cloning vectors for use in Corynebacterium glutamicum, such as those disclosed in Sinskey et al., U.S. Patent No. 4,649,119, and techniques for genetic manipulation of C. glutamicum and the related Brevibacterium species (e.g., lactofermentum) (Yoshihama et al., J. Bacteriol. 162: 591-597 (1985); Katsumata et al., J. Bacteriol. 159: 306-311 (1984); and Santamaria et al., J. Gen. Microbiol. 130: 2237-2246 (1984)), the nucleic acid molecules of the invention may be utilized in the genetic engineering of this organism to make it a better or more efficient producer of one or more fine chemicals, through the ability of these proteins to permit growth and. multiplication of C. glutamicum (and also continuous production of one or more fine chemicals) under circumstances which would normally impede growth of the organism, 15 such as those conditions frequently encountered during large-scale fermentative growth. For example, by overexpressing or engineering a heat-shock induced protease molecule such that it is optimized in activity, one may increase the ability of the bacterium to degrade incorrectly folded proteins when the bacterium is challenged with high temperatures. By having fewer misfolded (and possibly misregulated or nonfunctional) proteins to interfere with normal reaction mechanisms in the cell, the cell is increased in its ability to function normally in such a culture, which should in turn provide increased viability. This overall increase in number of cells having greater viability and activity in the culture should also result in an increase in yield, production, and/or efficiency of production of one or more desired fine chemicals, due at least to the relatively greater number of cells producing these chemicals in the culture.

This invention provides novel SRT nucleic acid molecules which encode SRT proteins which are capable of, for example, permitting *C. glutamicum* to survive in a setting which is either chemically or environmentally hazardous to this microorganism. Nucleic acid molecules encoding an SRT protein are referred to herein as SRT nucleic acid molecules. In a preferred embodiment, the SRT protein participates in metabolic pathways permitting *C. glutamicum* to survive in a setting which is either chemically or

- 4 -

environmentally hazardous to this microorganism. Examples of such proteins include those encoded by the genes set forth in Table 1.

Accordingly, one aspect of the invention pertains to isolated nucleic acid molecules (e.g., cDNAs, DNAs, or RNAs) comprising a nucleotide sequence encoding an SRT protein or biologically active portions thereof, as well as nucleic acid fragments suitable as primers or hybridization probes for the detection or amplification of SRTencoding nucleic acid (e.g., DNA or mRNA). In particularly preferred embodiments, the isolated nucleic acid molecule comprises one of the nucleotide sequences set forth as the odd-numbered SEQ ID NOs in the Sequence Listing (e.g., SEO ID NO:1, SEO ID NO:3, SEQ ID NO:5, SEQ ID NO:7....), or the coding region or a complement thereof of one of these nucleotide sequences. In other particularly preferred embodiments, the isolated nucleic acid molecule of the invention comprises a nucleotide sequence which hybridizes to or is at least about 50%, preferably at least about 60%, more preferably at least about 70%, 80% or 90%, and even more preferably at least about 95%, 96%, 97%, 98%, 99% or more homologous to a nucleotide sequence set forth as an odd-numbered SEQ ID NO in the Sequence Listing (e.g., SEQ ID NO:1, SEQ ID NO:3, SEO ID NO:5, SEQ ID NO:7....), or a portion thereof. In other preferred embodiments, the isolated nucleic acid molecule encodes one of the amino acid sequences set forth as an evennumbered SEQ ID NO in the Sequence Listing (e.g., SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8....).. The preferred SRT proteins of the present invention also preferably possess at least one of the SRT activities described herein.

In another embodiment, the isolated nucleic acid molecule encodes a protein or portion thereof wherein the protein or portion thereof includes an amino acid sequence which is sufficiently homologous to an amino acid sequence of the invention (e.g., a sequence having an even-numbered SEQ ID NO: in the Sequence Listing), e.g., sufficiently homologous to an amino acid sequence of the invention such that the protein or portion thereof maintains an SRT activity. Preferably, the protein or portion thereof encoded by the nucleic acid molecule maintains the ability to increase the survival of C. glutamicum in a setting which is either chemically or environmentally hazardous to this microorganism. In one embodiment, the protein encoded by the nucleic acid molecule is at least about 50%, preferably at least about 60%, and more preferably at least about 70%, 80%, or 90% and most preferably at least about 95%, 96%, 97%, 98%, or 99% or

20

30

more homologous to an amino acid sequence of the invention (e.g., an entire amino acid sequence selected from those having an even-numbered SEQ ID NO in the Sequence Listing). In another preferred embodiment, the protein is a full length *C. glutamicum* protein which is substantially homologous to an entire amino acid sequence of the invention (encoded by an open reading frame shown the corresponding odd-numbered SEQ ID NOs in the Sequence Listing (e.g., SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7....).

- 5 -

In another preferred embodiment, the isolated nucleic acid molecule is derived from *C. glutamicum* and encodes a protein (*e.g.*, an SRT fusion protein) which includes a biologically active domain which is at least about 50% or more homologous to one of the amino acid sequences of the invention (*e.g.*, a sequence of one of the even-numbered SEQ ID NOs in the Sequence Listing) and has the ability to increase the survival of *C. glutamicum* in a setting which is either chemically or environmentally hazardous to this microorganism, or possesses one or more of the activities set forth in Table 1, and which also includes heterologous nucleic acid sequences encoding a heterologous polypeptide or regulatory regions.

10

15

25

30

In another embodiment, the isolated nucleic acid molecule is at least 15 nucleotides in length and hybridizes under stringent conditions to a nucleic acid molecule comprising a nucleotide sequence of the invention (e.g., a sequence of an odd-numbered SEQ ID NO in the Sequence Listing). Preferably, the isolated nucleic acid molecule corresponds to a naturally-occurring nucleic acid molecule. More preferably, the isolated nucleic acid encodes a naturally-occurring C. glutamicum SRT protein, or a biologically active portion thereof.

Another aspect of the invention pertains to vectors, e.g., recombinant expression vectors, containing the nucleic acid molecules of the invention, and host cells into which such vectors have been introduced. In one embodiment, such a host cell is used to produce an SRT protein by culturing the host cell in a suitable medium. The SRT protein can be then isolated from the medium or the host cell.

Yet another aspect of the invention pertains to a genetically altered microorganism in which an SRT gene has been introduced or altered. In one embodiment, the genome of the microorganism has been altered by the introduction of a nucleic acid molecule of the invention encoding wild-type or mutated SRT sequence as

a transgene. In another embodiment, an endogenous SRT gene within the genome of the microorganism has been altered, e.g., functionally disrupted, by homologous recombination with an altered SRT gene. In another embodiment, an endogenous or introduced SRT gene in a microorganism has been altered by one or more point mutations, deletions, or inversions, but still encodes a functional SRT protein. In still another embodiment, one or more of the regulatory regions (e.g., a promoter, repressor, or inducer) of a SRT gene in a microorganism has been altered (e.g., by deletion, truncation, inversion, or point mutation) such that the expression of the SRT gene is modulated. In a preferred embodiment, the microorganism belongs to the genus Corynebacterium or Brevibacterium, with Corynebacterium glutamicum being particularly preferred. In a preferred embodiment, the microorganism is also utilized for the production of a desired compound, such as an amino acid, with lysine being particularly preferred.

In another aspect, the invention provides a method of identifying the presence or activity of *Cornyebacterium diphtheriae* in a subject. This method includes detection of one or more of the nucleic acid or amino acid sequences of the invention (e.g., the sequences set forth in the Sequence Listing as SEQ ID NOs 1 through 304)) in a subject, thereby detecting the presence or activity of *Corynebacterium diphtheriae* in the subject.

15

20

Still another aspect of the invention pertains to an isolated SRT protein or a portion, e.g., a biologically active portion, thereof. In a preferred embodiment, the isolated SRT protein or portion thereof possesses the ability to increase the survival of C. glutamicum in a setting which is either chemically or environmentally hazardous to this microorganism. In another preferred embodiment, the isolated SRT protein or portion thereof is sufficiently homologous to an amino acid sequence of the invention (e.g., a sequence of an even-numbered SEQ ID NO: in the Sequence Listing) such that the protein or portion thereof maintains the ability to increase the survival of C. glutamicum in a setting which is either chemically or environmentally hazardous to this microorganism.

The invention also provides an isolated preparation of an SRT protein. In preferred embodiments, the SRT protein comprises an amino acid sequence of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of the Sequence Listing). In another preferred embodiment, the invention pertains to an isolated full length protein

-7-

which is substantially homologous to an entire amino acid sequence of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of the Sequence Listing) (encoded by an open reading frame set forth in a corresponding odd-numbered SEQ ID NO: of the Sequence Listing).). In yet another embodiment, the protein is at least about 50%, preferably at least about 60%, and more preferably at least about 70%, 80%, or 90%, and most preferably at least about 95%, 96%, 97%, 98%, or 99% or more homologous to an entire amino acid sequence of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of the Sequence Listing). In other embodiments, the isolated SRT protein comprises an amino acid sequences which is at least about 50% or more homologous to one of the amino acid sequences of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of the Sequence Listing) and is able to improve the survival rate of C. glutamicum in a setting which is either chemically or environmentally hazardous to this microorganism, or has one or more of the activities set forth in Table 1.

Alternatively, the isolated SRT protein can comprise an amino acid sequence which is encoded by a nucleotide sequence which hybridizes, e.g., hybridizes under stringent conditions, or is at least about 50%, preferably at least about 60%, more preferably at least about 70%, 80%, or 90%, and even more preferably at least about 95%, 96%, 97%, 98,%, or 99% or more homologousto a nucleotide sequence of one of the even-numbered SEQ ID NOs set forth in the Sequence Listing. It is also preferred that the preferred forms of SRT proteins also have one or more of the SRT bioactivities described herein.

15

20

30

The SRT polypeptide, or a biologically active portion thereof, can be operatively linked to a non-SRT polypeptide to form a fusion protein. In preferred embodiments, this fusion protein has an activity which differs from that of the SRT protein alone. In other preferred embodiments, this fusion protein results in increased yields, production, and/or efficiency of production of a desired fine chemical from *C. glutamicum*. In particularly preferred embodiments, integration of this fusion protein into a host cell modulates the production of a desired compound from the cell.

In another aspect, the invention provides methods for screening molecules which modulate the activity of an SRT protein, either by interacting with the protein itself or a substrate or binding partner of the SRT protein, or by modulating the transcription or translation of an SRT nucleic acid molecule of the invention.

- 8 -

Another aspect of the invention pertains to a method for producing a fine chemical. This method involves the culturing of a cell containing a vector directing the expression of an SRT nucleic acid molecule of the invention, such that a fine chemical is produced. In a preferred embodiment, this method further includes the step of obtaining a cell containing such a vector, in which a cell is transfected with a vector directing the expression of an SRT nucleic acid. In another preferred embodiment, this method further includes the step of recovering the fine chemical from the culture. In a particularly preferred embodiment, the cell is from the genus *Corynebacterium* or *Brevibacterium*, or is selected from those strains set forth in Table 3.

10

20

Another aspect of the invention pertains to methods for modulating production of a molecule from a microorganism. Such methods include contacting the cell with an agent which modulates SRT protein activity or SRT nucleic acid expression such that a cell associated activity is altered relative to this same activity in the absence of the agent. In a preferred embodiment, the cell is modulated in resistance to one or more toxic chemicals or in resistance to one or more environmental stresses, such that the yields or rate of production of a desired fine chemical by this microorganism is improved. The agent which modulates SRT protein activity can be an agent which stimulates SRT protein activity or SRT nucleic acid expression. Examples of agents which stimulate SRT protein activity or SRT nucleic acid expression include small molecules, active SRT proteins, and nucleic acids encoding SRT proteins that have been introduced into the cell. Examples of agents which inhibit SRT activity or expression include small molecules, and antisense SRT nucleic acid molecules.

Another aspect of the invention pertains to methods for modulating yields of a desired compound from a cell, involving the introduction of a wild-type or mutant SRT gene into a cell, either maintained on a separate plasmid or integrated into the genome of the host cell. If integrated into the genome, such integration can random, or it can take place by homologous recombination such that the native gene is replaced by the introduced copy, causing the production of the desired compound from the cell to be modulated. In a preferred embodiment, said yields are increased. In another preferred embodiment, said chemical is a fine chemical. In a particularly preferred embodiment, said fine chemical is an amino acid. In especially preferred embodiments, said amino acid is L-lysine.

10

Detailed Description of the Invention

The present invention provides SRT nucleic acid and protein molecules which are involved in the survival of *C. glutamicum* upon exposure of this microorganism to chemical or environmental hazards. The molecules of the invention may be utilized in the modulation of production of fine chemicals from microorganisms, since these SRT proteins provide a means for continued growth and multiplication of *C. glutamicum* in the presence of toxic chemicals or hazardous environmental conditions, such as may be encountered during large-scale fermentative growth. By increasing the growth rate or at least maintaining normal growth in the face of poor, if not toxic, conditions, one may increase the yield, production, and/or efficiency of production of one or more fine chemicals from such a culture, at least due to the relatively greater number of cells producing the fine chemical in the culture. Aspects of the invention are further explicated below.

15 I. Fine Chemicals

The term 'fine chemical' is art-recognized and includes molecules produced by an organism which have applications in various industries, such as, but not limited to, the pharmaceutical, agriculture, and cosmetics industries. Such compounds include organic acids, such as tartaric acid, itaconic acid, and diaminopimelic acid, both 20 proteinogenic and non-proteinogenic amino acids, purine and pyrimidine bases, nucleosides, and nucleotides (as described e.g. in Kuninaka, A. (1996) Nucleotides and related compounds, p. 561-612, in Biotechnology vol. 6, Rehm et al., eds. VCH: Weinheim, and references contained therein), lipids, both saturated and unsaturated fatty acids (e.g., arachidonic acid), diols (e.g., propane diol, and butane diol), carbohydrates 25 (e.g., hyaluronic acid and trehalose), aromatic compounds (e.g., aromatic amines, vanillin, and indigo), vitamins and cofactors (as described in Ullmann's Encyclopedia of Industrial Chemistry, vol. A27, "Vitamins", p. 443-613 (1996) VCH: Weinheim and references therein; and Ong, A.S., Niki, E. & Packer, L. (1995) "Nutrition, Lipids, Health, and Disease" Proceedings of the UNESCO/Confederation of Scientific and Technological Associations in Malaysia, and the Society for Free Radical Research -30 Asia, held Sept. 1-3, 1994 at Penang, Malaysia, AOCS Press, (1995)), enzymes, polyketides (Cane et al. (1998) Science 282: 63-68), and all other chemicals described in

- 10 -

PCT/IB00/00922

Gutcho (1983) Chemicals by Fermentation, Noyes Data Corporation, ISBN: 0818805086 and references therein. The metabolism and uses of certain of these fine chemicals are further explicated below.

5 A. Amino Acid Metabolism and Uses

WO 01/00804

25

30

Amino acids comprise the basic structural units of all proteins, and as such are essential for normal cellular functioning in all organisms. The term "amino acid" is artrecognized. The proteinogenic amino acids, of which there are 20 species, serve as structural units for proteins, in which they are linked by peptide bonds, while the nonproteinogenic amino acids (hundreds of which are known) are not normally found in 10 proteins (see Ulmann's Encyclopedia of Industrial Chemistry, vol. A2, p. 57-97 VCH: Weinheim (1985)). Amino acids may be in the D- or L- optical configuration, though Lamino acids are generally the only type found in naturally-occurring proteins. Biosynthetic and degradative pathways of each of the 20 proteinogenic amino acids have been well characterized in both prokaryotic and eukaryotic cells (see, for example, Stryer, L. Biochemistry, 3rd edition, pages 578-590 (1988)). The 'essential' amino acids (histidine, isoleucine, leucine, lysine, methionine, phenylalanine, threonine, tryptophan, and valine), so named because they are generally a nutritional requirement due to the complexity of their biosyntheses, are readily converted by simple biosynthetic pathways. to the remaining 11 'nonessential' amino acids (alanine, arginine, asparagine, aspartate, 20 cysteine, glutamate, glutamine, glycine, proline, serine, and tyrosine). Higher animals do retain the ability to synthesize some of these amino acids, but the essential amino acids must be supplied from the diet in order for normal protein synthesis to occur.

Aside from their function in protein biosynthesis, these amino acids are interesting chemicals in their own right, and many have been found to have various applications in the food, feed, chemical, cosmetics, agriculture, and pharmaceutical industries. Lysine is an important amino acid in the nutrition not only of humans, but also of monogastric animals such as poultry and swine. Glutamate is most commonly used as a flavor additive (mono-sodium glutamate, MSG) and is widely used throughout the food industry, as are aspartate, phenylalanine, glycine, and cysteine. Glycine, L-methionine and tryptophan are all utilized in the pharmaceutical industry. Glutamine, valine, leucine, isoleucine, histidine, arginine, proline, serine and alanine are of use in

both the pharmaceutical and cosmetics industries. Threonine, tryptophan, and D/L-methionine are common feed additives. (Leuchtenberger, W. (1996) Amino aids – technical production and use, p. 466-502 in Rehm *et al.* (eds.) Biotechnology vol. 6, chapter 14a, VCH: Weinheim). Additionally, these amino acids have been found to be useful as precursors for the synthesis of synthetic amino acids and proteins, such as N-acetylcysteine, S-carboxymethyl-L-cysteine, (S)-5-hydroxytryptophan, and others described in Ulmann's Encyclopedia of Industrial Chemistry, vol. A2, p. 57-97, VCH: Weinheim, 1985.

The biosynthesis of these natural amino acids in organisms capable of 10 producing them, such as bacteria, has been well characterized (for review of bacterial amino acid biosynthesis and regulation thereof, see Umbarger, H.E.(1978) Ann. Rev. Biochem. 47: 533-606). Glutamate is synthesized by the reductive amination of α ketoglutarate, an intermediate in the citric acid cycle. Glutamine, proline, and arginine are each subsequently produced from glutamate. The biosynthesis of serine is a threestep process beginning with 3-phosphoglycerate (an intermediate in glycolysis), and 15 resulting in this amino acid after oxidation, transamination, and hydrolysis steps. Both cysteine and glycine are produced from serine; the former by the condensation of homocysteine with serine, and the latter by the transferal of the side-chain β -carbon atom to tetrahydrofolate, in a reaction catalyzed by serine transhydroxymethylase. 20 Phenylalanine, and tyrosine are synthesized from the glycolytic and pentose phosphate pathway precursors erythrose 4-phosphate and phosphoenolpyruvate in a 9-step biosynthetic pathway that differ only at the final two steps after synthesis of prephenate. Tryptophan is also produced from these two initial molecules, but its synthesis is an 11step pathway. Tyrosine may also be synthesized from phenylalanine, in a reaction catalyzed by phenylalanine hydroxylase. Alanine, valine, and leucine are all biosynthetic products of pyruvate, the final product of glycolysis. Aspartate is formed from oxaloacetate, an intermediate of the citric acid cycle. Asparagine, methionine, threonine, and lysine are each produced by the conversion of aspartate. Isoleucine is formed from threonine. A complex 9-step pathway results in the production of histidine 30 from 5-phosphoribosyl-1-pyrophosphate, an activated sugar.

Amino acids in excess of the protein synthesis needs of the cell cannot be stored, and are instead degraded to provide intermediates for the major metabolic pathways of

the cell (for review see Stryer, L. Biochemistry 3rd ed. Ch. 21 "Amino Acid Degradation and the Urea Cycle" p. 495-516 (1988)). Although the cell is able to convert unwanted amino acids into useful metabolic intermediates, amino acid production is costly in terms of energy, precursor molecules, and the enzymes necessary to synthesize them. Thus it is not surprising that amino acid biosynthesis is regulated by feedback inhibition, in which the presence of a particular amino acid serves to slow or entirely stop its own production (for overview of feedback mechanisms in amino acid biosynthetic pathways, see Stryer, L. Biochemistry, 3rd ed. Ch. 24: "Biosynthesis of Amino Acids and Heme" p. 575-600 (1988)). Thus, the output of any particular amino acid is limited by the amount of that amino acid present in the cell.

B. Vitamin, Cofactor, and Nutraceutical Metabolism and Uses

10

20

25

30

Vitamins, cofactors, and nutraceuticals comprise another group of molecules which the higher animals have lost the ability to synthesize and so must ingest, although they are readily synthesized by other organisms, such as bacteria. These molecules are either bioactive substances themselves, or are precursors of biologically active substances which may serve as electron carriers or intermediates in a variety of metabolic pathways. Aside from their nutritive value, these compounds also have significant industrial value as coloring agents, antioxidants, and catalysts or other processing aids. (For an overview of the structure, activity, and industrial applications of these compounds, see, for example, Ullman's Encyclopedia of Industrial Chemistry, "Vitamins" vol. A27, p. 443-613, VCH: Weinheim, 1996.) The term "vitamin" is artrecognized, and includes nutrients which are required by an organism for normal functioning, but which that organism cannot synthesize by itself. The group of vitamins may encompass cofactors and nutraceutical compounds. The language "cofactor" includes nonproteinaceous compounds required for a normal enzymatic activity to occur. Such compounds may be organic or inorganic; the cofactor molecules of the invention are preferably organic. The term "nutraceutical" includes dietary supplements having health benefits in plants and animals, particularly humans. Examples of such molecules are vitamins, antioxidants, and also certain lipids (e.g., polyunsaturated fatty acids).

The biosynthesis of these molecules in organisms capable of producing them, such as bacteria, has been largely characterized (Ullman's Encyclopedia of Industrial Chemistry, "Vitamins" vol. A27, p. 443-613, VCH: Weinheim, 1996; Michal, G. (1999) Biochemical Pathways: An Atlas of Biochemistry and Molecular Biology, John Wiley & Sons; Ong, A.S., Niki, E. & Packer, L. (1995) "Nutrition, Lipids, Health, and Disease" Proceedings of the UNESCO/Confederation of Scientific and Technological Associations in Malaysia, and the Society for Free Radical Research – Asia, held Sept. 1-3, 1994 at Penang, Malaysia, AOCS Press: Champaign, IL X, 374 S).

10

20

25

Thiamin (vitamin B₁) is produced by the chemical coupling of pyrimidine and thiazole moieties. Riboflavin (vitamin B₂) is synthesized from guanosine-5'-triphosphate (GTP) and ribose-5'-phosphate. Riboflavin, in turn, is utilized for the synthesis of flavin mononucleotide (FMN) and flavin adenine dinucleotide (FAD). The family of compounds collectively termed 'vitamin B₆' (e.g., pyridoxine, pyridoxamine, pyridoxa-5'-phosphate, and the commercially used pyridoxin hydrochloride) are all derivatives of the common structural unit, 5-hydroxy-6-methylpyridine. Pantothenate (pantothenic acid, (R)-(+)-N-(2,4-dihydroxy-3,3-dimethyl-1-oxobutyl)-β-alanine) can be produced either by chemical synthesis or by fermentation. The final steps in pantothenate biosynthesis consist of the ATP-driven condensation of β-alanine and pantoic acid. The enzymes responsible for the biosynthesis steps for the conversion to pantoic acid, to βalanine and for the condensation to panthotenic acid are known. The metabolically active form of pantothenate is Coenzyme A, for which the biosynthesis proceeds in 5 enzymatic steps. Pantothenate, pyridoxal-5'-phosphate, cysteine and ATP are the precursors of Coenzyme A. These enzymes not only catalyze the formation of panthothante, but also the production of (R)-pantoic acid, (R)-pantolacton, (R)panthenol (provitamin B₅), pantetheine (and its derivatives) and coenzyme A.

Biotin biosynthesis from the precursor molecule pimeloyl-CoA in microorganisms has been studied in detail and several of the genes involved have been identified. Many of the corresponding proteins have been found to also be involved in Fe-cluster synthesis and are members of the nifS class of proteins. Lipoic acid is derived from octanoic acid, and serves as a coenzyme in energy metabolism, where it becomes part of the pyruvate dehydrogenase complex and the α -ketoglutarate dehydrogenase complex. The folates are a group of substances which are all derivatives

5

15

- 14 -

of folic acid, which is turn is derived from L-glutamic acid, p-amino-benzoic acid and 6-methylpterin. The biosynthesis of folic acid and its derivatives, starting from the metabolism intermediates guanosine-5'-triphosphate (GTP), L-glutamic acid and p-amino-benzoic acid has been studied in detail in certain microorganisms.

Corrinoids (such as the cobalamines and particularly vitamin B₁₂) and porphyrines belong to a group of chemicals characterized by a tetrapyrole ring system. The biosynthesis of vitamin B₁₂ is sufficiently complex that it has not yet been completely characterized, but many of the enzymes and substrates involved are now known. Nicotinic acid (nicotinate), and nicotinamide are pyridine derivatives which are also termed 'niacin'. Niacin is the precursor of the important coenzymes NAD (nicotinamide adenine dinucleotide) and NADP (nicotinamide adenine dinucleotide phosphate) and their reduced forms.

The large-scale production of these compounds has largely relied on cell-free chemical syntheses, though some of these chemicals have also been produced by large-scale culture of microorganisms, such as riboflavin, Vitamin B₆, pantothenate, and biotin. Only Vitamin B₁₂ is produced solely by fermentation, due to the complexity of its synthesis. *In vitro* methodologies require significant inputs of materials and time, often at great cost.

20 C. Purine, Pyrimidine, Nucleoside and Nucleotide Metabolism and Uses

Purine and pyrimidine metabolism genes and their corresponding proteins are important targets for the therapy of tumor diseases and viral infections. The language "purine" or "pyrimidine" includes the nitrogenous bases which are constituents of nucleic acids, co-enzymes, and nucleotides. The term "nucleotide" includes the basic structural units of nucleic acid molecules, which are comprised of a nitrogenous base, a pentose sugar (in the case of RNA, the sugar is ribose; in the case of DNA, the sugar is D-deoxyribose), and phosphoric acid. The language "nucleoside" includes molecules which serve as precursors to nucleotides, but which are lacking the phosphoric acid moiety that nucleotides possess. By inhibiting the biosynthesis of these molecules, or their mobilization to form nucleic acid molecules, it is possible to inhibit RNA and DNA synthesis; by inhibiting this activity in a fashion targeted to cancerous cells, the ability of tumor cells to divide and replicate may be inhibited. Additionally, there are

nucleotides which do not form nucleic acid molecules, but rather serve as energy stores (i.e., AMP) or as coenzymes (i.e., FAD and NAD).

Several publications have described the use of these chemicals for these medical indications, by influencing purine and/or pyrimidine metabolism (e.g. Christopherson, R.I. and Lyons, S.D. (1990) "Potent inhibitors of de novo pyrimidine and purine biosynthesis as chemotherapeutic agents." Med. Res. Reviews 10: 505-548). Studies of enzymes involved in purine and pyrimidine metabolism have been focused on the development of new drugs which can be used, for example, as immunosuppressants or anti-proliferants (Smith, J.L., (1995) "Enzymes in nucleotide synthesis." Curr. Opin. Struct. Biol. 5: 752-757; (1995) Biochem Soc. Transact. 23: 877-902). However, purine and pyrimidine bases, nucleosides and nucleotides have other utilities: as intermediates in the biosynthesis of several fine chemicals (e.g., thiamine, S-adenosyl-methionine, folates, or riboflavin), as energy carriers for the cell (e.g., ATP or GTP), and for chemicals themselves, commonly used as flavor enhancers (e.g., IMP or GMP) or for several medicinal applications (see, for example, Kuninaka, A. (1996) Nucleotides and Related Compounds in Biotechnology vol. 6, Rehm et al., eds. VCH: Weinheim, p. 561-612). Also, enzymes involved in purine, pyrimidine, nucleoside, or nucleotide metabolism are increasingly serving as targets against which chemicals for crop protection, including fungicides, herbicides and insecticides, are developed.

The metabolism of these compounds in bacteria has been characterized (for reviews see, for example, Zalkin, H. and Dixon, J.E. (1992) "de novo purine nucleotide biosynthesis", in: Progress in Nucleic Acid Research and Molecular Biology, vol. 42, Academic Press:, p. 259-287; and Michal, G. (1999) "Nucleotides and Nucleosides", Chapter 8 in: Biochemical Pathways: An Atlas of Biochemistry and Molecular Biology, Wiley: New York). Purine metabolism has been the subject of intensive research, and is essential to the normal functioning of the cell. Impaired purine metabolism in higher animals can cause severe disease, such as gout. Purine nucleotides are synthesized from ribose-5-phosphate, in a series of steps through the intermediate compound inosine-5'-phosphate (IMP), resulting in the production of guanosine-5'-monophosphate (GMP) or adenosine-5'-monophosphate (AMP), from which the triphosphate forms utilized as nucleotides are readily formed. These compounds are also utilized as energy stores, so their degradation provides energy for many different biochemical processes in the cell.

20

Pyrimidine biosynthesis proceeds by the formation of uridine-5'-monophosphate (UMP) from ribose-5-phosphate. UMP, in turn, is converted to cytidine-5'-triphosphate (CTP). The deoxy- forms of all of these nucleotides are produced in a one step reduction reaction from the diphosphate ribose form of the nucleotide to the diphosphate deoxyribose form of the nucleotide. Upon phosphorylation, these molecules are able to participate in DNA synthesis.

D. Trehalose Metabolism and Uses

Trehalose consists of two glucose molecules, bound in α, α-1,1 linkage. It is commonly used in the food industry as a sweetener, an additive for dried or frozen foods, and in beverages. However, it also has applications in the pharmaceutical, cosmetics and biotechnology industries (see, for example, Nishimoto *et al.*, (1998) U.S. Patent No. 5,759,610; Singer, M.A. and Lindquist, S. (1998) *Trends Biotech*. 16: 460-467; Paiva, C.L.A. and Panek, A.D. (1996) *Biotech. Ann. Rev.* 2: 293-314; and Shiosaka, M. (1997) J. Japan 172: 97-102). Trehalose is produced by enzymes from many microorganisms and is naturally released into the surrounding medium, from which it can be collected using methods known in the art.

II. Resistance to Damage from Chemicals, Environmental Stress, and Antibiotics

Production of fine chemicals is typically performed by large-scale culture of bacteria developed to produce and secrete large quantities of these molecules. However, this type of large-scale fermentation results in the subjection of the microorganisms to stresses of various kinds. These stresses include environmental stress and chemical stress.

25

20

10

A. Resistance to Environmental Stress

Examples of environmental stresses typically encountered in large-scale fermentative culture include mechanical stress, heat stress, stress due to limited oxygen, stress due to oxygen radicals, pH stress, and osmotic stress. The stirring mechanism used in most large-scale fermentors to ensure aeration of the culture produces heat, thus increasing the temperature of the culture. Increases in temperature induce the well-characterized heat shock response, in which a set of proteins are expressed which not

- 17 -

only aid in the survival of the bacterium in the face of high temperatures, but also increase survival in response to a number of other environmental stresses (see Neidhardt, F.C., et al., eds. (1996) E. coli and Salmonella. ASM Press: Washington, D.C., p. 1382-1399; Wosten, M. M. (1998) FEMS Microbiology Reviews 22(3): 127-50; Bahl, H. et al. (1995) FEMS Microbiology Reviews 17(3): 341-348; Zimmerman, J.L., Cohill, P.R. (1991) New Biologist 3(7): 641-650; Samali, A., and Orrenius, S. (1998) Cell. Stress Chaperones 3(4): 228-236, and references contained therein from each of these citations). Regulation of the heat shock response in bacteria is facilitated by specific sigma factors and other cellular regulators of gene expression (Hecker, M., Volker, U (1998). Molecular Microbiology 29(5): 1129-1136). One of the largest problems that the cell encounters when exposed to high temperature is that protein folding is impaired; nascent proteins have sufficient kinetic energy in high temperature circumstances that it is difficult for the growing polypeptide chain to remain in a stable conformation long enough to fold properly. Thus, two of the key types of proteins expressed during the heat shock response consist of chaperones (proteins which assist in the folding or unfolding of other proteins - see, e.g., Fink, A.L. (1999) Physiol. Rev. 79(2): 425-449), and proteases, which can destroy any improperly folded proteins. Examples of chaperones expressed during the heat shock response include GroEL and DNAK; proteases known to be expressed during this cellular reaction to heat shock include Lon, FtsH, and ClpB. 20

Other environmental stresses besides heat may also provoke a stress response. Though the fermentor stirring process is meant to introduce oxygen into the culture, oxygen may remain in limited supply, particularly when the culture is advanced in growth and the oxygen needs of the culture are thereby increased; an insufficient supply of oxygen is another stress for the microorganism. Cells in fermentor cultures are also subjected to a number of osmotic stresses, particularly when nutrients are added to the culture, resulting in a high extracellular and low intracellular concentration of these molecules. Further, the large quantities of the desired molecules produced by these organisms in culture may contribute to osmotic stress of the bacteria. Lastly, aerobic metabolism such as that used by *C. glutamicum* results in carbon dioxide as a waste product; secretion of this molecule may acidify the culture medium due to conversion of this molecule to carboxylic acid. Thus, bacteria in culture are also frequently subjected

- 18 -

to acidic pH stress. The converse may also be true – when high levels of basic waste molecules such as ammonium are present in the culture medium, the bacteria in culture may be subjected to basic pH stress as well.

To combat such environmental stresses, bacteria have elegant gene systems which are expressed upon exposure to one or more stresses, such as the aforementioned heat shock system. Genes expressed in response to osmotic stress, for example, encode proteins capable of transporting or synthesizing compatible solutes such that osmotic intake or export of a particular molecule is slowed to manageable levels. Other examples of stress-induced bacterial proteins are those involved in trehalose biosynthesis, those encoding enzymes involved in ppGpp metabolism, those involved in signal transduction, particularly those encoding two-component systems which are sensitive to osmotic pressure, and those encoding transcription factors which are responsive to a variety of stress factors (e.g., RssB analogues and/or sigma factors). Many other such genes and their protein products are known in the art.

15

20

B. Resistance to Chemical Stress

Aside from environmental stresses, cells may also experience a number of chemical stresses. These may fall into two categories. The first are natural waster products of metabolism and other cellular processes which are secreted by the cell to the surrounding medium. The second are chemicals present in the extracellular medium which do not originate from the cell. Generally, when cells excrete toxic waste products from the concentrated intracellular cytoplasm into the relatively much more dilute extracellular medium, these products dissipate such that extracellular levels of the possibly toxic compound are quite low. However, in large-scale fermentative culture of the bacterium, this may not be the case: so many bacteria are grown in a relatively small environment and at such a high metabolic rate that waste products may accumulate in the medium to nearly toxic levels. Examples of such wastes are carbon dioxide, metal ions, and reactive oxygen species such as hydrogen peroxide. These compounds may interfere with the activity or structure of cell surface molecules, or may re-enter the cell, where they can seriously damage proteins and nucleic acids alike. Certain other chemicals hazardous to the normal functioning of cells may be naturally found in the extracellular medium. For example, metal ions such as mercury, cadmium, nickel or

- 19 -

copper are frequently found in water sources, and may form tight complexes with cellular enzymes which prevent the normal functioning of these proteins.

C. Resistance to Antibiotics

5

20

Bacteriocidal proteins or antibiotics, may also be found in the extracellular milieu, either through the intervention of the researcher, or as a natural product from another organism, utilized to gain a competitive advantage. Microorganisms have several art-known mechanisms to protect themselves against antimicrobial chemicals. Degradation, modification, and export of compounds toxic to the cell are common methods by which microorganisms eliminate or detoxify antibiotics. Cytoplasmic 'efflux-pumps' are known in several prokaryotes and show similarities to the so-called 'multidrug resistance' proteins from higher eukaryotes (Neyfakh, A. A., et al. (1991) Proc. Natl. Acad. Sci. USA 88: 4781-4785). Examples of such proteins include emrAB from E. coli (Lomovskaya, O. and K. Lewis (1992) Proc. Natl. Acad. Sci. USA 89: 8938-8942), lmrB from B. subtilis (Kumano, M. et al. (1997) Microbiology 143: 2775-2782), smr from S. aureus (Grinius, L.G. et al. (1992) Plasmid 27: 119-129) or cmr from C. glutamicum (Kaidoh, K. et al. (1997) Micro. Drug Resist. 3: 345-350). C. glutamicum itself is non-pathogenic, in contrast to several other members of the genus Corynebacterium, such as C. diphtheriae or C. pseudotuberculosis. Several pathogenic Corynebacteria are known to have multiple resistances against a variety of antibiotics, such as C. jeikeium and C. urealyticum (Soriano, F. et al. (1995) Antimicrob. Agents Chemother. 39: 208-214).

Lincosamides are recognized as effective antibiotics against Corynebacterium species (Soriano, F. et al. (1995) Antimicrob. Agents Chemother. 39: 208-214). An unexpected result of the present invention was the identification of a gene encoding a lincosamide-resistance protein (in particular, a lincomycin-resistance protein). The LMRB protein from C. glutamicum shows 40% homology to the product of the lmrB gene from B. subtilis (see Genbank accession no. AL009126), as calculated using version 1.7 of the program CLUSTALW (Thompson, J.D., Higgins, D.G., Gibson, T. J. (1994) Nucl. Acids Res. 22: 4673-4680) using standard parameters (PAIRWISE ALIGNMENT PARAMETERS: slow/accurate alignments: Gap Open Penalty = 10.00, Gap Extension Penalty = 0.10, Protein weight matrix = BLOSUM 30, DNA weight

- 20 -

matrix = IUB, Fast/Approximate alignments: Gap penalty = 3, K-tuple (word) size = 1, No. of top diagonals = 5, Window size = 5, Toggle Slow/Fast pairwise alignments = slow. Multiple alignment parameters: Gap Opening Penalty = 10.00, Gap Extension Penalty = 0.05, Delay divergent sequences = 40%, DNA transitions weight = 0.50, Protein weight matrix = BLOSUM series, DNA weight matrix = IUB, Use negative matrix = OFF).

Environmental stress, chemical stress, and antibiotic or other antimicrobial stress may influence the behavior of the microorganisms during fermentor culture, and may have an impact on the production of the desired compound from these organisms.

For example, osmotic stress of a microorganism may cause inappropriate or inappropriately rapid uptake of one or more compounds which can ultimately lead to cellular damage or death due to osmotic shock. Similarly, chemicals present in the culture, either exogenously added (e.g., antimicrobial compounds intended to eliminate unwanted microbes) or generated by the bacteria themselves (e.g., waste compounds such as heavy metals or oxygen radicals, or even antimicrobial compounds) may result in inhibition of fine chemical production or even death of the organism. The genes of the invention encode C. glutamicum proteins which act to prevent cell damage or death, by specifically counteracting the source or effect of the environmental or chemical stress.

20

25

30

III. Elements and Methods of the Invention

The present invention is based, at least in part, on the discovery of novel molecules, referred to herein as SRT nucleic acid and protein molecules, which increase the ability of *C. glutamicum* to survive in chemically or environmentally hazardous settings. In one embodiment, the SRT molecules function to confer resistance to one or more environmental or chemical stresses to *C. glutamicum*. In a preferred embodiment, the activity of the SRT molecules of the present invention has an impact on the production of a desired fine chemical by this organism. In a particularly preferred embodiment, the SRT molecules of the invention are modulated in activity, such that the yield, production, and/or efficiency of production of one or more fine chemicals from *C. glutamicum* is also modulated.

- 21 -

The language, "SRT protein" or "SRT polypeptide" includes proteins which participate in the resistance of C. glutamicum to one or more environmental or chemical stresses. Examples of SRT proteins include those encoded by the SRT genes set forth in Table 1 and by the odd-numbered SEQ ID NOs. The terms "SRT gene" or "SRT nucleic acid sequence" include nucleic acid sequences encoding an SRT protein, which consist of a coding region and also corresponding untranslated 5' and 3' sequence regions. Examples of SRT genes include those set forth in Table 1. The terms "production" or "productivity" are art-recognized and include the concentration of the fermentation product (for example, the desired fine chemical) formed within a given time and a given fermentation volume (e.g., kg product per hour per liter). The term "efficiency of production" includes the time required for a particular level of production to be achieved (for example, how long it takes for the cell to attain a particular rate of output of a fine chemical). The term "yield" or "product/carbon yield" is art-recognized and includes the efficiency of the conversion of the carbon source into the product (i.e., fine chemical). This is generally written as, for example, kg product per kg carbon 15 source. By increasing the yield or production of the compound, the quantity of recovered molecules, or of useful recovered molecules of that compound in a given amount of culture over a given amount of time is increased. The terms "biosynthesis" or a "biosynthetic pathway" are art-recognized and include the synthesis of a compound, preferably an organic compound, by a cell from intermediate compounds in what may be a multistep and highly regulated process. The terms "degradation" or a "degradation pathway" are art-recognized and include the breakdown of a compound, preferably an organic compound, by a cell to degradation products (generally speaking, smaller or less complex molecules) in what may be a multistep and highly regulated process. The language "metabolism" is art-recognized and includes the totality of the biochemical 25 reactions that take place in an organism. The metabolism of a particular compound, then, (e.g., the metabolism of an amino acid such as glycine) comprises the overall biosynthetic, modification, and degradation pathways in the cell related to this compound. The terms "resistance" and "tolerance" are art-known and include the ability of a cell to not be affected by exposure to a chemical or an environment which would otherwise be detrimental to the normal functioning of these organisms. The terms "stress" or "hazard" include factors which are detrimental to the normal functioning of

cells such as *C. glutamicum*. Examples of stresses include "chemical stress", in which a cell is exposed to one or more chemicals which are detrimental to the cell, and "environmental stress" where a cell is exposed to an environmental condition outside of those to which it is adapted. Chemical stresses may be either natural metabolic waste products such as, but not limited to reactive oxygen species or carbon dioxide, or chemicals otherwise present in the environment, including, but not limited to heavy metal ions or bacteriocidal proteins such as antibiotics. Environmental stresses may be, but are not limited to temperatures outside of the normal range, suboptimal oxygen availability, osmotic pressures, or extremes of pH, for example.

10

In another embodiment, the SRT molecules of the invention are capable of modulating the production of a desired molecule, such as a fine chemical, in a microorganism such as C. glutamicum. Using recombinant genetic techniques, one or more of the SRT proteins of the invention may be manipulated such that its function is modulated. The alteration of activity of stress response, resistance or tolerance genes such that the cell is increased in tolerance to one or more stresses may improve the ability of that cell to grow and multiply in the relatively stressful conditions of largescale fermentor culture. For example, by overexpressing or engineering a heat-shock induced chaperone molecule such that it is optimized in activity, one may increase the ability of the bacterium to correctly fold proteins in the face of nonoptimal temperature conditions. By having fewer misfolded (and possibly misregulated or nonfunctional) proteins, the cell is increased in its ability to function normally in such a culture, which should in turn provide increased viability. This overall increase in number of cells having greater viability and activity in the culture should also result in an increase in the yield, production, and/or efficiency of production of one or more desired fine chemicals, due at least to the relatively greater number of cells producing these chemicals in the culture.

The isolated nucleic acid sequences of the invention are contained within the genome of a Corynebacterium glutamicum strain available through the American Type Culture Collection, given designation ATCC 13032. The nucleotide sequence of the isolated C. glutamicum SRT DNAs and the predicted amino acid sequences of the C. glutamicum SRT proteins are shown the Sequence Listing as odd-numbered SEQ ID NOs and even-numbered SEQ ID NOs, respectively...

Computational analyses were performed which classified and/or identified these nucleotide sequences as sequences which encode chemical and environmental stress, resistance, and tolerance proteins.

The present invention also pertains to proteins which have an amino acid sequence which is substantially homologous to an amino acid sequence of the invention (e.g., the sequence of an even-numbered SEQ ID NO of the Sequence Listing). As used herein, a protein which has an amino acid sequence which is substantially homologous to a selected amino acid sequence is least about 50% homologous to the selected amino acid sequence, e.g., the entire selected amino acid sequence. A protein which has an amino acid sequence which is substantially homologous to a selected amino acid sequence can also be least about 50-60%, preferably at least about 60-70%, and more preferably at least about 70-80%, 80-90%, or 90-95%, and most preferably at least about 96%, 97%, 98%, 99% or more homologous to the selected amino acid sequence. Ranges and identity values intermediate to the above-recited values, (e.g., 75%-80% identical, 85-87% identical, 91-92% identical) are also intended to be encompassed by the present invention. For example, ranges of identity values using a combination of any of the above values recited as upper and/or lower limits are intended to be included.

The SRT proteins or biologically active portions or fragments thereof of the invention can confer resistance or tolerance to one or more chemical or environmental stresses, or may have one or more of the activities set forth in Table 1.

Various aspects of the invention are described in further detail in the following subsections:

A. Isolated Nucleic Acid Molecules

5

15

20

25

One aspect of the invention pertains to isolated nucleic acid molecules that encode SRT polypeptides or biologically active portions thereof, as well as nucleic acid fragments sufficient for use as hybridization probes or primers for the identification or amplification of SRT-encoding nucleic acid (e.g., SRT DNA). As used herein, the term "nucleic acid molecule" is intended to include DNA molecules (e.g., cDNA or genomic DNA) and RNA molecules (e.g., mRNA) and analogs of the DNA or RNA generated using nucleotide analogs. This term also encompasses untranslated sequence located at both the 3' and 5' ends of the coding region of the gene: at least about 100 nucleotides

of sequence upstream from the 5' end of the coding region and at least about 20 nucleotides of sequence downstream from the 3'end of the coding region of the gene. The nucleic acid molecule can be single-stranded or double-stranded, but preferably is double-stranded DNA. An "isolated" nucleic acid molecule is one which is separated from other nucleic acid molecules which are present in the natural source of the nucleic acid. Preferably, an "isolated" nucleic acid is free of sequences which naturally flank the nucleic acid (*i.e.*, sequences located at the 5' and 3' ends of the nucleic acid) in the genomic DNA of the organism from which the nucleic acid is derived. For example, in various embodiments, the isolated SRT nucleic acid molecule can contain less than about 5 kb, 4kb, 3kb, 2kb, 1 kb, 0.5 kb or 0.1 kb of nucleotide sequences which naturally flank the nucleic acid molecule in genomic DNA of the cell from which the nucleic acid is derived (*e.g.*, a *C. glutamicum* cell). Moreover, an "isolated" nucleic acid molecule, such as a DNA molecule, can be substantially free of other cellular material, or culture medium when produced by recombinant techniques, or chemical precursors or other chemicals when chemically synthesized.

15

A nucleic acid molecule of the present invention, e.g., a nucleic acid molecule having a nucleotide sequence of an odd-numbered SEQ ID NO of the Sequence Listing, or a portion thereof, can be isolated using standard molecular biology techniques and the sequence information provided herein. For example, a C. glutamicum SRT DNA can be 20 isolated from a C. glutamicum library using all or portion of one of the odd-numbered SEQ ID NO sequences of the Sequence Listing as a hybridization probe and standard hybridization techniques (e.g., as described in Sambrook, J., Fritsh, E. F., and Maniatis, T. Molecular Cloning: A Laboratory Manual. 2nd, ed., Cold Spring Harbor Laboratory, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1989). Moreover, a nucleic acid molecule encompassing all or a portion of one of the nucleic acid sequences of the invention (e.g., an odd-numbered SEQ ID NO:) can be isolated by the polymerase chain reaction using oligonucleotide primers designed based upon this sequence (e.g., a nucleic acid molecule encompassing all or a portion of one of the nucleic acid sequences of the invention (e.g., an odd-numbered SEQ ID NO of the Sequence Listing) can be isolated by the polymerase chain reaction using oligonucleotide primers designed based upon this same sequence). For example, mRNA can be isolated from normal endothelial cells (e.g., by the guanidinium-thiocyanate

extraction procedure of Chirgwin et al. (1979) Biochemistry 18: 5294-5299) and DNA can be prepared using reverse transcriptase (e.g., Moloney MLV reverse transcriptase, available from Gibco/BRL, Bethesda, MD; or AMV reverse transcriptase, available from Seikagaku America, Inc., St. Petersburg, FL). Synthetic oligonucleotide primers for polymerase chain reaction amplification can be designed based upon one of the nucleotide sequences shown in the Sequence Listing. A nucleic acid of the invention can be amplified using cDNA or, alternatively, genomic DNA, as a template and appropriate oligonucleotide primers according to standard PCR amplification techniques. The nucleic acid so amplified can be cloned into an appropriate vector and characterized by DNA sequence analysis. Furthermore, oligonucleotides corresponding to an SRT nucleotide sequence can be prepared by standard synthetic techniques, e.g., using an automated DNA synthesizer.

10

In a preferred embodiment, an isolated nucleic acid molecule of the invention comprises one of the nucleotide sequences shown in the Sequence Listing. The nucleic acid sequences of the invention, as set forth in the Sequence Listing, correspond to the Corynebacterium glutamicum SRT DNAs of the invention. This DNA comprises sequences encoding SRT proteins (i.e., the "coding region", indicated in each odd-numbered SEQ ID NO: sequence in the Sequence Listing), as well as 5' untranslated sequences and 3' untranslated sequences, also indicated in each odd-numbered SEQ ID NO: in the Sequence Listing. Alternatively, the nucleic acid molecule can comprise only the coding region of any of the nucleic acid sequences of the Sequence Listing.

For the purposes of this application, it will be understood that each of the nucleic acid and amino acid sequences set forth in the Sequence Listing has an identifying RXA, RXN, or RXS number having the designation "RXA", "RXN", or "RXS" followed by 5 digits (i.e., RXA01524, RXN00493, or RXS01027). Each of the nucleic acid sequences comprises up to three parts: a 5' upstream region, a coding region, and a downstream region. Each of these three regions is identified by the same RXA, RXN, or RXS designation to eliminate confusion. The recitation "one of the odd-numbered sequences of the Sequence Listing", then, refers to any of the nucleic acid sequences in the Sequence Listing, , which may be also be distinguished by their differing RXA, RXN, or RXS designations. The coding region of each of these sequences is translated into a corresponding amino acid sequence, which is also et forth in the Sequence Listing, as an

even-numbered SEQ ID NO: immediately following the corresponding nucleic acid sequence. For example, the coding region for RXA01524 is set forth in SEQ ID NO:1, while the amino acid sequence which it encodes is set forth as SEQ ID NO:2. The sequences of the nucleic acid molecules of the invention are identified by the same

5 RXA, RXN, or RXS designations as the amino acid molecules which they encode, such that they can be readily correlated. For example, the amino acid sequence designated RXA01524 is a translation of the coding region of the nucleotide sequence of nucleic acid molecule RXA01524, the amino acid sequence designated RXN00034 is a translation of the coding region of the nucleotide sequence of nucleic acid molecule RXN00034, and the amino acid sequence in designated RXS00568 is a translation of the coding region of the nucleotide sequence of nucleic acid molecule RXS00568. The correspondence between the RXA, RXN, and RXS nucleotide and amino acid sequences of the invention and their assigned SEQ ID NOs is set forth in Table 1.

Several of the genes of the invention are "F-designated genes". An F-designated gene includes those genes set forth in Table 1 which have an 'F' in front of the RXA, RXN, or RXS designation. For example, SEQ ID NO:7, designated, as indicated on Table 1, as "F RXA00498", is an F-designated gene, as are SEQ ID NOs: 25, 33, and 37 (designated on Table 1 as "F RXA01345", "F RXA02543", and "F RXA02282", respectively).

15

20

In one embodiment, the nucleic acid molecules of the present invention are not intended to include those compiled in Table 2. In the case of the dapD gene, a sequence for this gene was published in Wehrmann, A., et al. (1998) J. Bacteriol. 180(12): 3159-3165. However, the sequence obtained by the inventors of the present application is significantly longer than the published version. It is believed that the published version relied on an incorrect start codon, and thus represents only a fragment of the actual coding region.

In another preferred embodiment, an isolated nucleic acid molecule of the invention comprises a nucleic acid molecule which is a complement of one of the nucleotide sequences of the invention (e.g., a sequence of an odd-numbered SEQ ID NO: of the Sequence Listing, or a portion thereof. A nucleic acid molecule which is complementary to one of the nucleotide sequences of the invention is one which is sufficiently complementary to one of the nucleotide sequences shown in the Sequence

- 27 -

Listing (e.g., the sequence of an odd-numbered SEQ ID NO:) such that it can hybridize to one of the nucleotide sequences of the invention, thereby forming a stable duplex.

In still another preferred embodiment, an isolated nucleic acid molecule of the invention comprises a nucleotide sequence which is at least about 50%, 51%, 52%, 53%, 54%, 55%, 56%, 57%, 58%, 59%, or 60%, preferably at least about 61%, 62%, 63%, 64%, 65%, 66%, 67%, 68%, 69%, or 70%%, more preferably at least about 71%, 72%, 73%, 74%, 75%, 76%, 77%, 78%, 79%, or 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, or 90%, or 91%, 92%, 93%, 94%, and even more preferably at least about 95%, 96%, 97%, 98%, 99% or more homologous to a nucleotide sequence of the invention (e.g., a sequence of an odd-numbered SEQ ID NO: of the Sequence Listing), or a portion thereof. Ranges and identity values intermediate to the above-recited ranges, (e.g., 70-90% identical or 80-95% identical) are also intended to be encompassed by the present invention. For example, ranges of identity values using a combination of any of the above values recited as upper and/or lower limits are intended to be included. In an additional preferred embodiment, an isolated nucleic acid molecule of the invention comprises a nucleotide sequence which hybridizes, e.g., hybridizes under stringent conditions, to one of the nucleotide sequences of the invention,, or a portion thereof.

10

15

20

25

30

Moreover, the nucleic acid molecule of the invention can comprise only a portion of the coding region of the sequence of one of the odd-numbered SEQ ID NOs of the Sequence Listing for example a fragment which can be used as a probe or primer or a fragment encoding a biologically active portion of an SRT protein. The nucleotide sequences determined from the cloning of the SRT genes from *C. glutamicum* allows for the generation of probes and primers designed for use in identifying and/or cloning SRT homologues in other cell types and organisms, as well as SRT homologues from other *Corynebacteria* or related species. The probe/primer typically comprises substantially purified oligonucleotide. The oligonucleotide typically comprises a region of nucleotide sequence that hybridizes under stringent conditions to at least about 12, preferably about 25, more preferably about 40, 50 or 75 consecutive nucleotides of a sense strand of one of the nucleotide sequences of the invention (*e.g.*, a sequence of one of the odd-numbered SEQ ID NOs of the Sequence Listing),, an anti-sense sequence of one of these sequences, or naturally occurring mutants thereof. Primers based on a nucleotide sequence of the invention can be used in PCR reactions to clone SRT homologues.

Probes based on the SRT nucleotide sequences can be used to detect transcripts or genomic sequences encoding the same or homologous proteins. In preferred embodiments, the probe further comprises a label group attached thereto, e.g. the label group can be a radioisotope, a fluorescent compound, an enzyme, or an enzyme cofactor. Such probes can be used as a part of a diagnostic test kit for identifying cells which misexpress an SRT protein, such as by measuring a level of an SRT-encoding nucleic acid in a sample of cells, e.g., detecting SRT mRNA levels or determining whether a genomic SRT gene has been mutated or deleted.

In one embodiment, the nucleic acid molecule of the invention encodes a protein 10 or portion thereof which includes an amino acid sequence which is sufficiently homologous to an amino acid sequence of the invention (e.g., a sequence of an evennumbered SEQ ID NO of the Sequence Listing) such that the protein or portion thereof maintains the ability to confer resistance or tolerance of C. glutamicum to one or more chemical or environmental stresses. As used herein, the language "sufficiently homologous" refers to proteins or portions thereof which have amino acid sequences which include a minimum number of identical or equivalent (e.g., an amino acid residue which has a similar side chain as an amino acid residue in a sequence of one of the evennumbered SEQ ID NOs of the Sequence Listing) amino acid residues to an amino acid sequence of the invention such that the protein or portion thereof is capable of 20 participating in the resistance of C. glutamicum to one or more chemical or environmental stresses. Protein members of such metabolic pathways, as described herein, function to increase the resistance or tolerance of C. glutamicum to one or more environmental or chemical hazards or stresses. Examples of such activities are also described herein. Thus, "the function of an SRT protein" contributes to the overall resistance of C. glutamicum to elements of its surroundings which may impede its normal growth or functioning, and/or contributes, either directly or indirectly, to the yield, production, and/or efficiency of production of one or more fine chemicals. Examples of SRT protein activities are set forth in Table 1.

In another embodiment, the protein is at least about 50-60%, preferably at least about 60-70%, and more preferably at least about 70-80%, 80-90%, 90-95%, and most preferably at least about 96%, 97%, 98%, 99% or more homologous to an entire amino acid sequence of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of

30

- 29 -

the Sequence Listing). Ranges and identity values intermediate to the above-recited values, (e.g., 75%-80% identical, 85-87% identical, or 91-92% identical) are also intended to be encompassed by the present invention. For example, ranges of identity values using a combination of any of the above values recited as upper and/or lower limits are intended to be included.

Portions of proteins encoded by the SRT nucleic acid molecules of the invention are preferably biologically active portions of one of the SRT proteins. As used herein, the term "biologically active portion of an SRT protein" is intended to include a portion, e.g., a domain/motif, of an SRT protein that is capable of imparting resistance or tolerance to one or more environmental or chemical stresses or hazards, or has an activity as set forth in Table 1. To determine whether an SRT protein or a biologically active portion thereof can increase the resistance or tolerance of C. glutamicum to one or more chemical or environmental stresses or hazards, an assay of enzymatic activity may be performed. Such assay methods are well known to those of ordinary skill in the art, as detailed in Example 8 of the Exemplification.

Additional nucleic acid fragments encoding biologically active portions of an SRT protein can be prepared by isolating a portion of one of the amino acid sequences of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of the Sequence Listing), expressing the encoded portion of the SRT protein or peptide (e.g., by recombinant expression in vitro) and assessing the activity of the encoded portion of the SRT protein or peptide.

20

The invention further encompasses nucleic acid molecules that differ from one of the nucleotide sequences of the invention (e.g., a sequence of an odd-numbered SEQ ID NO: of the Sequence Listing) (and portions thereof) due to degeneracy of the genetic code and thus encode the same SRT protein as that encoded by the nucleotide sequences of the invention. In another embodiment, an isolated nucleic acid molecule of the invention has a nucleotide sequence encoding a protein having an amino acid sequence shown in the Sequence Listing (e.g., an even-numbered SEQ ID NO:).. In a still further embodiment, the nucleic acid molecule of the invention encodes a full length C. glutamicum protein which is substantially homologous to an amino acid sequence of the invention (encoded by an open reading frame shown in an odd-numbered SEQ ID NO: of the Sequence Listing).

It will be understood by one of ordinary skill in the art that in one embodiment the sequences of the invention are not meant to include the sequences of the prior art, such as those Genbank sequences set forth in Tables 2 or 4 which were available prior to the present invention. In one embodiment, the invention includes nucleotide and amino acid sequences having a percent identity to a nucleotide or amino acid sequence of the invention which is greater than that of a sequence of the prior art (e.g., a Genbank sequence (or the protein encoded by such a sequence) set forth in Tables 2 or 4). For example, the invention includes a nucleotide sequence which is greater than and/or at least 39% identical to the nucleotide sequence designated RXA00084 (SEQ ID NO:189), a nucleotide sequence which is greater than and/or at least 56% identical to the nucleotide sequence designated RXA00605 (SEQ ID NO:11), and a nucleotide sequence which is greater than and/or at least 50% identical to the nucleotide sequence designated RXA00886 (SEQ ID NO:39). One of ordinary skill in the art would be able to calculate the lower threshold of percent identity for any given sequence of the invention by examining the GAP-calculated percent identity scores set forth in Table 4 for each of the three top hits for the given sequence, and by subtracting the highest GAP-calculated percent identity from 100 percent. One of ordinary skill in the art will also appreciate that nucleic acid and amino acid sequences having percent identities greater than the lower threshold so calculated (e.g., at least 50%, 51%, 52%, 53%, 54%, 55%, 56%, 57%, 58%, 59%, or 60%, preferably at least about 61%, 62%, 63%, 64%, 65%, 66%, 67%, 68%, 69%, or 70%, more preferably at least about 71%, 72%, 73%, 74%, 75%, 76%, 77%, 78%, 79%, or 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, or 90%, or 91%, 92%, 93%, 94%, and even more preferably at least about 95%, 96%, 97%, 98%, 99% or more identical) are also encompassed by the invention.

In addition to the *C. glutamicum* SRT nucleotide sequences set forth in the Sequence Listing as odd-numbered SEQ ID NOs, it will be appreciated by one of ordinary skill in the art that DNA sequence polymorphisms that lead to changes in the amino acid sequences of SRT proteins may exist within a population (*e.g.*, the *C. glutamicum* population). Such genetic polymorphism in the SRT gene may exist among individuals within a population due to natural variation. As used herein, the terms "gene" and "recombinant gene" refer to nucleic acid molecules comprising an open reading frame encoding an SRT protein, preferably a *C. glutamicum* SRT protein. Such

25

5

20

25

30

- 31 -

natural variations can typically result in 1-5% variance in the nucleotide sequence of the SRT gene. Any and all such nucleotide variations and resulting amino acid polymorphisms in SRT that are the result of natural variation and that do not alter the functional activity of SRT proteins are intended to be within the scope of the invention.

Nucleic acid molecules corresponding to natural variants and non-C. glutamicum homologues of the C. glutamicum SRT DNA of the invention can be isolated based on their homology to the C. glutamicum SRT nucleic acid disclosed herein using the C. glutamicum DNA, or a portion thereof, as a hybridization probe according to standard hybridization techniques under stringent hybridization conditions. Accordingly, in another embodiment, an isolated nucleic acid molecule of the invention is at least 15 nucleotides in length and hybridizes under stringent conditions to the nucleic acid molecule comprising a nucleotide sequence of an odd-numbered SEQ ID NO: of the Sequence Listing. In other embodiments, the nucleic acid is at least 30, 50, 100, 250 or more nucleotides in length. As used herein, the term "hybridizes under stringent conditions" is intended to describe conditions for hybridization and washing under which nucleotide sequences at least 60% homologous to each other typically remain hybridized to each other. Preferably, the conditions are such that sequences at least about 65%, more preferably at least about 70%, and even more preferably at least about 75% or more homologous to each other typically remain hybridized to each other. Such stringent conditions are known to those of ordinary skill in the art in the art and can be found in Ausubel et al., Current Protocols in Molecular Biology, John Wiley & Sons, N.Y. (1989), 6.3.1-6.3.6. A preferred, non-limiting example of stringent hybridization conditions are hybridization in 6X sodium chloride/sodium citrate (SSC) at about 45°C, followed by one or more washes in 0.2 X SSC, 0.1% SDS at 50-65°C. Preferably, an isolated nucleic acid molecule of the invention that hybridizes under stringent conditions to a nucleotide sequence of the invention corresponds to a naturally-occurring nucleic acid molecule. As used herein, a "naturally-occurring" nucleic acid molecule refers to an RNA or DNA molecule having a nucleotide sequence that occurs in nature (e.g., encodes a natural protein). In one embodiment, the nucleic acid encodes a natural C. glutamicum SRT protein.

In addition to naturally-occurring variants of the SRT sequence that may exist in the population, one of ordinary skill in the art will further appreciate that changes can be

- 32 -

introduced by mutation into a nucleotide sequence of the invention, thereby leading to changes in the amino acid sequence of the encoded SRT protein, without altering the functional ability of the SRT protein. For example, nucleotide substitutions leading to amino acid substitutions at "non-essential" amino acid residues can be made in a nucleotide sequence of the invention. A "non-essential" amino acid residue is a residue that can be altered from the wild-type sequence of one of the SRT proteins (e.g., an even-numbered SEQ ID NO: of the Sequence Listing) without altering the activity of said SRT protein, whereas an "essential" amino acid residue is required for SRT protein activity. Other amino acid residues, however, (e.g., those that are not conserved or only semi-conserved in the domain having SRT activity) may not be essential for activity and thus are likely to be amenable to alteration without altering SRT activity.

10

20

30

Accordingly, another aspect of the invention pertains to nucleic acid molecules encoding SRT proteins that contain changes in amino acid residues that are not essential for SRT activity. Such SRT proteins differ in amino acid sequence from a sequence of 15 an even-numbered SEQ ID NO: of the Sequence Listing yet retain at least one of the SRT activities described herein. In one embodiment, the isolated nucleic acid molecule comprises a nucleotide sequence encoding a protein, wherein the protein comprises an amino acid sequence at least about 50% homologous to an amino acid sequence of the invention and is capable of increasing the resistance or tolerance of C. glutamicum to one or more environmental or chemical stresses, or has one or more of the activities set forth in Table 1. Preferably, the protein encoded by the nucleic acid molecule is at least about 50-60% homologous to the amino acid sequence of one of the odd-numbered SEQ ID NOs of the Sequence Listing, more preferably at least about 60-70% homologous to one of these sequences, even more preferably at least about 70-80%, 80-90%, 90-95% homologous to one of these sequences in, and most preferably at least about 96%, 97%, 98%, or 99% homologous to one of the amino acid sequences of the invention.

To determine the percent homology of two amino acid sequences (e.g., one of the amino acid sequences of the invention and a mutant form thereof) or of two nucleic acids, the sequences are aligned for optimal comparison purposes (e.g., gaps can be introduced in the sequence of one protein or nucleic acid for optimal alignment with the other protein or nucleic acid). The amino acid residues or nucleotides at corresponding amino acid positions or nucleotide positions are then compared. When a position in one

sequence (e.g., one of the amino acid sequences of the invention) is occupied by the same amino acid residue or nucleotide as the corresponding position in the other sequence (e.g., a mutant form of the amino acid sequence), then the molecules are homologous at that position (i.e., as used herein amino acid or nucleic acid "homology" is equivalent to amino acid or nucleic acid "identity"). The percent homology between the two sequences is a function of the number of identical positions shared by the sequences (i.e., % homology = # of identical positions/total # of positions x 100).

An isolated nucleic acid molecule encoding an SRT protein homologous to a protein sequence of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of the Sequence Listing)can be created by introducing one or more nucleotide substitutions, additions or deletions into a nucleotide sequence of the invention such that one or more amino acid substitutions, additions or deletions are introduced into the encoded protein. Mutations can be introduced into one of the nucleotide sequences of the invention by standard techniques, such as site-directed mutagenesis and PCRmediated mutagenesis. Preferably, conservative amino acid substitutions are made at one or more predicted non-essential amino acid residues. A "conservative amino acid substitution" is one in which the amino acid residue is replaced with an amino acid residue having a similar side chain. Families of amino acid residues having similar side chains have been defined in the art. These families include amino acids with basic side chains (e.g., lysine, arginine, histidine), acidic side chains (e.g., aspartic acid, glutamic acid), uncharged polar side chains (e.g., glycine, asparagine, glutamine, serine, threonine, tyrosine, cysteine), nonpolar side chains (e.g., alanine, valine, leucine, isoleucine, proline, phenylalanine, methionine, tryptophan), beta-branched side chains (e.g., threonine, valine, isoleucine) and aromatic side chains (e.g., tyrosine, phenylalanine, tryptophan, histidine). Thus, a predicted nonessential amino acid residue in an SRT protein is preferably replaced with another amino acid residue from the same side chain family. Alternatively, in another embodiment, mutations can be introduced randomly along all or part of an SRT coding sequence, such as by saturation mutagenesis, and the resultant mutants can be screened for an SRT activity described herein to identify mutants that retain SRT activity. Following mutagenesis of one the nucleotide sequence of one of the odd-numbered SEQ ID NOs of the Sequence Listing, the encoded protein can be expressed recombinantly and the activity of the protein can

20

be determined using, for example, assays described herein (see Example 8 of the Exemplification).

In addition to the nucleic acid molecules encoding SRT proteins described above, another aspect of the invention pertains to isolated nucleic acid molecules which are antisense thereto. An "antisense" nucleic acid comprises a nucleotide sequence which is complementary to a "sense" nucleic acid encoding a protein, e.g., complementary to the coding strand of a double-stranded DNA molecule or complementary to an mRNA sequence. Accordingly, an antisense nucleic acid can hydrogen bond to a sense nucleic acid. The antisense nucleic acid can be complementary to an entire SRT coding strand, or to only a portion thereof. In one embodiment, an antisense nucleic acid molecule is antisense to a "coding region" of the coding strand of a nucleotide sequence encoding an SRT protein. The term "coding region" refers to the region of the nucleotide sequence comprising codons which are translated into amino acid residues (e.g., the entire coding region of SEQ ID NO.: 120 (RXA00600) comprises nucleotides 1 to 1098). In another embodiment, the antisense nucleic acid molecule is antisense to a "noncoding region" of the coding strand of a nucleotide sequence encoding SRT. The term "noncoding region" refers to 5' and 3' sequences which flank the coding region that are not translated into amino acids (i.e., also referred to as 5' and 3' untranslated regions).

Given the coding strand sequences encoding SRT disclosed herein (e.g., the sequences set forth as odd-numbered SEQ ID NOs in the Sequence Listing), antisense nucleic acids of the invention can be designed according to the rules of Watson and Crick base pairing. The antisense nucleic acid molecule can be complementary to the entire coding region of SRT mRNA, but more preferably is an oligonucleotide which is antisense to only a portion of the coding or noncoding region of SRT mRNA. For example, the antisense oligonucleotide can be complementary to the region surrounding the translation start site of SRT mRNA. An antisense oligonucleotide can be, for example, about 5, 10, 15, 20, 25, 30, 35, 40, 45 or 50 nucleotides in length. An antisense nucleic acid of the invention can be constructed using chemical synthesis and enzymatic ligation reactions using procedures known in the art. For example, an antisense nucleic acid (e.g., an antisense oligonucleotide) can be chemically synthesized using naturally occurring nucleotides or variously modified nucleotides designed to

20

- 35 -

increase the biological stability of the molecules or to increase the physical stability of the duplex formed between the antisense and sense nucleic acids, e.g., phosphorothioate derivatives and acridine substituted nucleotides can be used. Examples of modified nucleotides which can be used to generate the antisense nucleic acid include 5-

fluorouracil, 5-bromouracil, 5-chlorouracil, 5-iodouracil, hypoxanthine, xanthine, 4acetylcytosine, 5-(carboxyhydroxylmethyl) uracil, 5-carboxymethylaminomethyl-2thiouridine, 5-carboxymethylaminomethyluracil, dihydrouracil, beta-Dgalactosylqueosine, inosine, N6-isopentenyladenine, 1-methylguanine, 1-methylinosine, 2,2-dimethylguanine, 2-methyladenine, 2-methylguanine, 3-methylcytosine, 5-10 methylcytosine, N6-adenine, 7-methylguanine, 5-methylguaninemethyluracil, 5methoxyaminomethyl-2-thiouracil, beta-D-mannosylqueosine, 5'methoxycarboxymethyluracil, 5-methoxyuracil, 2-methylthio-N6-isopentenyladenine, uracil-5-oxyacetic acid (v), wybutoxosine, pseudouracil, queosine, 2-thiocytosine, 5methyl-2-thiouracil, 2-thiouracil, 4-thiouracil, 5-methyluracil, uracil-5- oxyacetic acid methylester, uracil-5-oxyacetic acid (v), 5-methyl-2-thiouracil, 3-(3-amino-3-N-2-15 carboxypropyl) uracil, (acp3)w, and 2,6-diaminopurine. Alternatively, the antisense nucleic acid can be produced biologically using an expression vector into which a nucleic acid has been subcloned in an antisense orientation (i.e., RNA transcribed from the inserted nucleic acid will be of an antisense orientation to a target nucleic acid of

interest, described further in the following subsection).

20

30

The antisense nucleic acid molecules of the invention are typically administered to a cell or generated *in situ* such that they hybridize with or bind to cellular mRNA and/or genomic DNA encoding an SRT protein to thereby inhibit expression of the protein, *e.g.*, by inhibiting transcription and/or translation. The hybridization can be by conventional nucleotide complementarity to form a stable duplex, or, for example, in the case of an antisense nucleic acid molecule which binds to DNA duplexes, through specific interactions in the major groove of the double helix. The antisense molecule can be modified such that it specifically binds to a receptor or an antigen expressed on a selected cell surface, *e.g.*, by linking the antisense nucleic acid molecule to a peptide or an antibody which binds to a cell surface receptor or antigen. The antisense nucleic acid molecule can also be delivered to cells using the vectors described herein. To achieve sufficient intracellular concentrations of the antisense molecules, vector constructs in

- 36 -

which the antisense nucleic acid molecule is placed under the control of a strong prokaryotic, viral, or eukaryotic promoter are preferred.

In yet another embodiment, the antisense nucleic acid molecule of the invention is an α-anomeric nucleic acid molecule. An α-anomeric nucleic acid molecule forms specific double-stranded hybrids with complementary RNA in which, contrary to the usual β-units, the strands run parallel to each other (Gaultier *et al.* (1987) *Nucleic Acids*. *Res.* 15:6625-6641). The antisense nucleic acid molecule can also comprise a 2'-o-methylribonucleotide (Inoue *et al.* (1987) *Nucleic Acids Res.* 15:6131-6148) or a chimeric RNA-DNA analogue (Inoue *et al.* (1987) *FEBS Lett.* 215:327-330).

10

20

25

30

In still another embodiment, an antisense nucleic acid of the invention is a ribozyme. Ribozymes are catalytic RNA molecules with ribonuclease activity which are capable of cleaving a single-stranded nucleic acid, such as an mRNA, to which they have a complementary region. Thus, ribozymes (e.g., hammerhead ribozymes (described in Haselhoff and Gerlach (1988) Nature 334:585-591)) can be used to catalytically cleave SRT mRNA transcripts to thereby inhibit translation of SRT mRNA. A ribozyme having specificity for an SRT-encoding nucleic acid can be designed based upon the nucleotide sequence of an SRT cDNA disclosed herein (i.e., SEQ ID NO:119 (RXA00600)). For example, a derivative of a Tetrahymena L-19 IVS RNA can be constructed in which the nucleotide sequence of the active site is complementary to the nucleotide sequence to be cleaved in an SRT-encoding mRNA. See, e.g., Cech et al. U.S. Patent No. 4,987,071 and Cech et al. U.S. Patent No. 5,116,742. Alternatively, SRT mRNA can be used to select a catalytic RNA having a specific ribonuclease activity from a pool of RNA molecules. See, e.g., Bartel, D. and Szostak, J.W. (1993) Science 261:1411-1418.

Alternatively, SRT gene expression can be inhibited by targeting nucleotide sequences complementary to the regulatory region of an SRT nucleotide sequence (e.g., an SRT promoter and/or enhancers) to form triple helical structures that prevent transcription of an SRT gene in target cells. See generally, Helene, C. (1991)

Anticancer Drug Des. 6(6):569-84; Helene, C. et al. (1992) Ann. N.Y. Acad. Sci. 660:27-36; and Maher, L.J. (1992) Bioassays 14(12):807-15.

- 37 -

B. Recombinant Expression Vectors and Host Cells

20

Another aspect of the invention pertains to vectors, preferably expression vectors, containing a nucleic acid encoding an SRT protein (or a portion thereof). As used herein, the term "vector" refers to a nucleic acid molecule capable of transporting another nucleic acid to which it has been linked. One type of vector is a "plasmid", which refers to a circular double stranded DNA loop into which additional DNA segments can be ligated. Another type of vector is a viral vector, wherein additional DNA segments can be ligated into the viral genome. Certain vectors are capable of autonomous replication in a host cell into which they are introduced (e.g., bacterial vectors having a bacterial origin of replication and episomal mammalian vectors). Other vectors (e.g., non-episomal mammalian vectors) are integrated into the genome of a host cell upon introduction into the host cell, and thereby are replicated along with the host genome. Moreover, certain vectors are capable of directing the expression of genes to which they are operatively linked. Such vectors are referred to herein as "expression vectors". In general, expression vectors of utility in recombinant DNA techniques are often in the form of plasmids. In the present specification, "plasmid" and "vector" can be used interchangeably as the plasmid is the most commonly used form of vector. However, the invention is intended to include such other forms of expression vectors, such as viral vectors (e.g., replication defective retroviruses, adenoviruses and adenoassociated viruses), which serve equivalent functions.

The recombinant expression vectors of the invention comprise a nucleic acid of the invention in a form suitable for expression of the nucleic acid in a host cell, which means that the recombinant expression vectors include one or more regulatory sequences, selected on the basis of the host cells to be used for expression, which is operatively linked to the nucleic acid sequence to be expressed. Within a recombinant expression vector, "operably linked" is intended to mean that the nucleotide sequence of interest is linked to the regulatory sequence(s) in a manner which allows for expression of the nucleotide sequence (e.g., in an in vitro transcription/translation system or in a host cell when the vector is introduced into the host cell). The term "regulatory sequence" is intended to include promoters, enhancers and other expression control elements (e.g., polyadenylation signals). Such regulatory sequences are described, for example, in Goeddel; Gene Expression Technology: Methods in Enzymology 185,

Academic Press, San Diego, CA (1990). Regulatory sequences include those which direct constitutive expression of a nucleotide sequence in many types of host cell and those which direct expression of the nucleotide sequence only in certain host cells. Preferred regulatory sequences are, for example, promoters such as cos-, tac-, trp-, tet-, 5 trp-tet-, lpp-, lac-, lpp-lac-, lacI^q-, T7-, T5-, T3-, gal-, trc-, ara-, SP6-, arny, SPO2, λ-P_Ror λ P_L, which are used preferably in bacteria. Additional regulatory sequences are, for example, promoters from yeasts and fungi, such as ADC1, MFα, AC, P-60, CYC1, GAPDH, TEF, rp28, ADH, promoters from plants such as CaMV/35S, SSU, OCS, lib4. usp, STLS1, B33, nos or ubiquitin- or phaseolin-promoters. It is also possible to use artificial promoters. It will be appreciated by one of ordinary skill in the art that the design of the expression vector can depend on such factors as the choice of the host cell to be transformed, the level of expression of protein desired, etc. The expression vectors of the invention can be introduced into host cells to thereby produce proteins or peptides, including fusion proteins or peptides, encoded by nucleic acids as described herein (e.g., SRT proteins, mutant forms of SRT proteins, fusion proteins, etc.).

15

The recombinant expression vectors of the invention can be designed for expression of SRT proteins in prokaryotic or eukaryotic cells. For example, SRT genes can be expressed in bacterial cells such as C. glutamicum, insect cells (using baculovirus expression vectors), yeast and other fungal cells (see Romanos, M.A. et al. (1992) "Foreign gene expression in yeast: a review", Yeast 8: 423-488; van den Hondel, C.A.M.J.J. et al. (1991) "Heterologous gene expression in filamentous fungi" in: More Gene Manipulations in Fungi, J.W. Bennet & L.L. Lasure, eds., p. 396-428: Academic Press: San Diego; and van den Hondel, C.A.M.J.J. & Punt, P.J. (1991) "Gene transfer systems and vector development for filamentous fungi, in: Applied Molecular Genetics of Fungi, Peberdy, J.F. et al., eds., p. 1-28, Cambridge University Press: Cambridge), algae and multicellular plant cells (see Schmidt, R. and Willmitzer, L. (1988) High efficiency Agrobacterium tumefaciens - mediated transformation of Arabidopsis thaliana leaf and cotyledon explants" Plant Cell Rep.: 583-586), or mammalian cells. Suitable host cells are discussed further in Goeddel, Gene Expression Technology: 30 Methods in Enzymology 185, Academic Press, San Diego, CA (1990). Alternatively, the recombinant expression vector can be transcribed and translated in vitro, for example using T7 promoter regulatory sequences and T7 polymerase.

Expression of proteins in prokaryotes is most often carried out with vectors containing constitutive or inducible promoters directing the expression of either fusion or non-fusion proteins. Fusion vectors add a number of amino acids to a protein encoded therein, usually to the amino terminus of the recombinant protein. Such fusion vectors typically serve three purposes: 1) to increase expression of recombinant protein; 2) to increase the solubility of the recombinant protein; and 3) to aid in the purification of the recombinant protein by acting as a ligand in affinity purification. Often, in fusion expression vectors, a proteolytic cleavage site is introduced at the junction of the fusion moiety and the recombinant protein to enable separation of the recombinant protein from the fusion moiety subsequent to purification of the fusion protein. Such enzymes, and their cognate recognition sequences, include Factor Xa, thrombin and enterokinase.

Typical fusion expression vectors include pGEX (Pharmacia Biotech Inc; Smith, D.B. and Johnson, K.S. (1988) *Gene* 67:31-40), pMAL (New England Biolabs, Beverly, MA) and pRIT5 (Pharmacia, Piscataway, NJ) which fuse glutathione S-transferase (GST), maltose E binding protein, or protein A, respectively, to the target recombinant protein. In one embodiment, the coding sequence of the SRT protein is cloned into a pGEX expression vector to create a vector encoding a fusion protein comprising, from the N-terminus to the C-terminus, GST-thrombin cleavage site-X protein. The fusion protein can be purified by affinity chromatography using glutathione-agarose resin. Recombinant SRT protein unfused to GST can be recovered by cleavage of the fusion protein with thrombin.

15

20

Examples of suitable inducible non-fusion *E. coli* expression vectors include pTrc (Amann *et al.*, (1988) *Gene* 69:301-315) pLG338, pACYC184, pBR322, pUC18, pUC19, pKC30, pRep4, pHS1, pHS2, pPLc236, pMBL24, pLG200, pUR290, pIN25 III113-B1, λgt11, pBdCl, and pET 11d (Studier *et al.*, *Gene Expression Technology: Methods in Enzymology* 185, Academic Press, San Diego, California (1990) 60-89; and Pouwels *et al.*, eds. (1985) Cloning Vectors. Elsevier: New York IBSN 0 444 904018). Target gene expression from the pTrc vector relies on host RNA polymerase transcription from a hybrid trp-lac fusion promoter. Target gene expression from the pET 11d vector relies on transcription from a T7 gn10-lac fusion promoter mediated by a coexpressed viral RNA polymerase (T7 gn1). This viral polymerase is supplied by host strains BL21(DE3) or HMS174(DE3) from a resident λ prophage harboring a T7

gn1 gene under the transcriptional control of the lacUV 5 promoter. For transformation of other varieties of bacteria, appropriate vectors may be selected. For example, the plasmids pIJ101, pIJ364, pIJ702 and pIJ361 are known to be useful in transforming Streptomyces, while plasmids pUB110, pC194, or pBD214 are suited for transformation of Bacillus species. Several plasmids of use in the transfer of genetic information into Corynebacterium include pHM1519, pBL1, pSA77, or pAJ667 (Pouwels *et al.*, eds. (1985) Cloning Vectors. Elsevier: New York IBSN 0 444 904018).

One strategy to maximize recombinant protein expression is to express the protein in a host bacteria with an impaired capacity to proteolytically cleave the recombinant protein (Gottesman, S., Gene Expression Technology: Methods in Enzymology 185, Academic Press, San Diego, California (1990) 119-128). Another strategy is to alter the nucleic acid sequence of the nucleic acid to be inserted into an expression vector so that the individual codons for each amino acid are those preferentially utilized in the bacterium chosen for expression, such as C. glutamicum (Wada et al. (1992) Nucleic Acids Res. 20:2111-2118). Such alteration of nucleic acid sequences of the invention can be carried out by standard DNA synthesis techniques.

10

In another embodiment, the SRT protein expression vector is a yeast expression vector. Examples of vectors for expression in yeast *S. cerevisiae* include pYepSec1 (Baldari, *et al.*, (1987) *Embo J.* 6:229-234), 2 μ, pAG-1, Yep6, Yep13, pEMBLYe23, pMFa (Kurjan and Herskowitz, (1982) *Cell* 30:933-943), pJRY88 (Schultz *et al.*, (1987) *Gene* 54:113-123), and pYES2 (Invitrogen Corporation, San Diego, CA). Vectors and methods for the construction of vectors appropriate for use in other fungi, such as the filamentous fungi, include those detailed in: van den Hondel, C.A.M.J.J. & Punt, P.J. (1991) "Gene transfer systems and vector development for filamentous fungi, in:

25 Applied Molecular Genetics of Fungi, J.F. Peberdy, *et al.*, eds., p. 1-28, Cambridge University Press: Cambridge, and Pouwels *et al.*, eds. (1985) Cloning Vectors. Elsevier: New York (IBSN 0 444 904018).

Alternatively, the SRT proteins of the invention can be expressed in insect cells using baculovirus expression vectors. Baculovirus vectors available for expression of proteins in cultured insect cells (e.g., Sf 9 cells) include the pAc series (Smith et al. (1983) Mol. Cell Biol. 3:2156-2165) and the pVL series (Lucklow and Summers (1989) Virology 170:31-39).

- 41 -

In another embodiment, the SRT proteins of the invention may be expressed in unicellular plant cells (such as algae) or in plant cells from higher plants (e.g., the spermatophytes, such as crop plants). Examples of plant expression vectors include those detailed in: Becker, D., Kemper, E., Schell, J. and Masterson, R. (1992) "New plant binary vectors with selectable markers located proximal to the left border", *Plant Mol. Biol.* 20: 1195-1197; and Bevan, M.W. (1984) "Binary *Agrobacterium* vectors for plant transformation", *Nucl. Acid. Res.* 12: 8711-8721, and include pLGV23, pGHlac+, pBlN19, pAK2004, and pDH51 (Pouwels et al., eds. (1985) Cloning Vectors. Elsevier: New York IBSN 0 444 904018).

In yet another embodiment, a nucleic acid of the invention is expressed in mammalian cells using a mammalian expression vector. Examples of mammalian expression vectors include pCDM8 (Seed, B. (1987) *Nature* 329:840) and pMT2PC (Kaufman *et al.* (1987) *EMBO J.* 6:187-195). When used in mammalian cells, the expression vector's control functions are often provided by viral regulatory elements.

For example, commonly used promoters are derived from polyoma, Adenovirus 2, cytomegalovirus and Simian Virus 40. For other suitable expression systems for both prokaryotic and eukaryotic cells see chapters 16 and 17 of Sambrook, J., Fritsh, E. F., and Maniatis, T. *Molecular Cloning: A Laboratory Manual. 2nd, ed., Cold Spring Harbor Laboratory*, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1989.

In another embodiment, the recombinant mammalian expression vector is capable of directing expression of the nucleic acid preferentially in a particular cell type (e.g., tissue-specific regulatory elements are used to express the nucleic acid). Tissue-specific regulatory elements are known in the art. Non-limiting examples of suitable tissue-specific promoters include the albumin promoter (liver-specific; Pinkert et al. (1987) Genes Dev. 1:268-277), lymphoid-specific promoters (Calame and Eaton (1988) Adv. Immunol. 43:235-275), in particular promoters of T cell receptors (Winoto and Baltimore (1989) EMBO J. 8:729-733) and immunoglobulins (Banerji et al. (1983) Cell 33:729-740; Queen and Baltimore (1983) Cell 33:741-748), neuron-specific promoters (e.g., the neurofilament promoter; Byrne and Ruddle (1989) PNAS 86:5473-5477), pancreas-specific promoters (Edlund et al. (1985) Science 230:912-916), and mammary gland-specific promoters (e.g., milk whey promoter; U.S. Patent No. 4,873,316 and

25

5

20

30

European Application Publication No. 264,166). Developmentally-regulated promoters are also encompassed, for example the murine hox promoters (Kessel and Gruss (1990) Science 249:374-379) and the α -fetoprotein promoter (Campes and Tilghman (1989) Genes Dev. 3:537-546).

The invention further provides a recombinant expression vector comprising a DNA molecule of the invention cloned into the expression vector in an antisense orientation. That is, the DNA molecule is operatively linked to a regulatory sequence in a manner which allows for expression (by transcription of the DNA molecule) of an RNA molecule which is antisense to SRT mRNA. Regulatory sequences operatively linked to a nucleic acid cloned in the antisense orientation can be chosen which direct the continuous expression of the antisense RNA molecule in a variety of cell types, for instance viral promoters and/or enhancers, or regulatory sequences can be chosen which direct constitutive, tissue specific or cell type specific expression of antisense RNA. The antisense expression vector can be in the form of a recombinant plasmid, phagemid or attenuated virus in which antisense nucleic acids are produced under the control of a high efficiency regulatory region, the activity of which can be determined by the cell type into which the vector is introduced. For a discussion of the regulation of gene expression using antisense genes see Weintraub, H. et al., Antisense RNA as a molecular tool for genetic analysis, Reviews - Trends in Genetics, Vol. 1(1) 1986.

Another aspect of the invention pertains to host cells into which a recombinant expression vector of the invention has been introduced. The terms "host cell" and "recombinant host cell" are used interchangeably herein. It is understood that such terms refer not only to the particular subject cell but to the progeny or potential progeny of such a cell. Because certain modifications may occur in succeeding generations due to either mutation or environmental influences, such progeny may not, in fact, be identical to the parent cell, but are still included within the scope of the term as used herein.

A host cell can be any prokaryotic or eukaryotic cell. For example, an SRT protein can be expressed in bacterial cells such as *C. glutamicum*, insect cells, yeast or mammalian cells (such as Chinese hamster ovary cells (CHO) or COS cells). Other suitable host cells are known to those of ordinary skill in the art. Microorganisms related

to Corynebacterium glutamicum which may be conveniently used as host cells for the nucleic acid and protein molecules of the invention are set forth in Table 3.

Vector DNA can be introduced into prokaryotic or eukaryotic cells via conventional transformation or transfection techniques. As used herein, the terms "transformation" and "transfection" are intended to refer to a variety of art-recognized techniques for introducing foreign nucleic acid (e.g., linear DNA or RNA (e.g., a linearized vector or a gene construct alone without a vector) or nucleic acid in the form of a vector (e.g., a plasmid, phage, phasmid, phagemid, transposon or other DNA)) into a host cell, including calcium phosphate or calcium chloride co-precipitation, DEAE-dextran-mediated transfection, lipofection, or electroporation. Suitable methods for transforming or transfecting host cells can be found in Sambrook, et al. (Molecular Cloning: A Laboratory Manual. 2nd, ed., Cold Spring Harbor Laboratory, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1989), and other laboratory manuals.

10

15

For stable transfection of mammalian cells, it is known that, depending upon the expression vector and transfection technique used, only a small fraction of cells may integrate the foreign DNA into their genome. In order to identify and select these integrants, a gene that encodes a selectable marker (e.g., resistance to antibiotics) is generally introduced into the host cells along with the gene of interest. Preferred selectable markers include those which confer resistance to drugs, such as G418, hygromycin and methotrexate. Nucleic acid encoding a selectable marker can be introduced into a host cell on the same vector as that encoding an SRT protein or can be introduced on a separate vector. Cells stably transfected with the introduced nucleic acid can be identified by drug selection (e.g., cells that have incorporated the selectable marker gene will survive, while the other cells die).

To create a homologous recombinant microorganism, a vector is prepared which contains at least a portion of an SRT gene into which a deletion, addition or substitution has been introduced to thereby alter, e.g., functionally disrupt, the SRT gene.

Preferably, this SRT gene is a Corynebacterium glutamicum SRT gene, but it can be a homologue from a related bacterium or even from a mammalian, yeast, or insect source.

In a preferred embodiment, the vector is designed such that, upon homologous recombination, the endogenous SRT gene is functionally disrupted (i.e., no longer encodes a functional protein; also referred to as a "knock out" vector). Alternatively,

- 44 -

the vector can be designed such that, upon homologous recombination, the endogenous SRT gene is mutated or otherwise altered but still encodes functional protein (e.g., the upstream regulatory region can be altered to thereby alter the expression of the endogenous SRT protein). In the homologous recombination vector, the altered portion of the SRT gene is flanked at its 5' and 3' ends by additional nucleic acid of the SRT gene to allow for homologous recombination to occur between the exogenous SRT gene carried by the vector and an endogenous SRT gene in a microorganism. The additional flanking SRT nucleic acid is of sufficient length for successful homologous recombination with the endogenous gene. Typically, several kilobases of flanking DNA (both at the 5' and 3' ends) are included in the vector (see e.g., Thomas, K.R., and Capecchi, M.R. (1987) Cell 51: 503 for a description of homologous recombination vectors). The vector is introduced into a microorganism (e.g., by electroporation) and cells in which the introduced SRT gene has homologously recombined with the endogenous SRT gene are selected, using art-known techniques.

In another embodiment, recombinant microorganisms can be produced which contain selected systems which allow for regulated expression of the introduced gene. For example, inclusion of an SRT gene on a vector placing it under control of the lac operon permits expression of the SRT gene only in the presence of IPTG. Such regulatory systems are well known in the art.

15

20

In another embodiment, an endogenous SRT gene in a host cell is disrupted (e.g., by homologous recombination or other genetic means known in the art) such that expression of its protein product does not occur. In another embodiment, an endogenous or introduced SRT gene in a host cell has been altered by one or more point mutations, deletions, or inversions, but still encodes a functional SRT protein. In still another embodiment, one or more of the regulatory regions (e.g., a promoter, repressor, or inducer) of an SRT gene in a microorganism has been altered (e.g., by deletion, truncation, inversion, or point mutation) such that the expression of the SRT gene is modulated. One of ordinary skill in the art will appreciate that host cells containing more than one of the described SRT gene and protein modifications may be readily produced using the methods of the invention, and are meant to be included in the present invention.

- 45 -

A host cell of the invention, such as a prokaryotic or eukaryotic host cell in culture, can be used to produce (i.e., express) an SRT protein. Accordingly, the invention further provides methods for producing SRT proteins using the host cells of the invention. In one embodiment, the method comprises culturing the host cell of invention (into which a recombinant expression vector encoding an SRT protein has been introduced, or into which genome has been introduced a gene encoding a wild-type or altered SRT protein) in a suitable medium until SRT protein is produced. In another embodiment, the method further comprises isolating SRT proteins from the medium or the host cell.

10

C. Isolated SRT Proteins

Another aspect of the invention pertains to isolated SRT proteins, and biologically active portions thereof. An "isolated" or "purified" protein or biologically active portion thereof is substantially free of cellular material when produced by recombinant DNA techniques, or chemical precursors or other chemicals when chemically synthesized. The language "substantially free of cellular material" includes preparations of SRT protein in which the protein is separated from cellular components of the cells in which it is naturally or recombinantly produced. In one embodiment, the language "substantially free of cellular material" includes preparations of SRT protein having less than about 30% (by dry weight) of non-SRT protein (also referred to herein as a "contaminating protein"), more preferably less than about 20% of non-SRT protein, still more preferably less than about 10% of non-SRT protein, and most preferably less than about 5% non-SRT protein. When the SRT protein or biologically active portion thereof is recombinantly produced, it is also preferably substantially free of culture medium, i.e., culture medium represents less than about 20%, more preferably less than about 10%, and most preferably less than about 5% of the volume of the protein preparation. The language "substantially free of chemical precursors or other chemicals" includes preparations of SRT protein in which the protein is separated from chemical precursors or other chemicals which are involved in the synthesis of the protein. In one embodiment, the language "substantially free of chemical precursors or other chemicals" includes preparations of SRT protein having less than about 30% (by dry weight) of chemical precursors or non-SRT chemicals, more preferably less than

10

15

20

25

30

about 20% chemical precursors or non-SRT chemicals, still more preferably less than about 10% chemical precursors or non-SRT chemicals, and most preferably less than about 5% chemical precursors or non-SRT chemicals. In preferred embodiments, isolated proteins or biologically active portions thereof lack contaminating proteins from the same organism from which the SRT protein is derived. Typically, such proteins are produced by recombinant expression of, for example, a *C. glutamicum* SRT protein in a microorganism such as *C. glutamicum*.

An isolated SRT protein or a portion thereof of the invention can contribute to the resistance or tolerance of C. glutamicum to one or more chemical or environmental stresses or hazards, or has one or more of the activities set forth in Table 1. In preferred embodiments, the protein or portion thereof comprises an amino acid sequence which is sufficiently homologous to an amino acid sequence of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of the Sequence Listing) such that the protein or portion thereof maintains the ability to mediate the resistance or tolerance of C. glutamicum to one or more chemical or environmental stresses or hazards. The portion of the protein is preferably a biologically active portion as described herein. In another preferred embodiment, an SRT protein of the invention has an amino acid sequence set forth as an even-numbered SEQ ID NO: of the Sequence Listing. In yet another preferred embodiment, the SRT protein has an amino acid sequence which is encoded by a nucleotide sequence which hybridizes, e.g., hybridizes under stringent conditions, to a nucleotide sequence of the invention (e.g., a sequence of an odd-numbered SEQ ID NO: of the Sequence Listing). In still another preferred embodiment, the SRT protein has an amino acid sequence which is encoded by a nucleotide sequence that is at least about 50%, 51%, 52%, 53%, 54%, 55%, 56%, 57%, 58%, 59%, or 60%, preferably at least about 61%, 62%, 63%, 64%, 65%, 66%, 67%, 68%, 69%, or 70%, more preferably at least about 71%, 72%, 73%, 74%, 75%, 76%, 77%, 78%, 79%, or 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, or 90%, or 91%, 92%, 93%, 94%, and even more preferably at least about 95%, 96%, 97%, 98%, 99% or more homologous to one of the nucleic acid sequences of the invention, or a portion thereof. Ranges and identity values intermediate to the above-recited values, (e.g., 70-90% identical or 80-95% identical) are also intended to be encompassed by the present invention. For example, ranges of identity values using a combination of any of the above values recited as upper

and/or lower limits are intended to be included. The preferred SRT proteins of the present invention also preferably possess at least one of the SRT activities described herein. For example, a preferred SRT protein of the present invention includes an amino acid sequence encoded by a nucleotide sequence which hybridizes, e.g., hybridizes under stringent conditions, to a nucleotide sequence of the invention, and which can increase the resistance or tolerance of C. glutamicum to one or more environmental or chemical stresses, or which has one or more of the activities set forth in Table 1.

In other embodiments, the SRT protein is substantially homologous to an amino acid sequence of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of the Sequence Listing) and retains the functional activity of the protein of one of the amino acid sequences of the invention yet differs in amino acid sequence due to natural variation or mutagenesis, as described in detail in subsection I above. Accordingly, in another embodiment, the SRT protein is a protein which comprises an amino acid sequence which is at least about 50%, 51%, 52%, 53%, 54%, 55%, 56%, 57%, 58%, 59%, or 60%, preferably at least about 61%, 62%, 63%, 64%, 65%, 66%, 67%, 68%, 69%, or 70%, more preferably at least about 71%, 72%, 73%, 74%, 75%, 76%, 77%, 78%, 79%, or 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, or 90%, or 91%, 92%, 93%, 94%, and even more preferably at least about 95%, 96%, 97%, 98%, 99% or more homologous to an entire amino acid sequence of the invention and which has at least one of the SRT activities described herein. Ranges and identity values intermediate to the above-recited values, (e.g., 70-90% identical or 80-95% identical) are also intended to be encompassed by the present invention. For example, ranges of identity values using a combination of any of the above values recited as upper and/or lower limits are intended to be included. In another embodiment, the invention pertains to a full length C. glutamicum protein which is substantially homologous to an entire amino acid sequence of the invention.

20

30

Biologically active portions of an SRT protein include peptides comprising amino acid sequences derived from the amino acid sequence of an SRT protein, e.g., an amino acid sequence of an even-numbered SEQ ID NO: of the Sequence Listing or the amino acid sequence of a protein homologous to an SRT protein, which include fewer amino acids than a full length SRT protein or the full length protein which is homologous to an SRT protein, and exhibit at least one activity of an SRT protein.

- 48 -

Typically, biologically active portions (peptides, e.g., peptides which are, for example, 5, 10, 15, 20, 30, 35, 36, 37, 38, 39, 40, 50, 100 or more amino acids in length) comprise a domain or motif with at least one activity of an SRT protein. Moreover, other biologically active portions, in which other regions of the protein are deleted, can be prepared by recombinant techniques and evaluated for one or more of the activities described herein. Preferably, the biologically active portions of an SRT protein include one or more selected domains/motifs or portions thereof having biological activity.

SRT proteins are preferably produced by recombinant DNA techniques. For example, a nucleic acid molecule encoding the protein is cloned into an expression vector (as described above), the expression vector is introduced into a host cell (as described above) and the SRT protein is expressed in the host cell. The SRT protein can then be isolated from the cells by an appropriate purification scheme using standard protein purification techniques. Alternative to recombinant expression, an SRT protein, polypeptide, or peptide can be synthesized chemically using standard peptide synthesis techniques. Moreover, native SRT protein can be isolated from cells (e.g., endothelial cells), for example using an anti-SRT antibody, which can be produced by standard techniques utilizing an SRT protein or fragment thereof of this invention.

10

20

30

The invention also provides SRT chimeric or fusion proteins. As used herein, an SRT "chimeric protein" or "fusion protein" comprises an SRT polypeptide operatively linked to a non-SRT polypeptide. An "SRT polypeptide" refers to a polypeptide having an amino acid sequence corresponding to SRT, whereas a "non-SRT polypeptide" refers to a polypeptide having an amino acid sequence corresponding to a protein which is not substantially homologous to the SRT protein, e.g., a protein which is different from the SRT protein and which is derived from the same or a different organism. Within the fusion protein, the term "operatively linked" is intended to indicate that the SRT polypeptide and the non-SRT polypeptide are fused in-frame to each other. The non-SRT polypeptide can be fused to the N-terminus or C-terminus of the SRT polypeptide. For example, in one embodiment the fusion protein is a GST-SRT fusion protein in which the SRT sequences are fused to the C-terminus of the GST sequences. Such fusion proteins can facilitate the purification of recombinant SRT proteins. In another embodiment, the fusion protein is an SRT protein containing a heterologous signal sequence at its N-terminus. In certain host cells (e.g., mammalian host cells), expression

- 49 -

and/or secretion of an SRT protein can be increased through use of a heterologous signal sequence.

Preferably, an SRT chimeric or fusion protein of the invention is produced by standard recombinant DNA techniques. For example, DNA fragments coding for the 5 different polypeptide sequences are ligated together in-frame in accordance with conventional techniques, for example by employing blunt-ended or stagger-ended termini for ligation, restriction enzyme digestion to provide for appropriate termini, filling-in of cohesive ends as appropriate, alkaline phosphatase treatment to avoid undesirable joining, and enzymatic ligation. In another embodiment, the fusion gene can be synthesized by conventional techniques including automated DNA synthesizers. Alternatively, PCR amplification of gene fragments can be carried out using anchor primers which give rise to complementary overhangs between two consecutive gene fragments which can subsequently be annealed and reamplified to generate a chimeric gene sequence (see, for example, Current Protocols in Molecular Biology, eds. Ausubel et al. John Wiley & Sons: 1992). Moreover, many expression vectors are commercially available that already encode a fusion moiety (e.g., a GST polypeptide). An SRTencoding nucleic acid can be cloned into such an expression vector such that the fusion moiety is linked in-frame to the SRT protein.

Homologues of the SRT protein can be generated by mutagenesis, e.g., discrete point mutation or truncation of the SRT protein. As used herein, the term "homologue" refers to a variant form of the SRT protein which acts as an agonist or antagonist of the activity of the SRT protein. An agonist of the SRT protein can retain substantially the same, or a subset, of the biological activities of the SRT protein. An antagonist of the SRT protein can inhibit one or more of the activities of the naturally occurring form of the SRT protein, by, for example, competitively binding to a downstream or upstream member of the SRT system which includes the SRT protein. Thus, the C. glutamicum SRT protein and homologues thereof of the present invention may increase the tolerance or resistance of C. glutamicum to one or more chemical or environmental stresses.

20

25

30

In an alternative embodiment, homologues of the SRT protein can be identified by screening combinatorial libraries of mutants, e.g., truncation mutants, of the SRT protein for SRT protein agonist or antagonist activity. In one embodiment, a variegated library of SRT variants is generated by combinatorial mutagenesis at the nucleic acid

level and is encoded by a variegated gene library. A variegated library of SRT variants can be produced by, for example, enzymatically ligating a mixture of synthetic oligonucleotides into gene sequences such that a degenerate set of potential SRT sequences is expressible as individual polypeptides, or alternatively, as a set of larger fusion proteins (e.g., for phage display) containing the set of SRT sequences therein. There are a variety of methods which can be used to produce libraries of potential SRT homologues from a degenerate oligonucleotide sequence. Chemical synthesis of a degenerate gene sequence can be performed in an automatic DNA synthesizer, and the synthetic gene then ligated into an appropriate expression vector. Use of a degenerate set of genes allows for the provision, in one mixture, of all of the sequences encoding the desired set of potential SRT sequences. Methods for synthesizing degenerate oligonucleotides are known in the art (see, e.g., Narang, S.A. (1983) Tetrahedron 39:3; Itakura et al. (1984) Annu. Rev. Biochem. 53:323; Itakura et al. (1984) Science 198:1056; Ike et al. (1983) Nucleic Acid Res. 11:477.

In addition, libraries of fragments of the SRT protein coding can be used to generate a variegated population of SRT fragments for screening and subsequent selection of homologues of an SRT protein. In one embodiment, a library of coding sequence fragments can be generated by treating a double stranded PCR fragment of an SRT coding sequence with a nuclease under conditions wherein nicking occurs only about once per molecule, denaturing the double stranded DNA, renaturing the DNA to form double stranded DNA which can include sense/antisense pairs from different nicked products, removing single stranded portions from reformed duplexes by treatment with S1 nuclease, and ligating the resulting fragment library into an expression vector. By this method, an expression library can be derived which encodes N-terminal, C-terminal and internal fragments of various sizes of the SRT protein.

15

20

Several techniques are known in the art for screening gene products of combinatorial libraries made by point mutations or truncation, and for screening cDNA libraries for gene products having a selected property. Such techniques are adaptable for rapid screening of the gene libraries generated by the combinatorial mutagenesis of SRT homologues. The most widely used techniques, which are amenable to high through-put analysis, for screening large gene libraries typically include cloning the gene library into replicable expression vectors, transforming appropriate cells with the resulting library of

20

vectors, and expressing the combinatorial genes under conditions in which detection of a desired activity facilitates isolation of the vector encoding the gene whose product was detected. Recursive ensemble mutagenesis (REM), a new technique which enhances the frequency of functional mutants in the libraries, can be used in combination with the screening assays to identify SRT homologues (Arkin and Yourvan (1992) PNAS 89:7811-7815; Delgrave et al. (1993) Protein Engineering 6(3):327-331).

In another embodiment, cell based assays can be exploited to analyze a variegated SRT library, using methods well known in the art.

10 D. Uses and Methods of the Invention

The nucleic acid molecules, proteins, protein homologues, fusion proteins, primers, vectors, and host cells described herein can be used in one or more of the following methods: identification of *C. glutamicum* and related organisms; mapping of genomes of organisms related to *C. glutamicum*; identification and localization of *C. glutamicum* sequences of interest; evolutionary studies; determination of SRT protein regions required for function; modulation of an SRT protein activity; modulation of the activity of an SRT pathway; and modulation of cellular production of a desired compound, such as a fine chemical.

The SRT nucleic acid molecules of the invention have a variety of uses. First, they may be used to identify an organism as being Corynebacterium glutamicum or a close relative thereof. Also, they may be used to identify the presence of C. glutamicum or a relative thereof in a mixed population of microorganisms. The invention provides the nucleic acid sequences of a number of C. glutamicum genes; by probing the extracted genomic DNA of a culture of a unique or mixed population of microorganisms under stringent conditions with a probe spanning a region of a C. glutamicum gene which is unique to this organism, one can ascertain whether this organism is present.

Although Corynebacterium glutamicum itself is nonpathogenic, it is related to pathogenic species, such as Corynebacterium diphtheriae. Corynebacterium diphtheriae is the causative agent of diphtheria, a rapidly developing, acute, febrile infection which involves both local and systemic pathology. In this disease, a local lesion develops in the upper respiratory tract and involves necrotic injury to epithelial cells; the bacilli secrete toxin which is disseminated through this lesion to distal susceptible tissues of the

body. Degenerative changes brought about by the inhibition of protein synthesis in these tissues, which include heart, muscle, peripheral nerves, adrenals, kidneys, liver and spleen, result in the systemic pathology of the disease. Diphtheria continues to have high incidence in many parts of the world, including Africa, Asia, Eastern Europe and the independent states of the former Soviet Union. An ongoing epidemic of diphtheria in the latter two regions has resulted in at least 5,000 deaths since 1990.

In one embodiment, the invention provides a method of identifying the presence or activity of *Cornyebacterium diphtheriae* in a subject. This method includes detection of one or more of the nucleic acid or amino acid sequences of the invention (e.g., the sequences set forth as odd-numbered or even-numbered SEQ ID NOs, respectively, in the Sequence Listing) in a subject, thereby detecting the presence or activity of *Corynebacterium diphtheriae* in the subject. *C. glutamicum* and *C. diphtheriae* are related bacteria, and many of the nucleic acid and protein molecules in *C. glutamicum* are homologous to *C. diphtheriae* nucleic acid and protein molecules, and can therefore be used to detect *C. diphtheriae* in a subject.

10

15

20

30

The nucleic acid and protein molecules of the invention may also serve as markers for specific regions of the genome. This has utility not only in the mapping of the genome, but also for functional studies of *C. glutamicum* proteins. For example, to identify the region of the genome to which a particular *C. glutamicum* DNA-binding protein binds, the *C. glutamicum* genome could be digested, and the fragments incubated with the DNA-binding protein. Those which bind the protein may be additionally probed with the nucleic acid molecules of the invention, preferably with readily detectable labels; binding of such a nucleic acid molecule to the genome fragment enables the localization of the fragment to the genome map of *C. glutamicum*, and, when performed multiple times with different enzymes, facilitates a rapid determination of the nucleic acid sequence to which the protein binds. Further, the nucleic acid molecules of the invention may be sufficiently homologous to the sequences of related species such that these nucleic acid molecules may serve as markers for the construction of a genomic map in related bacteria, such as *Brevibacterium lactofermentum*.

The SRT nucleic acid molecules of the invention are also useful for evolutionary and protein structural studies. The resistance processes in which the molecules of the invention participate are utilized by a wide variety of cells; by comparing the sequences

- 53 -

of the nucleic acid molecules of the present invention to those encoding similar enzymes from other organisms, the evolutionary relatedness of the organisms can be assessed. Similarly, such a comparison permits an assessment of which regions of the sequence are conserved and which are not, which may aid in determining those regions of the protein which are essential for the functioning of the enzyme. This type of determination is of value for protein engineering studies and may give an indication of what the protein can tolerate in terms of mutagenesis without losing function.

The genes of the invention, e.g., the gene encoding LMRB (SEQ ID NO:1) or other gene of the invention encoding a chemical or environmental resistance or tolerance protein (e.g., resistance against one or more antibiotics), may be used as genetic markers for the genetic transformation of (e.g., the transfer of additional genes into or disruption of preexisting genes of) organisms such as C. glutamicum or other bacterial species. Use of these nucleic acid molecules permits efficient selection of organisms which have incorporated a given transgene cassette (e.g., a plasmid, phage, phasmid, phagemid, transposon, or other nucleic acid element), based on a trait which permits the survival of the organism in an otherwise hostile or toxic environment (e.g., in the presence of an antimicrobial compound). By employing one or more of the genes of the invention as genetic markers, the speed and ease with which organisms having desirable transformed traits (e.g., modulated fine chemical production) are engineered and isolated are improved. While it is advantageous to use the genes of the invention for selection of transformed C. glutamicum and related bacteria, it is possible, as described herein, to use homologs (e.g., homologs from other organisms), allelic variants or fragments of the gene retaining desired activity. Furthermore, 5' and 3' regulatory elements of the genes of the invention may be modified as described herein (e.g., by nucleotide substitution, insertion, deletion, or replacement with a more desirable genetic element) to modulate the transcription of the gene. For example, an LMRB variant in which the nucleotide sequence in the region from -1 to -2005' to the start codon has been altered to modulate (preferably increase) the transcription and/or translation of LMRB may be employed, as can constructs in which a gene of the invention (e.g., the LMRB gene (SEQ ID NO:1)) is functionally coupled to one or more regulatory signals (e.g., inducer or repressor binding sequences) which can be used for modulating gene expression.

15

30

- 54 -

Similarly, more than one copy of a gene (functional or inactivated) of the invention may be employed.

An additional application of the genes of the invention (e.g., the gene encoding LMRB (SEQ ID NO:1) or other drug- or antibiotic-resistance gene) is in the discovery of new antibiotics which are active against Corynebacteria and/or other bacteria. For example, a gene of the invention may be expressed (or overexpressed) in a suitable host to generate an organism with increased resistance to one or more drugs or antibiotics (in the case of LMRB, lincosamides in particular, especially lincomycin). This type of resistant host can subsequently be used to screen for chemicals with bacteriostatic and/or bacteriocidal activity, such as novel antibiotic compounds. It is possible, in particular, to use the genes of the invention (e.g., the LMRB gene) to identify new antibiotics which are active against those microorganisms which are already resistant to standard antibiotic compounds.

The invention provides methods for screening molecules which modulate the activity of an SRT protein, either by interacting with the protein itself or a substrate or binding partner of the SRT protein, or by modulating the transcription or translation of SRT nucleic acid molecule of the invention. In such methods, a microorganism expressing one or more SRT proteins of the invention is contacted with one or more test compounds, and the effect of each test compound on the activity or level of expression of the SRT protein is assessed.

20

Manipulation of the SRT nucleic acid molecules of the invention may result in the production of SRT proteins having functional differences from the wild-type SRT proteins. These proteins may be improved in efficiency or activity, may be present in greater numbers in the cell than is usual, or may be decreased in efficiency or activity. The goal of such manipulations is to increase the viability and activity of the cell when the cell is exposed to the environmental and chemical stresses and hazards which frequently accompany large-scale fermentative culture. Thus, by increasing the activity or copy number of a heat-shock-regulated protease, one may increase the ability of the cell to destroy incorrectly folded proteins, which may otherwise interfere with normal cellular functioning (for example, by continuing to bind substrates or cofactors although the protein lacks the activity to act on these molecules appropriately). The same is true for the overexpression or optimization of activity of one or more chaperone molecules

- 55 -

induced by heat or cold shock. These proteins aid in the correct folding of nascent polypeptide chains, and thus their increased activity or presence should increase the percentage of correctly folded proteins in the cell, which in turn should increase the overall metabolic efficiency and viability of the cells in culture. The overexpression or optimization of the transporter molecules activated by osmotic shock should result in an increased ability on the part of the cell to maintain intracellular homeostasis, thereby increasing the viability of these cells in culture. Similarly, the overproduction or increase in activity by mutagenesis of proteins involved in the development of cellular resistance to chemical stresses of various kinds (either by transport of the offending chemical out of the cell or by modification of the chemical to a less hazardous substance) should increase the fitness of the organism in the environment containing the hazardous substance (i.e., large-scale fermentative culture), and thereby may permit relatively larger numbers of cells to survive in such a culture. The net effect of all of these mutagenesis strategies is to increase the quantity of fine-chemical-producing compounds in the culture, thereby increasing the yield, production, and/or efficiency of production of one or more desired fine chemicals from the culture.

15

30

This aforementioned list of mutagenesis strategies for SRT proteins to result in increased yields of a desired compound is not meant to be limiting; variations on these mutagenesis strategies will be readily apparent to one of ordinary skill in the art. By these mechanisms, the nucleic acid and protein molecules of the invention may be utilized to generate *C. glutamicum* or related strains of bacteria expressing mutated SRT nucleic acid and protein molecules such that the yield, production, and/or efficiency of production of a desired compound is improved. This desired compound may be any natural product of *C. glutamicum*, which includes the final products of biosynthesis pathways and intermediates of naturally-occurring metabolic pathways, as well as molecules which do not naturally occur in the metabolism of *C. glutamicum*, but which are produced by a *C. glutamicum* strain of the invention.

This invention is further illustrated by the following examples which should not be construed as limiting. The contents of all references, patent applications, patents, published patent applications, Tables, and the sequence listing cited throughout this application are hereby incorporated by reference.

TABLE 1: Genes Included in the Application

| Contig. NT Start NT Stop Function | GR00424 29041 30483 Lincomycine RESISTANCE PROTEIN GR00124 52 348 10 KD CHAPERONIN VV0086 14389 16002 60 KD CHAPERONIN GR00124 363 1601 60 KD CHAPERONIN GR00353 802 203 GENERAL STRESS PROTEIN CTC GR00159 7412 5865 CATALASE (EC 1.11.1.6) | 2909 594 86877 87008 87351 87476 | VV0323 14716 15252 PHOSPHINOTHRICIN-RESISTANCE PROTEIN GR00156 2130 1648 PHOSPHINOTHRICIN-RESISTANCE PROTEIN | 14716 15252 1 6 2130 1648 1 | VV0323 14716 15252 1 GR00156 2130 1648 1 GOntig. NT Start NT Stop F | Contig. NT Start NT Stop F | Contig. NT Start NT Stop F GR00391 1172 6 N | Contig. NT Start NT Stop F GR00391 1172 6 N GR00726 13657 12473 C | Contig. NT Start NT Stop F GR00725 14716 15252 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Contig. NT Start NT Stop F VV0123 4883 3432 N GR00726 13657 12473 C GR00726 14518 13865 C VV0057 22031 20178 C | Contig. NT Start NT Stop F VV0123 4883 3432 N GR00726 13657 12473 CR00726 14518 13865 CV0057 22031 20178 CGR00726 16375 14522 C | VV0323 14716 15252 1 GR00156 2130 1648 1 Contig. NT Start NT Stop F VV0123 4883 3432 N GR00726 13657 12473 C GR00726 14518 13865 C VV0057 22031 20178 C GR00726 16375 14522 C VV0152 1849 26 T | VV0323 14716 15252 1 GR00156 2130 1648 1 Contig. NT Start NT Stop F VV0123 4883 3432 N GR00391 1172 6 N GR00726 13657 12473 C GR00726 14518 13865 C VV0057 22031 20178 C GR00726 16375 14522 D VV0152 1849 26 T GR00559 1145 1480 N | VV0323 14716 15252 1 GR00156 2130 1648 1 Contig. NT Start NT Stop F VV0123 4883 3432 N GR00391 1172 6 N GR00726 13657 12473 C GR00726 14518 13865 G VV0057 22031 20178 C GR00726 16375 14522 C VV0152 1849 26 T GR00559 1145 1480 N GR00242 12396 13541 C | VV0323 14716 15252 1 GR00156 2130 1648 1 Contig. NT Start NT Stop F VV0123 4883 3432 N GR00391 1172 6 N GR00726 13657 12473 C GR00726 14518 13865 G VV0057 22031 20178 C GR00726 16375 14522 C VV0152 1849 26 T GR00659 1145 1480 N GR00242 12396 13541 C VV0251 2928 1582 T | VV0323 14716 15252 1 GR00156 2130 1648 1 Contig. NT Start NT Stop F VV0123 4883 3432 N GR00391 1172 6 N GR00726 13657 12473 C GR00726 14518 13865 C VV0057 22031 20178 C GR00726 16375 14522 C VV0152 1849 26 T GR00542 1145 1480 N GR00242 12396 13541 D VV0251 2928 1582 T VV0017 42941 43666 P | Contig. NT Start NT Stop F GR00156 2130 1648 1648 1648 1648 1648 1648 1648 1648 | Contig. NT Start NT Stop F CR00156 2130 1648 1 1648 1 1648 1 1648 1 1648 1 1648 1 1648 1 1648 1 1648 1 1648 1 1648 1 1648 1 1649 | VV0323 14716 15252 1 GR00156 2130 1648 1 Contig NT Start NT Stop F VV0123 4883 3432 N GR00726 13657 12473 G GR00726 14518 13865 G VV0057 22031 20178 G GR00726 16375 14522 G VV0152 1849 26 T GR00659 1145 1480 N GR00724 12396 13541 G VV0251 2928 1582 T VV0018 2 631 F VV0018 761 1069 F VV0018 761 1069 F VV0026 1906 3486 F | Contig. NT Start NT Stop VV0123 4883 3432 GR00726 13657 12473 GR00726 13657 12473 GR00726 14518 13865 VV0057 22031 20178 GR00726 16375 14522 VV0152 1849 26 GR00649 1145 1480 GR00242 12396 13541 VV0251 2928 1582 VV0018 2 631 VV0018 2 631 VV0018 2 631 VV0026 1906 3486 VV0025 2832 3566 VV0026 1906 3486 | VV0323 14716 15252 GR00156 2130 1648 Contig. NT Start NT Stop VV0123 4883 3432 GR00726 13657 12473 GR00726 13657 12473 GR00726 14518 13865 VV0057 22031 20178 GR00726 16375 14522 VV0152 1849 26 GR00659 1145 1480 GR00642 12396 13541 VV0051 2928 1582 VV0018 2 631 VV0018 2 631 VV0025 2832 3566 VV0026 1906 3486 VV0027 31243 31575 VV0124 11932 13749 | VV0323 14716 15252 GR00156 2130 1648 Contig. NT Start NT Stop VV0123 4883 3432 GR00726 13657 12473 GR00726 13657 12473 GR00726 14518 13865 VV0057 22031 20178 GR00726 16375 14522 VV0152 1849 26 GR00659 1145 1480 GR00642 12396 13541 VV0051 2928 1582 VV0018 2 631 VV0018 2 631 VV0018 761 1069 VV0025 2832 3566 VV0026 1906 3486 VV0012 11932 13749 VV017 7795 5954 | VV0323 14716 15252 GR00156 2130 1648 Contig. NT Start NT Stop VV0123 4883 3432 GR00726 13657 12473 GR00726 13657 12473 GR00726 14518 13865 VV0057 22031 20178 GR00726 16375 14522 VV0152 1849 26 GR00649 1145 1480 GR006242 12396 13541 VV0017 42941 43666 VV0018 2 631 VV0018 761 1069 VV0025 2832 3566 VV0026 1906 3486 VV0018 761 1069 VV0026 1906 3486 VV0014 7795 5954 VV0119 5363 6058 | W0323 14716 15252 GR00156 2130 1648 Contig. NT Start NT Stop VV0123 4883 3432 GR00726 13657 12473 GR00726 13657 12473 GR00726 14518 13865 VV0057 22031 20178 GR00726 16375 14522 VV0152 1849 26 GR00649 1145 1480 GR00659 1145 1480 GR00640 12396 13541 VV0017 42941 43666 VV0018 761 1069 VV0018 761 1069 VV0026 1906 3486 VV0017 7795 5954 VV017 7795 5954 VV0119 5363 6058 VV0206 11772 24 |
|-----------------------------------|--|--|--|--------------------------------|---|----------------------------|---|---|--|--|---|--|---|---|--|---|---|--|--|---|---|--|--|---|
| Identification Code | RXA01524 RXA00497 RXN00493 F RXA00498 RXA01217 RXA00605 | RXA00404 RXN03119 RXN03120 RXN00575 F RXA00575 | | Identification Code | RXN01345 | F RXA01345 | RXA02541 | RXA02542 | RXN02543 | F RXA02543 | RXN02280 | F RXA02282 | RXA00886 | RXS00568 | RXN03038 | RXN03039 | RXN03051 | RXN03054 | RXN02949 | KXN02462 | RXN01559 | RXN00046 | RXN01863 | RXN00833 |
| Amino Acid | SEC 10 NO 2 2 10 NO 6 6 8 10 10 10 10 10 10 10 10 10 10 10 10 10 | 20 14 1 20 20 20 20 20 20 20 20 20 20 20 20 20 2 | les | Amino Acid | 24 | 26 | 28 | 30 | 32 | * | 36 | 38 | 40 | 42 | 44 | 46 | 20 | 52 | 28 | B | 58 | 09 | 62 | 2 |
| Nucleic Acid | 55 5 7 7 7 11 11 11 11 11 11 11 11 11 11 11 | 15 17 21 | Chaperones | Nucleic Acid | 23 | 25 | 27 | 29 | 31 | 33 | 35 | 37 | 39 | 41 | £3. | 45 13 | 4 4 | - 15 | 53 | g | 27 | 59 | 51 | 63 |

| | Function | THIOL:DISULFIDE AUSTAUSCH PROTEIN DSBD THIOL:DISULFIDE AUSTAUSCH PROTEIN TLPA | THIOREDOXIN | THIOREDOXIN | PEPTIDYL-PROLYL CIS-TRANS ISOMERASE (EC 5.2.1.8) | PEPTID KETTE RELEASE FACTOR 3 | PEPTID KETTE RELEASE FACTOR 3 | PUTATIVES OXPPCYCLE PROTEIN OPCA | SMALL COLD-SHOCK PROTEIN SMALL COLD-SHOCK PROTEIN | | Function | COLD SHOCK-LIKE PROTEIN CSPC | SMALL COLD-SHOCK PROTEIN | PROBABLE MIDROGEN PEROXIDE-INDUCIBLE GENES ACTIVATOR | OSMOTICALLY INDUCIBLE PROTEIN C | probable metallothionein u0308aa - Mycobacterium leprae | GTP PYROPHOSPHOKINASE (EC 2.7.6.5) | LY 18 PROTEIN DIADENOSINE S' S". D1 DA. TETRADHORDHATE HYDDOL ASE 757 3 6 1 12) | DIADENOSINE 5,5"-P1,P4-TETRAPHOSPHATE HYDROLASE (EC 3.6.1.7) | EXOPOLYPHOSPHATASE (EC 3.6.1.11) | GUANOSINE-3',5-BIS(DIPHOSPHATE) 3'-PYROPHOSPHOHYDROLASE (EC 3.1.7.2) | EXOPOLYPHOSPHATASE (EC 3.6.1.11) | | Function | ARGININE HYDROXIMATE RESISTANCE PROTEIN | ARSENATE REDUCTASE | ARGENICAL-REGIO FANCE PROTEIN ACRO | ARSENICAL-RESISTANCE PROTEIN ACR3 | ARSENICAL-RESISTANCE PROTEIN ACR3 | BICYCLOMYCIN RESISTANCE PROTEIN (FOLKLIVE UNDECAPRENCE NINASE) (EC. 2.7.1.30) BICYCLOMYCIN RESISTANCE PROTEIN |
|---------------------|---------------------|--|-------------|--------------|--|-------------------------------|-------------------------------|----------------------------------|---|-------------------------------------|---------------------------|------------------------------|--------------------------|--|---------------------------------|---|------------------------------------|--|--|----------------------------------|--|---|--------------------------|---------------------|---|--------------------|------------------------------------|-----------------------------------|-----------------------------------|---|
| (per | NT Stop | 11304 216 | 42706 | 6393 | 7879 | 741 | 518 | 14556 | 3665 | | NT Stop | 19248 | 992 | 1102 | 11206 | 1633 | 4017 | 676 876 | 16749 | 2774 | 10045 | 2353 | | NT Stop | 6743 | 6199 | 145/ | 5760 | 6916 | 3201 |
| Table 1 (continued) | NT Start | 12059 836 | 42335 | 5527 | 7103 | - | 141 | 13600 | 3465 | | NT Start | 19628 | 192 | 9/0- | 11640 | 551 | 3388 | 1560 | 17276 | 3259 | 10575 | 2763 | | NT Start | 6231 | 5837 | 2843 | 4651 | 6278 | 4052 |
| Table | Contig. | VV0179 VV0223 | W0079 | W0047 | VV0320 | W0284 | 111000 | VV0074 | GR00549 | nses | Contig. | GR00641 | GR00218 | GR00467 | GR00709 | GR10006 | GR00276 | VV0321 | W0050 | VV0319 | W0143 | W0319 | | Contig. | GR00640 | GR00646 | GK00159 | GR00646 | GR00646 | GR00245 |
| | Identification Code | PXN01676 PXN00380 | RXN00937 | RXN02325 | RXN01837 | RXN01926 | RXN02002 | RXN02736 | RXS03217 F RXA01917 | Proteins involved in stress respons | Identification Code | RXA02184 | KXA00810 | RXA016/4 | RXA02446 | RXA02861 | EXA00981 | EXS01027 | RXS01528 | RXS01716 | RXS01835 | RXS02972 | erance | Identification Code | RXA02159 | RXA02201 | RXA00599 | RXA02200 | RXA02202 | RXA00900 |
| | Amino Acid | 99 89 | 20 | 72 | 74 | 76 | 78 | 80 | 8 82 | involved i | Amino Acid | 98 8 | æ 6 | S 60 | 8 8 | 96 | 80 6 | <u> </u> | \$ 2 | 106 | 108 | 112 | Resistance and tolerance | Amino Acid | 114 | 116 | 8LL 021 | 122 | 124 | 128 |
| | Nucleic Acid | 65 67 | 69 | 71 | 73 | 75 | 77 | 79 | 83 83 | Proteins | Nucleic Acid SEQ ID NO | 82 | % | 8 2 | 93 | 95 | 97 | 56 | 103 | 105 | 107 | ======================================= | Resistano | Nucleic Acid | 113 | 115 | 110 | 121 | 123 | 127 |

| | Function | BICYCLOMYCIN RESISTANCE PROTEIN | BICYCLOMYCIN RESISTANCE PROTEIN | CHLORAMPHENICOL RESISTANCE PROTEIN | CHLORAMPHENICOL RESISTANCE PROTEIN | CHLORAMPHENICOL RESISTANCE PROTEIN | COPPER RESISTANCE PROTEIN C PRECURSOR | COPPER RESISTANCE PROTEIN C PRECURSOR | ONORUBICIN REGIO LANCE A L'E-BINDING PAO LEIN DARA | DAGNOROBICIN REGIONARE PROTEIN | DAGNOROBICIN REGIONARIOE PROTEIN | DACNOROBICIN RESISTANCE TROTCIN DALINORUBICIN RESISTANCE TRANSMEMBRANE DROTFIN | METHYLENOMYCIN A RESISTANCE PROTEIN | METHYLENOMYCIN A KENIN JANCE PROTEIN | MYCINAMICIN-KESISTANCE PROTEIN MYRA MACROLIDE-FFELLX PROTEIN | | NICKEL RESISTANCE PROTEIN | QUINOLONE RESISTANCE NORA PROTEIN | QUINOLONE RESISTANCE NORA PROTEIN | INOLONE RESISTANCE NORA PROTEIN | QUINOLONE RESISTANCE NORA PROTEIN | INOLONE RESISTANCE NORA PROTEIN | QUINOLONE RESISTANCE NORA PROTEIN | TELLUKIUM KESISTANCE PKOTEIN TEKO | DAUNOMYCIN C-14 HYUKOXYLASE | VIBRIODACIIN OTICIZATION PROTEIN VIOD | RCURIC REDUCTASE (EC 1.16.1.1) | MERCURIC REDUCTASE (EC 1.16.1.1) | RCURIC REDUCTASE (EC 1.16.1.1) | HEAVY METAL TOLERANCE PROTEIN PRECURSOR | AVY METAL TOLERANCE PROTEIN PRECURSOR | VANZ PROTEIN, teicoplanin resistance protein | Hypothetical Drug Resistance Protein | Hypothetical Urug Kesistance Protein | International Party Designation Designation | nypoinettoal Orug Resistatice Protein | hypothetical Data Transporter | Hypothetical Drug Transporter | Hypothetical Drug Transporter | Hypothetical Drug Transporter | |
|---------------------|---------------------|---------------------------------|---------------------------------|------------------------------------|------------------------------------|------------------------------------|---------------------------------------|---------------------------------------|--|--------------------------------|----------------------------------|---|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|--------------------------------------|---|------------|---------------------------|-----------------------------------|-----------------------------------|---------------------------------|-----------------------------------|---------------------------------|-----------------------------------|-----------------------------------|-----------------------------|---------------------------------------|--------------------------------|----------------------------------|--------------------------------|---|---------------------------------------|--|--------------------------------------|--------------------------------------|---|---------------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|--|
| _ | NT Stop F | _ | | | 1811 C | | | | | 2611 U | ., | | g | | | | | | 339 M 41387 M | | _ | | | | | 6714 Q | | | | 1343 V | | | | 1245 H | | _ | | 1946 10204 | | 9002 2346 | | _ | | | |
| tinued | | 20 | æ | 4 | ₩. | 4 ; | מ מ | x : | _ : | 2 2 | 3 8 | ۲ × | | | ຮ | 4 | . | = } | | | | | 4 | 4 | 53 | 9 | တ ဂဲ | 7 | × ÷ | 2 % | લ જ | 4 | 47 | 2 | တ ဂ် | 2 2 | | • | | ส 6 | 3 5 | • | | 3 8 | |
| Table 1 (continued) | NT Start | 8581 | 4357 | 3263 | 1515 | 282 | 1176 | 11/6 | 202 | , 950 (| 7 | 1023 | 53858 | 4560 | 3918 | 4384 | 2031 | | 40116 | 9796 | 10246 | 3776 | 774 | 5754 | 3807 | 7931 | 911 | 1680 | 2921 | 1027 1036 | 3398 | 3772 | 4229 | 808 | 641 | 3298 | 2024 | 822 | 2000 | 9000 | 1305 | 16290 | 4 | r च | |
| Table | Contig. | VV0140 | GR00245 | GR00046 | W0056 | GR00574 | GR00015 | GR00015 | GR00283 | 081000 | GR00224 | GR00223 | 6000 | GR00214 | GR00410 | GR00410 | VV0020 | GR00552 | GK00626 VV0127 | GROOSES | GR00555 | VV0209 | GR00288 | VV0136 | GR00323 | VV0102 | GR00636 | GK00233 | GR00663 | GR00013 | GR00296 | GR00296 | GR00296 | W0106 | GR00282 | GR00296 | VV0248 | GK00535 | 0.0000 | GK00633 | 00042 CD10044 | GR00119 | V0108 | GR00336 | |
| | Identification Code | RXN00901 | F RXA00901 | RXA00289 | RXN01984 | F RXA01984 | RXA00109 | EXA00109 | KXA00996 | KXN00829 | F KAA00629 | P KANU634 | RXN00803 | F RXA00803 | RXA01407 | RXA01408 | EXN01922 | F RXA01922 | RXA02060 RXN01936 | E RYA01936 | F RXA01937 | RXN01010 | F RXA01010 | RXN03142 | F RXA01150 | RXN02964 | F RXA02116 | EXA00858 | EXA02305 | RXA00064 | RXA01052 | RXA01053 | RXA01054 | RXN03123 | F RXA00993 | EXA01051 | EXN01873 | F KXA018/3 | 1 DV A COUST | P KARUZZI 3 | E DY A no and | RXA00479 | EXN03124 | F RXA01180 | |
| | Amino Acid | 130 | 132 | 2 | 136 | 138 | 140 | 142 | 4 5 | 146 140 | 140 | 55 | 2 2 | 156 | 158 | 160 | 162 | 40. | 166 168 | 170 | 172 | 174 | 176 | 178 | 180 | 182 | 184 | 186 | 188 | 190 | 194 | 196 | 198 | 200 | 202 | 204 | 206 | 208 | 210 | 212 | 216 | 218 218 | 220 | 222 | |
| | Nucleic Acid | | 131 | | | | 139 | 141 | 143 | 145 | 747 | 149 | 153 | 155 | 157 | 159 | 161 | 163 | 165 167 | 160 | 12.5 | 173 | 175 | 177 | 179 | 181 | 183 | 185 | 187 | 6 5 | 193 | 195 | 197 | 199 | 201 | 203 | 202 | 207 | 503 | 117 | 215 | 217 | 219 | 221 | |

| RXN03042 VV0018 2440 1835 FXA01616 GR00450 1684 203 RXA01666 GR00463 1363 1636 RXA00166 GR00463 1367 3683 RXA000215 GR00032 13834 15294 RXA00166 GR00032 13834 15294 RXA00166 GR000151 4892 5884 F RXA003064 VV0038 4892 5884 F RXA01310 GR00151 4892 5884 F RXA01320 VV00082 1314 4 F RXA01310 GR00183 1979 1200 RXN01526 VV0082 11497 9866 F RXA01319 GR00383 1979 4 F RXA01319 GR00383 1979 4 RXA01526 VV00182 1423 29 RXA01764 GR00439 1423 29 RXA00186 GR00439 1423 29 RXN00535 VV00145 1173 3521 | Nucleic Acid SEQ ID NO 223 225 | Amino Acid SEQ ID NO 224 226 | Identification Code RXA02586 RXA02587 | Contig. GR00741 GR00741 | Table 1 (continued) iig. NT Start NT 10741 10296 100 10741 12343 100 | 10027 10027 10253 | <u>Function</u> Hypothetical Drug Transporter Hypothetical Drug Transporter |
|--|---|---------------------------------------|---------------------------------------|-------------------------------|--|-------------------------|---|
| RXA00062 GR00463 2307 3683 RXA00062 GR00009 13252 11855 RXA00061 GR00003 13834 15294 RXN03064 VV0038 4892 6223 F RXA00278 GR00151 4892 5884 F RXA00278 GR00151 4892 5884 F RXA00278 GR00169 2713 1304 RXA00648 GR00182 744 4 F RXA01310 GR00382 744 4 F RXA01320 VV0082 13146 11500 F RXA01319 GR00383 1979 1200 RXN02926 VV0082 11497 9866 F RXA01518 GR00383 1197 4 F RXA01518 GR00383 1197 4 RXA00508 GR00204 3284 2169 RXA00764 GR00529 7076 5730 RXN001553 VV0108 972 1142 RXN001553 VV0118 972 1142 RXN001553 VV0117 13120 13593 RXN00453 VV0017 13120 13593 RXN00165 VV00163 489 4 RXN001102 VV00163 489 4 RXN001102 VV00163 489 4 RXN01100 VV0163 8992 10338 RXN01102 VV0018 65 511 RXN01102 VV0018 9992 10338 RXN01102 VV0019 6128 4884 RXN01109 VV0110 11242 9602 RXN01109 VV0110 211242 9602 RXN01109 VV0113 2150 2383 RXS002987 VV00144 527 294 | | 228 230 232 | RXN03042 F RXA02893 RXA01616 | VV0018 GR10035 GR00450 | 2440 1841 1684 | 1835 1236 203 | Hypothetical Drug Transporter Hypothetical Drug Transporter MULTIDRUG EFFLUX PROTEIN OACB |
| RXA00215 GR00032 13834 15294 RXN03064 VV0038 4892 6223 F RXA00648 GR00151 4892 5884 F RXA00648 GR00151 4892 5884 F RXA001320 VV0082 13146 11500 F RXA01310 GR00383 1979 1200 RXN02926 VV0082 11497 9866 F RXA01319 GR00383 1197 4 F RXA01319 GR00383 1197 4 F RXA02087 GR00383 1197 4 F RXA02087 GR00383 1197 4 F RXA02088 GR00383 1197 4 F RXA02088 GR0029 1229 F RXA00053 VV0135 25201 26520 F RXN00535 VV0135 25201 26520 F RXN00453 VV0105 9128 4884 F RXN0190 VV0163 489 4 F RXN01102 VV0059 6128 4884 F RXN01102 VV0137 11242 9602 F RXN01102 VV0137 11242 9602 F RXN01091 VV0137 2150 2383 F RXS02987 VV0149 2150 2383 F RXS02987 VV0057 4056 4424 | | 234 236 | RXA01666 RXA00062 | GR00463 GR00009 | 2307 | 3683 11855 | MULTIDRUG RESISTANCE PROTEIN MULTIDRUG RESISTANCE PROTEIN B |
| FXA02064 VV0036 4892 5884 FRXA02876 GR00165 14892 5884 FRXA02878 GR10016 1837 1481 RXA00648 GR00169 2713 1304 FXXA01310 GR00382 744 4 FFXA01310 GR00382 744 4 FFXA01319 GR00383 1979 1200 RXN02926 VV0082 11497 9866 FFXA01578 GR00439 1423 29 RXA02087 GR00439 1423 29 RXA02087 GR00439 1423 29 RXA02088 GR00439 1423 29 RXA02088 GR00204 3284 2169 RXA00764 GR00204 3284 2169 RXN001553 VV0108 972 1142 RXN001553 VV0108 972 1142 RXN00453 VV0171 13120 13593 RXN00453 VV0163 489 4 RXN00165 VV0026 65 511 RXN00165 VV0016 547 5 RXN00165 VV0016 11242 9602 RXN01102 VV0012 11242 9602 RXN01102 VV0012 11242 9602 RXN01109 VV0136 557 4 RXS00298 VV0144 527 294 RXS00298 VV0144 527 294 | | 238 | RXA00215 | GR00032 | 13834 | 15294 | MULTIDRUG RESISTANCE PROTEIN B |
| F RXA02878 GR10016 1837 1481 RXA00648 GR00169 2713 1304 RXN01320 VV0082 13146 11500 F RXA01320 GR00382 744 4 F RXA01320 GR00383 1979 1200 RXN02926 VV00082 11497 9866 F RXA01519 GR00439 1423 29 RXA02087 GR00629 7076 5730 RXA02088 GR00629 7076 5730 RXA01553 VV0105 3284 2169 RXN03125 VV0105 3284 2169 RXN001553 VV0105 3284 4 RXN001553 VV0105 3521 26520 RXN00535 VV0105 515 5871 RXN001553 VV0117 13120 13593 RXN00352 VV0163 8992 10338 RXN00190 VV0163 8992 10338 RXN001102 VV00123 3424 3648 | | 240 242 | F RXA00565 | VV0038 GR00151 | 4892 4892 | 6223 5884 | |
| RXA00648 GR00169 2713 1304 RXN01320 VV0082 13146 11500 F RXA01314 GR00382 144 4 F RXA01320 GR00383 1979 1200 RXN02926 VV0082 1147 9866 F RXA0208 GR00439 1423 29 RXA0208 GR00629 7076 5730 RXA0208 GR00629 7076 5730 RXA00764 GR00629 8294 7080 RXA00764 GR00629 8294 7080 RXA00755 VV0108 972 1142 RXN00153 VV0108 972 1142 RXN00155 VV0171 13120 13593 RXN00453 VV0076 1173 3521 RXN00932 VV0171 13120 13593 RXN00190 VV0163 6992 10338 RXN01190 VV0169 6992 10338 RXN01190 VV0169 6128 4884 RXN01190 VV0171 11242 9602 RXN01191 VV0171 1242 9602 RXN001191 VV0173 1124 5610 RXN00191 VV0134 527 294 RXS02979 VV0134 527 294 RXS02997 VV0057 4056 4424 | | 244 | F RXA02878 | GR10016 | 1837 | 1481 | |
| F RXA01314 GR00382 744 4 F RXA01320 GR00383 1979 1200 RXN02926 VV0082 11497 9866 F RXA01319 GR00383 1197 4 RXA01578 GR00439 1423 29 RXA02087 GR00629 7076 5730 RXA02088 GR00629 8294 7080 RXA00764 GR00629 8294 7080 RXN03125 VV0108 972 1142 RXN03125 VV0108 972 1142 RXN00535 VV0171 13120 13593 RXN00453 VV0171 13120 13593 RXN003151 VV0105 65 511 RXN003151 VV0169 8992 10338 RXN001102 VV00169 8992 10338 RXN001190 VV0169 8992 124 4884 RXN001190 VV0171 11242 9602 RXN00191 VV0171 1242 9602 RXN00191 VV0137 7124 5610 RXS02979 VV0134 527 294 RXS02978 VV0134 527 294 | | 246 248 | RXA00648 RXN01320 | GR00169 | 2713 13146 | 1304 1304 | |
| F RXA01320 GR00383 1979 1200 RXN02926 VV0082 11497 9866 F RXA01319 GR00383 1197 4 RXA01578 GR00383 1197 4 RXA02087 GR00429 1423 29 RXA02088 GR00629 7076 5730 RXN00156 GR00629 8294 7080 RXN00155 VV0135 25201 26520 RXN00635 VV0135 25201 26520 RXN00635 VV0135 25201 26520 RXN00453 VV0171 13120 13593 RXN00453 VV0171 13120 13593 RXN00302 VV0002 65 511 RXN003151 VV0163 489 4 RXN001102 VV0163 489 4 RXN001102 VV0163 489 4 RXN01102 VV0163 489 4 RXN01102 VV0169 6128 4884 RXN01102 VV0169 6128 4884 RXN01102 VV0169 6128 4884 RXN01109 VV0169 6128 4884 RXN01109 VV0169 6128 4884 RXN01091 VV0173 11242 9602 RXN011091 VV0174 13120 2383 RXS02987 VV0174 2150 2383 RXS02987 VV0057 4056 4424 | | 250 | F RXA01314 | GR00382 | 744 | - 4 | |
| RXN02926 VV0082 11497 9866 F RXA01319 GR00383 1197 4 RXA02087 GR00629 1706 5730 RXA002088 GR00629 7076 5730 RXA00764 GR00504 3284 2169 RXA00755 VV0108 972 1142 RXN00535 VV0108 972 1142 RXN00535 VV0171 13120 13593 RXN00932 VV0171 13120 13593 RXN00351 VV0017 13120 13593 RXN00352 VV0017 13120 13593 RXN003151 VV017 13120 13593 RXN003151 VV0163 65 511 RXN00165 VV0169 8992 10338 RXN00119 VV0169 8992 10338 RXN00119 VV0169 8992 10338 RXN00119 VV0102 11242 9602 RXN00160 VV0103 11242 9602 | | 252 | F RXA01320 | GR00383 | 1979 | 1200 | MULTIDRUG RESISTANCE PROTEIN B |
| FRXA01319 GR00383 1197 4 FXA01578 GR00439 1423 29 FXA02087 GR00629 7076 5730 FXA02088 GR00529 8294 7080 FXA00764 GR00524 3284 2169 FXN001553 VV0108 972 1142 FXN001553 VV0108 972 1142 FXN00453 VV0171 13120 13593 FXN00932 VV0171 13120 13593 FXN003151 VV0017 13120 13593 FXN003151 VV0169 8992 10338 FXN001192 VV0169 8992 10338 FXN001192 VV0059 6128 4884 FXN001193 VV0169 8992 10338 FXN001190 VV0169 8992 10338 FXN00191 VV0177 1124 5610 FXN00191 VV0137 7124 5610 FXN001991 VV0137 2150 2383 FXS02978 VV0134 527 294 FXS02978 VV0057 4056 4424 | | 254 | RXN02926 | VV0082 | 11497 | 9866 | |
| RXA01578 GR00639 1423 29 RXA02087 GR00629 1076 5730 RXA02088 GR00629 8294 7080 RXA00764 GR00504 3284 2169 RXN03125 VV0108 972 1142 RXN00535 VV0171 5155 5871 RXN00453 VV0171 13120 13593 RXN00312 VV0171 13120 13593 RXN003151 VV0171 13120 13593 RXN03151 VV0171 13120 13593 RXN03151 VV0163 489 4 RXN03151 VV0163 489 4 RXN0156 VV0163 489 4 RXN01102 VV0169 8992 10338 RXN01102 VV0169 8992 10338 RXN00119 VV0102 11242 9602 RXN010605 VV0102 11242 9602 RXS02979 VV0137 11242 254 | | 256 | F RXA01319 | GR00383 | 1197 | 4 | MULTIDRUG RESISTANCE PROTEIN B |
| RXA02087 GR00629 (2070) 5730 RXA00764 GR00629 8294 7080 RXA00764 GR00204 3284 2169 RXN01553 VV0108 972 1142 RXN00535 VV0108 972 1142 RXN00932 VV0171 13120 13593 RXN00932 VV0171 13120 13593 RXN003151 VV0002 65 511 RXN003151 VV0163 65 511 RXN003151 VV0163 65 511 RXN00165 VV0169 8992 10338 RXN001102 VV0059 6128 4884 RXN001102 VV0059 6128 4884 RXN001102 VV0102 11242 9602 RXN001190 VV0102 11242 9602 RXN001091 VV0103 2150 2383 RXS02979 VV0149 2150 2383 RXS02979 VV0149 2150 2383 | | 258 260 | EXA01578 | GR00439 | 1423 | 29 | MULTIDRUG RESISTANCE PROTEIN B |
| RXA00764 GR00204 3284 2169 RXN03125 VV0108 972 1142 RXN00535 VV0135 25201 26520 RXN00453 VV0159 5155 5871 RXN00453 VV0171 13120 13593 RXN003022 VV0171 13120 13593 RXN03121 VV0163 489 4 RXN03151 VV0163 489 4 RXN03151 VV0169 8992 10338 RXN001190 VV0169 8992 10338 RXN001190 VV0169 8992 10338 RXN001190 VV0169 8992 10338 RXN001191 VV0102 11242 9602 RXN001191 VV0102 11242 9602 RXN01091 VV01031 3424 3648 RXS02979 VV0149 2150 2383 RXS02979 VV0149 2150 2383 RXS02979 VV0149 2150 2383 | | 262 | RXA02088 | GR00629 | 8294 | 2080 | MULTIDRUG RESISTANCE PROTEIN B |
| RXN03125 VV0108 972 1142 RXN01553 VV0135 25201 26520 RXN00453 VV0219 5155 5871 RXN00453 VV0076 1173 3521 RXN00322 VV0171 13120 13593 RXN03151 VV0163 489 4 RXN021832 VV0163 489 4 RXN00165 VV0163 899 10338 RXN00165 VV0169 8992 10338 RXN00190 VV0102 11242 9602 RXN0019 VV0102 11242 9602 RXN0019 VV0102 11242 9602 RXN0019 VV0102 11242 9602 RXN0199 VV0103 11242 9602 RXS02979 VV0149 2150 2383 RXS02987 VV0057 4056 424 RXS03095 VV0057 4056 4424 | | 264 | RXA00764 | GR00204 | 3284 | 2169 | BMRU PROTEIN Bacillus subtilis bmrU, multidrug efflux transporter |
| RXN01553 VV0135 25201 26520 RXN00535 VV0219 5155 5871 RXN00453 VV0076 1173 3521 RXN00322 VV0171 13120 13593 RXN003151 VV0163 489 4 RXN02161 VV0163 489 4 RXN00165 VV0163 899 10338 RXN01190 VV0169 8992 10338 RXN01190 VV0169 8992 10338 RXN01190 VV0102 11242 9602 RXN0119 VV0102 11242 9602 RXN0169 VV0102 11242 9602 RXN0169 VV0103 11242 9602 RXN0169 VV0103 11242 9602 RXS02979 VV0149 2150 2383 RXS02979 VV0057 4056 4424 RXS03095 VV0057 4056 4424 | | 266 | RXN03125 | VV0108 | 972 | 1142 | Hypothetical Drug Transporter |
| RXN00535 VV0219 5155 5871 RXN00453 VV0076 1173 3521 RXN00932 VV0171 13120 13593 RXN03151 VV0002 65 511 RXN03151 VV0163 489 4 RXN03151 VV0163 489 4 RXN00165 VV0328 547 5 RXN001102 VV0059 6128 4884 RXN001102 VV0059 6128 4884 RXN001102 VV0059 6128 4884 RXN001103 VV0102 11242 9602 RXN001109 VV0102 11242 9602 RXN001109 VV0102 11242 9602 RXN001091 VV0104 2150 2383 RXS02979 VV0149 2150 2383 RXS02979 VV0149 2150 2383 | | 268 | RXN01553 | VV0135 | 25201 | 26520 | Hypothetical Drug Permease |
| RXN00453 VV0076 1173 3521 RXN00932 VV0171 13120 13593 RXN03022 VV0171 13120 13593 RXN03151 VV0163 489 4 RXN02832 VV0358 547 5 RXN00165 VV0232 3275 1860 RXN01102 VV0169 8992 10338 RXN01102 VV0059 6128 4884 RXN00788 VV0321 3424 3648 RXN00719 VV0102 11242 9602 RXN0119 VV0102 11242 9602 RXN0119 VV0137 7124 5610 RXN01091 VV0137 5124 5610 RXS02979 VV0149 2150 2383 RXS02979 VV0149 2150 2383 RXS02979 VV0057 4056 4424 | | 270 | RXN00535 | W0219 | 5155 | 5871 | Hypothetical Drug Resistance Protein |
| RXN00932 VV0171 13120 13593 RXN03022 VV0002 65 511 RXN03151 VV0063 65 511 RXN001832 VV0358 547 5 RXN00165 VV0232 3275 1860 RXN01190 VV0169 8992 10338 RXN01102 VV0059 6128 4884 RXN00788 VV0321 3424 3648 RXN00788 VV0321 3424 3648 RXN00199 VV0102 11242 9602 RXN01605 VV0137 7124 5610 RXN01091 VV0137 7124 5610 RXS02979 VV0149 2150 2383 RXS02979 VV0149 2150 2383 RXS02987 VV0057 4056 4424 | | 272 | RXN00453 | 9/00/ | 1173 | 3521 | Hypothetical Drug Transporter |
| RXN03022 VV0002 65 511 RXN03151 VV0163 489 4 RXN00165 VV0358 547 5 RXN01190 VV0169 8992 10338 RXN01102 VV0059 6128 4884 RXN00788 VV0321 3424 3648 RXN01191 VV0102 11242 9602 RXN01605 VV0177 7124 5610 RXN0191 VV0137 7124 5610 RXN0191 VV0137 724 5610 RXS02987 VV0149 2150 2383 RXS02987 VV0149 2150 2383 RXS03095 VV0057 4056 4424 | | 274 | RXN00932 | W0171 | 13120 | 13593 | Hypothetical Drug Transporter |
| RXN03151 VV0163 489 4 RXN02832 VV0358 547 5 RXN0165 VV0169 547 5 RXN01100 VV0169 8992 10338 RXN01102 VV0169 6128 4884 RXN00788 VV0321 3424 3648 RXN01605 VV0102 11242 9602 RXN01605 VV0137 7124 5610 RXS01919 VV0137 7124 5610 RXS02987 VV0149 2150 2383 RXS03095 VV0057 4056 4424 | | 276 | RXN03022 | W0002 | 65 | 511 | MULTIDRUG RESISTANCE PROTEIN B |
| RXN02832 VV0358 547 5 RXN0190 VV0169 8992 10338 RXN01102 VV0059 6128 4884 RXN02178 VV0321 3224 3648 RXN0105 VV0102 11242 9602 RXN01091 VV0102 11242 9602 RXN01091 VV0137 7124 5610 RXS02979 VV0149 2150 2383 RXS02979 VV0149 2150 2383 RXS02987 VV0234 527 294 RXS03095 VV0057 4056 4424 | | 278 | RXN03151 | W0163 | 489 | 4 | MYCINAMICIN-RESISTANCE PROTEIN MYRA |
| RXN00165 VV0232 3275 1860 RXN01190 VV0169 8992 10338 RXN01102 VV0059 6128 4884 RXN00788 VV0321 3424 3648 RXN0119 VV0102 11242 9602 RXN01605 VV0137 7124 5610 RXS0297 VV0132 567 4 RXS0297 VV0149 2150 2383 RXS02987 VV0234 527 294 RXS03095 VV0057 4056 4424 | | 280 | RXN02832 | W0358 | 547 | S. | LYSOSTAPHIN IMMUNITY FACTOR |
| RXN01190 VV0169 8992 10338 RXN01102 VV0059 6128 4884 RXN00788 VV0321 3424 3648 RXN0119 VV0102 11242 9602 RXN01605 VV0137 7124 5610 RXN01091 VV0326 567 4 RXS02979 VV0149 2150 2383 RXS02987 VV0234 527 294 RXS03095 VV0057 4056 4424 | | 282 | RXN00165 | VV0232 | 3275 | 1860 | MULTIDRUG RESISTANCE-LIKE ATP-BINDING PROTEIN MDL |
| RXN01102 VV0059 6128 4884 RXN0078 VV0102 3424 3648 RXN02119 VV0102 11242 9602 RXN01605 VV0137 7124 5610 RXS0291 VV0149 2150 2383 RXS02987 VV0234 527 294 RXS03095 VV0057 4056 4424 | | 284 | RXN01190 | W0169 | 8992 | 10338 | MULTIDRUG RESISTANCE-LIKE ATP-BINDING PROTEIN MDL |
| RXN00788 VV0321 3424 3648 RXN02119 VV0102 11242 9602 RXN01605 VV0137 7124 5610 RXS0291 VV0326 567 4 RXS02987 VV0149 2150 2383 RXS03095 VV0057 4056 4424 | | 286 | RXN01102 | W0059 | 6128 | 4884 | QUINOLONE RESISTANCE NORA PROTEIN |
| RXN02119 VV0102 11242 9602 RXN01605 VV0137 7124 5610 RXN01091 VV0326 567 4 RXS02979 VV0149 2150 2383 RXS02987 VV0234 527 294 RXS03095 VV0057 4056 4424 | | 288 | RXN00788 | VV0321 | 3424 | 3648 | CHLORAMPHENICOL RESISTANCE PROTEIN |
| RXN01605 VV0137 7124 5610 RXN01091 VV0326 567 4 RXS02979 VV0149 2150 2383 RXS02987 VV0234 527 294 RXS03095 VV0057 4056 4424 | | 290 | RXN02119 | VV0102 | 11242 | 9602 | A201A-RESISTANCE ATP-BINDING PROTEIN |
| RXN01091 VV0326 567 4 RXS02979 VV0149 2150 2383 RXS02987 VV0234 527 294 RXS03095 VV0057 4056 4424 | | 292 | RXN01605 | VV0137 | 7124 | 5610 | DAUNORUBICIN RESISTANCE TRANSMEMBRANE PROTEIN |
| RXS02979 VV0149 2150 2383 RXS02987 VV0234 527 294 RXS03095 VV0057 4056 4424 | | 294 | RXN01091 | VV0326 | 267 | 4 | MAZG PROTEIN |
| RXS02987 VV0234 527 294 RXS03095 VV0057 4056 4424 | | 296 | RXS02979 | W0149 | 2150 | 2383 | MERCURIC TRANSPORT PROTEIN PERIPLASMIC COMPONENT PRECURSOR |
| RXS03095 VV0057 4056 4424 | | 298 | RXS02987 | W0234 | 527 | 294 | MERCURIC TRANSPORT PROTEIN PERIPLASMIC COMPONENT PRECURSOR |
| | | 300 | RXS03095 | VV0057 | 4056 | 4424 | CADMIUM EFFLUX SYSTEM ACCESSORY PROTEIN HOMOLOG |

| | | TABLE 2 - Excluded Genes | ded Genes |
|---|------------------|--|---|
| GenBank TM Accession No. | Gene Name | Gene Function | Reference |
| A09073 | ppg | Phosphoenol pyruvate carboxylase | Bachmann, B. et al. "DNA fragment coding for phosphoenolpyruvat corboxylase, recombinant DNA carrying said fragment, strains carrying the recombinant DNA and method for producing L-aminino acids using said strains," Patent: EP 0358940-A 3 03/21/90 |
| A45579, A45581, A45583, A45585 | · | Threonine dehydratase | Moeckel, B. et al. "Production of L-isoleucine by means of recombinant micro-organisms with deregulated threonine dehydratase," Patent: WO 9519442-A 5 07/20/95 |
| AB003132 | murC; ftsQ; ftsZ | | Kobayashi, M. et al. "Cloning, sequencing, and characterization of the ftsZ gene from coryneform bacteria," <i>Biochem. Biophys. Res. Commun.</i> , 236(2):383-388 (1997) |
| AB015023 | murC; ftsQ | | Wachi, M. et al. "A murC gene from Coryneform bacteria," Appl. Microbiol. Biotechnol., 51(2):223-228 (1999) |
| AB018530 | dtsR | | Kimura, E. et al. "Molecular cloning of a novel gene, dtsR, which rescues the detergent sensitivity of a mutant derived from <i>Brevibacterium</i> lactofermentum," Biosci. Biotechnol. Biochem., 60(10):1565-1570 (1996) |
| AB018531 | dtsR1; dtsR2 | | |
| AB020624 | murl | D-glutamate racemase | |
| AB023377 | tkt | transketolase | |
| AB024708 | gltB; gltD | Glutamine 2-oxoglutarate aminotransferase large and small subunits | |
| AB025424 | acn | aconitase | |
| AB027714 | rep | Replication protein | |
| AB027715 | rep; aad | Replication protein; aminoglycoside adenyltransferase | |
| AF005242 | argC | N-acetylglutamate-5-semialdehyde dehydrogenase | |
| AF005635 | glnA | Glutamine synthetase | |
| AF030405 | hisF | cyclase | |
| AF030520 | argG | Argininosuccinate synthetase | |
| AF031518 | argF | Ornithine carbamolytransferase | |
| AF036932 | aroD | 3-dehydroquinate dehydratase | |
| AF038548 | pyc | Pyruvate carboxylase | |
| | | | |

| | | Tohle 2 (continued) | Politic |
|------------|---------------------------|--|---|
| | | I abic 2 (com | naeu |
| Ar038651 | dciAE; apt; rel | Uppeptide-binding protein; adenine phosphoribosyltransferase: GTP | Wehmeter, L. et al. "The role of the Corynebacterium glutamicum rel gene in (0)bbGpp metabolism." Microbiology, 144:1853-1862 (1998) |
| | | pyrophosphokinase | |
| AF041436 | argR | Arginine repressor | |
| AF045998 | impA | Inositol monophosphate phosphatase | |
| AF048764 | argH | Argininosuccinate lyase | |
| AF049897 | argC; argJ; argB; | N-acetylglutamylphosphate reductase; | |
| | argD; argF; argR; | ornithine acetyltransferase; N- | |
| | argG; argH | acetylglutamate kinase; acetylomithine | |
| | | transminase; ornithine | |
| | | carbamoyltransferase; arginine repressor; | |
| | | argininosuccinate synthase; | |
| 4 5050100 | | argininosuccinate lyase | |
| AF050109 | ınhA | Enoyl-acyl carrier protein reductase | |
| AF050166 | hisG | ATP phosphoribosyltransferase | |
| AF051846 | hisA | Phosphoribosylformimino-5-amino-1- | |
| | | phosphoribosyl-4-imidazolecarboxamide | |
| 4 5050750 | | isonici asv | |
| : AF052652 | metA | Homoserine O-acetyltransterase | Park, S. et al. "Isolation and analysis of metA, a methionine biosynthetic gene encoding homoserine acetyltransferase in Corynebacterium glutamicum," Mol. Cells., 8(3):286-294 (1998) |
| AF053071 | aroB | Dehydroquinate synthetase | |
| AF060558 | HisH | Glutamine amidotransferase | |
| AF086704 | hisE | Phosphoribosyl-ATP- pyrophosphohydrolase | |
| AF114233 | aroA | 5-enolpyruvylshikimate 3-phosphate synthase | |
| AF116184 | panD | L-aspartate-alpha-decarboxylase precursor | Dusch, N. et al. "Expression of the Corynebacterium glutamicum panD gene encoding L-aspartate-alpha-decarboxylase leads to pantothenate overproduction in Escherichia coli," <i>Appl. Environ. Microbiol.</i> , 65(4)1530-1539 (1999) |
| AF124518 | aroD; aroE | 3-dehydroquinase; shikimate dehydrogenase | |
| AF124600 | aroC; aroK; aroB; pepQ | Chorismate synthase; shikimate kinase; 3-dehydroquinate synthase; putative cytoplasmic peptidase | |
| AF145897 | inhA | | |
| AF145898 | inhA | | |

| | | Table 2 (continued) | nued) |
|----------|------------------------------------|--|--|
| AJ001436 | ectP | Transport of ectoine, glycine betaine, proline | Peter, H. et al. "Corynebacterium glutamicum is equipped with four secondary carriers for compatible solutes: Identification, sequencing, and characterization of the proline/ectoine uptake system, ProP, and the ectoine/proline/glycine betaine carrier, EctP," J. Bacteriol., 180(22):6005-6012 (1998) |
| AJ004934 | дар | Tetrahydrodipicolinate succinylase (incomplete') | Wehrmann, A. et al. "Different modes of diaminopimelate synthesis and their role in cell wall integrity: A study with Corynebacterium glutamicum," J. Bacteriol., 180(12):3159-3165 (1998) |
| AJ007732 | ppc; secG; amt; ocd; soxA | Phosphoenolpyruvate-carboxylase; ?; high affinity ammonium uptake protein; putative ornithine-cyclodecarboxylase; sarcosine oxidase | |
| AJ010319 | fts Y, gin B, gin D; srp; amt P | Involved in cell division; PII protein; uridylyltransferase (uridylyl-removing enzmye); signal recognition particle; low affinity ammonium uptake protein | Jakoby, M. et al. "Nitrogen regulation in Corynebacterium glutamicum; Isolation of genes involved in biochemical characterization of corresponding proteins," FEMS Microbiol., 173(2):303-310 (1999) |
| AJ132968 | cat | Chloramphenicol aceteyl transferase | |
| AJ224946 | овш | L-malate: quinone oxidoreductase | Molenaar, D. et al. "Biochemical and genetic characterization of the membrane-associated malate dehydrogenase (acceptor) from Corynebacterium glutamicum," Eur. J. Biochem., 254(2):395-403 (1998) |
| AJ238250 | upu | NADH dehydrogenase | |
| AJ238703 | porA | Porin | Lichtinger, T. et al. "Biochemical and biophysical characterization of the cell wall porin of Corynebacterium glutamicum: The channel is formed by a low molecular mass polypeptide," <i>Biochemistry</i> , 37(43):15024-15032 (1998) |
| D17429 | | Transposable element IS31831 | Vertes et al. "Isolation and characterization of IS31831, a transposable element from Corynebacterium glutamicum," Mol. Microbiol., 11(4):739-746 (1994) |
| D84102 | odhA | 2-oxoglutarate dehydrogenase | Usuda, Y. et al. "Molecular cloning of the Corynebacterium glutamicum (Brevibacterium lactofermentum AJ12036) odhA gene encoding a novel type of 2-oxoglutarate dehydrogenase," Microbiology, 142:3347-3354 (1996) |
| E01358 | hdh; hk | Homoserine dehydrogenase; homoserine kinase | Katsumata, R. et al. "Production of L-thereonine and L-isoleucine," Patent: JP 1987232392-A 1 10/12/87 |
| E01359 | | Upstream of the start codon of homoserine kinase gene | Katsumata, R. et al. "Production of L-thereonine and L-isoleucine," Patent: JP 1987232392-A 2 10/12/87 |
| E01375 | | Tryptophan operon | |
| E01376 | tpL; tpE | Leader peptide; anthranilate synthase | Matsui, K. et al. "Tryptophan operon, peptide and protein coded thereby, utilization of tryptophan operon gene expression and production of tryptophan," Patent: JP 1987244382-A 1 10/24/87 |
| | | | |
| | | | |

| | Table 2 (continued) | nued) |
|--------|--|---|
| E01377 | Promoter and operator regions of tryptophan operon | Matsui, K. et al. "Tryptophan operon, peptide and protein coded thereby, utilization of tryptophan operon gene expression and production of tryptophan." Patent: JP 1987244382-A 1 10/24/87 |
| E03937 | Biotin-synthase | Hatakeyama, K. et al. "DNA fragment containing gene capable of coding biotin synthetase and its utilization," Patent: JP 1992278088-A 1 10/02/92 |
| E04040 | Diamino pelargonic acid aminotransferase | Kohama, K. et al. "Gene coding diaminopelargonic acid aminotransferase and desthiobiotin synthetase and its utilization," Patent: JP 1992330284-A 1 11/18/92 |
| E04041 | Desthiobiotinsynthetase | Kohama, K. et al. "Gene coding diaminopelargonic acid aminotransferase and desthiobiotin synthetase and its utilization," Patent: JP 1992330284-A 1 11/18/92 |
| E04307 | Flavum aspartase | Kurusu, Y. et al. "Gene DNA coding aspartase and utilization thereof," Patent: JP 1993030977-A 1 02/09/93 |
| E04376 | Isocitric acid lyase | Katsumata, R. et al. "Gene manifestation controlling DNA," Patent: JP 1993056782-A 3 03/09/93 |
| E04377 | Isocitric acid Iyase N-terminal fragment | Katsumata, R. et al. "Gene manifestation controlling DNA," Patent: JP 1993056782-A 3 03/09/93 |
| E04484 | Prephenate dehydratase | Sotouchi, N. et al. "Production of L-phenylalanine by fermentation," Patent: JP 1993076352-A 2 03/30/93 |
| E05108 | Aspartokinase | Fugono, N. et al. "Gene DNA coding Aspartokinase and its use," Patent: JP 1993184366-A 1 07/27/93 |
| E05112 | Dihydro-dipichorinate synthetase | Hatakeyama, K. et al. "Gene DNA coding dihydrodipicolinic acid synthetase and its use," Patent: JP 1993184371-A 1 07/27/93 |
| E05776 | Diaminopimelic acid dehydrogenase | Kobayashi, M. et al. "Gene DNA coding Diaminopimelic acid dehydrogenase and its use," Patent: JP 1993284970-A 1 11/02/93 |
| E05779 | Threonine synthase | Kohama, K. et al. "Gene DNA coding threonine synthase and its use," Patent: JP 1993284972-A 1 11/02/93 |
| E06110 | Prephenate dehydratase | Kikuchi, T. et al. "Production of L-phenylalanine by fermentation method," Patent: JP 1993344881-A 1 12/27/93 |
| E06111 | Mutated Prephenate dehydratase | Kikuchi, T. et al. "Production of L-phenylalanine by fermentation method," Patent: JP 1993344881-A 1 12/27/93 |
| E06146 | Acetohydroxy acid synthetase | Inui, M. et al. "Gene capable of coding Acetohydroxy acid synthetase and its use," Patent: JP 1993344893-A 1 12/27/93 |
| E06825 | Aspartokinase | Sugimoto, M. et al. "Mutant aspartokinase gene," patent: JP 1994062866-A 1 03/08/94 |
| E06826 | Mutated aspartokinase alpha subunit | Sugimoto, M. et al. "Mutant aspartokinase gene," patent: JP 1994062866-A 1 03/08/94 |
| | | |

| | | Table 2 (continued) | nued) |
|--------|------------------|--|--|
| E13655 | | ehyd | Hatakeyama, K. et al. "Glucose-6-phosphate dehydrogenase and DNA capable of coding the same," Patent: JP 1997224661-A 1 09/02/97 |
| L01508 | livA | Threonine dehydratase | Moeckel, B. et al. "Functional and structural analysis of the threonine dehydratase of Corynebacterium glutamicum," J. Bacterial., 174:8065-8072 (1992) |
| L07603 | EC 4.2.1.15 | 3-deoxy-D-arabinoheptulosonate-7- phosphate synthase | Chen, C. et al. "The cloning and nucleotide sequence of Corynebacterium glutamicum 3-deoxy-D-arabinoheptulosonate-7-phosphate synthase gene," FEMS Microbiol. Lett., 107:223-230 (1993) |
| L09232 | IIvB; iIvN; iIvC | Acetohydroxy acid synthase large subunit; Acetohydroxy acid synthase small subunit; Acetohydroxy acid isomeroreductase | Keilhauer, C. et al. "Isoleucine synthesis in Corynebacterium glutamicum: molecular analysis of the ilvB-ilvN-ilvC operon," J. Bacteriol., 175(17):5595-5603 (1993) |
| L18874 | PtsM | Phosphoenolpyruvate sugar phosphotransferase | Fouet, A et al. "Bacillus subtilis sucrose-specific enzyme II of the phosphotransferase system: expression in Escherichia coli and homology to enzymes II from enteric bacteria," PNAS USA, 84(24):8773-8777 (1987); Lee, J.K. et al. "Nucleotide sequence of the gene encoding the Corynebacterium glutamicum mannose enzyme II and analyses of the deduced protein sequence," FEMS Microbiol. Lett., 119(1-2):137-145 (1994) |
| L27123 | aceB | Malate synthase | Lee, H-S. et al. "Molecular characterization of aceB, a gene encoding malate synthase in Corynebacterium glutamicum," J. Microbiol. Biotechnol., 4(4):256-263 (1994) |
| L27126 | | Pyruvate kinase | Jetten, M. S. et al. "Structural and functional analysis of pyruvate kinase from Corynebacterium glutamicum," <i>Appl. Environ. Microbiol.</i> , 60(7):2501-2507 (1994) |
| L28760 | aceA | Isocitrate lyase | |
| L35906 | dtxr | Diphtheria toxin repressor | Oguiza, J.A. et al. "Molecular cloning, DNA sequence analysis, and characterization of the Corynebacterium diphtheriae dtxR from Brevibacterium lactofermentum," J. Bacteriol., 177(2):465-467 (1995) |
| M13774 | | Prephenate dehydratase | Follettie, M.T. et al. "Molecular cloning and nucleotide sequence of the Corynebacterium glutamicum pheA gene," J. Bacteriol, 167:695-702 (1986) |
| M16175 | SS rRNA | | Park, Y-H. et al. "Phylogenetic analysis of the coryneform bacteria by 56 rRNA sequences," J. Bacteriol, 169:1801-1806 (1987) |
| M16663 | трЕ | Anthranilate synthase, 5' end | Sano, K. et al. "Structure and function of the trp operon control regions of Brevibacterium lactofermentum, a glutamic-acid-producing bacterium," <i>Gene</i> , 52:191-200 (1987) |
| M16664 | трА | Tryptophan synthase, 3'end | Sano, K. et al. "Structure and function of the trp operon control regions of Brevibacterium lactofermentum, a glutamic-acid-producing bacterium," Gene, 52:191-200 (1987) |
| | | | |

| | | Table 2 (continued) | nued) |
|-------------------|----------------------|---|--|
| M25819 | | Phosphoenolpyruvate carboxylase | O'Regan, M. et al. "Cloning and nucleotide sequence of the Phosphoenolpyruvate carboxylase-coding gene of Corynebacterium |
| M85106 | | 23S rRNA gene insertion sequence | glutamicum ATCC13032," Gene, 77(2):237-251 (1989) Roller, C. et al. "Gram-positive bacteria with a high DNA G+C content are characterized by a common insertion within their 23S rRNA genes," J. Gen. Microbiol 138:1167-1175 (1992) |
| M85107, M85108 | | 23S rRNA gene insertion sequence | Roller, C. et al. "Gram-positive bacteria with a high DNA G+C content are characterized by a common insertion within their 23S rRNA genes," J. Gen. Microbiol., 138:1167-1175 (1992) |
| M89931 | aecD; brnQ; yhbw | Beta C-S lyase; branched-chain amino acid uptake carrier; hypothetical protein yhbw | Rossol, I. et al. "The Corynebacterium glutamicum aecD gene encodes a C-S lyase with alpha, beta-elimination activity that degrades aminoethylcysteine," J. Bacteriol., 174(9):2968-2977 (1992); Tauch, A. et al. "Isoleucine uptake in Corynebacterium glutamicum ATCC 13032 is directed by the brnQ gene product," Arch. Microbiol., 169(4):303-312 (1998) |
| 889299 | đ ị | Leader gene (promoter) | Herry, D.M. et al. "Cloning of the trp gene cluster from a tryptophan-hyperproducing strain of Corynebacterium glutamicum: identification of a mutation in the trp leader sequence," <i>Appl. Environ. Microbiol.</i> , 59(3):791-799 (1993) |
| <u>U11545</u> | трБ | Anthranilate phosphoribosyltransferase | O'Gara, J.P. and Dunican, L.K. (1994) Complete nucleotide sequence of the Corynebacterium glutamicum ATCC 21850 tpD gene." Thesis, Microbiology Department, University College Galway, Ireland. |
| U13922 | cgilM; cgllR; clgllR | Putative type II 5-cytosoine methyltransferase; putative type II restriction endonuclease; putative type I or type III restriction endonuclease | Schafer, A. et al. "Cloning and characterization of a DNA region encoding a stress-sensitive restriction system from Corynebacterium glutamicum ATCC 13032 and analysis of its role in intergeneric conjugation with Escherichia coli," J. Bacteriol, 176(23):7309-7319 (1994); Schafer, A. et al. "The Corynebacterium glutamicum cgIIM gene encoding a 5-cytosine in an McrBC-deficient Escherichia coli strain," Gene, 203(2):95-101 (1997) |
| U14965 U31224 | recA ppx | | Ankri, S. et al. "Mutations in the Corynebacterium glutamicumproline biosynthetic pathway: A natural bypass of the proA step," J. Bacteriol., 178(15):4412-4419 (1996) |
| U31225 | proC | L-proline: NADP+ 5-oxidoreductase | Ankri, S. et al. "Mutations in the Corynebacterium glutamicumproline biosynthetic pathway: A natural bypass of the proA step," J. Bacteriol., 178(15):4412-4419 (1996) |
| U31230 | obg; proB; unkdh | ?;gamma glutamyl kinase;similar to D- isomer specific 2-hydroxyacid dehydrogenases | Ankri, S. et al. "Mutations in the Corynebacterium glutamicumproline biosynthetic pathway: A natural bypass of the proA step," J. Bacteriol., 178(15):4412-4419 (1996) |
| | | | |

| | | Table 2 (continued) | (penu |
|--------|---|---|--|
| U31281 | bioB | Biotin synthase | Serebriiskii, I.G., "Two new members of the bio B superfamily: Cloning, sequencing and expression of bio B genes of Methylobacillus flagellatum and Corynebacterium glutamicum," Gene, 175:15-22 (1996) |
| U35023 | thtR; accBC | Thiosulfate sulfurtransferase; acyl CoA carboxylase | Jager, W. et al. "A Corynebacterium glutamicum gene encoding a two-domain protein similar to biotin carboxylases and biotin-carboxyl-carrier proteins," <i>Arch. Microbiol.</i> , 166(2);76-82 (1996) |
| U43535 | cmr | Multidrug resistance protein | Jager, W. et al. "A Corynebacterium glutamicum gene conferring multidrug resistance in the heterologous host Escherichia coli," J. Bacteriol., 179(7):2449-2451 (1997) |
| U43536 | clpB | Heat shock ATP-binding protein | |
| U53587 | aphA-3 | 3'5"-aminoglycoside phosphotransferase | |
| U89648 | | Corynebacterium glutamicum unidentified sequence involved in histidine biosynthesis, partial sequence | |
| X04960 | trpA; trpB; trpC; trpD; trpE; trpG; trpL | Tryptophan operon | Matsui, K. et al. "Complete nucleotide and deduced amino acid sequences of the Brevibacterium lactofermentum tryptophan operon," <i>Nucleic Acids Res.</i> , 14(24):10113-10114 (1986) |
| X07563 | lys A | DAP decarboxylase (meso-diaminopimelate decarboxylase, EC 4.1.1.20) | Yeh, P. et al. "Nucleic sequence of the lysA gene of Corynebacterium glutamicum and possible mechanisms for modulation of its expression," Mol. Gen. Genet., 212(1):112-119 (1988) |
| X14234 | EC 4.1.1.31 | Phosphoenolpyruvate carboxylase | |
| X17313 | fda | Fructose-bisphosphate aldolase | Von der Osten, C.H. et al. "Molecular cloning, nucleotide sequence and fine- structural analysis of the Corynebacterium glutamicum fda gene: structural comparison of C. glutamicum fructose-1, 6-biphosphate aldolase to class I and class II aldolases," Mol. Microbiol., |
| X53993 | dapA | L-2, 3-dihydrodipicolinate synthetase (EC 4.2.1.52) | Bonnassie, S. et al. "Nucleic sequence of the dapA gene from Corynebacterium glutamicum," Nucleic Acids Res., 18(21):6421 (1990) |
| X54223 | | AttB-related site | Cianciotto, N. et al. "DNA sequence homology between att B-related sites of Corynebacterium diphtheriae, Corynebacterium ulcerans, Corynebacterium glutamicum, and the attP site of lambdacorynephage," FEMS. Microbiol, Lett., 66:299-302 (1990) |
| X54740 | argS; lysA | Arginyl-tRNA synthetase; Diaminopimelate decarboxylase | Marcel, T. et al. "Nucleotide sequence and organization of the upstream region of the Corynebacterium glutamicum lysA gene," <i>Mol. Microbiol.</i> , 4(11):1819-1830 (1990) |

| | | Table 2 (continued) | nued) |
|--------|-------------------------------|--|---|
| X55994 | trpL; trpE | ide; anth | Heery, D.M. et al. "Nucleotide sequence of the Corynebacterium glutamicum trpE gene," Nucleic Acids Res., 18(23):7138 (1990) |
| X56037 | thrC | Threonine synthase | Han, K.S. et al. "The molecular structure of the Corynebacterium glutamicum threonine synthase gene," Mol. Microbiol., 4(10):1693-1702 (1990) |
| X56075 | attB-related site | Attachment site | Cianciotto, N. et al. "DNA sequence homology between att B-related sites of Corynebacterium diphtheriae, Corynebacterium ulcerans, Corynebacterium glutamicum, and the attP site of lambdacorynephage," FEMS. Microbiol, Lett., 66:299-302 (1990) |
| X57226 | lysC-alpha; lysC-beta; asd | Aspartokinase-alpha subunit; Aspartokinase-beta subunit; aspartate beta semialdehyde dehydrogenase | Kalinowski, J. et al. "Genetic and biochemical analysis of the Aspartokinase from Corynebacterium glutamicum," Mol. Microbiol., 5(5):1197-1204 (1991); Kalinowski, J. et al. "Aspartokinase genes lysC alpha and lysC beta overlap and are adjacent to the aspertate beta-semialdehyde dehydrogenase gene asd in Corynebacterium glutamicum," Mol. Gen. Genet., 224(3):317-324 (1990) |
| X59403 | gap;pgk; tpi | Glyceraldehyde-3-phosphate; phosphoglycerate kinase; triosephosphate isomerase | Eikmanns, B.J. "Identification, sequence analysis, and expression of a Corynebacterium glutamicum gene cluster encoding the three glycolytic enzymes glyceraldehyde-3-phosphate dehydrogenase, 3-phosphoglycerate kinase, and triosephosphate isomeras," J. Bacteriol., 174(19):6076-6086 (1992) |
| X59404 | dbg | Glutamate dehydrogenase | Bormann, E.R. et al. "Molecular analysis of the Corynebacterium glutamicum gdh gene encoding glutamate dehydrogenase," Mol. Microbiol., 6(3):317-326 (1992) |
| X60312 | iysi | L-lysine permease | Seep-Feldhaus, A.H. et al. "Molecular analysis of the Corynebacterium glutamicum lysl gene involved in lysine uptake," <i>Mol. Microbiol.</i> , 5(12):2995-3005 (1991) |
| X66078 | cop1 | Ps1 protein | Joliff, G. et al. "Cloning and nucleotide sequence of the csp1 gene encoding PS1, one of the two major secreted proteins of Corynebacterium glutamicum: The deduced N-terminal region of PS1 is similar to the Mycobacterium antigen 85 complex," Mol. Microbiol., 6(16):2349-2362 (1992) |
| X66112 | होt | Citrate synthase | Eikmanns, B.J. et al. "Cloning sequence, expression and transcriptional analysis of the Corynebacterium glutamicum gltA gene encoding citrate synthase," <i>Microbiol.</i> , 140:1817-1828 (1994) |
| X69103 | dapB csp2 | Dihydrodipicolinate reductase Surface layer protein PS2 | Peyret, J.L. et al. "Characterization of the cspB gene encoding PS2, an ordered surface-layer protein in Corynebacterium glutamicum," <i>Mol. Microbiol.</i> , 9(1):97-109 (1993) |
| X69104 | | IS3 related insertion element | Bonamy, C. et al. "Identification of IS1206, a Corynebacterium glutamicum IS3-related insertion sequence and phylogenetic analysis," Mol. Microbiol., 14(3):571-581 (1994) |

| | | Table 2 (continued | nued) |
|---------|---------------------------|---------------------------------------|---|
| 0500X | Ind | I sonronvimalate synthase | Datak M et al "I encine conthecis in Conmehacterium alutamicum: enzume |
| | | | activities structure of lend and effect of lend inactivation on losine |
| | | • | synthesis," Appl. Environ. Microbiol., 60(1):133-140 (1994) |
| X71489 | poi | Isocitrate dehydrogenase (NADP+) | Eikmanns, B.J. et al. "Cloning sequence analysis, expression, and inactivation |
| | | | of the Corynebacterium glutamicum icd gene encoding isocitrate |
| | | - | dehydrogenase and biochemical characterization of the enzyme," J. Bacteriol., |
| X72855 | GDHA | Glutamate dehydrogenase (NADP+) | |
| X75083, | mtrA | 5-methyltryptophan resistance | Heery, D.M. et al. "A sequence from a tryptophan-hyperproducing strain of |
| X70584 | | | Corynebacterium glutamicum encoding resistance to 5-methyltryptophan," Biochem. Biochem. Res. Commun. 201(3):1255-1262 (1994) |
| X75085 | recA | | Fitzpatrick, R. et al. "Construction and characterization of recA mutant strains |
| | | | of Corynebacterium glutamicum and Brevibacterium lactofermentum," Appl. Microbiol. Biotechnol., 42(4):575-580 (1994) |
| X75504 | aceA; thiX | Partial Isocitrate lyase; ? | Reinscheid, D.J. et al. "Characterization of the isocitrate lyase gene from |
| | | | Corynebacterium glutamicum and biochemical analysis of the enzyme," J. |
| | | | Bacteriol., 176(12):3474-3483 (1994) |
| X76875 | | ATPase beta-subunit | Ludwig, W. et al. "Phylogenetic relationships of bacteria based on comparative |
| | | | sequence analysis of elongation factor Tu and ATP-synthase beta-subunit |
| | | Barter State Company | genes," Antonie Van Leeuwenhoek, 64:285-305 (1993) |
| X77034 | tuf . | Elongation factor Tu | Ludwig, W. et al. "Phylogenetic relationships of bacteria based on comparative |
| | | | sequence analysis of elongation factor Tu and ATP-synthase beta-subunit |
| | | | genes," Antonie Van Leeuwenhoek, 64:285-305 (1993) |
| X77384 | recA | | Billman-Jacobe, H. "Nucleotide sequence of a recA gene from |
| | | | Corynepacterium giutamicum, DIVA Seq., 4(b):403-404 (1994) |
| X78491 | aceB | Malate synthase | Reinscheid, D.J. et al. "Malate synthase from Corynebacterium glutamicum |
| | | | pta-ack operon encoding pnospnotransacetylase: sequence analysis," Microbiology, 140:3099-3108 (1994) |
| X80629 | 16S rDNA | 16S ribosomal RNA | Rainey, F.A. et al. "Phylogenetic analysis of the genera Rhodococcus and |
| | | | Norcardia and evidence for the evolutionary origin of the genus Norcardia |
| | | | from within the radiation of Rhodococcus species," Microbiol., 141:523-528 |
| | | | (1995) |
| 16118X | gluA; gluB; gluC; eluD | Glutamate uptake system | Kronemeyer, W. et al. "Structure of the gluABCD cluster encoding the plutamate untake system of Corynebacterium plutamicum." J. Bacteriol |
| | 0 | | 177(5):1152-1158 (1995) |
| X81379 | dapE | Succinyldiaminopimelate desuccinylase | Wehrmann, A. et al. "Analysis of different DNA fragments of |
| | | | Corynebacterium glutamicum complementing dapE of Escherichia coli," Mirrohiolom, 40.3349-56.71994) |
| | | | ירינון טל-ירבנים ליהנים אלטוטוטט יחואו |

| Table 2 (continued) | 16S ribosomal RNA | Aspartate-semialdehyde dehydrogenase; ? | Gamma-glutamyl phosphate reductase | 16S ribosomal RNA | Aromatic amino acid permease; ? | Acetylglutamate kinase; N-acetyl-gamma- Sakanyan, V. et al. "Genes and enzymes of the acetyl cycle of arginine glutamyl-phosphate reductase; acetylormithine aminotransferase; omithine steps of the arginine pathway," <i>Microbiology</i> , 142:99-108 (1996) acetyltransferase | ckA Phosphate acetyltransferase; acetate kinase of the Corynebacterium glutamicum pta-ack operon encoding phosphotransacetylase and acetate kinase," Microbiology, 145:503-513 (1999) | Attachment site Le Marrec, C. et al. "Genetic characterization of site-specific integration functions of phi AAU2 infecting "Arthrobacter aureus C70," J. Bacteriol., 178(7):1996-2004 (1996) | Promoter fragment F1 Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996) | Promoter fragment F2 Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996) | Promoter fragment F10 Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996) | Promoter fragment F13 Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996) | |
|---------------------|-------------------|---|------------------------------------|-------------------|---------------------------------|---|--|---|---|---|--|--|--|
| | 16S rDNA 16S ri | asd; lysC Aspar | ргоА Сатп | 16S rDNA 16S ri | aroP; dapE Arom | argB; argC; argD; Acety argF; argJ glutan acetyl carbar acetyl | pta; ackA Phosp | attB Attach | Promo | Promc | Promo | Рготс | |
| | X82061 | X82928 | X82929 | X84257 | X85965 | X86157 | X89084 | X89850 | X90356 | X90357 | X90358 | X90359 | |

| | | Table 2 (continued) | nued) |
|--------|------------|--|---|
| X90360 | | | Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996) |
| X90361 | | Promoter fragment F34 | Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996) |
| X90362 | | Promoter fragment F37 | Patek, M. et al. "Promoters from C. glutamicum: cloning, molecular analysis and search for a consensus motif," Microbiology, 142:1297-1309 (1996) |
| X90363 | | Promoter fragment F45 | Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996) |
| X90364 | | Promoter fragment F64 | Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996) |
| X90365 | | Promoter fragment F75 | Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996) |
| X90366 | | Promoter fragment PF101 | Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996) |
| X90367 | | Promoter fragment PF104 | Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996) |
| X90368 | | Promoter fragment PF109 | Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996) |
| X93513 | amt | Ammonium transport system | Siewe, R.M. et al. "Functional and genetic characterization of the (methyl) ammonium uptake carrier of Corynebacterium glutamicum," J. Biol. Chem., 271(10):5398-5403 (1996) |
| X93514 | betP | Glycine betaine transport system | Peter, H. et al. "Isolation, characterization, and expression of the Corynebacterium glutamicum betP gene, encoding the transport system for the compatible solute glycine betaine," J. Bacteriol., 178(17):5229-5234 (1996) |
| X95649 | orf4 | | Patek, M. et al. "Identification and transcriptional analysis of the dapB-ORF2-dapA-ORF4 operon of Corynebacterium glutamicum, encoding two enzymes involved in L-lysine synthesis," <i>Biotechnol. Lett.</i> , 19:1113-1117 (1997) |
| X96471 | lysE; lysG | Lysine exporter protein; Lysine export regulator protein | Vrljic, M. et al. "A new type of transporter with a new type of cellular function: L-lysine export from Corynebacterium glutamicum," Mol. Microbiol., 22(5):815-826 (1996) |

| | | Table 2 (continued) | (panu |
|--------|-----------------------|--|--|
| | | B. II | |
| X96580 | panB; panC; xylB | 3-methyl-2-oxobutanoate hydroxymethyltransferase; pantoate-beta- alanine ligase; xylulokinase | Sahm, H. et al. "D-pantothenate synthesis in Corynebacterium glutamicum and use of panBC and genes encoding L-valine synthesis for D-pantothenate overproduction," <i>Appl. Environ. Microbiol.</i> , 65(5):1973-1979 (1999) |
| X96962 | | Insertion sequence IS1207 and transposase | |
| X99289 | | Elongation factor P | Ramos, A. et al. "Cloning, sequencing and expression of the gene encoding elongation factor P in the amino-acid producer Brevibacterium lactofermentum (Corynebacterium glutamicum ATCC 13869)," Gene, 198:217-222 (1997) |
| Y00140 | thrB | Homoserine kinase | Mateos, L.M. et al. "Nucleotide sequence of the homoserine kinase (thrB) gene of the Brevibacterium lactofermentum," Nucleic Acids Res., 15(9):3922 (1987) |
| Y00151 | qqp | Meso-diaminopimelate D-dehydrogenase (EC 1.4.1.16) | Ishino, S. et al. "Nucleotide sequence of the meso-diaminopimelate D-dehydrogenase gene from Corynebacterium glutamicum," Nucleic Acids Res., 15(9):3917 (1987) |
| Y00476 | thrA | Homoserine dehydrogenase | Mateos, L.M. et al. "Nucleotide sequence of the homoserine dehydrogenase (thrA) gene of the Brevibacterium lactofermentum," <i>Nucleic Acids Res.</i> , 15(24):10598 (1987) |
| Y00546 | hom; thrB | Homoserine dehydrogenase; homoserine kinase | Peoples, O.P. et al. "Nucleotide sequence and fine structural analysis of the Corynebacterium glutamicum hom-thrB operon," <i>Mol. Microbiol.</i> , 2(1):63-72 (1988) |
| Y08964 | murC; ftsQ/divD; ftsZ | UPD-N-acetylmuramate-alanine ligase; division initiation protein or cell division protein; cell division protein | Honrubia, M.P. et al. "Identification, characterization, and chromosomal organization of the ftsZ gene from Brevibacterium lactofermentum," Mol. Gen. Genet., 259(1):97-104 (1998) |
| Y09163 | putP | High affinity proline transport system | Peter, H. et al. "Isolation of the putP gene of Corynebacterium glutamicumproline and characterization of a low-affinity uptake system for compatible solutes," <i>Arch. Microbiol.</i> , 168(2):143-151 (1997) |
| Y09548 | pyc | Pyruvate carboxylase | Peters-Wendisch, P.G. et al. "Pyruvate carboxylase from Corynebacterium glutamicum: characterization, expression and inactivation of the pyc gene," <i>Microbiology</i> , 144:915-927 (1998) |
| Y09578 | leuB | 3-isopropylmalate dehydrogenase | Patek, M. et al. "Analysis of the leuB gene from Corynebacterium glutamicum," Appl. Microbiol. Biotechnol., 50(1):42-47 (1998) |
| Y12472 | | Attachment site bacteriophage Phi-16 | Moreau, S. et al. "Site-specific integration of corynephage Phi-16: The construction of an integration vector," <i>Microbiol.</i> , 145:539-548 (1999) |
| Y12537 | proP | Proline/ectoine uptake system protein | Peter, H. et al. "Corynebacterium glutamicum is equipped with four secondary carriers for compatible solutes: Identification, sequencing, and characterization of the proline/ectoine uptake system, ProP, and the ectoine/proline/glycine betaine carrier, EctP," J. Bacteriol., 180(22):6005-6012 (1998) |

| Glutam Attachn Attachn Attachn Gecarbo Gecarbo Gene for Threoni Threoni SigA signera protein protein | Table 2 (continued) | (P |
|--|--|---|
| argS; lysA dapA; dapB thrC thrC sigA sigA galE; dtxR | | Jakoby, M. et al. "Isolation of Corynebacterium glutamicum glnA gene encoding glutamine synthetase I," FEMS Microbiol. Lett., 154(1):81-88 (1997) |
| argS; lysA dapA; dapB thrC thrC sigA galE; dtxR | le dehydrogenase | |
| argS; lysA dapA; dapB thrC thrC sigA galE; dtxR | | Moreau, S. et al. "Analysis of the integration functions of φ304L: An integrase module among corynephages," Virology, 255(1):150-159 (1999) |
| dapA; dapB thrC thrC l6S rDNA sigA galE; dtxR | se; diaminopimelate | Oguiza, J.A. et al. "A gene encoding arginyl-tRNA synthetase is located in the upstream region of the lysA gene in Brevibacterium lactofermentum: Regulation of argS-lysA cluster expression by arginine," J. Bacteriol., 175(22):7356-7362 (1993) |
| thrC 16S rDNA sigA galE; dtxR | | Pisabarro, A. et al. "A cluster of three genes (dapA, orf2, and dapB) of Brevibacterium lactofermentum encodes dihydrodipicolinate reductase, and a third polypeptide of unknown function," J. Bacteriol., 175(9):2743-2749 (1993) |
| sigA galE; dtxR | | Malumbres, M. et al. "Analysis and expression of the thrC gene of the encoded threonine synthase," Appl. Emiron. Microbiol., 60(7)2209-2219 (1994) |
| sigA galE; dtxR | osomal RNA | |
| galE; dtxR | | Oguiza, J.A. et al "Multiple sigma factor genes in Brevibacterium lactofermentum: Characterization of sigA and sigB," J. Bacteriol., 178(2):550-553 (1996) |
| Gain 19. Cian | | Oguiza, J.A. et al "The galE gene encoding the UDP-galactose 4-epimerase of Brevibacterium lactofermentum is coupled transcriptionally to the dmdR gene," <i>Gene</i> , 177:103-107 (1996) |
| orr; sigo | | Oguiza, J.A. et al "Multiple sigma factor genes in Brevibacterium lactofermentum: Characterization of sigA and sigB," J. Bacteriol., 178(2):550-553 (1996) |
| Z66534 Transposase | Cor the | Correia, A. et al. "Cloning and characterization of an IS-like element present in the genome of Brevibacterium lactofermentum ATCC 13869," <i>Gene</i> , 170(1):91-94 (1996) |
| ' A sequence for this gene was published in the indicated reference. However, the sequence obtained by the inventors of the present application is significantly I the published version. It is believed that the published version relied on an incorrect start codon, and thus represents only a fragment of the actual coding region. | rence. However, the sequence obtoning relied on an incorrect start codoning relied relied on an incorrect start codoning relied | A sequence for this gene was published in the indicated reference. However, the sequence obtained by the inventors of the present application is significantly longer than ne published version. It is believed that the published version relied on an incorrect start codon, and thus represents only a fragment of the actual coding region. |

TABLE 3: Corynebacterium and Brevibacterium Strains Which May be Used in the Practice of the Invention

| Genus 😕 🗯 | spēcies军。上海建 | +ATCG | FERM | NRRL | CECT | NGIMB | EBS # | NCTE | DSMZ |
|----------------|----------------|-------|------|---------|------|-------|--------------|------|------|
| Brevibacterium | ammoniagenes | 21054 | | | | | | | |
| Brevibacterium | ammoniagenes | 19350 | | | | | | | |
| Brevibacterium | ammoniagenes | 19351 | | | | | | | |
| Brevibacterium | ammoniagenes | 19352 | | | | | | | |
| Brevibacterium | ammoniagenes | 19353 | | | | | | | |
| Brevibacterium | ammoniagenes | 19354 | | | | | | | |
| Brevibacterium | ammoniagenes | 19355 | | | | | | | |
| Brevibacterium | ammoniagenes | 19356 | | | | | | | |
| Brevibacterium | ammoniagenes | 21055 | | | | | | | |
| Brevibacterium | ammoniagenes | 21077 | | | | | | | |
| Brevibacterium | ammoniagenes | 21553 | | | | | <u> </u> | | |
| Brevibacterium | ammoniagenes | 21580 | | | | | | | |
| Brevibacterium | ammoniagenes | 39101 | | | | | | | |
| Brevibacterium | butanicum | 21196 | | | | | <u> </u> | | |
| Brevibacterium | divaricatum | 21792 | P928 | | | | | | |
| Brevibacterium | flavum | 21474 | | | | | | | |
| Brevibacterium | flavum | 21129 | | | | | | | |
| Brevibacterium | flavum | 21518 | | | | | | | |
| Brevibacterium | flavum | | | B11474 | | | | | |
| Brevibacterium | flavum | | | B11472 | | | | | |
| Brevibacterium | flavum | 21127 | | | | | | | |
| Brevibacterium | flavum | 21128 | | | | | | | |
| Brevibacterium | flavum | 21427 | | | | | | | |
| Brevibacterium | flavum | 21475 | i | | | | | | |
| Brevibacterium | flavum | 21517 | | | | | | | |
| Brevibacterium | flavum | 21528 | | | | | | | |
| Brevibacterium | flavum | 21529 | | | | | | | |
| Brevibacterium | flavum | | | B11477 | | | | | |
| Brevibacterium | flavum | | | B11478 | | | | | |
| Brevibacterium | flavum | 21127 | | | | | | | |
| Brevibacterium | flavum | | | B11474 | | | | | |
| Brevibacterium | healii | 15527 | T | | | | | | |
| Brevibacterium | ketoglutamicum | 21004 | | | | | | | |
| Brevibacterium | ketoglutamicum | 21089 | | | | | | | |
| Brevibacterium | ketosoreductum | 21914 | | | | | | | |
| Brevibacterium | lactofermentum | | | | 70 | | | | |
| Brevibacterium | lactofermentum | | | | 74 | | | | |
| Brevibacterium | lactofermentum | | | | 77 | | 1 | | |
| Brevibacterium | lactofermentum | 21798 | | | | | | | |
| Brevibacterium | lactofermentum | 21799 | | | | | 1 | | |
| Brevibacterium | lactofermentum | 21800 | | | T | | 1 | | |
| Brevibacterium | lactofermentum | 21801 | | | | | | | |
| Brevibacterium | lactofermentum | | | B11470 | Ì | | | 1 | |
| Brevibacterium | lactofermentum | | - | B1 1471 | | 1 | | | |

and the second s

| Genus Astronomy | species in the second | ATCC | FERM | NRRL | CECT | NCIMB | ebs. | NCTG | DSMZ |
|-----------------|-----------------------|-------|-------------|---------------------------------------|--------------|-------|---------------|--|------|
| Brevibacterium | lactofermentum | 21086 | <u> </u> | | 13,000 | | | | S |
| Brevibacterium | lactofermentum | 21420 | | · · · · · · · · · · · · · · · · · · · | | | | | |
| Brevibacterium | lactofermentum | 21086 | | i | | | | | |
| Brevibacterium | lactofermentum | 31269 | | | | | <u> </u> | | |
| Brevibacterium | linens | 9174 | | | | | | | |
| Brevibacterium | linens | 19391 | | | | | | - | |
| Brevibacterium | linens | 8377 | | | | | | | |
| Brevibacterium | paraffinolyticum | | | | | 11160 | | | |
| Brevibacterium | spec. | | | | | | 717.73 | | |
| Brevibacterium | spec. | | | | | | 717.73 | | |
| Brevibacterium | spec. | 14604 | | | - | | | | |
| Brevibacterium | spec. | 21860 | | | | | | | |
| Brevibacterium | spec. | 21864 | | | | | | | |
| Brevibacterium | spec. | 21865 | | | | | | | |
| Brevibacterium | spec. | 21866 | | | | | | | |
| Brevibacterium | spec. | 19240 | | | — — | | | | - |
| Corynebacterium | acetoacidophilum | 21476 | · | | · | | | | |
| Corynebacterium | acetoacidophilum | 13870 | | | | | | | |
| | acetoglutamicum | | | B11473 | | | | | |
| | acetoglutamicum | | | B11475 | | | | | |
| Corynebacterium | acetoglutamicum | 15806 | | | <u> </u> | | | | |
| Corynebacterium | acetoglutamicum | 21491 | | | | | | | |
| Corynebacterium | acetoglutamicum | 31270 | | | | | | <u> </u> | |
| Corynebacterium | acetophilum | | | B3671 | | | | | |
| Corynebacterium | ammoniagenes | 6872 | | | † | | | 2399 | |
| Corynebacterium | ammoniagenes | 15511 | | | | | | | |
| Corynebacterium | fujiokense | 21496 | | | | | | | |
| Corynebacterium | glutamicum | 14067 | | | | | | | |
| Corynebacterium | glutamicum | 39137 | | | | | | | |
| Corynebacterium | glutamicum | 21254 | | | | | | | |
| Corynebacterium | glutamicum | 21255 | | | | | | | |
| Corynebacterium | glutamicum | 31830 | | | | | | | |
| Corynebacterium | glutamicum | 13032 | | | | | | | |
| Corynebacterium | glutamicum | 14305 | | | | | | | |
| Corynebacterium | glutamicum | 15455 | | | | | | | |
| Corynebacterium | glutamicum | 13058 | | | | | | | |
| Corynebacterium | glutamicum | 13059 | | | | | | | |
| Corynebacterium | glutamicum | 13060 | | | | | | | |
| Corynebacterium | glutamicum | 21492 | | | | | | | |
| Corynebacterium | glutamicum | 21513 | | | | | | | |
| Corynebacterium | glutamicum | 21526 | | | | | | | |
| Corynebacterium | glutamicum | 21543 | | | | | - | | |
| | glutamicum | 13287 | | | | | | | |
| | glutamicum | 21851 | | | | | | | |
| | glutamicum | 21253 | | | | | - | | |
| | glutamicum | 21514 | | | | | | | |
| | glutamicum | 21516 | | | | | | | |
| | glutamicum | 21299 | | | | | | | |

......

| Genus 2 | species - # | ATCC | EERM | NRRE | CEGE | NCIMB | ERSE | NCTG | DSMZ |
|-----------------|-------------|-------------|----------|---------------------------------------|--------------|-------------|----------|-------|------|
| Corynebacterium | glutamicum | 21300 | CALL THE | FOR THE ELECTION | 7. | 34×344= | SEC YEAR | 330 C | |
| Corynebacterium | glutamicum | 39684 | | | <u> </u> | | | | |
| Corynebacterium | glutamicum | 21488 | | | | | | | _ |
| Corynebacterium | glutamicum | 21649 | | | | | ļ | | |
| Corynebacterium | glutamicum | 21650 | | | | | | | |
| Corynebacterium | glutamicum | 19223 | | | | | | | |
| Corynebacterium | glutamicum | 13869 | | | | | | | |
| Corynebacterium | glutamicum | 21157 | | <u> </u> | | | | | |
| Corynebacterium | glutamicum | 21158 | | | | | | | |
| Corynebacterium | glutamicum | 21159 | | · · · · · · · · · · · · · · · · · · · | | | | | |
| Corynebacterium | glutamicum | 21355 | | | | | | | |
| Corynebacterium | glutamicum | 31808 | | | | | | | |
| Corynebacterium | glutamicum | 21674 | | | | | | | |
| Corynebacterium | glutamicum | 21562 | | | | | | | |
| Corynebacterium | glutamicum | 21562 | | | | | | | |
| Corynebacterium | glutamicum | 21564 | | | | | | | |
| Corynebacterium | glutamicum | 21565 | | | | | | | |
| Corynebacterium | glutamicum | 21566 | | | | | | | |
| Corynebacterium | glutamicum | 21567 | - | | | | | | |
| Corynebacterium | glutamicum | 21568 | | | | | | | |
| Corynebacterium | glutamicum | 21569 | | | | | | | |
| Corynebacterium | glutamicum | 21570 | | | | | | | |
| Corynebacterium | glutamicum | 21571 | | | | | | | |
| Corynebacterium | glutamicum | 21572 | _ | | | | ļ | | |
| Corynebacterium | glutamicum | 21573 | | | | ·, | | | |
| Corynebacterium | glutamicum | 21579 | | | | | | | |
| Corynebacterium | glutamicum | 19049 | | | | | | | |
| Corynebacterium | glutamicum | 19049 | | | | | | | |
| Corynebacterium | glutamicum | 19051 | | | | | | | |
| Corynebacterium | glutamicum | 19052 | | | | | | | |
| Corynebacterium | glutamicum | 19053 | | | | | | | |
| Corynebacterium | glutamicum | 19054 | | | | | | | |
| Corynebacterium | glutamicum | 19055 | | | | | | | |
| Corynebacterium | glutamicum | 19056 | | | | | - | | |
| Corynebacterium | glutamicum | 19057 | | | | | | | |
| Corynebacterium | glutamicum | 19058 | | | | | | | |
| Corynebacterium | glutamicum | 19059 | | | | | | | |
| Corynebacterium | glutamicum | 19060 | | | | | | | |
| Corynebacterium | glutamicum | 19185 | | | | | | | |
| Corynebacterium | glutamicum | 13286 | | | | | | | |
| Corynebacterium | glutamicum | 21515 | | | | | | | |
| Corynebacterium | glutamicum | 21515 | | | | | | | |
| Corynebacterium | glutamicum | 21527 | | | | | | | |
| | | 21344 | - | | | | | | |
| Corynebacterium | glutamicum | 21492 | | D0102 | | | | | |
| | glutamicum | | | B8183 | | | | | |
| | glutamicum | | | B8182 | | | | | |
| | glutamicum | | | B12416 | | | | | |
| Corynebacterium | glutamicum | | | B12417 | | | | | |

| Genus - Constant | species 是少。 追标 | FATCC | FERM | NRRL | CECT | NEIMB | F CBS | NCTE | DSMZ |
|------------------|----------------|-------|-------|--------|------|----------|-------|------|-------|
| Corynebacterium | glutamicum | | | B12418 | | <u> </u> | | | |
| Corynebacterium | glutamicum | - | | B11476 | | | | | |
| Corynebacterium | glutamicum | 21608 | | | | | | | |
| Corynebacterium | lilium | | P973 | | | | | | |
| Corynebacterium | nitrilophilus | 21419 | | | | 11594 | | | |
| Corynebacterium | spec. | | P4445 | | | | | | |
| Corynebacterium | spec. | | P4446 | | | <u> </u> | | | |
| Corynebacterium | spec. | 31088 | | | | | | | |
| Corynebacterium | spec. | 31089 | | | | | | | |
| Corynebacterium | spec. | 31090 | | | | | | | |
| Corynebacterium | spec. | 31090 | | | | | | | Ì |
| Corynebacterium | spec. | 31090 | | | | | | | |
| Corynebacterium | spec. | 15954 | | | | | | | 20145 |
| Corynebacterium | spec. | 21857 | | | | | | | |
| Corynebacterium | spec. | 21862 | | | | 1 | | | |
| Corynebacterium | spec. | 21863 | | | | | | | |

ATCC: American Type Culture Collection, Rockville, MD, USA

FERM: Fermentation Research Institute, Chiba, Japan

NRRL: ARS Culture Collection, Northern Regional Research Laboratory, Peoria, IL, USA

CECT: Coleccion Espanola de Cultivos Tipo, Valencia, Spain

NCIMB: National Collection of Industrial and Marine Bacteria Ltd., Aberdeen, UK

CBS: Centraalbureau voor Schimmelcultures, Baarn, NL

NCTC: National Collection of Type Cultures, London, UK

DSMZ: Deutsche Sammlung von Mikroorganismen und Zellkulturen, Braunschweig, Germany

For reference see Sugawara, H. et al. (1993) World directory of collections of cultures of microorganisms: Bacteria, fungi and yeasts (4th edn), World federation for culture collections world data center on microorganisms, Saimata, Japen.

| WO 01 | /00804 | | | | | | | | | | | | | P | CT/IE | 300/ | 00922 | |
|--|---|--|---------------------------------|--|--|---|--|---|--|---|--|---|--|--|--|---|---|--|
| Date of Deposit | 5-Jun-99 | 18-DEC-1997 | 6-Feb-97 | 18-DEC-1997 | 9881-120-61 | 13-OCT-1999 | 13-OCT-1999 | 12-Jan-99 | | - 78-6-6-6-78-78-78-78-78-78-78-78-78-78-78-78-78- | | 29-MAR-1996 | 30-MAR-1998 | 30-MAR-1998 | 17-Jun-98 | 15-Jan-97 | 12-Nov-98 13-Jul-99 | 26-Jul-99 |
| % homology Date of (GAP) | 39,080 | 39,264 | 36,725 | 38,957 | 90,00 | 36,589 | 36,589 | 44.444 | 1 0 0 | 36,513 44,159 | | 40,420 | 40,420 | 40,420 | 60,271 | 54,256 | 34,256 36,245 | 37,573 |
| Source of Genbank Hit | Homo sapiens | Homo sapiens | Brassica nigra | Homo sapiens | nomo sapiens | Drosophila melanogaster 36,589 | Drosophila melanogaster 36,589 | Strentomyces coelicolor | Stronger of the stronger of th | Streptomyces coelicolor Burkholderia pseudomallei | | Homo sapiens | Homo sapiens | Homo sapiens | Mycobacterium tuberculosis | Escherichia coli | Escherichia coli Streptomyces coelicolor A3(2) | 8 Drosophila melanogaster |
| TABLE 4: ALIGNMENT RESULTS Name of Genbank Hit | Homo sapiens clone NH0501G22, *** SEQUENCING IN PROGRESS ***, 3 unordered pieces. | Homo sapiens CAGH44 mRNA, partial cds. | B.nigra DNA for tRNA like gene. | Homo sapiens CAGH44 mRNA, partial cds. | ns_2245_A1_ru/_mr UII Approved numan Genomic Sperm Liorary D nomo sapiens genomic clone Plate=2245 Col=13 Row≂K, genomic survey sequence. | Drosophila melanogaster chromosome 2 clone BACR45O18 (D527) RPCI-98 45.O.18 map 41E-41E strain y; cn bw sp, *** SEQUENCING IN PROGRESS***, 13 unordered pieces. | Drosophila melanogaster chromosome 2 clone BACR45018 (D527) RPCI-98 45.0.18 map 41E-41E strain y; cn bw sp, *** SEQUENCING IN PROGRESS***, | 13 unordered preces. Strentomyces coefficient cosmid 9C7 | Creptoring and the contract of | Streptomyces coelicolor cosmid E94. Burkholderia pseudomallei strain 1026b DbhB (dbhB), general secretory pathway protein D (gspD), general secretory pathway protein E (gspE), general secretory pathway protein F (gspF), GspC (gspC), general secretory pathway protein G (gspG), general secretory pathway protein I (gspD), general secretory pathway protein J (gspJ), general secretory | parimal protein N (95PN), general secretory parimal protein S (95PL), general secretory pathway protein M (95PM), and general secretory pathway protein N (95PM), and conserved secretory pathway protein N (95PM), peneral complete Complete Complete S (95PM), peneral | za65g02.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:297458 3. mRNA sequence. | SHGC-56832 Human Homo sapiens STS genomic, sequence tagged site. | SHGC-56832 Human Homo sapiens STS genomic, sequence tagged site. | Mycobacterium tuberculosis H37Rv complete genome; segment 133/162. | Escherichia coli genomic sequence of minutes 9 to 12. | Eschenchia coil K-12 MG1055 section 55 of 400 of the complete genome. Streptomyces coelicolor cosmid F43A. | Drosophila melanogaster genome survey sequence SP6 end of BAC BACN14G08 Drosophila melanogaster 37,573 of DrosBAC library from Drosophila melanogaster (fruit fly), genomic survey sequence. |
| Length Accession Name | 185001 AC007366 | U80741 | X89901 | U80741 | AQ163721 | 171979 AC007054 | 171979 AC007054 | AL 035161 | A1040620 | ALU49628 AF110185 | | N80167 | G37084 | G37084 | Z83866 | | AE000165 AL096837 | AL105910 |
| Length | 185001 | 912 | 1732 | 912 | 288 | 171979 | 171979 | 31360 | 2000 | 38532 20302 20302 | | 384 | 384 | 384 | 31859 | 136742 | 12003 35437 | 1036 |
| <u>length. Genbank Hit</u> (NT) | GB_HTG2:AC007366 | GB_PR3:HSU80741 | GB_PL1:BNDNATRNA | GB_PR3:HSU80741 | 12/501/JA/2103/21 | GB_HTG4:AC007054 | GB_HTG4:AC007054 | GR BA1-SC9C7 | 000000000000000000000000000000000000000 | GB_BA2:AF110185 | | GB_EST6:N80167 | GB_STS:G37084 | GB_STS:G37084 | GB_BA1:MTCY22D7 | GB_BA1:ECU82598 | GB_BA2:AE000165 GB_BA1:SCF43A | GB_GSS2:CNS015U4 1036 |
| IO# length (NT) | rxa00062 1521 | rxa00084 948 | | 2000000 | rxau0109 / 35 | | | rxa00215 1449 | 2170084 | | | xa00289 1299 | | | xa00404 2439 | | rxa00479 2313 | |

PCT/1B00/00922

| | | | | Table 4 (continued) | | | |
|---------------|--------------------------------|--------|-----------------|---|--|--------|-------------|
| rxa00810 324 | GB_BA1:MTY15C10 | 33050 | 295436 | Mycobacterium tuberculosis H37Rv complete genome; segment 154/162. | Mycobacterium tuberculosis | 34,615 | 17-Jun-98 |
| | GB_BA1:MLCB2548 | 38916 | AL023093 | Mycobacterium leprae cosmid B2548. | Mycobacterium leprae | 34,615 | 27-Aug-99 |
| | GB_BA1:ECOUW76 | 225419 | 00003 | E. coli chromosomal region from 76.0 to 81.5 minutes. | Escherichia coli | 52,997 | 7-Nov-96 |
| rxa00829 2463 | GB_BA1:SC5C7 | 41906 | AL031515 | Streptomyces coelicolor cosmid 5C7. | Streptomyces coelicolor | 65,269 | 7-Sep-98 |
| | GB_BA1:SC5F2A | 40105 | AL049587 | Streptomyces coelicolor cosmid 5F2A. | Streptomyces coelicolor | 37,490 | 24-MAY-1999 |
| | CB BA1.STMDBD | 327.4 | 1 76350 | Cleantamenta acutactine deuramenticia accidence acatain (ded) acata accessois | Silicon and and and and and and and and and an | 070 33 | 24 050 4006 |
| 469 | AND MICHAEL BY | 15015 | 777250 | Autobactorium hibaraniasia U22Da camalata acadama: sacreat 112/162 | Micobatorium | | 17 Lin 08 |
| 004 C4000BX | +061018111Va_00 | 9 60 | 007117 | Mycobacterium tuberculosis no/ry complete genome, segment 115/102. | tuberculosis | 0000 | 06-1107-71 |
| | GB_BA1:MTCY9C4 | 15916 | Z77250 | Mycobacterium tuberculosis H37Rv complete genome; segment 113/162. | Mycobacterium tuberculosis | 37,773 | 17-Jun-98 |
| xa00858 568 | GB_BA1:SCC54 | 30753 | AL035591 | Streptomyces coelicolor cosmid C54. | Streptomyces coelicolor | 39,602 | 11-Jun-99 |
| | GB_EST18:N96610 | 547 | N96610 | 21285 Lambda-PRL1 Arabidopsis thaliana cDNA clone F10G3T7, mRNA | Arabidopsis thaliana | 37,801 | 5-Jan-98 |
| | GB_EST18:T45493 | 436 | T45493 | 8756 Lambda-PRL2 Arabidopsis thaliana cDNA clone 133C14T7, mRNA | Arabidopsis thaliana | 34,194 | 4-Aug-98 |
| rxa00886 1269 | GB_BA1:SYCSLLLH | 132106 | | Synechocystis sp. PCC6803 complete genome, 25/27, 3138604-3270709. | Synechocystis sp. | 37,459 | 13-Feb-99 |
| | GB_BA1:SCDNAJ | 5611 | X77458 | S.coelicolor dnaK, grpE and dnaJ genes. | Streptomyces coelicolor | 49,744 | 21-Nov-96 |
| | GB_BA1:STMDNAK | 4648 | L46700 | Streptomyces coelicolor (strain A3(2)) dnaK operon encoding molecular | Streptomyces coelicotor | 49,583 | 22-Nov-96 |
| | | | | chaperones (dnaK, dnaJ), grpE and hspR genes, complete cds's. | | | _ |
| rxa00900 975 | GB_BA2:ECOUW67_0 110000 U18997 | 110000 | U18997 | Escherichia coli K-12 chromosomal region from 67.4 to 76.0 minutes. | Escherichia coli | 38,314 | U18997 08 |
| | GB_BA2:ECOUW67_0 | 110000 | U18997 | Escherichia coli K-12 chromosomal region from 67.4 to 76.0 minutes. | Escherichia coli | 37,759 | U18997 |
| | GB_BA2:AE000393 | 10516 | | Escherichia coli K-12 MG1655 section 283 of 400 of the complete genome. | Escherichia coli | 38,314 | 12-Nov-98 |
| rxa00901 537 | GB_HTG3:AC010757 | 175571 | AC010757 | Homo sapiens chromosome 18 clone 128_C_18 map 18, *** SEQUENCING IN PROGRESS ***, 20 unordered pieces. | Homo sapiens | 34,857 | 22-Sep-99 |
| | GB_HTG3:AC010757 | 175571 | 175571 AC010757 | Homo sapiens chromosome 18 clone 128_C_18 map 18, *** SEQUENCING IN PROGRESS *** 20 unardered pleces. | Homo sapiens | 34,857 | 22-Sep-99 |
| | GB_HTG3:AC011283 | 87295 | AC011283 | Homo sapiens clone MS2016A09, *** SEQUENCING IN PROGRESS ***, 1 | Homo sapiens | 35,448 | 07-OCT-1999 |
| rxa00981 753 | GB OV:GGA245664 | 512 | A.1245664 | Gallus gallus gartial mRNA for ATP-citrate lyase (ACI gene) | Gallus gallus | 37.538 | 28-Sen-99 |
| | GB_PL2:AC007887 | 159434 | 159434 AC007887 | n chromosome I, | Arabidopsis thaliana | 37,600 | 04-OCT-1999 |
| | | | | | | | |
| | GB_GSS1:CNS00RNW542 | V 542 | AL087338 | Arabidopsis thaliana genome survey sequence T7 end of BAC F14D7 of IGF library from strain Columbia of Arabidopsis thaliana, qenomic survey sequence. | Arabidopsis thaliana | 41,264 | 28-Jun-99 |
| гха00995 864 | GB_EST29:A1553951 | 450 | Al553951 | te5401.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2090497 Homo sapiens 3' similar to gb:X02067 H.sapiens mRNA for 7SL RNA pseudogene (HUMAN);, mRNA sequence. | Homo sapiens | 42,627 | 13-Apr-99 |
| | GB_PR3:AC003029 | 139166 | 139166 AC003029 | nromosome 12q24 PAC RPCl3-462E2 (Roswell Park Cancer AC library) complete sequence. | Homo sapiens | 38,915 | 17-Sep-98 |
| | GB_BA1:EAY14603 | - | Y14603 | | Erwinia amylovora | 37,694 | 6-Jan-98 |
| rxa00996 864 | GB_BA2:AE001001 | | AE001001 | | Archaeoglobus fulgidus | 41,078 | 15-DEC-1997 |
| | GB_EST30:AV018764 | 242 | AV018764 | AV018764 Mus musculus 18-day embryo C57BL/6J Mus musculus cDNA clone 1190006M16, mRNA sequence. | Mus musculus | 39'66 | 28-Aug-99 |
| | | | | | | | |

| | w | O C | 1/(| 080 | 4 | | | | | | | | | | - | -81 | l – | | | | | | | | | | | | | PC | T | /IE | 800 | /00 |)92 | 22 | | | |
|---------------------|--|------------|--|---|-----------|--|---|---|--|---------|--|---|--------------------------------------|--------------------------------------|---|-----------------------------|---|-------------------|---|-------------------|---|---|---|---|---|---------------------------------------|---------------------------------------|--|---------------|--|---|------------------------------------|---|------------------------------------|--|--|---|-------------------------------------|--|
| | 10-OCT-1997 | | 12-Jul-97 | 19-DEC-1996 | | 12-Sep-96 | | 21-MAY-1999 | 04.DEC.1999 | | 19~Jul-99 | | 2-Aug-97 | 2-Aug-97 | 7-Feb-99 | | 07-DEC-1999 | | 07-DEC-1999 | | 10-Feb-99 | 03-DEC-1999 | | 03-DEC-1999 | | 08-OCT-1999 | 08-OCT-1999 | 10-Jun-94 | | 21-Apr-98 | 19-Aug-99 | | 19-Aug-99 | | 14-Aug-98 | 14-Aug-98 | AC011500 | | 23-Sep-99 |
| | 44,385 | | 46,629 | 38,677 | | 969'89 | | 37,651 | 36.011 | | 38,640 | | 39,344 | 38,780 | 39,205 | - | 32,961 | | 38,476 | | 42,925 | 36,825 | | 36,825 | | 35,794 | 40,625 | 37,793 | | 35,014 | 17,697 | | 17,697 | | 38,195 | 36,611 | 36,446 | | 35,764 |
| | Arabidopsis thaliana | | Coturnix coturnix | Mus musculus | | Mus musculus | | Homo sapiens | Homo canione | | Homo sapiens | | Caenorhabditis elegans | Caenorhabditis elegans | Gallus gallus | | Homo sapiens | | Homo sapiens | | Ipomoea nil | Homo sapiens | | Homo sapiens | | Caenorhabditis elegans | Caenorhabditis elegans | Mus musculus | | Neisseria meningitidis | Plasmodium falciparum | | Plasmodium falciparum | | Homo sapiens | Homo sapiens | Homo sapiens | | Homo sapiens |
| Table 4 (continued) | F19E16TF IGF Arabidopsis thaliana genomic clone F19E16, genomic survey | sednence. | Coturnix cotumix arylalkylamine N-acetyltransferase mRNA, partial cds. | ms50c09.r1 Life Tech mouse embryo 13 5dpc 10666014 Mus musculus cDNA clone IMAGE:614992 5' similar to SW:NEST_RAT P21263 NESTIN :; mRNA | sequence. | mf64g11.r1 Soares mouse embryo NbME13.5 14.5 Mus musculus cDNA clone | IMAGE:419108 5 SIMILAR (0 SW.NES) KALI PZ 1265 NES LIN. [1] ., MKNA | sequence. RPCI11-135F10.TJ RPCI-11 Homo sapiens genomic clone RPCI-11-135F10, | genomic survey sequence. Howev canions close RD11-544 122 WORKING DRAFT SEOLIENCE 1 unordered Home canions | pieces. | HS_5538_A1_A11_T7A RPCI-11 Human Male BAC Library Homo sapiens | genomic clone Plate=1114 Col=21 Row=A, genomic survey sequence. | Caenorhabditis elegans cosmid C13D9. | Caenorhabditis elegans cosmid C13D9. | Chicken novel maf-related gene mafG encoding bZip nuclear protein MafG. | promoter region and exon 1. | Homo sapiens clone RP11-115N6, *** SEQUENCING IN PROGRESS ***, 26 | unordered pieces. | Homo sapiens clone RP11-115N6, *** SEQUENCING IN PROGRESS ***, 26 | unordered pieces. | Pharbitis nil mRNA for Pharbitis nil Germin-like protein precursor, complete cds. | Homo sapiens chromosome 6 clone RP3-402N21 map p21.1-21.31, | ***SEQUENCING IN PROGRESS ***, in unordered pieces. | Homo sapiens chromosome 6 clone RP3-402N21 map p21.1-21.31, | ""SEQUENCING IN PROGRESS "", in unordered pieces. | Caenorhabditis elegans cosmid F18A12. | Caenorhabditis elegans cosmid F18A12. | Mouse cystic fibrosis transmembrane conductance regulator (CFTR) mRNA, | complete cds. | Neisseria meningilidis chloramphenicol acetyltransferase gene, complete cds. | Plasmodium falciparum chromosome 13 strain 3D7, *** SEQUENCING IN | PROGRESS ***, in unordered pieces. | Plasmodium falciparum chromosome 13 strain 3D7, *** SEQUENCING IN | PROGRESS ***, in unordered pieces. | Homo sapiens chromosome 17, clone hRPK.214_O_1, complete sequence. | Homo sapiens chromosome 17, clone hRPK.214_O_1, complete sequence. | Homo sapiens chromosome 19 clone CIT978SKB_60E11, *** SEQUENCING IN | PROGRESS ***, 246 unordered pieces. | Homo sapiens clone 6_L_24, LOW-PASS SEQUENCE SAMPLING. |
| | B24189 | | AF007068 | AA166324 | | W89968 | | AQ381423 | 206121 AC010901 | | AQ746932 | | AF016420 | AF016420 | D28601 | | AC010765 | | AC010765 | | D45425 | AL049553 | | AL049553 | | AF016688 | AF016688 | M60493 | | AF031037 | AL109815 | | AL109815 | | 166687 AC005224 | 166687 AC005224 | AC011500 | | AC010831 |
| | 377 | | 356 | 514 | | 46 | | 579 | 206121 | | 837 | | 43487 | 43487 | 1316 | | 146468 | | 146468 | | 362 | 170302 | | 170302 | | 29784 | 29784 | 6304 | | 1472 | 80518 | | 80518 | | 166687 | 166687 | 1300851 | | |
| | GB_GSS3:B24189 | | GB_OV:AF007068 | GB_EST10:AA166324 | | GB_EST7:W89968 | | GB_GSS12:AQ381423 579 | GR HTG6-AC010901 | | GB_GSS5:AQ746932 | 1 | GB_IN1:CELC13D9 | GB_IN1:CELC13D9 | GB OV:CHKMAFG1 | 1 | GB_HTG6:AC010765 146468 AC010765 | | GB_HTG6:AC010765 146468 AC010765 | | GB_PL1:PHNPNGLP | GB_HTG2:HSJ402N21 170302 AL049553 | | GB_HTG2:HSJ402N21 170302 AL049553 | | GB_IN2:CELF18A12 | | GB_RO:MUSMCFTR | | GB_BA2:AF031037 | GB_HTG1:PFMAL13PA80518 | | GB_HTG1:PFMAL13PA80518 | | GB_PR3:AC005224 | GB_PR3:AC005224 | GB_HTG3:AC011500_1300851 | | GB_HTG3:AC010831 70233 |
| | | | rxa01010 1242 | | | | | rxa01051 732 | | | | | rxa01052 432 | | xa01053 543 | | | | | | rxa01054 612 | | | | | rxa01217 723 | | | | rxa01320 1770 | | | | | rxa01345 1575 | | | | rxa01407 1014 |

| | | | | Table 4 (continued) | | | |
|---|-------------------------|--------|-----------------|--|-------------------------------------|-----------|-------------|
| | GB_HTG3:AC010831 | 70233 | AC010831 | Homo sapiens clone 6_L_24, LOW-PASS SEQUENCE SAMPLING. | Homo sapiens | 35,764 | 23-Sep-99 |
| | GB_PR3:AC004058 | 38400 | AC004058 | Homo sapiens chromosome 4 clone B241P19 map 4q25, complete sequence. | Homo sapiens | 40,778 | 30-Sep-98 |
| rxa01408 324 | GB_PR4:AF152365 | 246546 | AF152365 | Homo sapiens constitutive fragile region FRA3B sequence. | Homo sapiens | 41,234 | 1-Aug-99 |
| | GB_HTG3:AC007890 | 121256 | 121256 AC007890 | Drosophila melanogaster chromosome 3 clone BACR02G21 (D722) RPCI-98 02.G.21 map 90E-91A strain y; cn bw sp, *** SEQUENCING IN PROGRESS***, | Drosophila melanogaster | er 39,432 | 3-Sep-99 |
| | | | | 89 unordered pieces. | : | ; | |
| | GB_HIG3:AC007890 | | 121256 AC007890 | Drosophila melanogaster chromosome 3 clone BACR02G51 (0722) RPCI-98 | Drosophila melanogaster 39,432 | er 39,432 | 3-Sep-99 |
| | | 677 | | 89 unordered pieces. | | | |
| rxa01524 1566 | GB_BA1:BSUB0015 | 218410 | 218410 299118 | Bacillus subtilis complete genome (section 15 of 21): from 2795131 to 3013540. | Bacillus subtilis | 38,201 | 26-Nov-97 |
| | GB_HTG2:AC008260 | 107439 | 107439 AC008260 | Drosophila melanogaster chromosome 2 clone BACR13J10 (D924) RPCI-98 13.J.10 map 47B-47C strain y; cn bw sp, *** SEQUENCING IN PROGRESS***, 82 | Drosophila melanogaster 38,302 2 | er 38,302 | 2-Aug-99 |
| | | | | unordered pieces. | | | |
| | GB_HTG2:AC008260 | | 107439 AC008260 | Drosophila melanogaster chromosome 2 clone BACR13J10 (D924) RPCI-98 | Drosophila melanogaster 38,302 | er 38,302 | 2-Aug-99 |
| | | | | 82 unordered pieces. | | | |
| rxa01578 1510 | GB_PR4:AF111170 | 148083 | 148083 AF111170 | Homo sapiens 14q32 Jagged2 gene, complete cds; and unknown gene. | Homo sapiens | 37,873 | 14-Jul-99 |
| | GB_PR4:AF111170 | 148083 | 148083 AF111170 | Homo sapiens 14q32 Jagged2 gene, complete cds; and unknown gene. | Homo sapiens | 40,220 | 14-Jul-99 |
| | GB_BA1:AEY13732 | 6740 | Y13732 | Alcaligenes eutrophus genes for ureases, ureD1, ureD2, ureA, ureB, and ORF1, | Ralstonia eutropha | 42,960 | 23-Sep-97 |
| | | | | OKF2. | | | ,, |
| xa01616 1605 | GB_BA2:AF088857 | 2908 | AF088857 | Vogesella indigofera indigoidine biosynthesis regulatory locus, complete | Vogesella indigofera | | 10-Sep-99 |
| | GB_IN1:CEM04D8 | 21552 | 732682 | Caenorhabditis elegans cosmid M04D8, complete sequence. | Caenorhabditis elegans | | 23-Nov-98 |
| | GB_EST25:AI281910 | 276 | AI281910 | qt8zd04.x1 NCI_CGAP_Co14 Homo sapiens cDNA done IMAGE:1961767 3; mRNA sequence | Homo sapiens | 38,406 | 21-DEC-1998 |
| rya01666 1500 | GR BA1-CG1143535 | 2534 | 1143535 | Coursehaderium alutamicum multidata resistance protein (cmr) dene complete | Correparterium | 00 011 | Q. Apr. 97 |
| | | 3 | | colympactic and the control of the c | alutamicum | | |
| | GB_HTG3:AC009213 | | 114735 AC009213 | Drosophila melanogaster chromosome 3 clone BACR09F18 (D812) RPCI-98 | Drosophila melanogaster 36,111 | er 36,111 | 23-Aug-99 |
| | 1 | | | 09.F.18 map 98D-98D strain y; cn bw sp, *** SEQUENCING IN PROGRESS ***, 109 unordered pieces | | | • |
| | GB_HTG3:AC009213 | | 114735 AC009213 | Drosophila melanogaster chromosome 3 clone BACR09F18 (D812) RPCI-98 | Drosophila melanogaster 36,111 | er 36,111 | 23-Aug-99 |
| | | | | 09.F.18 map 98D-98D strain y; on bw sp, *** SEQUENCING IN PROGRESS***, 109 unordered nieces | | | |
| rxa01674 1017 | GB_PL1:AB017159 | 1859 | AB017159 | Daucus carota mRNA for citrate synthase, complete cds. | Daucus carota | 39,537 | 01-MAY-1999 |
| | GB_PR1:HUMGNOS4823142 | 823142 | D26607 | Homo sapiens endothelial nitric oxide synthase gene, complete cds. | Homo sapiens | 36,419 | 13-Jul-99 |
| | GB_HTG3:AC011234 154754 | 154754 | AC011234 | Homo sapiens clone NH0166D23, *** SEQUENCING IN PROGRESS ***, 7 | Homo sapiens | 36,317 | 04-OCT-1999 |
| rxa01873 1359 | GB HTG3:AC009450 | | 124337 AC009450 | Homo sapiens chromosome 9 clone 30 C 23 map 9 *** SEQUENCING IN | Homo sapiens | 35.303 | 22-Aug-99 |
| | | | | PROGRESS ***, 20 unordered pieces. | | | |
| | GB_HTG3:AC009450 | | 124337 AC009450 | Homo sapiens chromosome 9 clone 30_C_23 map 9, *** SEQUENCING IN | Homo sapiens | 35,303 | 22-Aug-99 |
| | | | | PROGRESS ***, 20 unordered pieces. | | | |
| 100000000000000000000000000000000000000 | GB_HTG3:AC009919 | 134724 | 134724 AC009919 | Homo sapiens clone 115_1_23, LOW-PASS SEQUENCE SAMPLING. | Homo sapiens | 35,409 | 8-Sep-99 |
| xa01922 1275 | GB_BA1:ECONEUC | 1676 | M84026 | E.coli protein p7 (neu C) gene, complete cds. | Escherichia coli | 35,189 | 26-Apr-93 |

| Drosophila melanogaster 34,365 Drosophila melanogaster 38,534 Drosophila melanogaster 38,534 Homo sapiens 36,249 Homo sapiens 36,232 erythraea Mus musculus 42,969 Homo sapiens 36,662 Govynebacterium 99,843 glutamicum Corynebacterium 99,843 glutamicum Corynebacterium 99,843 glutamicum Corynebacterium 38,579 glutamicum Corynebacterium 38,579 glutamicum Corynebacterium 38,579 glutamicum Sabiels 38,574 Danio rerio 36,774 | | GB_HTG2:AC007853 116280 AC007853 | 116280 | AC007853 | Table 4 (continued) Drosophila melanogaster chromosome 3 clone BACR03L02 (D766) RPCI-98 03.L.2 map 968-96C strain y. cn bw sp. *** SEQUENCING IN PROGRESS **** 80 | Drosophila melanogaster 34,365 | ır 34,365 | 2-Aug-99 | "" |
|--|-------------|--------------------------------------|------------------|----------------------|--|--------------------------------------|------------------|--------------------------|----------|
| GB_HTG4.AC010037 Unodested pieces. Disophila melanogaster chormosome 3L/0688 clone RPC/198-EE4,**** Disophila melanogaster 10 melanogaster chormosome 3L/0688 clone RPC/198-EE4,*** Disophila melanogaster 38,534 GB_HTG4.AC010037 1662.29 AC010037 Conception melanogaster chormosome 3L/0688 clone RPC/196-EE4,**** Disophila melanogaster 13,534 GB_PR4.AC010037 1662.29 AC010035 Londone plecas. Complete data 2,5723 Homo sapiens 36,534 GB_BA1.SERATTBXIS 3225 1672.22 AC010552 Homo sapiens chormosome 17, clone MPRY.312_E_5, complete sequence. Homo sapiens 36,232 GB_BA1.SERATTBXIS 3225 1672.22 AC010552 Homo sapiens chormosome 17, clone MPRY.349_A_6, complete sequence. Homo sapiens 36,232 GB_BA1.SERATTBXIS 3225 1673.22 AC010554 Homo sapiens chormosome 17, clone MPRY.349_A_6, complete sequence. Homo sapiens 42,969 GB_BA2.AC005544 1607.32 AL049483 Acabidopsis thaliana DNA chormosome 4, BAC clone [ESSA project] Arabidopsis thaliana DNA chormosome 4, BAC clone [ESSA project] Arabidopsis thaliana DNA chormosome 4, BAC clone [ESSA project] Arabidopsis thaliana BNA chormosome 6, Gene GIT988KB_700, *** SCOLENCING IN Homo sapiens 36,562 GB_HTG3.AC006897 167922 AC0068897 1670 AC00688687 1670 AC006887 < | | GB_HTG2:AC007853 | | AC007853 | unordered pieces. Drosophila melanogaster chromosome 3 clone BACR03L02 (D766) RPCI-98 03.L.2 map 96B-96C strain y; cn bw sp. *** SEQUENCING IN PROGRESS***, 80 | | ır 34,365 | 2-Aug-99 | 11/00004 |
| GB_HTG4.AC010037 166249 AC0100X7 FOCUENCINO PROGRESS ": 5 complete sequence. Diosophila melanogaster 38,534 GB_PR1.45169C8F 245 Z27239 Hazpeins Coff sind DNA genomic Mes I fragment, done 199.8, foward read Homo sapiens 45,679 GB_PR1.45169C8F 245 Z27239 Hazpeins Coff sind DNA genomic Mes I fragment, done 199.8, foward read Homo sapiens 45,679 GB_RA1.5ERATTBXIS 3255 L11597 Saccharapolyspora enginese embryo NAME13.5 14.5 Mus musculus cDNA done Musc musculus cDNA done 4,2,969 GB_PR3.AC005544 Homo sapiens chromosome engles embryo NAME13.5 14.5 Mus musculus cDNA done Homo sapiens 35,724 GB_PR3.AC005547 19904 AC005554 Homo sapiens chromosome engles concerned and sold since of the Acontage of the A | 901936 1395 | | | AC010037 | unordered pieces. Drosophila melanogaster chromosome 3L/66B6 clone RPC198-6E4, *** SEQUENCING IN PROGRESS ***, 52 unordered pieces. | Drosophila melanogaste | r 38,534 | 16-OCT-1999 | |
| GB_PR4AC005552 19723 AC006552 Home sapiens of connected to the APPK 212_E 8, complete sequence. Home sapiens 36,249 GB_PR4.HS199C9F 245 237239 H sapiens GGo Island DNA genomic Meal fragment, clone 16963, forward read 45,679 GB_BA1.SERATIBXIS 3255 L11597 Sacchangolyspora and all Sile. 36,207 GB_BA1.SERATIBXIS 3255 L11597 Sacchangolyspora and all Sile. 36,207 GB_BA1.SERATIBXIS 3255 L11597 M97557 M97557 MGE-422296 5; mRINA sequence. More musculus cDNA chome and Bills. 42,969 GB_PL2ATTSX17 19904 Acobosts thaliana DNA chromosome 4, BAC clone [ESSA project.] Arabidopsis thaliana BNA chromosome 4, BAC clone [ESSA project.] Arabidopsis thaliana 38,122 GB_PL2ATTSX17 19904 ALO49413 Homo sapiens chromosome 4, BAC clone [ESSA project.] Arabidopsis thaliana 38,122 GB_HTG3.AC006897 16732 AC006897 Homo sapiens chromosome 6, BAC clone [ESSA project.] Arabidopsis thaliana BNA chromosome 6, BAC clone [ESSA project.] Arabidopsis thaliana BNA chromosome 6, BAC clone [ESSA project.] Arabidopsis thaliana 38,122 GB_HTG3.AC006897 167323 AC006878 From Carrier [ESSA project.] Arabidopsis thaliana | | GB_HTG4:AC010037 | | ÀC010037 | Drosophila melanogaster chromosome 3L/6686 clone RPC198-6E4, *** SEQUENCING IN PROGRESS ***, 52 unordered pieces. | Drosophila melanogaste | r 38,534 | 16-OCT-1999 | |
| GB_ESTT:W97557 267 W97557 Tigging and attal site. GB_PST-CO05544 169045 AC005544 Homo saplens chromosome 17, clone hRPX.349_A.8, complete sequence. Homo saplens 35,724 GB_PST-CO05547 167932 AC006567 Homo saplens chromosome 17, clone hRPX.349_A.8, complete sequence. Homo saplens 35,724 GB_PST-CO05547 167932 AC006567 Homo saplens chromosome 4, BAC clone FS28 project). Arabidopsis thaliana DNA chromosome 4, BAC clone FS28 project). Arabidopsis thaliana DNA chromosome 6, BAC clone FS28 project). Arabidopsis thaliana DNA chromosome 6, BAC clone FS28 project). Arabidopsis thaliana DNA chromosome 6, BAC clone FS28 project). Arabidopsis thaliana DNA chromosome 5, Glone CIT978SKB_7000.** SEQUENCING IN Homo saplens 36, GS2 GB_HTG3.AC008697 167932 AC008697 Homo saplens chromosome 5 clone CIT978SKB_7000.** SEQUENCING IN Homo saplens 36, GS2 GB_HTG3.AC008697 167932 AC008697 Homo saplens chromosome 5 clone CIT978SKB_7000.** SEQUENCING IN Homo saplens 36, GS2 GB_HTG3.AC008697 167932 AC008697 Homo saplens chromosome 5 clone CIT978SKB_7000.** SEQUENCING IN Homo saplens 36, GS2 GB_HTG3.AC008697 167932 AC008697 Homo saplens chromosome 5 clone CIT978SKB_7000.** SEQUENCING IN Homo saplens 36, GS2 GB_HTG3.AC008697 167932 AC008697 Homo saplens chromosome 5 clone CIT978SKB_7000.** SEQUENCING IN Homo saplens 36, GS2 GB_BAZ.AFD49897 G9166 AF049897 C970-medacterium glutamicum matchine carbamolytransferase (argf.) gene 6, Governebacterium glutamicum multihire carbamolytransferase (argf.) gene 6, Governebacterium glutamicum multihire carbamolytransferase (argf.) gene 6, Governebacterium glutamicum multihire carbamolytransferase (argf.) gene 6, Governebacterium glutamicum anginine repressor (argf | a01984 420 | GB_PR4:AC005552 GB_PR1:HS169C8F | 167228 245 | AC005552 Z57239 | Homo sapiens chromosome 17, clone hRPK.212_E_8, complete sequence. H.sapiens CpG island DNA genomic Mse1 fragment, clone 169c8, forward read | Homo sapiens Homo sapiens | 36,249 45,679 | 26-Nov-98 18-OCT-1995 | |
| CB_EST7:W97557 W97557 m/98a09:r1 Soares mouse embryo NbME13.5 14.5 Mus musculus cDNA clone Mus musculus 42,969 GB_PR3.AC005544 169045 AC0005544 Homo saplens chromosome 17, clone hRPK.349_A_B, complete sequence. Homo saplens 35,724 GB_PL2.AT725K17 89904 AL049171 Arabidopsis thaliana DNA chromosome 4, BAC clone (ESSA project). Arabidopsis thaliana DNA chromosome 5 clone CIT978KB_70D3,****SEQUENCING IN Homo saplens 35,890 GB_HTG3.AC008697 167932 AC008697 Homo saplens chromosome 5 clone CIT978KB_70D3,****SEQUENCING IN Homo saplens 36,652 GB_HTG3.AC008697 167932 AC008697 Homo saplens chromosome 5 clone CIT978KB_70D3,*****SEQUENCING IN Homo saplens 36,652 GB_HTG3.AC008697 167932 AC008697 Homo saplens chromosome 5 clone CIT978KB_70D3,************************************ | | GB_BA1:SERATTBX | S 3255 | L11597 | ops roce, integrase (int) gene, accisionase (xis) gene, integrase (int) gene, complete criss and aff8 site. | Saccharopolyspora | 36,232 | 6-Jul-94 | |
| GB_PL2.AT726K17 89904 AL049171 Arabidopsis thaliana DNA chromosome 17, clone hRPK.349_A_8, complete sequence. Homo sapiens 35,724 GB_PL2.AT726K17 89904 AL049171 Arabidopsis thaliana DNA chromosome 6 clone CIT978SKB_70D3,*** SEQUENCING IN Homo sapiens PROCRESS****.54 unordered pieces. GB_HTG3.AC008997 167932 AC008997 Homo sapiens chromosome 5 clone CIT978SKB_70D3,*** SEQUENCING IN Homo sapiens PROCRESS****.54 unordered pieces. GB_HTG3.AC008997 167932 AC008997 Homo sapiens chromosome 5 clone CIT978SKB_76P12,*** SEQUENCING IN Homo sapiens PROCRESS***** 54 unordered pieces. GB_HTG3.AC008703 213971 AC008703 Homo sapiens chromosome 5 clone CIT978SKB_76P12,*** SEQUENCING IN Homo sapiens PROCRESS***** 54 unordered pieces. GB_HTG3.AC008703 213971 AC008703 Homo sapiens chromosome 5 clone CIT978SKB_76P12,*** SEQUENCING IN Homo sapiens PROCRESS**** 54 unordered pieces. GB_BAZ.AF049897 9196 AF049897 GCorynebacterium glutamicum harantense (arg.), and argininosuccinate (arg.), and argininosuccinate lyase (arg.) acetylomithine glutamicum transaminase (arg.), and argininosuccinate lyase (arg.) acetylomithine glutamicum argininosuccinate synthase (arg.), and argininosuccinate lyase (arg.) acetylomithine glutamicum glutamicum argininosuccinate synthase (arg.), and argininosuccinate lyase (arg.) acetylomithine glutamicum glutamicum argininosuccinate synthase (arg.) acetylomithine glutamicum glutamicum argininosuccinate synthase (arg.) acetylomithine glutamicum glutamicum argininosuccinate (arg.) acetylomithine glutamicum glutamicum argininosuccinate (arg.) acetylomithine glutamicum argininosuccinate (arg.) acetylomithine glutamicum glutamicum argininosuccinat | | GB_EST7:W97557 | 267 | W97557 | migaco Constant and a control of the | Mus musculus | 42,969 | 16-Jul-96 | |
| 0 GB_PR3.AC005544 169045 AC005544 Homo saplens chromosome 17, clone hRPK.349_A, 0, complete sequence. Homo saplens 35,724 0 GB_PL1.ATF.20819 104738 AL049483 Arabidopsis thailana DNA chromosome 4, BAC clone (ESSA project). Arabidopsis thailana 35,724 0 B_LTG3.AC008697 167932 AC008697 Homo saplens chromosome 5 clone CIT978SKB_7003.** SEQUENCING IN Pomo saplens splens chromosome 5 clone CIT978SKB_7003.** SEQUENCING IN Pomo saplens SPROGRESS.** 4 unordered pieces. Arabidopsis thailana 36,662 0 B_HTG3.AC008697 167932 AC008697 Homo saplens chromosome 5 clone CIT978SKB_76P12.** SEQUENCING IN Pomo saplens chromosome 5 clone CIT978SKB_76P12.** SEQUENCING IN Pomo saplens SPROGRESS.** 4 unordered pieces. AROGRESS.** 5 unordered pieces. 36,662 0 B_HTG3.AC008703 13971 AC008703 Homo saplens chromosome 5 clone CIT978SKB_76P12.** SEQUENCING IN Homo saplens SPROGRESS.** 5 unordered pieces. Corynebacterium 34,768 0 B_BA2.AF049897 9196 AF049897 Corynebacterium glutamicum N-acet/glutamythosphate reductase (argC). and arginine repressor (argR), gene, complete cds. Corynebacterium glutamicum arginine repressor (argR) gene, complete cds. Corynebacterium glutamicum arginine repressor (argR) gene, complete cds. Corynebacterium glutamicum arginine repressor (argR) gene, complete cds. Subulis yws/A, B.C12412 Abstral MARM Sequence. <t< td=""><td>a02060</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<> | a02060 | | | | | | | | |
| GB_HTG3:AC008697 (47932 AC008697 Homo sapiens chromosome 5 clone CT978SKB_70D3, *** SEQUENCING IN Plomo sapiens 36,662 Arabidopsis thaliana DNA chromosome 5 clone CT978SKB_70D3, *** SEQUENCING IN Plomo sapiens 36,662 Arabidopsis thaliana 38,128 GB_HTG3:AC008697 (47932 AC008697 (47932 AC008697 (47932 AC008697 (47932 AC008697 (47932 AC008697 (47932 AC008697 (47932 AC008703 AC008703 (47932 AC008703 AC008703 AC008703 (47932 AC008703 AC008703 AC008703 (47932 AC008703 AC00870 | a02087 1470 | GB_PR3:AC005544 GB_PL1:ATF20B18 | 169045 104738 | AC005544 AL049483 | Homo sapiens chromosome 17, clone hRPK.349_A_8, complete sequence. Arabidopsis thaliana DNA chromosome 4, BAC clone F20B18 (ESSA project). | Homo sapiens Arabidopsis thaliana | 35,724 35,890 | 25-Sep-98 (22-MAR-1999 | വാ |
| GB_HTG3:AC008697 167932 AC008697 Homo sapiens chromosome 5 clone CIT978SKB_70D3, *** SEQUENCING IN Homo sapiens PROGRESS ***; 54 unordered pieces. GB_HTG3:AC008703 213971 AC008703 Homo sapiens chromosome 5 clone CIT978SKB_76P12, *** SEQUENCING IN Homo sapiens PROGRESS ***, 54 unordered pieces. GB_BA2:AF049897 9196 AF049897 Covynebacterium glutamicum Areactylglutamychosphate reductase (argC), arginine acetyltransferase (argC), and argininosuccinate lyase (argC), arginine repressor (argR), argininosuccinate synthase (argC), and argininosuccinate lyase (argC), arginine repressor (argR), argininosuccinate synthase (argC), and argininosuccinate lyase (argC) genes, complete cds. GB_BA2:AF041436 516 AF041436 Covynebacterium glutamicum arginine repressor (argR) gene, complete cds. GB_BA1:BS292953 8164 Z92953 B. subtilits yws[A,B,C] genes and rbs[A,C,D,K,R] genes. GB_BA1:BS292953 8164 Z92953 B. subtilits yws[A,B,C] genes and rbs[A,C,D,K,R] genes. GB_EST36:AI878071 657a12.y1 Zebrafish WashU MPIMG EST Danio reno cDNA 5' similar to Danio reno : mRNA sequence. | a02088 1338 | GB_PL2:ATT25K17 GB_HTG3:AC008697 | 89904 167932 | AL049171 AC008697 | Arabidopsis thaliana DNA chromosome 4, BAC clone (ESSA project). Homo sapiens chromosome 5 clone CIT978SKB_70D3, *** SEQUENCING IN PROGRESS ***, 54 unordered pieces. | Arabidopsis thaliana Homo sapiens | 38,128 36,662 | 27-Aug-99 3-Aug-99 | |
| GB_HTG3:AC008703 213971 AC008703 Homo sapiens chromosome 5 clone CIT978SKB_76P12, *** SEQUENCING IN Homo sapiens PROGRESS ***, 54 unordered pieces. GB_BA2:AF049897 Grynebacterium glutamicum N-acetylglutamylphosphate reductase (argC), Corynebacterium glutamicum nations (argP), arginine acetylornithine acetyltransferase (argC), and arginine repressor (argP), arginine suptime acetyltransferase (argC), and arginine repressor (argP), arginine supressor (argP), arginine supressor (argP), arginine repressor | | GB_HTG3:AC008697 | | AC008697 | Homo sapiens chromosome 5 clone CIT978SKB_70D3, *** SEQUENCING IN PROGRESS *** 54 unordered pieces | Homo sapiens | 36,662 | 3-Aug-99 | |
| GB_BA2:AF049897 9196 AF049897 Corynebacterium glutamicum N-acetylglutamylphosphate reductase (argC), Corynebacterium 99,843 ornithine acetyltransferase (argJ), N-acetylglutamate kinase (argB), acetylornithine glutamicum transaminase (argD), ornithine carbamoyltransferase (argF), arginine repressor (argR), argininosuccinate synthase (argG), and argininosuccinate lyase (argH) genes, complete cds. GB_BA2:AF031518 2045 AF031518 Corynebacterium glutamicum ornithine carbamolytransferase (argF) gene, complete cds. GB_BA2:AF041436 516 AF041436 Corynebacterium glutamicum arginine repressor (argR) gene, complete cds. GB_BA1:BS292953 8164 Z92953 B.subtilis yws[A,B,C] genes and rbs[A,C,D,K,R] genes. GB_BA1:BS292953 8164 Z92953 B.subtilis yws[A,B,C] genes and rbs[A,C,D,K,R] genes. GB_BA1:BS292953 AI878071 fc57a12.y1 Zebrafish WashU MPIMG EST Danio rerio cDNA 5' similar to Danio rerio 36,774 TR:Q13151 Q13151 HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN A0 mRNA sequence. | | GB_HTG3:AC008703 | | AC008703 | Homo sapiens chromosome 5 clone CIT978SKB_76P12, *** SEQUENCING IN PROGRESS ***, 54 unordered pieces. | Homo sapiens | 34,768 | 3-Aug-99 | |
| GB_BA2:AF031518 2045 AF031518 Corynebacterium glutamicum omithine carbamolytransferase (argF) gene, Corynebacterium glutamicum complete cds. GB_BA2:AF041436 516 AF041436 Corynebacterium glutamicum arginine repressor (argR) gene, complete cds. Corynebacterium 100,000 glutamicum | a02159 636 | GB_BA2:AF049897 | 9196 | AF049897 | Corynebacterium glutamicum N-acetylglutamylphosphate reductase (argC), ornithine acetyltransferase (argJ), N-acetylglutamate kinase (argB), acetylornithinu transaminase (argD), ornithine carbamoyltransferase (argF), arginine repressor (argR), argininosuccinate synthase (argC), and argininosuccinate lyase (argH) genes, complete cds. | Corynebacterium e glutamicum | 99,843 | | rC1/ |
| GB_BA2:AF041436 516 AF041436 Corynebacterium glutamicum arginine repressor (argR) gene, complete cds. Corynebacterium 100,000 glutamicum GB_BA1:BS292953 8164 Z92953 B.subtilis yws[A,B,C] genes and rbs[A,C,D,K,R] genes. Bacillus subtilis 38,951 GB_EST36:AI878071 593 AI878071 fc57a12.y1 Zebrafish WashU MPIMG EST Danio rerio cDNA 5' similar to Danio rerio 36,774 TR:Q13151 Q13151 Q13151 MISTA Sequence. | | GB_BA2:AF031518 | 2045 | AF031518 | Corynebacterium glutamicum ornithine carbamolytransferase (argF) gene, complete cds. | Corynebacterium glutamicum | 88,679 | | |
| GB_BA1:BS292953 8164 292953 B.subtilis yws[A.B.C] genes and rbs[A.C.D.K.R] genes. GB_EST36:Al878071 593 Al878071 tc57a12.y1 Zebrafish WashU MPIMG EST Danio rerio cDNA 5' similar to Danio rerio 36,774 TR:Q13151 Q13151 HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN A0 ; mRNA sequence. | | GB_BA2:AF041436 | 516 | AF041436 | Corynebacterium glutamicum arginine repressor (argR) gene, complete cds. | Corynebacterium gtutamicum | 100,000 | | , |
| | 902184 504 | GB_BA1:BSZ92953 GB_EST36:AI878071 | 8164 593 | Z92953 AI878071 | B.subtilis yws[A.B.C] genes and rbs[A.C.D.K.R] genes. fc57a12.y1 Zebrafish WashU MPIMG EST Danio rerio cDNA 5' similar to TR:Q13151 Q13151 HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN AC | | 38,951 36,774 | | |

PCT/1B00/00922

WO 01/00804

| WO 01/00804 | | | 24 | | PCT | /IB00/00922 |
|--|---|---|---|---|---|--|
| 20-Aug-99 23-Nov-99 28-Jul-99 | 28-Juh-99 29-Jun-95 29-Jun-95 | 08-DEC-1995 25-Jun-99 28-Jul-99 | 11-Nov-98 - 11-Nov-98 826-Apr-93 - | | 23-Nov-99 19-MAY-1998 28-DEC-1995 | 28-DEC-1995 17-Jan-98 06-MAY-1999 20-Aug-99 |
| 36,774 38,648 35,938 | 35,938 38,267 36,552 | 41,678 43,348 35,568 | 40,310 40,310 37,703 | 38,420 42,188 42,000 39,098 39,456 | 39,456 s 49,369 35,417 | 37,172 42,115 52,059 45,438 |
| Danio rerio) Homo sapiens Mus musculus | Mus musculus ', Homo sapiens ', Homo sapiens | Caenorhabditis elegans Mus musculus Homo sapiens | Homo sapiens Homo sapiens Brugia pahangi | Mus musculus Homo sapiens Mycobacterium leprae Rattus sp. | Homo sapiens 39,456 Xanthomonas campestris 49,369 Homo sapiens 35,417 | Homo sapiens Deinococcus proteolyticus Danio rerio |
| Table 4 (continued). fc91f01.y1 Zebrafish WashU MPIMG EST Danio rerio cDNA 5' similar to TR:Q13151 Q13151 HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN A0 ;; mRNA sequence. Human DNA sequence from clone 494O16 on chromosome 22, complete sequence. Mus musculus clone 182_H_5, *** SEQUENCING IN PROGRESS ***, 29 | unordered pieces. Mus musculus clone 182_H_5, *** SEQUENCING IN PROGRESS ***, 29 Mus musculus clone 182_H_5, *** SEQUENCING IN PROGRESS ***, 29 Mordered pieces. ym34a11.r1 Soares infant brain 1NIB Homo sapiens cDNA clone IMAGE:50010 5', Homo sapiens mRNA sequence. ym34a11.r1 Soares infant brain 1NIB Homo sapiens cDNA clone IMAGE:50010 5', Homo sapiens mRNA sequence. | Caenorhabditis elegans cosmid C41A3. AV080151 Mus musculus stomach C57BL6J adult Mus musculus cDNA clone 2210413B04, mRNA sequence. HS_2017_B2_B08_MR CIT Approved Human Genomic Sperm Library D Homo sablens denomic clone Plate=2017 Col=16 Row=D, openomic survey seminane | Homo sapiens, *** SEQUENCING IN PROGRESS ***, 2 ordered pieces. Homo sapiens, *** SEQUENCING IN PROGRESS ***, 2 ordered pieces. Biphangi beta-tubulin enee, complete cds. | Mouse gene for platelet activating factor receptor, complete cds. Homo sapiens ARL1 mRNA, complete cds. Mycobacterium leprae cosmid B2533. EST111890 Rat PC-12 cells, NGF-treated (9 days) Rattus sp. cDNA clone RPNCO03, mRNA sequence. Homo sapiens chromosome 20 clone RP4-791K14, *** SEQUENCING IN | PROGRESS ***, in unordered pieces. Homo sapiens chromosome 20 clone RP4-791K14, *** SEQUENCING IN PROGRESS ***, in unordered pieces. Xanthomonas campestris organic hydroperoxide resistance protein (ohr) gene, complete cds. yx19d10.r1 Soares melanocyte 2NbHM Homo sapiens cDNA clone IMAGE:262195 5; mRNA sequence. | yx19d10.r1 Soares melanocyle 2NbHM Homo sapiens cDNA clone IMAGE:262195 5; mRNA sequence. Deinococcus proteolyticus 40 kDa heat shock chaperone protein (dnaJ) gene, complete cds. fc14c09.y1 Zebrafish WashU MPIMG EST Danio rerio cDNA 5' similar to SW:DNJ2_HUMAN P31689 DNAJ PROTEIN HOMOLOG 2: " mRNA sequence. fd25h11.y1 Zebrafish WashU MPIMG EST Danio rerio cDNA 5' similar to SW:DNJ2_HUMAN P31689 DNAJ PROTEIN HOMOLOG 2: " mRNA sequence. |
| 641 AI958166 50502 AL117328 158440 AC008161 | 158440 AC008161 465 H16949 465 H16949 | U41541 AV080151 AQ766877 | AC005959 AC005959 M36380 | | 155318 AL035685 895 AF036166 620 N25122 | N25122 U93358 Al658096 Al959242 |
| 641 50502 158440 | 158440 465 465 | 37149 236 545 | 127587 127587 4571 | 1140 1008 40245 407 155318 | 155318 895 620 | 620 1267 343 545 |
| GB_EST37:Al958166 GB_PR3:HSA494016 GB_HTG2:AC008161 | GB_HTG2:AC008161 GB_EST4:H16949 GB_EST4:H16949 | GB_IN1:CELC41A3 GB_EST33:AV080151 GB_GSS5:AQ766877 | GB_HTG2:AC005959 GB_HTG2:AC005959 GB_IN1:BRPTUBBA | GB_RO:MUSPAFR GB_PR3:HUMARL1A GB_BA1:MLCB2533 GB_EST4:H35255 GB_HTG1:HS791K14 | GB_HTG1:HS791K14 GB_BA2:AF036166 GB_EST5:N25122 | GB_EST5:N25122 GB_BA2:DPU93358 GB_EST30:Al658096 GB_EST37:Al959242 |
| κα02200 1233 | жа02201 486 | гха02202 762 | xa02205 1002 | ка02305 975 ка02431 899 | rxa02446 558 | rxa02541 1308 |

| ! | | | | Table 4 (continued) | | | |
|---------------|-----------------------------------|----------|-----------------|---|--|--------|--------------------------------------|
| rxa02542 777 | EM_PAT:E10832 | 1856 | E10832 | DNA encoding Dnak protein which is one of heat shock protein from | Corynebacterium glutamicum | 000'66 | 08-OCT-1997 (Rel. 52, Created) |
| | GB_EST24:Z82017 | 396 | Z 82017 | SSZ82017 Porcine small intestine cDNA library Sus scrofa cDNA clone c12c06 5' similar to eukaryotic initiation factor 4 gamma, mRNA sequence. | Sus scrofa | 37,067 | 30-Apr-99 |
| | GB_OM:CATERYTHR0681 | 0681 | L10606 | Cat erythropoietin mRNA, 3' end. | Felis catus | 39,409 | 14-OCT-1993 |
| rxa02543 1977 | EM_PAT:E10832 | 1856 | E10832 | DNA encoding Dnak protein which is one of heat shock protein from | Corynebacterium | 906,76 | 08-OCT-1997 |
| | | | | | glutamicum | | (Rel. 52, |
| | | | | | | | Created) |
| | GB_BA1:MPHSP70 | 2179 | X59437 | M.paratuberculosis gene for 70 kD heat shock protein. | Mycobacterium avium | 73,404 | 23-Apr-92 |
| | GB BA1:MTY13E10 | | 35019 295324 | Mycobacterium tuherculosis H37Ry complete genome: segment 18/162 | stosp, paratuberculosis Mycobacterium | 800 07 | 17. hin.98 |
| | | | | | tuberculosis | 2 | |
| xa02586 393 | GB_IN2:AC006472 | 156362 | 156362 AC006472 | Drosophila melanogaster, chromosome 2R, region 45E1-46A2, BAC clone BACRARC21 complete sequence | Drosophila melanogaster 37,958 | 37,958 | 30-Jan-99 |
| | GB_HTG4:AC010020 106541 AC010020 | 106541 | AC010020 | ome 3L/66D10 clone RPCI98-26I3, *** . 55 unordered pieces. | Drosophila melanogaster 37,333 | 37,333 | 16-OCT-1999 |
| | GB_HTG4:AC010020 106541 AC010020 | 106541 | AC010020 | (PC198-2613, *** | Drosophila melanogaster 37,333 | 37,333 | 16-OCT-1999 |
| rxa02587 2214 | GB_BA1:MLCL622 | 42498 | | Mycobacterium leprae cosmid L622. | Mycobacterium leprae | 39,848 | 24-Jun-97 |
| | GB_RO:AF074879 | 3316 | AF074879 | Rattus norvegicus testis-specific protein TSPY gene, complete cds. | Rattus norvegicus | 35,830 | 6-Jul-9 |
| | GB_RO:RNJ001380 | 2641 | AJ001380 | Rattus norvegicus Tspy partial genomic sequence, exons 1-6. | Rattus norvegicus | 37,702 | 29-Jun-98 |
| xs03217 331 | GB_BA1:MLCB2548 | 38916 | AL023093 | Mycobacterium leprae cosmid B2548. | Mycobacterium leprae | 37,888 | 27-Aug-99 |
| | GB_HTG2:HSJ662M14 174772 AL079336 | 4 174772 | AL079336 | Homo sapiens chromosome 20 clone RP4-662M14, *** SEQUENCING IN PROGRESS ***, 10 unordered pieces. | Homo sapiens | 36,420 | 4-Feb-00 |
| | GB_HTG2:HSJ662M14 174772 AL079336 | 4 174772 | AL079336 | RP4-662M14, *** SEQUENCING IN | Homo sapiens | 35,962 | 4-Feb-00 |

Exemplification

Example 1: Preparation of total genomic DNA of Corynebacterium glutamicum ATCC 13032

5 A culture of Corynebacterium glutamicum (ATCC 13032) was grown overnight at 30°C with vigorous shaking in BHI medium (Difco). The cells were harvested by centrifugation, the supernatant was discarded and the cells were resuspended in 5 ml buffer-I (5% of the original volume of the culture — all indicated volumes have been calculated for 100 ml of culture volume). Composition of buffer-I: 140.34 g/l sucrose, 10 2.46 g/l MgSO₄ x 7H₂O, 10 ml/l KH₂PO₄ solution (100 g/l, adjusted to pH 6.7 with KOH), 50 ml/l M12 concentrate (10 g/l (NH₄)₂SO₄, 1 g/l NaCl, 2 g/l MgSO₄ x 7H₂O, 0.2 g/l CaCl₂, 0.5 g/l yeast extract (Difco), 10 ml/l trace-elements-mix (200 mg/l FeSO₄ x H₂O, 10 mg/l ZnSO₄ x 7 H₂O, 3 mg/l MnCl₂ x 4 H₂O, 30 mg/l H₃BO₃ 20 mg/l CoCl₂ x 6 H₂O, 1 mg/l NiCl₂ x 6 H₂O, 3 mg/l Na₂MoO₄ x 2 H₂O, 500 mg/l complexing agent (EDTA or critic acid), 100 ml/l vitamins-mix (0.2 mg/l biotin, 0.2 mg/l folic acid, 20 mg/l p-amino benzoic acid, 20 mg/l riboflavin, 40 mg/l ca-panthothenate, 140 mg/l nicotinic acid, 40 mg/l pyridoxole hydrochloride, 200 mg/l myo-inositol). Lysozyme was added to the suspension to a final concentration of 2.5 mg/ml. After an approximately 4 h incubation at 37°C, the cell wall was degraded and the resulting protoplasts are harvested by centrifugation. The pellet was washed once with 5 ml buffer-I and once with 5 ml TE-buffer (10 mM Tris-HCl, I mM EDTA, pH 8). The pellet was resuspended in 4 ml TE-buffer and 0.5 ml SDS solution (10%) and 0.5 ml NaCl solution (5 M) are added. After adding of proteinase K to a final concentration of 200 μg/ml, the suspension is incubated for ca.18 h at 37°C. The DNA was purified by extraction with phenol, phenol-chloroform-isoamylalcohol and chloroformisoamylalcohol using standard procedures. Then, the DNA was precipitated by adding 1/50 volume of 3 M sodium acetate and 2 volumes of ethanol, followed by a 30 min incubation at -20°C and a 30 min centrifugation at 12,000 rpm in a high speed centrifuge using a SS34 rotor (Sorvall). The DNA was dissolved in 1 ml TE-buffer containing 20 µg/ml RNaseA and dialysed at 4°C against 1000 ml TE-buffer for at least 3 hours. During this time, the buffer was exchanged 3 times. To aliquots of 0.4 ml of the dialysed DNA solution, 0.4 ml of 2 M LiCl and 0.8 ml of ethanol are added. After a 30

- 87 -

min incubation at -20°C, the DNA was collected by centrifugation (13,000 rpm, Biofuge Fresco, Heraeus, Hanau, Germany). The DNA pellet was dissolved in TE-buffer. DNA prepared by this procedure could be used for all purposes, including southern blotting or construction of genomic libraries.

5

Example 2: Construction of genomic libraries in *Escherichia coli* of *Corynebacterium glutamicum* ATCC13032.

Using DNA prepared as described in Example 1, cosmid and plasmid libraries were constructed according to known and well established methods (see e.g., Sambrook, J. et al. (1989) "Molecular Cloning: A Laboratory Manual", Cold Spring Harbor Laboratory Press, or Ausubel, F.M. et al. (1994) "Current Protocols in Molecular Biology", John Wiley & Sons.)

Any plasmid or cosmid could be used. Of particular use were the plasmids pBR322 (Sutcliffe, J.G. (1979) *Proc. Natl. Acad. Sci. USA*, 75:3737-3741); pACYC177 (Change & Cohen (1978) *J. Bacteriol* 134:1141-1156), plasmids of the pBS series (pBSSK+, pBSSK- and others; Stratagene, LaJolla, USA), or cosmids as SuperCos1 (Stratagene, LaJolla, USA) or Lorist6 (Gibson, T.J., Rosenthal A. and Waterson, R.H. (1987) *Gene* 53:283-286. Gene libraries specifically for use in *C. glutamicum* may be constructed using plasmid pSL109 (Lee, H.-S. and A. J. Sinskey (1994) *J. Microbiol. Biotechnol.* 4: 256-263).

20

15

Example 3: DNA Sequencing and Computational Functional Analysis

Genomic libraries as described in Example 2 were used for DNA sequencing according to standard methods, in particular by the chain termination method using ABI377 sequencing machines (see e.g., Fleischman, R.D. et al. (1995) "Whole-genome Random Sequencing and Assembly of Haemophilus Influenzae Rd., Science, 269:496-512). Sequencing primers with the following nucleotide sequences were used: 5'-GGAAACAGTATGACCATG-3' or 5'-GTAAAACGACGGCCAGT-3'.

Example 4: In vivo Mutagenesis

30 In vivo mutagenesis of Corynebacterium glutamicum can be performed by passage of plasmid (or other vector) DNA through E. coli or other microorganisms (e.g. Bacillus spp. or yeasts such as Saccharomyces cerevisiae) which are impaired in their capabilities to maintain

- 88 -

the integrity of their genetic information. Typical mutator strains have mutations in the genes for the DNA repair system (e.g., mutHLS, mutD, mutT, etc.; for reference, see Rupp, W.D. (1996) DNA repair mechanisms, in: *Escherichia col*i and *Salmonella*, p. 2277-2294, ASM: Washington.) Such strains are well known to those of ordinary skill in the art. The use of such strains is illustrated, for example, in Greener, A. and Callahan, M. (1994) *Strategies* 7: 32-34.

Example 5: DNA Transfer Between Escherichia coli and Corynebacterium glutamicum

Several Corynebacterium and Brevibacterium species contain endogenous plasmids (as e.g., pHM1519 or pBL1) which replicate autonomously (for review see, e.g., 10 Martin, J.F. et al. (1987) Biotechnology, 5:137-146). Shuttle vectors for Escherichia coli and Corynebacterium glutamicum can be readily constructed by using standard vectors for E. coli (Sambrook, J. et al. (1989), "Molecular Cloning: A Laboratory Manual", Cold Spring Harbor Laboratory Press or Ausubel, F.M. et al. (1994) "Current Protocols in Molecular Biology", John Wiley & Sons) to which a origin or replication for and a 15 suitable marker from Corynebacterium glutamicum is added. Such origins of replication are preferably taken from endogenous plasmids isolated from Corynebacterium and Brevibacterium species. Of particular use as transformation markers for these species are genes for kanamycin resistance (such as those derived from the Tn5 or Tn903 transposons) or chloramphenicol (Winnacker, E.L. (1987) "From Genes to Clones — Introduction to Gene Technology, VCH, Weinheim). There are numerous examples in the literature of the construction of a wide variety of shuttle vectors which replicate in both E. coli and C. glutamicum, and which can be used for several purposes, including gene overexpression (for reference, see e.g., Yoshihama, M. et al. (1985) J. Bacteriol. 162:591-597, 25 Martin J.F. et al. (1987) Biotechnology, 5:137-146 and Eikmanns, B.J. et al. (1991) Gene, 102:93-98).

Using standard methods, it is possible to clone a gene of interest into one of the shuttle vectors described above and to introduce such a hybrid vector into strains of Corynebacterium glutamicum. Transformation of C. glutamicum can be achieved by protoplast transformation (Kastsumata, R. et al. (1984) J. Bacteriol. 159306-311), electroporation (Liebl, E. et al. (1989) FEMS Microbiol. Letters, 53:399-303) and in cases where special vectors are used, also by conjugation (as described e.g. in Schäfer, A et al.

20

25

PCT/IB00/00922

(1990) J. Bacteriol. 172:1663-1666). It is also possible to transfer the shuttle vectors for *C. glutamicum* to *E. coli* by preparing plasmid DNA from *C. glutamicum* (using standard methods well-known in the art) and transforming it into *E. coli*. This transformation step can be performed using standard methods, but it is advantageous to use an Mcr-deficient *E. coli* strain, such as NM522 (Gough & Murray (1983) *J. Mol. Biol.* 166:1-19).

Genes may be overexpressed in *C. glutamicum* strains using plasmids which comprise pCG1 (U.S. Patent No. 4,617,267) or fragments thereof, and optionally the gene for kanamycin resistance from TN903 (Grindley, N.D. and Joyce, C.M. (1980) *Proc. Natl. Acad. Sci. USA* 77(12): 7176-7180). In addition, genes may be overexpressed in *C. glutamicum* strains using plasmid pSL109 (Lee, H.-S. and A. J. Sinskey (1994) *J. Microbiol. Biotechnol.* 4: 256-263).

Aside from the use of replicative plasmids, gene overexpression can also be achieved by integration into the genome. Genomic integration in *C. glutamicum* or other Corynebacterium or Brevibacterium species may be accomplished by well-known methods, such as homologous recombination with genomic region(s), restriction endonuclease mediated integration (REMI) (see, *e.g.*, DE Patent 19823834), or through the use of transposons. It is also possible to modulate the activity of a gene of interest by modifying the regulatory regions (*e.g.*, a promoter, a repressor, and/or an enhancer) by sequence modification, insertion, or deletion using site-directed methods (such as homologous recombination) or methods based on random events (such as transposon mutagenesis or REMI). Nucleic acid sequences which function as transcriptional terminators may also be inserted 3' to the coding region of one or more genes of the invention; such terminators are well-known in the art and are described, for example, in Winnacker, E.L. (1987) From Genes to Clones – Introduction to Gene Technology. VCH: Weinheim.

Example 6: Assessment of the Expression of the Mutant Protein

Observations of the activity of a mutated protein in a transformed host cell rely on the fact that the mutant protein is expressed in a similar fashion and in a similar quantity to that of the wild-type protein. A useful method to ascertain the level of transcription of the mutant gene (an indicator of the amount of mRNA available for translation to the gene product) is to perform a Northern blot (for reference see, for example, Ausubel *et al.*

10

15

25

30

(1988) Current Protocols in Molecular Biology, Wiley: New York), in which a primer designed to bind to the gene of interest is labeled with a detectable tag (usually radioactive or chemiluminescent), such that when the total RNA of a culture of the organism is extracted, run on gel, transferred to a stable matrix and incubated with this probe, the binding and quantity of binding of the probe indicates the presence and also the quantity of mRNA for this gene. This information is evidence of the degree of transcription of the mutant gene. Total cellular RNA can be prepared from Corynebacterium glutamicum by several methods, all well-known in the art, such as that described in Bormann, E.R. et al. (1992) Mol. Microbiol. 6: 317-326.

To assess the presence or relative quantity of protein translated from this mRNA, standard techniques, such as a Western blot, may be employed (see, for example, Ausubel et al. (1988) Current Protocols in Molecular Biology, Wiley: New York). In this process, total cellular proteins are extracted, separated by gel electrophoresis, transferred to a matrix such as nitrocellulose, and incubated with a probe, such as an antibody, which specifically binds to the desired protein. This probe is generally tagged with a chemiluminescent or colorimetric label which may be readily detected. The presence and quantity of label observed indicates the presence and quantity of the desired mutant protein present in the cell.

20 Example 7: Growth of Genetically Modified *Corynebacterium glutamicum* — Media and Culture Conditions

Genetically modified *Corynebacteria* are cultured in synthetic or natural growth media. A number of different growth media for Corynebacteria are both well-known and readily available (Lieb *et al.* (1989) *Appl. Microbiol. Biotechnol.*, 32:205-210; von der Osten *et al.* (1998) *Biotechnology Letters*, 11:11-16; Patent DE 4,120,867; Liebl (1992) "The Genus *Corynebacterium*, in: The Procaryotes, Volume II, Balows, A. *et al.*, eds. Springer-Verlag). These media consist of one or more carbon sources, nitrogen sources, inorganic salts, vitamins and trace elements. Preferred carbon sources are sugars, such as mono-, di-, or polysaccharides. For example, glucose, fructose, mannose, galactose, ribose, sorbose, ribulose, lactose, maltose, sucrose, raffinose, starch or cellulose serve as very good carbon sources. It is also possible to supply sugar to the media via complex compounds such as molasses or other by-products from sugar refinement. It can also be

10

20

25

30

- 91 -

advantageous to supply mixtures of different carbon sources. Other possible carbon sources are alcohols and organic acids, such as methanol, ethanol, acetic acid or lactic acid. Nitrogen sources are usually organic or inorganic nitrogen compounds, or materials which contain these compounds. Exemplary nitrogen sources include ammonia gas or ammonia salts, such as NH₄Cl or (NH₄)₂SO₄, NH₄OH, nitrates, urea, amino acids or complex nitrogen sources like corn steep liquor, soy bean flour, soy bean protein, yeast extract, meat extract and others.

Inorganic salt compounds which may be included in the media include the chloride-, phosphorous- or sulfate- salts of calcium, magnesium, sodium, cobalt, molybdenum, potassium, manganese, zinc, copper and iron. Chelating compounds can be added to the medium to keep the metal ions in solution. Particularly useful chelating compounds include dihydroxyphenols, like catechol or protocatechuate, or organic acids, such as citric acid. It is typical for the media to also contain other growth factors, such as vitamins or growth promoters, examples of which include biotin, riboflavin, thiamin, folic acid, nicotinic acid, pantothenate and pyridoxin. Growth factors and salts frequently originate from complex media components such as yeast extract, molasses, corn steep liquor and others. The exact composition of the media compounds depends strongly on the immediate experiment and is individually decided for each specific case. Information about media optimization is available in the textbook "Applied Microbiol. Physiology, A Practical Approach (eds. P.M. Rhodes, P.F. Stanbury, IRL Press (1997) pp. 53-73, ISBN 0 19 963577 3). It is also possible to select growth media from commercial suppliers, like standard 1 (Merck) or BHI (grain heart infusion, DIFCO) or others.

All medium components are sterilized, either by heat (20 minutes at 1.5 bar and 121°C) or by sterile filtration. The components can either be sterilized together or, if necessary, separately. All media components can be present at the beginning of growth, or they can optionally be added continuously or batchwise.

Culture conditions are defined separately for each experiment. The temperature should be in a range between 15°C and 45°C. The temperature can be kept constant or can be altered during the experiment. The pH of the medium should be in the range of 5 to 8.5, preferably around 7.0, and can be maintained by the addition of buffers to the media. An exemplary buffer for this purpose is a potassium phosphate buffer. Synthetic buffers such as MOPS, HEPES, ACES and others can alternatively or simultaneously be used. It

is also possible to maintain a constant culture pH through the addition of NaOH or NH₄OH during growth. If complex medium components such as yeast extract are utilized, the necessity for additional buffers may be reduced, due to the fact that many complex compounds have high buffer capacities. If a fermentor is utilized for culturing the microorganisms, the pH can also be controlled using gaseous ammonia.

The incubation time is usually in a range from several hours to several days. This time is selected in order to permit the maximal amount of product to accumulate in the broth. The disclosed growth experiments can be carried out in a variety of vessels, such as microtiter plates, glass tubes, glass flasks or glass or metal fermentors of different sizes. 10 For screening a large number of clones, the microorganisms should be cultured in microtiter plates, glass tubes or shake flasks, either with or without baffles. Preferably 100 ml shake flasks are used, filled with 10% (by volume) of the required growth medium. The flasks should be shaken on a rotary shaker (amplitude 25 mm) using a speed-range of 100 - 300 rpm. Evaporation losses can be diminished by the maintenance of a humid atmosphere; alternatively, a mathematical correction for evaporation losses should be performed.

If genetically modified clones are tested, an unmodified control clone or a control clone containing the basic plasmid without any insert should also be tested. The medium is inoculated to an OD₆₀₀ of O.5 - 1.5 using cells grown on agar plates, such as CM plates (10 g/l glucose, 2,5 g/l NaCl, 2 g/l urea, 10 g/l polypeptone, 5 g/l yeast extract, 5 g/l meat extract, 22 g/l NaCl, 2 g/l urea, 10 g/l polypeptone, 5 g/l yeast extract, 5 g/l meat extract, 22 g/l agar, pH 6.8 with 2M NaOH) that had been incubated at 30°C. Inoculation of the media is accomplished by either introduction of a saline suspension of C. glutamicum cells from CM plates or addition of a liquid preculture of this bacterium.

25

30

15

20

Example 8 - In vitro Analysis of the Function of Mutant Proteins

The determination of activities and kinetic parameters of enzymes is well established in the art. Experiments to determine the activity of any given altered enzyme must be tailored to the specific activity of the wild-type enzyme, which is well within the ability of one of ordinary skill in the art. Overviews about enzymes in general, as well as specific details concerning structure, kinetics, principles, methods, applications and examples for the determination of many enzyme activities may be

found, for example, in the following references: Dixon, M., and Webb, E.C., (1979)
Enzymes. Longmans: London; Fersht, (1985) Enzyme Structure and Mechanism.
Freeman: New York; Walsh, (1979) Enzymatic Reaction Mechanisms. Freeman: San Francisco; Price, N.C., Stevens, L. (1982) Fundamentals of Enzymology. Oxford Univ.

Press: Oxford; Boyer, P.D., ed. (1983) The Enzymes, 3rd ed. Academic Press: New York; Bisswanger, H., (1994) Enzymkinetik, 2nd ed. VCH: Weinheim (ISBN 3527300325); Bergmeyer, H.U., Bergmeyer, J., Graßl, M., eds. (1983-1986) Methods of Enzymatic Analysis, 3rd ed., vol. I-XII, Verlag Chemie: Weinheim; and Ullmann's Encyclopedia of Industrial Chemistry (1987) vol. A9, "Enzymes". VCH: Weinheim, p. 352-363.

The activity of proteins which bind to DNA can be measured by several well-established methods, such as DNA band-shift assays (also called gel retardation assays). The effect of such proteins on the expression of other molecules can be measured using reporter gene assays (such as that described in Kolmar, H. et al. (1995) EMBO J. 14: 3895-3904 and references cited therein). Reporter gene test systems are well known and established for applications in both pro- and eukaryotic cells, using enzymes such as beta-galactosidase, green fluorescent protein, and several others.

The determination of activity of membrane-transport proteins can be performed according to techniques such as those described in Gennis, R.B. (1989) "Pores, Channels and Transporters", in Biomembranes, Molecular Structure and Function, Springer: Heidelberg, p. 85-137; 199-234; and 270-322.

20

Example 9: Analysis of Impact of Mutant Protein on the Production of the Desired Product

The effect of the genetic modification in *C. glutamicum* on production of a desired compound (such as an amino acid) can be assessed by growing the modified microorganism under suitable conditions (such as those described above) and analyzing the medium and/or the cellular component for increased production of the desired product (*i.e.*, an amino acid). Such analysis techniques are well known to one of ordinary skill in the art, and include spectroscopy, thin layer chromatography, staining methods of various kinds, enzymatic and microbiological methods, and analytical chromatography such as high performance liquid chromatography (see, for example,

Ullman, Encyclopedia of Industrial Chemistry, vol. A2, p. 89-90 and p. 443-613, VCH: Weinheim (1985); Fallon, A. et al., (1987) "Applications of HPLC in Biochemistry" in: Laboratory Techniques in Biochemistry and Molecular Biology, vol. 17; Rehm et al. (1993) Biotechnology, vol. 3, Chapter III: "Product recovery and purification", page 469-714, VCH: Weinheim; Belter, P.A. et al. (1988) Bioseparations: downstream processing for biotechnology, John Wiley and Sons; Kennedy, J.F. and Cabral, J.M.S. (1992) Recovery processes for biological materials, John Wiley and Sons; Shaeiwitz, J.A. and Henry, J.D. (1988) Biochemical separations, in: Ulmann's Encyclopedia of Industrial Chemistry, vol. B3, Chapter 11, page 1-27, VCH: Weinheim; and Dechow,
F.J. (1989) Separation and purification techniques in biotechnology, Noyes Publications.)

In addition to the measurement of the final product of fermentation, it is also possible to analyze other components of the metabolic pathways utilized for the production of the desired compound, such as intermediates and side-products, to determine the overall yield, production, and/or efficiency of production of the compound. Analysis methods include measurements of nutrient levels in the medium (e.g., sugars, hydrocarbons, nitrogen sources, phosphate, and other ions), measurements of biomass composition and growth, analysis of the production of common metabolites of biosynthetic pathways, and measurement of gasses produced during fermentation. Standard methods for these measurements are outlined in Applied Microbial Physiology, A Practical Approach, P.M. Rhodes and P.F. Stanbury, eds., IRL Press, p. 103-129; 131-163; and 165-192 (ISBN: 0199635773) and references cited therein.

15

20

25

30

Example 10: Purification of the Desired Product from C. glutamicum Culture

Recovery of the desired product from the *C. glutamicum* cells or supernatant of the above-described culture can be performed by various methods well known in the art. If the desired product is not secreted from the cells, the cells can be harvested from the culture by low-speed centrifugation, the cells can be lysed by standard techniques, such as mechanical force or sonication. The cellular debris is removed by centrifugation, and the supernatant fraction containing the soluble proteins is retained for further purification of the desired compound. If the product is secreted from the *C. glutamicum*

- 95 -

cells, then the cells are removed from the culture by low-speed centrifugation, and the supernate fraction is retained for further purification.

The supernatant fraction from either purification method is subjected to chromatography with a suitable resin, in which the desired molecule is either retained on a chromatography resin while many of the impurities in the sample are not, or where the impurities are retained by the resin while the sample is not. Such chromatography steps may be repeated as necessary, using the same or different chromatography resins. One of ordinary skill in the art would be well-versed in the selection of appropriate chromatography resins and in their most efficacious application for a particular molecule to be purified. The purified product may be concentrated by filtration or ultrafiltration, and stored at a temperature at which the stability of the product is maximized.

There are a wide array of purification methods known to the art and the preceding method of purification is not meant to be limiting. Such purification techniques are described, for example, in Bailey, J.E. & Ollis, D.F. Biochemical Engineering Fundamentals, McGraw-Hill: New York (1986).

10

15

20

25

30

The identity and purity of the isolated compounds may be assessed by techniques standard in the art. These include high-performance liquid chromatography (HPLC), spectroscopic methods, staining methods, thin layer chromatography, NIRS, enzymatic assay, or microbiologically. Such analysis methods are reviewed in: Patek et al. (1994) Appl. Environ. Microbiol. 60: 133-140; Malakhova et al. (1996) Biotekhnologiya 11: 27-32; and Schmidt et al. (1998) Bioprocess Engineer. 19: 67-70. Ulmann's Encyclopedia of Industrial Chemistry, (1996) vol. A27, VCH: Weinheim, p. 89-90, p. 521-540, p. 540-547, p. 559-566, 575-581 and p. 581-587; Michal, G. (1999) Biochemical Pathways: An Atlas of Biochemistry and Molecular Biology, John Wiley and Sons; Fallon, A. et al. (1987) Applications of HPLC in Biochemistry in: Laboratory Techniques in Biochemistry and Molecular Biology, vol. 17.

EXAMPLE 11: Cloning of a *Corynebacterium glutamicum* Gene Involved in Lincomycin Resistance Using a Reporter Gene Approach

A. Identification of the Gene Encoding the LMRB Protein

Plasmid pSL130 was constructed by ligation of the aceB promoter region (paceB) of C. glutamicum (Kim, H.J. et al. (1997) J. Microbiol. Biotechnol. 7: 287-292) into the polylinker of the lac operon fusion vector pRS415, which lacks a promoter (Simon, R.W. et al. (1987) Gene 53: 85-96). Plasmid pSL145 was constructed by ligating the resulting paceB-lac region into the E. coli cloning vector pACYC184. E. coli DH5αF' was transformed with pSL145 and the resulting strain was used as a host for screening of a genomic C. glutamicum library (in pSL109).

Transformants were screened by growth on agar medium containing 5-bromo-4-chloro-3-indolyl-beta-D-glalactopyranoside (X-Gal). A white colony, containing DNA influencing lacZ expression, was selected for further analysis. This clone was found to contain a 4 kB fragment from the gene library. Subclones were constructed in pSL109 and a subclone which retained the white phenotype on X-Gal plates was identified. This subclone was found to contain a 2.6 kB BamH1-XhoI fragment (plasmid pSL149-5). The fragment was sequenced and identified as a membrane protein-encoding gene (LMRB gene).

The 1442 nucleotides of the coding sequence of the LMRB gene encode a polypeptide of 481 amino acid residues with a high percentage of hydrophobic amino acids. A Genbank search determined that the LMRB protein is 40% identical to the protein product of the lmrB gene from *Bacillus subtilis* (Genbank Accession AL009126, TREMBL Accession P94422), as determined using a CLUSTAL W analysis (using standard parameters).

The LMRN protein contains a sequence pattern: 158-A-P-A-L-G-P-T-L-S-G-167 (SEQ ID NO:301), which resembles the known multi-drug-resistance-protein consensus motif G-X-X-X-G-P-X-X-G-G (SEQ ID NO:302) (Paulsen, I.T., and Skurray, R.A. (1993) *Gene* 124: 1-11). Therefore, the LMRB protein was classified as a drug resistance protein.

B. In vivo Analysis of ImrB Function

15

20

25

The lmrB gene was overexpressed in *C. glutamicum* ASO19E12 (Kim, H.J. *et al.* 30 (1997) *J. Microbiol. Biotechnol.* 7: 287-292) using the plasmid pSL149-5, described above.

15

20

30

Disruption of the LMRB gene was accomplished by use of the vector pSL18-lmrB. This vector was constructed as follows: an internal fragment of the LMRB gene was amplified by PCR under standard conditions using primers 5'-CTCCAGGATTGCTCCGAAGG-3' (SEQ ID NO:303) and 5'-

5 CACAGTGGTTGACCACTGGC-3' (SEQ ID NO:304). The resulting PCR product was treated with T7 DNA polymerase and T7 polynucleotide kinase, and was cloned into the SmaI site of plasmid pSL18 (Kim, Y.H. and H.-S. Lee (1996) J. Microbiol. Biotechnol. 6: 315-320). The disruption of the LMRB gene in C. glutamicum ASO19E12 was performed by conjugation, as previously described (Schwarzer and Puhler (1991) Bio/Technology 9:84-87).

C. glutamicum cells transformed with pSL149-5 displayed similar resistances as untransformed cells against erythromycin, penicillin G, tetracycline, chloramphenicol, spectinomycin, nalidixic acid, gentamycin, streptomycin, ethidium bromide, carbonyl cyanide m-chlorophenylhydrazone (CCCP), and sodium dodecyl sulfate. Significant differences were observed, however, in the resistance of transformed and untransformed cells to lincomycin.

LMRB-overexpressing *C. glutamicum* cells were found to be able to grow in the presence of 20 µg/ml lincomycin. In contrast, cells which do not overexpress LMRB (or cells carrying a LMRB disruption) were not able to grow on agar media containing 5 µg/ml lincomycin. This effect was clearly visible in liquid culture. LMRB overexpression led to a 9-fold increased resistance (compared to wild-type) against lincomycin and LMRB disruption resulted in a decreased resistance (28% of wild-type) to this antibiotic.

25 Example 12: Analysis of the Gene Sequences of the Invention

The comparison of sequences and determination of percent homology between two sequences are art-known techniques, and can be accomplished using a mathematical algorithm, such as the algorithm of Karlin and Altschul (1990) *Proc. Natl. Acad. Sci.* USA 87:2264-68, modified as in Karlin and Altschul (1993) *Proc. Natl. Acad. Sci.* USA 90:5873-77. Such an algorithm is incorporated into the NBLAST and XBLAST programs (version 2.0) of Altschul, *et al.* (1990) *J. Mol. Biol.* 215:403-10. BLAST nucleotide searches can be performed with the NBLAST program, score = 100,

wordlength = 12 to obtain nucleotide sequences homologous to SRT nucleic acid molecules of the invention. BLAST protein searches can be performed with the XBLAST program, score = 50, wordlength = 3 to obtain amino acid sequences homologous to SRT protein molecules of the invention. To obtain gapped alignments for comparison purposes, Gapped BLAST can be utilized as described in Altschul et al., (1997) Nucleic Acids Res. 25(17):3389-3402. When utilizing BLAST and Gapped BLAST programs, one of ordinary skill in the art will know how to optimize the parameters of the program (e.g., XBLAST and NBLAST) for the specific sequence being analyzed.

Another example of a mathematical algorithm utilized for the comparison of sequences is the algorithm of Meyers and Miller ((1988) Comput. Appl. Biosci. 4: 11-17). Such an algorithm is incorporated into the ALIGN program (version 2.0) which is part of the GCG sequence alignment software package. When utilizing the ALIGN program for comparing amino acid sequences, a PAM120 weight residue table, a gap length penalty of 12, and a gap penalty of 4 can be used. Additional algorithms for sequence analysis are known in the art, and include ADVANCE and ADAM. described in Torelli and Robotti (1994) Comput. Appl. Biosci. 10:3-5; and FASTA, described in Pearson and Lipman (1988) P.N.A.S. 85:2444-8.

10

20

25

The percent homology between two amino acid sequences can also be accomplished using the GAP program in the GCG software package (available at http://www.gcg.com), using either a Blosum 62 matrix or a PAM250 matrix, and a gap weight of 12, 10, 8, 6, or 4 and a length weight of 2, 3, or 4. The percent homology between two nucleic acid sequences can be accomplished using the GAP program in the GCG software package, using standard parameters, such as a gap weight of 50 and a length weight of 3.

A comparative analysis of the gene sequences of the invention with those present in Genbank has been performed using techniques known in the art (see, e.g., Bexevanis and Ouellette, eds. (1998) Bioinformatics: A Practical Guide to the Analysis of Genes and Proteins. John Wiley and Sons: New York). The gene sequences of the invention were compared to genes present in Genbank in a three-step process. In a first step, a BLASTN analysis (e.g., a local alignment analysis) was performed for each of the sequences of the invention against the nucleotide sequences present in Genbank, and the

- 99 -

top 500 hits were retained for further analysis. A subsequent FASTA search (e.g., a combined local and global alignment analysis, in which limited regions of the sequences are aligned) was performed on these 500 hits. Each gene sequence of the invention was subsequently globally aligned to each of the top three FASTA hits, using the GAP program in the GCG software package (using standard parameters). In order to obtain correct results, the length of the sequences extracted from Genbank were adjusted to the length of the query sequences by methods well-known in the art. The results of this analysis are set forth in Table 4. The resulting data is identical to that which would have been obtained had a GAP (global) analysis alone been performed on each of the genes of the invention in comparison with each of the references in Genbank, but required significantly reduced computational time as compared to such a database-wide GAP (global) analysis. Sequences of the invention for which no alignments above the cutoff values were obtained are indicated on Table 4 by the absence of alignment information. It will further be understood by one of ordinary skill in the art that the GAP alignment homology percentages set forth in Table 4 under the heading "% homology (GAP)" are listed in the European numerical format, wherein a ',' represents a decimal point. For example, a value of "40,345" in this column represents "40.345%".

Example 13: Construction and Operation of DNA Microarrays

10

15

30

The sequences of the invention may additionally be used in the construction and application of DNA microarrays (the design, methodology, and uses of DNA arrays are well known in the art, and are described, for example, in Schena, M. et al. (1995)

Science 270: 467-470; Wodicka, L. et al. (1997) Nature Biotechnology 15: 1359-1367;

DeSaizieu, A. et al. (1998) Nature Biotechnology 16: 45-48; and DeRisi, J.L. et al.

(1997) Science 278: 680-686).

DNA microarrays are solid or flexible supports consisting of nitrocellulose, nylon, glass, silicone, or other materials. Nucleic acid molecules may be attached to the surface in an ordered manner. After appropriate labeling, other nucleic acids or nucleic acid mixtures can be hybridized to the immobilized nucleic acid molecules, and the label may be used to monitor and measure the individual signal intensities of the hybridized molecules at defined regions. This methodology allows the simultaneous quantification of the relative or absolute amount of all or selected nucleic acids in the applied nucleic

acid sample or mixture. DNA microarrays, therefore, permit an analysis of the expression of multiple (as many as 6800 or more) nucleic acids in parallel (see, e.g., Schena, M. (1996) *BioEssays* 18(5): 427-431).

5

10

20

25

30

The sequences of the invention may be used to design oligonucleotide primers which are able to amplify defined regions of one or more *C. glutamicum* genes by a nucleic acid amplification reaction such as the polymerase chain reaction. The choice and design of the 5' or 3' oligonucleotide primers or of appropriate linkers allows the covalent attachment of the resulting PCR products to the surface of a support medium described above (and also described, for example, Schena, M. *et al.* (1995) *Science* 270: 467-470).

Nucleic acid microarrays may also be constructed by *in situ* oligonucleotide synthesis as described by Wodicka, L. et al. (1997) Nature Biotechnology 15: 1359-1367. By photolithographic methods, precisely defined regions of the matrix are exposed to light. Protective groups which are photolabile are thereby activated and undergo nucleotide addition, whereas regions that are masked from light do not undergo any modification. Subsequent cycles of protection and light activation permit the synthesis of different oligonucleotides at defined positions. Small, defined regions of the genes of the invention may be synthesized on microarrays by solid phase oligonucleotide synthesis.

The nucleic acid molecules of the invention present in a sample or mixture of nucleotides may be hybridized to the microarrays. These nucleic acid molecules can be labeled according to standard methods. In brief, nucleic acid molecules (e.g., mRNA molecules or DNA molecules) are labeled by the incorporation of isotopically or fluorescently labeled nucleotides, e.g., during reverse transcription or DNA synthesis. Hybridization of labeled nucleic acids to microarrays is described (e.g., in Schena, M. et al. (1995) supra; Wodicka, L. et al. (1997), supra; and DeSaizieu A. et al. (1998), supra). The detection and quantification of the hybridized molecule are tailored to the specific incorporated label. Radioactive labels can be detected, for example, as described in Schena, M. et al. (1995) supra) and fluorescent labels may be detected, for example, by the method of Shalon et al. (1996) Genome Research 6: 639-645).

The application of the sequences of the invention to DNA microarray technology, as described above, permits comparative analyses of different strains of C.

- 101 -

glutamicum or other Corynebacteria. For example, studies of inter-strain variations based on individual transcript profiles and the identification of genes that are important for specific and/or desired strain properties such as pathogenicity, productivity and stress tolerance are facilitated by nucleic acid array methodologies. Also, comparisons of the profile of expression of genes of the invention during the course of a fermentation reaction are possible using nucleic acid array technology.

Example 14: Analysis of the Dynamics of Cellular Protein Populations (Proteomics)

10

20

25

30

The genes, compositions, and methods of the invention may be applied to study the interactions and dynamics of populations of proteins, termed 'proteomics'. Protein populations of interest include, but are not limited to, the total protein population of *C. glutamicum* (e.g., in comparison with the protein populations of other organisms), those proteins which are active under specific environmental or metabolic conditions (e.g., during fermentation, at high or low temperature, or at high or low pH), or those proteins which are active during specific phases of growth and development.

Protein populations can be analyzed by various well-known techniques, such as gel electrophoresis. Cellular proteins may be obtained, for example, by lysis or extraction, and may be separated from one another using a variety of electrophoretic techniques. Sodium dodecyl sulfate polyacrylamide gel electrophoresis (SDS-PAGE) separates proteins largely on the basis of their molecular weight. Isoelectric focusing polyacrylamide gel electrophoresis (IEF-PAGE) separates proteins by their isoelectric point (which reflects not only the amino acid sequence but also posttranslational modifications of the protein). Another, more preferred method of protein analysis is the consecutive combination of both IEF-PAGE and SDS-PAGE, known as 2-D-gel electrophoresis (described, for example, in Hermann et al. (1998) Electrophoresis 19: 3217-3221; Fountoulakis et al. (1998) Electrophoresis 19: 1193-1202; Langen et al. (1997) Electrophoresis 18: 1184-1192; Antelmann et al. (1997) Electrophoresis 18: 1451-1463). Other separation techniques may also be utilized for protein separation, such as capillary gel electrophoresis; such techniques are well known in the art.

Proteins separated by these methodologies can be visualized by standard techniques, such as by staining or labeling. Suitable stains are known in the art, and

- 102 -

include Coomassie Brilliant Blue, silver stain, or fluorescent dyes such as Sypro Ruby (Molecular Probes). The inclusion of radioactively labeled amino acids or other protein precursors (e.g., ³⁵S-methionine, ³⁵S-cysteine, ¹⁴C-labelled amino acids, ¹⁵N-amino acids, ¹⁵NO₃ or ¹⁵NH₄⁺ or ¹³C-labelled amino acids) in the medium of *C. glutamicum* permits the labeling of proteins from these cells prior to their separation. Similarly, fluorescent labels may be employed. These labeled proteins can be extracted, isolated and separated according to the previously described techniques.

Proteins visualized by these techniques can be further analyzed by measuring the amount of dye or label used. The amount of a given protein can be determined quantitatively using, for example, optical methods and can be compared to the amount of other proteins in the same gel or in other gels. Comparisons of proteins on gels can be made, for example, by optical comparison, by spectroscopy, by image scanning and analysis of gels, or through the use of photographic films and screens. Such techniques are well-known in the art.

To determine the identity of any given protein, direct sequencing or other standard techniques may be employed. For example, N- and/or C-terminal amino acid sequencing (such as Edman degradation) may be used, as may mass spectrometry (in particular MALDI or ESI techniques (see, e.g., Langen et al. (1997) Electrophoresis 18: 1184-1192)). The protein sequences provided herein can be used for the identification of C. glutamicum proteins by these techniques.

The information obtained by these methods can be used to compare patterns of protein presence, activity, or modification between different samples from various biological conditions (e.g., different organisms, time points of fermentation, media conditions, or different biotopes, among others). Data obtained from such experiments alone, or in combination with other techniques, can be used for various applications, such as to compare the behavior of various organisms in a given (e.g., metabolic) situation, to increase the productivity of strains which produce fine chemicals or to increase the efficiency of the production of fine chemicals.

10

15

20

- 103 -

Equivalents

Those of ordinary skill in the art will recognize, or will be able to ascertain using no more than routine experimentation, many equivalents to the specific embodiments of the invention described herein. Such equivalents are intended to be encompassed by the following claims.

10

15

What is claimed:

- An isolated nucleic acid molecule from Corynebacterium glutamicum encoding a
 stress, resistance, or tolerance gene, or a portion thereof, provided that the nucleic acid molecule does not consist of any of the F-designated genes set forth in Table 1.
 - 2. The isolated nucleic acid molecule of claim 1, wherein said stress, resistance, or tolerance gene is selected from the group consisting of nucleic acid molecules involved in a stress response, tolerance, or resistance to temperature stresses, pH stresses, oxygen stresses, osmotic stresses, toxic chemicals, oxygen radicals, antibiotics, or to lincomycin.
 - 3. An isolated *Corynebacterium glutamicum* nucleic acid molecule selected from the group consisting of those sequences set forth as odd-numbered SEQ ID NOs of the Sequence Listing, or a portion thereof, provided that the nucleic acid molecule does not consist of any of the F-designated genes set forth in Table 1.
- 4. An isolated nucleic acid molecule which encodes a polypeptide sequence selected from the group consisting of those sequences set forth as even-numbered SEQ ID NOs of the Sequence Listing, provided that the nucleic acid molecule does not consist of any of the F-designated genes set forth in Table 1.
- 5. An isolated nucleic acid molecule which encodes a naturally occurring allelic variant of a polypeptide selected from the group of amino acid sequences consisting of those sequences set forth as even-numbered SEQ ID NOs of the Sequence Listing, provided that the nucleic acid molecule does not consist of any of the F-designated genes set forth in Table 1.
- 30 6. An isolated nucleic acid molecule comprising a nucleotide sequence which is at least 50% homologous to a nucleotide sequence selected from the group consisting of those sequences set forth as odd-numbered SEQ ID NOs of the Sequence Listing, or

- 105 -

a portion thereof, provided that the nucleic acid molecule does not consist of any of the F-designated genes set forth in Table 1.

- 7. An isolated nucleic acid molecule comprising a fragment of at least 15 nucleotides of a nucleic acid comprising a nucleotide sequence selected from the group consisting of those sequences set forth as odd-numbered SEQ ID NOs of the Sequence Listing, provided that the nucleic acid molecule does not consist of any of the F-designated genes set forth in Table 1.
- 10 8. An isolated nucleic acid molecule which hybridizes to the nucleic acid molecule of any one of claims 1-7 under stringent conditions.
 - An isolated nucleic acid molecule comprising the nucleic acid molecule of any one
 of claims 1-8 or a portion thereof and a nucleotide sequence encoding a heterologous
 polypeptide.
 - 10. A vector comprising the nucleic acid molecule of any one of claims 1-9.
 - 11. The vector of claim 10, which is an expression vector.

20

15

- 12. A host cell transfected with the expression vector of claim 11.
- 13. The host cell of claim 12, wherein said cell is a microorganism.
- 25 14. The host cell of claim 13, wherein said cell belongs to the genus *Corynebacterium* or *Brevibacterium*.
 - 15. The host cell of claim 12, wherein the expression of said nucleic acid molecule results in the modulation in production of a fine chemical from said cell.

30

16. The host cell of claim 15, wherein said fine chemical is selected from the group consisting of: organic acids, proteinogenic and nonproteinogenic amino acids, purine

10

15

20

25

and pyrimidine bases, nucleosides, nucleotides, lipids, saturated and unsaturated fatty acids, diols, carbohydrates, aromatic compounds, vitamins, cofactors, polyketides, and enzymes.

- 5 17. A method of producing a polypeptide comprising culturing the host cell of claim 12 in an appropriate culture medium to, thereby, produce the polypeptide.
 - 18. An isolated stress, resistance, or tolerance polypeptide from *Corynebacterium* glutamicum, or a portion thereof.
- 19. The protein of claim 18, wherein said stress, resistance, or tolerance polypeptide is selected from the group consisting of proteins involved in a stress response, tolerance, or resistance to temperature stresses, pH stresses, oxygen stresses, osmotic stresses, toxic chemicals, oxygen radicals, antibiotics, or to lincomycin.
 - 20. An isolated polypeptide comprising an amino acid sequence selected from the group consisting of those sequences set forth as even-numbered SEQ ID NOs of the Sequence Listing, provided that the amino acid sequence is not encoded by any of the F-designated genes set forth in Table 1.
 - 21. An isolated polypeptide comprising a naturally occurring allelic variant of a polypeptide comprising an amino acid sequence selected from the group consisting of those sequences set forth as even-numbered SEQ ID NOs of the Sequence Listing, or a portion thereof, provided that the amino acid sequence is not encoded by any of the F-designated genes set forth in Table 1.
 - 22. The isolated polypeptide of any of claims 18-21, further comprising heterologous amino acid sequences.
- 30 23. An isolated polypeptide which is encoded by a nucleic acid molecule comprising a nucleotide sequence which is at least 50% homologous to a nucleic acid selected from the group consisting of those sequences set forth as odd-numbered SEQ ID

- 107 -

PCT/IB00/00922

NOs of the Sequence Listing,, provided that the nucleic acid molecule does not consist of any of the F-designated nucleic acid molecules set forth in Table 1.

- 24. An isolated polypeptide comprising an amino acid sequence which is at least 50% homologous to an amino acid sequence selected from the group consisting of those sequences set forth as even-numbered SEQ ID NOs of the Sequence Listing, provided that the amino acid sequence is not encoded by any of the F-designated genes set forth in Table 1.
- 10 25. A method for producing a fine chemical, comprising culturing a cell containing a vector of claim 12 such that the fine chemical is produced.
 - 26. The method of claim 25, wherein said method further comprises the step of recovering the fine chemical from said culture.

15

WO 01/00804

- 27. The method of claim 25, wherein said method further comprises the step of transfecting said cell with the vector of claim 11 to result in a cell containing said vector.
- 20 28. The method of claim 25, wherein said cell belongs to the genus *Corynebacterium* or *Brevibacterium*.
 - 29. The method of claim 25, wherein said cell is selected from the group consisting of: Corynebacterium glutamicum, Corynebacterium herculis, Corynebacterium, lilium,
- 25 Corynebacterium acetoacidophilum, Corynebacterium acetoglutamicum,
 Corynebacterium acetophilum, Corynebacterium ammoniagenes, Corynebacterium
 fujiokense, Corynebacterium nitrilophilus, Brevibacterium ammoniagenes,
 Brevibacterium butanicum, Brevibacterium divaricatum, Brevibacterium flavum,
 Brevibacterium healii, Brevibacterium ketoglutamicum, Brevibacterium

30 ketosoreductum, Brevibacterium lactofermentum, Brevibacterium linens, Brevibacterium paraffinolyticum, and those strains set forth in Table 3.

- 108 -

- 30. The method of claim 25, wherein expression of the nucleic acid molecule from said vector results in modulation of production of said fine chemical.
- 31. The method of claim 25, wherein said fine chemical is selected from the group consisting of: organic acids, proteinogenic and nonproteinogenic amino acids, purine and pyrimidine bases, nucleosides, nucleotides, lipids, saturated and unsaturated fatty acids, diols, carbohydrates, aromatic compounds, vitamins, cofactors, polyketides and enzymes.
- 10 32. The method of claim 25, wherein said fine chemical is an amino acid.
 - 33. The method of claim 32, wherein said amino acid is drawn from the group consisting of: lysine, glutamate, glutamine, alanine, aspartate, glycine, serine, threonine, methionine, cysteine, valine, leucine, isoleucine, arginine, proline, histidine, tyrosine, phenylalanine, and tryptophan.
 - 34. A method for producing a fine chemical, comprising culturing a cell whose genomic DNA has been altered by the inclusion of a nucleic acid molecule of any one of claims 1-9.

20

25

15

5

- 35. A method for diagnosing the presence or activity of Corynebacterium diphtheriae in a subject, comprising detecting the presence of one or more SEQ ID NOs 1 through 304 of the Sequence Listing in the subject, provided that the sequences are not or are not encoded by any of the F-designated sequences set forth in Table 1, thereby diagnosing the presence or activity of Corynebacterium diphtheriae in the subject.
- 36. A host cell comprising a nucleic acid molecule selected from the group consisting of the nucleic acid molecules set forth as odd-numbered SEQ ID NOs of the Sequence Listing, wherein the nucleic acid molecule is disrupted.

30

37. A host cell comprising a nucleic acid molecule selected from the group consisting of the nucleic acid molecules set forth as odd-numbered SEQ ID NOs of the

- 109 -

Sequence Listing, wherein the nucleic acid molecule comprises one or more nucleic acid modifications from the sequence set forth as odd-numbered SEQ ID NOs of the Sequence Listing.

38. A host cell comprising a nucleic acid molecule selected from the group consisting of the nucleic acid molecules set as odd-numbered SEQ ID NOs of the Sequence Listing, wherein the regulatory region of the nucleic acid molecule is modified relative to the wild-type regulatory region of the molecule.

SEQUENCE LISTING

| | 0> C | ORYN | Akti EBAC TANC | TERI | UM G | LUTA | MICU | | | ENCO | DING | STR | ESS, | | | |
|--------|---------------|-------|----------------------|------|------|------|-------|------|------|------|------|------|------|-------|------------|-----|
| <130 | | | 24CP | | | | | | | | | | | | | |
| <140 | | | | | | | | | | | | | | | | |
| <14 | - | | | | | | | | | | | | | | | |
| | 0> 3 | 0.4 | | | | | | | | | | | | | | |
| 120 | J- J | • • | | | | | | | | | | | | | | |
| | 0> 1 1> 1: | 566 | | | | | | | | | | | | | | |
| | 2> Di | | | | | | | | | | | | | | • | |
| <213 | 3> °C | oryn | ebac | teri | um g | luta | micu | m | | | | | | | | |
| | | | | | , | | | | | | | | | | | |
| <220 |)> | | | | | | | | | | | | | | | |
| <22 | L> C | DS | | | | | | | • | | | | | | | |
| <222 | 2> (| 101) | (1 | 543) | | | | | | | | | | | | |
| <223 | 3> R | XA01 | 524 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| <400 | | | | | | | | | | | | | | | | |
| ttgt | ggc | act (| cttt | agta | gt t | tttt | ctca | t ag | ctca | gttt | cgc | aact | tta | gagaa | actcta | 60 |
| | | | | | | | | | | • | | | | | | |
| gaaa | actga | agc ' | ttca | tgct | gt g | aaag | gcct | t tt | ctcc | attc | | | | | | 115 |
| | | | | | | | | | | | | Asp | Ser | Gln | | |
| | | | | | | | | | | | 1 | | | | 5 | |
| | | | | | | | | | | | + | | ~~~ | a+ a | a++ | 162 |
| aat | act | cag | acc | tet | ccg | gca | gct | gcg | aag | ctg | Des | agg | gag | gee | get val | 163 |
| Asn | Thr | Gin | Thr | | Pro | Ата | Ата | ATA | | Leu | Pro | Arg | GIU | | vaı | |
| | | | | 10 | | | | | 15 | | | | | 20 | | |
| att | at t | ctt | tca | atc | ctc | ata | att | tee | aca | atg | atc | ato | att | ctt | aat | 211 |
| | | | | | | | | | | Met | | | | | | |
| V 44 1 | V 44.1 | DC u | 25 | 110 | 200 | vul | , , , | 30 | **** | | | | 35 | | | |
| | | | | | | | | | | | | | | | | |
| gaa | acc | att | cta | tca | att | aca | tta | cct | tcc | atc | atq | gaa | qat | ttc | tcc | 259 |
| Glu | Thr | Ile | Leu | Ser | Val | Ala | Leu | Pro | Ser | Ile | Met | Ğlu | Asp | Phe | Ser | |
| | | 40 | | | | | 45 | | | | | 50 | • | | | |
| | | | | | | | | | | | | | | | | |
| gtg | cct | gaa | act | act | gca | cag | tgg | ttg | acc | act | ggc | ttt | atg | ttg | acg | 307 |
| Val | Pro | Ğlu | Thr | Thr | Ăla | Gln | Trp | Leu | Thr | Thr | ĞÎy | Phe | Met | Leu | Thr | |
| | 55 | | | | | 60 | _ | | | | 65 | | | | | |
| | | | | | | | | | | | | | | | | |
| atg | gca | gtg | gtg | att | cca | act | act | ggt | tat | ctg | ctt | gat | cgt | ttt | tcc | 355 |
| | | | | | | | | | | Leu | | | | | | |
| 70 | | | | | 75 | | | | | 80 | | | | | 85 | |
| | | | | | | | | | | | | | | | | |
| act | aag | acg | atc | ttt | gtt | act | gcg | ttg | ttg | ttc | ttt | acg | gtt | ggt | acg | 403 |
| Thr | Lys | Thr | Ile | Phe | Val | Thr | Ala | Leu | Leu | Phe | Phe | Thr | Val | Gly | Thr | |
| | _ | | | 90 | | | | | 95 | | | | | 100 | | |
| | | | | | | | | | | | | | | | | |
| ttg | act | gcg | gcg | ttg | gct | cca | acg | ttt | gcg | gtg | ctg | ctt | ggt | gct | cgt | 451 |
| Leu | Thr | Ala | Ala | Leu | Ala | Pro | Thr | Phe | Ala | Val | Leu | Leu | Gly | Ala | Arg | |
| | | | 105 | | | | | 110 | | | | | 115 | | | |
| | | | | | | | | | | | | | | | | |
| atc | gtt | cag | gcg | gtt | ggt | act | gcg | ctg | gtg | atg | cct | ttg | ctg | atg | acg | 499 |
| Ile | Val | Gln | Ala | Val | Gly | Thr | Ala | Leu | Val | Met | Pro | Leu | Leu | Met | Thr | |
| | | | | | | | | | | | | | | | | • |

1

120 125 130

| | | | | 123 | | | | | | |
|-----|-------------------|---|---|-----|---|---|---|---|---|---------|
| | ttg Leu | | | | | | | | | 547 |
| Ile | tcc Ser | | | | | | | | | 595 |
| | gtc Val | | | | | | | | | 643 |
| | ccg Pro | | | | | | | | | 691 |
| | atc Ile 200 | | | | | | | | | 739 |
| | tcg Ser | | | | | | | | | 787 |
| | gca Ala | | | | | | | | | 835 |
| | ggc Gly | | | | | | | | | 883 |
| | aag Lys | - | _ | _ | _ | _ | _ | _ | _ | 931 |
| | ttc Phe 280 | | | | | | | | | 979 |
| | gga Gly | | | | | | | | | 1027 |
| | act Thr | | | | | | | | | 1075 |
| | ggt Gly | | | | | | | | | 1123 |
| | cgt Arg | | | Pro | | | | | | 1171 |

| Ala | | | | | ttt Phe | | | | | | | | | | | 1219 |
|--|--|--|--|--------------------------------|-----------------------------------|---------------------|--------------------------------|-------------------------|-------------------------|---------------------------------|-------------------|-------------------------|-------------------------|-------------------------|------------|------|
| | | Met | | | gtg Val | | | | | | | | | | | 1267 |
| | Leu | | | | gct Ala 395 | | | | | | | | | | | 1315 |
| | | | | | ttg Leu | | | | | | | | | | | 1363 |
| | | | | | att Ile | | | | | | | | | | | 1411 |
| | | | | | gcg Ala | | | | | | | | | | | 1459 |
| | | | | | ggc Gly | | | | | | | | | | | 1507 |
| | | | | | | | | | | | | | | | | |
| | Leu | | | | cgc Arg 475 | | | | | | | taaa | taco | caa | | 1553 |
| Ser 470 | Leu | Phe | Val | | Arg | | | | | Ala | | taaa | itaco | caa | | 1553 |
| Ser 470 aaa <21 <21 <21 <21 | Leu atgg 0> 2 1> 40 2> PI 3> Co | Phe ggc a 31 RT | Val | Thr | Arg | Val | Glu | Glu | | Ala | | taaa | itaco | caa | | |
| Ser 470 aaa <21 <21 <21 <40 | Leu atgg 0> 2 1> 40 2> PI 3> Co 0> 2 | Phe ggc a 31 RT oryne | Val nga ebact | Thr eriu | Arg 475 | Val .utam | Glu nicum | Glu | Glu | Ala 480 | His | | | | Leu | |
| Ser 470 aaa <21 <21 <21 <40 Met | Leu atgge 0> 2 1> 48 2> PB 3> Cc 0> 2 Asp | Phe ggc a 31 RT oryne Ser | Val nga ebact | eriu Ile 5 | Arg 475 um gl | Val | Glu nicum Gln | Glu | Ser 10 | Ala 480 Pro | His | Ala | Ala | Lys 15 | | |
| Ser 470 aaa <21 <21 <21 <40 Met 1 | Leu atgg 0> 2 1> 48 2> PH 3> Cc 0> 2 Asp Arg | Phe ggc a 31 RT bryne Ser Glu | Val aga ebact Gln Val 20 | eriu Ile 5 Val | Arg 475 um gl Asn | .utam Thr | Glu Gln Leu | Thr Ser 25 | Ser 10 | Ala 480 Pro Leu | Ala Val | Ala Val | Ala Ser 30 | Lys 15 Ala | Met | |
| Ser 470 aaa <21 <21 <21 <40 Met 1 Pro | Leu atgg 0> 2 1> 48 2> PH 3> Cc 0> 2 Asp Arg Met | Phe ggc a 31 RT oryne Ser Glu Ile 35 | Val aga ebact Gln Val 20 Leu | eriu Ile 5 Val Asn | Arg 475 um gl Asn Val | .utam Thr Val | Glu Gln Leu Ile 40 | Thr Ser 25 Leu | Ser 10 Ile Ser | Ala 480 Pro Leu Val | Ala Val Ala | Ala Val Leu 45 | Ala Ser 30 Pro | Lys 15 Ala Ser | Met Ile | |

| Leu | Asp | Arç | Phe | Ser 85 | | Lys | Thr | Ile | Phe 90 | Val | Thr | Ala | Leu | Leu 95 | Phe |
|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Phe | Thr | Val | Gly 100 | | Leu | Thr | Ala | Ala 105 | | Ala | Pro | Thr | Phe 110 | Ala | Val |
| Leu | Leu | Gly 115 | Ala | Arg | Ile | Val | Gln 120 | | Val | Gly | Thr | Ala 125 | Leu | Val | Met |
| Pro | Leu 130 | | Met | Thr | Val | Thr 135 | | Thr | Val | Val | Pro 140 | Ala | Glu | Arg | Arg |
| Gly 145 | | Met | Met | Gly | Ile 150 | | Ser | Ile | Val | Ile 155 | Ser | Val | Ala | Pro | Ala 160 |
| Leu | Gly | Pro | Thr | Leu 165 | | Gly | Val | Ile | Leu 170 | Asn | Ser | Leu | Thr | Trp 175 | His |
| Trp | Leu | Phe | Trp 180 | | Met | Leu | Pro | Ile 185 | Val | Val | Ile | Ala | Leu 190 | Val | Ile |
| Gly | Phe | Phe 195 | Leu | Ile | Lys | Asn | Ile 200 | Gly | Glu | Thr | Lys | Ile 205 | Thr | Pro | Leu |
| Asp | Val 210 | | Ser | Val | Ile | Leu 215 | Ser | Val | Phe | Ala | Phe 220 | Gly | Gly | Leu | Val |
| Tyr 225 | Gly | Phe | Ser | Ser | Phe 230 | Gly | Ala | Ile | Leu | Glu 235 | Gly | Glu | Gly | Thr | Val 240 |
| Gly | Ile | Phe | Ala | 11e 245 | Val | Val | Gly | Ala | Ile 250 | Ala | Leu | Leu | Ile | Phe 255 | Ala |
| Leu | Arg | Gln | His 260 | Gln | .Leu | Gly | Lys | Gln 265 | Asp | Lys | Ala | Leu | Met 270 | Asp | Leu |
| Arg | Ala | Phe 275 | Lys | Val | Arg | Asn | Phe 280 | Ser | Phe | Ser | Leu | Thr 285 | Thr | Ile | Leu |
| Leu | Ala 290 | Phe | Gly | Ala | Met | Leu 295 | Gly | Thr | Val | Met | Val 300 | Leu | Pro | Ile | Tyr |
| Leu 305 | Gln | Thr | Ser | | Gly 310 | | Thr | Ala | | Val 315 | | Gly | Leu | Val | Val 320 |
| Met | Pro | Gly | Gly | Leu 325 | Leu | Gln | Gly | Leu | Ile 330 | Ser | Pro | Phe | Ile | Gly 335 | Arg |
| Phe | Tyr | Asp | Lys 340 | Val | Gly | Pro | Arg | Pro 345 | Leu | Leu | Ile | Pro | Gly 350 | Ala | Ile |
| Ala | Leu | Ala 355 | Ile | Ala | Ala | Ser | Ser 360 | Met | Thr | Phe | Leu | Asn 365 | Glu | Asn | Ser |
| Pro | Val 370 | Trp | Met | Val | Val | Val 375 | Met | His | Val | Val | Phe 380 | Ser | Ile | Gly | Met |

Cys Leu Met Met Thr Pro Leu Met Thr Thr Ala Leu Gly Ala Leu Pro 390 Lys His Leu Tyr Gly His Gly Ser Ala Ile Leu Asn Thr Phe Gln Gln 405 410 Leu Ala Gly Ala Ala Gly Thr Ala Ile Met Ile Ala Ala Leu Ser Phe 425 Gly Thr Ser Ile Ala Ala Ser Ser Gly Ser Ala His Ala Glu Ala Val 440 435 Ala Ala Gly Thr Lys Val Ala Phe Ile Ala Gly Ala Ile Ile Ala Val 455 Ile Ala Leu Val Val Ser Leu Phe Val Thr Arg Val Glu Glu Glu Ala 470 475 His <210> 3 <211> 371 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (52)..(348) <223> RXA00497 tggaaaccca caaccggcac acacaaaatt tttctcatgg agggattcac cgtg gca Val Ala aac gtc aac atc aag ccg ctt gag gac aag atc ctc gtt cag atc aac 105 Asn Val Asn Ile Lys Pro Leu Glu Asp Lys Ile Leu Val Gln Ile Asn 10 gaa gca gag acc acc acc gct tcc ggc ctg gtc att cca gat tcc gct 153 Glu Ala Glu Thr Thr Thr Ala Ser Gly Leu Val Ile Pro Asp Ser Ala aag gaa aag cca caa gag gca acc gtt atc gca gtt ggc cca ggc cgc Lys Glu Lys Pro Gln Glu Ala Thr Val Ile Ala Val Gly Pro Gly Arg ttc gat gac aag ggt aac cgc atc cca ctg gac atc aag gaa gat gac Phe Asp Asp Lys Gly Asn Arg Ile Pro Leu Asp Ile Lys Glu Asp Asp gtt gtg atc ttc tcc cgt tac ggc ggc acc gag atc aag ttc ggt ggc Val Val Ile Phe Ser Arg Tyr Gly Gly Thr Glu Ile Lys Phe Gly Gly

5

gtg gag tac ttg ctt ctc tcc gct cgt gac atc ctc gca atc gtc gag Val Glu Tyr Leu Leu Ser Ala Arg Asp Ile Leu Ala Ile Val Glu 85 371 aag taggggataa gttcatggca aag Lys <210> 4 <211> 99 <212> PRT <213> Corynebacterium glutamicum <400> 4 Val Ala Asn Val Asn Ile Lys Pro Leu Glu Asp Lys Ile Leu Val Gln 15 1 10 Ile Asn Glu Ala Glu Thr Thr Thr Ala Ser Gly Leu Val Ile Pro Asp Ser Ala Lys Glu Lys Pro Gln Glu Ala Thr Val Ile Ala Val Gly Pro 35 Gly Arg Phe Asp Asp Lys Gly Asn Arg Ile Pro Leu Asp Ile Lys Glu Asp Asp Val Val Ile Phe Ser Arg Tyr Gly Gly Thr Glu Ile Lys Phe 65 Gly Gly Val Glu Tyr Leu Leu Ser Ala Arg Asp Ile Leu Ala Ile Val Glu Lys <210> 5 <211> 1737 <212> DNA

| | | | | | | | ctc Leu 30 | | | | | | | 211 |
|-------------------|---|-------|-----|---|---|---|-------------------|---|---|---|---|---|---|-----|
| | | | | | | | cct Pro | | | | | | | 259 |
| | | | | | | | gag Glu | | | | | | | 307 |
| | | | | | | | gtt Val | | | | | | | 355 |
| - | | _ | | _ | | _ | ctt Leu | - | _ | _ | | _ | _ | 403 |
| | | | | | | | gca Ala 110 | | | | | | | 451 |
| | | | | | | | acc Thr | | | | | | | 499 |
| | | | | | | | gaa Glu | | | | | | | 547 |
| | | | | | | | gag Glu | | | | | | | 595 |
| • | - | _ | - | | _ | - | acc Thr | _ | | - | _ | | | 643 |
| | | | | | | | ggt Gly 190 | | | | | | | 691 |
| | | | | | | | aac Asn | | | | | | | 739 |
| | | | | | | | cgc Arg | | | | | | | 787 |
| gac Asp 230 | | | Leu | | | | | | | | | | | 835 |

| ctg Leu | atc | Ile | gca Ala | gaa Glu 250 | Asp | gtc Val | gag Glu | ggc | gag Glu 255 | Pro | ttg Leu | cag Gln | acc Thr | ctg Leu 260 | gtt Val | 883 |
|------------|------------|-------------------|-------------------|-------------------|------------|------------|-------------------|-----|-------------------|------------|------------|-------------------|------------|-------------------|------------|------|
| | | | atc Ile 265 | Arg | | | | | Val | | | | | | | 931 |
| tac Tyr | ttc Phe | ggt Gly 280 | gac Asp | cga Arg | cgc Arg | aag Lys | gcg Ala 285 | Phe | atg Met | gat Asp | gac Asp | ctg Leu 290 | gct Ala | att Ile | gtc Val | 979 |
| | | | act Thr | | | | | | | | | | | | | 1027 |
| | | | gaa Glu | | | | | | | | | | | | | 1075 |
| | | | atc Ile | | | | | | | | | | | | | 1123 |
| | | | ggc Gly 345 | | | | | | | | | | | | | 1171 |
| | - | _ | gaa Glu | _ | _ | _ | | _ | _ | _ | _ | | | | | 1219 |
| | | | atc Ile | | | | | | | | | | | | | 1267 |
| | | | cgt Arg | | | | | | | | | | | | | 1315 |
| | | | gtt Val | | | | | | | | | | | | | 1363 |
| | | | aag Lys 425 | | | | | | | | | | | | | 1411 |
| | - | - | gca Ala | - | _ | | - | _ | | - | | | | | | 1459 |
| | | | gca Ala | | | | | | | | | | | | | 1507 |
| gct | ctg | cca | aac | ggc | gag | ggc | ttc | aac | gct | gca | act | ttg | gaa | tac | gga | 1555 |

Ala Leu Pro Asn Gly Glu Gly Phe Asn Ala Ala Thr Leu Glu Tyr Gly aac ctg atc aac gac ggt gtc atc gac cca gtc aag gtc acc cat tcc 1603 Asn Leu Ile Asn Asp Gly Val Ile Asp Pro Val Lys Val Thr His Ser 490 495 1651 gca gta gtg aat gca acc tct gtt gca cgc atg gtt ctg acc act gag Ala Val Val Asn Ala Thr Ser Val Ala Arg Met Val Leu Thr Thr Glu 510 get tet gtt gtt gag aag eet gea gaa gea gee gat gea eat gea 1699 Ala Ser Val Val Glu Lys Pro Ala Glu Glu Ala Ala Asp Ala His Ala 525 530 1737 gga cat cat cac cac taaagttctg tgaaaaacac cgt Gly His His His 535 <210> 6 <211> 538 <212> PRT <213> Corynebacterium glutamicum Met Ala Lys Leu Ile Ala Phe Asp Gln Asp Ala Arg Glu Gly Ile Leu Arg Gly Val Asp Ala Leu Ala Asn Ala Val Lys Val Thr Leu Gly Pro Arg Gly Arg Asn Val Val Leu Asp Lys Ala Phe Gly Gly Pro Leu Val Thr Asn Asp Gly Val Thr Ile Ala Arg Asp Ile Asp Leu Glu Asp Pro Phe Glu Asn Leu Gly Ala Gln Leu Val Lys Ser Val Ala Val Lys Thr Asn Asp Ile Ala Gly Asp Gly Thr Thr Thr Ala Thr Leu Leu Ala Gln Ala Leu Ile Ala Glu Gly Leu Arg Asn Val Ala Ala Gly Ala Asn Pro Met Glu Leu Asn Lys Gly Ile Ser Ala Ala Ala Glu Lys Thr Leu Glu Glu Leu Lys Ala Arg Ala Thr Glu Val Ser Asp Thr Lys Glu Ile Ala Asn Val Ala Thr Val Ser Ser Arg Asp Glu Val Val Gly Glu Ile Val 145 150 Ala Ala Met Glu Lys Val Gly Lys Asp Gly Val Val Thr Val Glu

165 170 175

Glu Ser Gln Ser Ile Glu Thr Ala Leu Glu Val Thr Glu Gly Ile Ser 180 185 190

Phe Asp Lys Gly Tyr Leu Ser Pro Tyr Phe Ile Asn Asp Asn Asp Thr 195 200 205

Gln Gln Ala Val Leu Asp Asn Pro Ala Val Leu Leu Val Arg Asn Lys 210 215 220

Ile Ser Ser Leu Pro Asp Phe Leu Pro Leu Leu Glu Lys Val Val Glu 225 230 235 240

Ser Asn Arg Pro Leu Leu Ile Ile Ala Glu Asp Val Glu Gly Glu Pro 245 250 255

Leu Gln Thr Leu Val Val Asn Ser Ile Arg Lys Thr Ile Lys Val Val 260 265 270

Ala Val Lys Ser Pro Tyr Phe Gly Asp Arg Arg Lys Ala Phe Met Asp 275 . 280 285

Asp Leu Ala Ile Val Thr Lys Ala Thr Val Val Asp Pro Glu Val Gly 290 295 300

Ile Asn Leu Asn Glu Ala Gly Glu Glu Val Phe Gly Thr Ala Arg Arg 305 310 315 320

Ile Thr Val Ser Lys Asp Glu Thr Ile Ile Val Asp Gly Ala Gly Ser 325 330 335

Ala Glu Asp Val Glu Ala Arg Arg Gly Gln Ile Arg Arg Glu Ile Ala 340 345 350

Asn Thr Asp Ser Thr Trp Asp Arg Glu Lys Ala Glu Glu Arg Leu Ala 355 360 365

Lys Leu Ser Gly Gly Ile Ala Val Ile Arg Val Gly Ala Ala Thr Glu 370 375 380

Thr Glu Val Asn Asp Arg Lys Leu Arg Val Glu Asp Ala Ile Asn Ala 385 390 395 400

Ala Arg Ala Ala Gln Glu Gly Val Ile Ala Gly Gly Gly Ser Ala 405 410 415

Leu Val Gln Ile Ala Glu Thr Leu Lys Ala Tyr Ala Glu Glu Phe Glu 420 425 430

Gly Asp Gln Lys Val Gly Val Arg Ala Leu Ala Thr Ala Leu Gly Lys 435 440 445

Pro Ala Tyr Trp Ile Ala Ser Asn Ala Gly Leu Asp Gly Ser Val Val 450 455 460

Val Ala Arg Thr Ala Ala Leu Pro Asn Gly Glu Gly Phe Asn Ala Ala

465 470 475 Thr Leu Glu Tyr Gly Asn Leu Ile Asn Asp Gly Val Ile Asp Pro Val 490 Lys Val Thr His Ser Ala Val Val Asn Ala Thr Ser Val Ala Arg Met 500 505 Val Leu Thr Thr Glu Ala Ser Val Val Glu Lys Pro Ala Glu Glu Ala 520 Ala Asp Ala His Ala Gly His His His 530 535 <210> 7 <211> 1339 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1339) <223> FRXA00498 <400> 7 cccgttacgg cggcaccgag atcaagttcg gtggcgtgga gtacttgctt ctctccgctc 60 gtgacatect egeaategte gagaagtagg ggataagtte atg gea aag etc att Met Ala Lys Leu Ile get ttt gac cag gac gee ege gaa gge att ete egg gge gtt gac get Ala Phe Asp Gln Asp Ala Arg Glu Gly Ile Leu Arg Gly Val Asp Ala 10 ctg gca aac gct gtc aag gta acc ctc ggc cca cgc ggc cgt aac gtg 211 Leu Ala Asn Ala Val Lys Val Thr Leu Gly Pro Arg Gly Arg Asn Val gtt ctt gat aag gca ttc ggc gga cct ctg gtc acc aac gac ggt gtc 259 Val Leu Asp Lys Ala Phe Gly Gly Pro Leu Val Thr Asn Asp Gly Val 40 307 ace att gee ege gae ate gae ett gag gat eet tit gag aac ete ggt Thr Ile Ala Arg Asp Ile Asp Leu Glu Asp Pro Phe Glu Asn Leu Gly 60 gcg cag ctg gtg aag tcc gtt gct gtt aag acc aac gac atc gct ggt 355 Ala Gln Leu Val Lys Ser Val Ala Val Lys Thr Asn Asp Ile Ala Gly 403 gac ggc acc acg act gca act ctg ctt gct cag gca ctc att gct gaa Asp Gly Thr Thr Thr Ala Thr Leu Leu Ala Gln Ala Leu Ile Ala Glu

ggc ctg cgc aac gtt gct gct ggc gca aac cca atg gag ctc aac aag

90

| Gly | Leu | Arg | Asn 105 | | Ala | Ala | Gly | Ala 110 | Pro | Met | Glu | Leu 115 | Asn | Lys | |
|-----|-----|-----|------------|---|-----|-----|-----|-------------------|-------|-----|-----|------------|-----|------------|------|
| | | | Ala | | | | | acc Thr | | | | | | | 499 |
| | | Glu | | | | | | gaa Glu | | | | | | | 547 |
| | Ser | | | | | | | gag Glu | | | | | | | 595 |
| | | | | | | | | acc Thr | | | | | | | 643 |
| | | _ | | | _ | | - | ggt Gly 190 | | | _ | - | | | 691 |
| | | | | | | | | aac Asn | | | | | | | 739 |
| - | | | - | | _ | | • | cgc Arg | _ | | | | | | 787 |
| - | | | | _ | _ | | _ | gtt Val | - | | | - | | _ | 835 |
| _ | | | _ | _ | • | _ | | ggc Gly | | _ | _ | | - | gtt Val | 883 |
| | | | | | | | | aag Lys 270 | | | | | | | 931 |
| | | | | | | | | ttc Phe | | | | | | | 979 |
| | | | | | | | | gaa Glu | | | | | | | 1027 |
| | | | | | | | | gca Ala | | | | | | | 1075 |
| | | | | | | | | gca Ala | | | | | | | 1123 |

330 335 340 qea egt ege ege cag ate egt ege gaa ate gee aac ace gat tee ace 1171 Ala Arg Arg Gly Gln Ile Arg Arg Glu Ile Ala Asn Thr Asp Ser Thr 345 tqq qat cgc gaa aag gca gaa gag cgt ttg gct aag ctc tcc ggt ggt 1219 Trp Asp Arg Glu Lys Ala Glu Glu Arg Leu Ala Lys Leu Ser Gly Gly 360 att gct gtc atc cgc gtt ggt gca gca act gaa acc gaa gtc aac gac 1267 Ile Ala Val Ile Arg Val Gly Ala Ala Thr Glu Thr Glu Val Asn Asp 375 380 1315 cgc aag ctg cgt gtc gaa gat gcc atc aac gct gct cgc gca gca gca Arg Lys Leu Arg Val Glu Asp Ala Ile Asn Ala Ala Arg Ala Ala Ala 390 395 1339 caa gaa ggc gtt atc gct ggt ggc Gln Glu Gly Val Ile Ala Gly Gly

<210> 8

<211> 413

<212> PRT

<213> Corynebacterium glutamicum

<400> 8

Met Ala Lys Leu Ile Ala Phe Asp Gln Asp Ala Arg Glu Gly Ile Leu 1 5 10 15

Arg Gly Val Asp Ala Leu Ala Asn Ala Val Lys Val Thr Leu Gly Pro 20 25 30

Arg Gly Arg Asn Val Val Leu Asp Lys Ala Phe Gly Gly Pro Leu Val
35 40 45

Thr Asn Asp Gly Val Thr Ile Ala Arg Asp Ile Asp Leu Glu Asp Pro
50 60

Phe Glu Asn Leu Gly Ala Gln Leu Val Lys Ser Val Ala Val Lys Thr 65 70 75 80

Asn Asp Ile Ala Gly Asp Gly Thr Thr Thr Ala Thr Leu Leu Ala Gln 85 90 95

Ala Leu Ile Ala Glu Gly Leu Arg Asn Val Ala Ala Gly Ala Asn Pro 100 105 110

Met Glu Leu Asn Lys Gly Ile Ser Ala Ala Ala Glu Lys Thr Leu Glu 115 120 125

Glu Leu Lys Ala Arg Ala Thr Glu Val Ser Asp Thr Lys Glu Ile Ala 130 . 135 140

Asn Val Ala Thr Val Ser Ser Arg Asp Glu Val Val Gly Glu Ile Val

150 145 155 160 Ala Ala Ala Met Glu Lys Val Gly Lys Asp Gly Val Val Thr Val Glu 170 Glu Ser Gln Ser Ile Glu Thr Ala Leu Glu Val Thr Glu Gly Ile Ser Phe Asp Lys Gly Tyr Leu Ser Pro Tyr Phe Ile Asn Asp Asn Asp Thr Gln Gln Ala Val Leu Asp Asn Pro Ala Val Leu Leu Val Arg Asn Lys Ile Ser Ser Leu Pro Asp Phe Leu Pro Leu Glu Lys Val Val Glu Ser Asn Arg Pro Leu Leu Ile Ile Ala Glu Asp Val Glu Gly Glu Pro Leu Gln Thr Leu Val Val Asn Ser Ile Arg Lys Thr Ile Lys Val Val Ala Val Lys Ser Pro Tyr Phe Gly Asp Arg Arg Lys Ala Phe Met Asp Asp Leu Ala Ile Val Thr Lys Ala Thr Val Val Asp Pro Glu Val Gly Ile Asn Leu Asn Glu Ala Gly Glu Glu Val Phe Gly Thr Ala Arg Arg Ile Thr Val Ser Lys Asp Glu Thr Ile Ile Val Asp Gly Ala Gly Ser Ala Glu Asp Val Glu Ala Arg Arg Gly Gln Ile Arg Arg Glu Ile Ala Asn Thr Asp Ser Thr Trp Asp Arg Glu Lys Ala Glu Glu Arg Leu Ala Lys Leu Ser Gly Gly Ile Ala Val Ile Arg Val Gly Ala Ala Thr Glu Thr Glu Val Asn Asp Arg Lys Leu Arg Val Glu Asp Ala Ile Asn Ala Ala Arg Ala Ala Ala Gln Glu Gly Val Ile Ala Gly Gly 405

<210> 9

<211> 723

<212> DNA

<213> Corynebacterium glutamicum

<220>

.

<221> CDS <222> (101)..(700) <223> RXA01217

---- --- --- ---

<400> 9 qcqctqcctq cgaagactcg accaagacat tcqaqtcggt cgcgggcatt ttttattttc 60 gcggccgagt gtccaccttc atccatgagg agaaatcact atg gca aag tac caa Met Ala Lys Tyr Gln acc att gag gct gct gtc cgc tct gag ttc ggc aag ggc tct gca cgt 163 Thr Ile Glu Ala Ala Val Arg Ser Glu Phe Gly Lys Gly Ser Ala Arg cgt gca cgc gtt gct ggc cag atc cct gct gtt gtt tac ggc gca gat 211 Arg Ala Arg Val Ala Gly Gln Ile Pro Ala Val Val Tyr Gly Ala Asp gtt gag tee aac etg cae gte ace ate gae cae ege ace tte get geg 259 Val Glu Ser Asn Leu His Val Thr Ile Asp His Arg Thr Phe Ala Ala 45 307 ctg gtt cgc cag gaa ggc gta aac gct gtt ctt gag ctc gac atc gag Leu Val Arg Gln Glu Gly Val Asn Ala Val Leu Glu Leu Asp Ile Glu ggc cag aag cag ctc acc atg atc aag cac atc gac cag aac gtg ctg 355 Gly Gln Lys Gln Leu Thr Met Ile Lys His Ile Asp Gln Asn Val Leu 80 acc ttc cac atc gac cac ttg gac ctg ctt gcc att aag cgc ggc gaa 403 Thr Phe His Ile Asp His Leu Asp Leu Leu Ala Ile Lys Arg Gly Glu aag gtt gag gtt gac gtt cca gtt atc gtc gag ggc gag cca gct cca 451 Lys Val Glu Val Asp Val Pro Val Ile Val Glu Gly Glu Pro Ala Pro qqc acc atq tgg gtt cag gat gct qac acc atc aag gtt gag gct gac 499 Gly Thr Met Trp Val Gln Asp Ala Asp Thr Ile Lys Val Glu Ala Asp 125 gtt ctg tcc atc cct gaa gag ttc acc gtt tcc atc gaa ggc ctt gag 547 Val Leu Ser Ile Pro Glu Glu Phe Thr Val Ser Ile Glu Gly Leu Glu 140 595 ctc ggc gca cag atc acc gca gct gac atc aag ctc gag ggc gac acc Leu Gly Ala Gln Ile Thr Ala Ala Asp Ile Lys Leu Glu Gly Asp Thr acc ctg gtt gag gat cct gag acc ctc atc gtc aac atc gtt ctc cca 643 Thr Leu Val Glu Asp Pro Glu Thr Leu Ile Val Asn Ile Val Leu Pro 691. qct qtc qaq qaa gaa gac acc qaa qag qac gaa gca gct gaa gaa gca

Ala Val Glu Glu Glu Asp Thr Glu Glu Asp Glu Ala Ala Glu Glu Ala

723

185 190 195

gct act gag taagcttttt tagatagctt tat Ala Thr Glu

200

<210> 10

<211> 200

<212> PRT

<213> Corynebacterium glutamicum

<400> 10

Met Ala Lys Tyr Gln Thr Ile Glu Ala Ala Val Arg Ser Glu Phe Gly
1 5 10 15

Lys Gly Ser Ala Arg Arg Ala Arg Val Ala Gly Gln Ile Pro Ala Val 20 25 30

Val Tyr Gly Ala Asp Val Glu Ser Asn Leu His Val Thr Ile Asp His
35 40 45

Arg Thr Phe Ala Ala Leu Val Arg Gln Glu Gly Val Asn Ala Val Leu 50 55 60

Glu Leu Asp Ile Glu Gly Gln Lys Gln Leu Thr Met Ile Lys His Ile 65 70 75 80

Asp Gln Asn Val Leu Thr Phe His Ile Asp His Leu Asp Leu Leu Ala 85 90 95

Ile Lys Arg Gly Glu Lys Val Glu Val Asp Val Pro Val Ile Val Glu
100 105 110

Gly Glu Pro Ala Pro Gly Thr Met Trp Val Gln Asp Ala Asp Thr Ile 115 120 125

Lys Val Glu Ala Asp Val Leu Ser Ile Pro Glu Glu Phe Thr Val Ser 130 135 140

Ile Glu Gly Leu Glu Leu Gly Ala Gln Ile Thr Ala Ala Asp Ile Lys 145 150 155 160

Leu Glu Gly Asp Thr Thr Leu Val Glu Asp Pro Glu Thr Leu Ile Val
165 170 175

Asn Ile Val Leu Pro Ala Val Glu Glu Glu Asp Thr Glu Glu Asp Glu
180 185 190

Ala Ala Glu Glu Ala Ala Thr Glu 195 200

<210> 11

<211> 1603

<212> DNA

<213> Corynebacterium glutamicum

<220> <221> CDS <222> (33)..(1580) <223> RXA00605 <400> 11 ataggtaacc ctcataaaag gaaggaatgc taatg tct gag aag tca gca gca 53 Met Ser Glu Lys Ser Ala Ala gac cag atc gta gat cgc gga atg cgt cca aag ctt tct gga aac act 101 Asp Gln Ile Val Asp Arg Gly Met Arg Pro Lys Leu Ser Gly Asn Thr ace ege cac aac gga gca eca gtt eca tet gag aac ate tee gca ace 149 Thr Arg His Asn Gly Ala Pro Val Pro Ser Glu Asn Ile Ser Ala Thr gca ggc cca cag ggt cca aac gtt ctc aat gac att cac ctc att gaa 197 Ala Gly Pro Gln Gly Pro Asn Val Leu Asn Asp Ile His Leu Ile Glu aag ctc gca cac ttt aac cgc gag aac gtt cca gag cgt atc cct cac 245 Lys Leu Ala His Phe Asn Arg Glu Asn Val Pro Glu Arg Ile Pro His 65 gca aag ggc cac ggc gct ttc ggt gag ctg cac atc acc gag gac gta 293 Ala Lys Gly His Gly Ala Phe Gly Glu Leu His Ile Thr Glu Asp Val tcc gaa tac acc aag gca gac ctg ttc cag cct ggt aag gtc acc ccg 341 Ser Glu Tyr Thr Lys Ala Asp Leu Phe Gln Pro Gly Lys Val Thr Pro 95 ctg gct gtt cgc ttc tct act gtt gct ggt gag cag ggc tcc cca gat 389 Leu Ala Val Arg Phe Ser Thr Val Ala Gly Glu Gln Gly Ser Pro Asp 110 ace tgg ege gae gte cae gge tte get ett ege tte tae ace gaa gag 437 Thr Trp Arg Asp Val His Gly Phe Ala Leu Arg Phe Tyr Thr Glu Glu 125 130 ggc aac tac gac atc gtg ggt aac acc cca acc ttc ttc ctt cgt 485 Gly Asn Tyr Asp Ile Val Gly Asn Asn Thr Pro Thr Phe Phe Leu Arg 145 gac ggc atg aag ttc ccg gac ttc atc cac tca cag aag cgt ctc aac 533 Asp Gly Met Lys Phe Pro Asp Phe Ile His Ser Gln Lys Arg Leu Asn aag aac ggt ctg cgc gat gca gac atg cag tgg gat ttc tgg acc cgc 581 Lys Asn Gly Leu Arg Asp Ala Asp Met Gln Trp Asp Phe Trp Thr Arg gca cct gaa tct gca cac cag gtg acc tac ctg atg ggt gac cgc ggt 629 Ala Pro Glu Ser Ala His Gln Val Thr Tyr Leu Met Gly Asp Arg Gly

185 190 195

| acc Thr 200 | Pro | aag Lys | acc Thr | tcc Ser | cgc Arg 205 | cac His | cag Gln | gac Asp | ggc Gly | ttc Phe 210 | ggc Gly | tcc Ser | cac His | acc Thr | ttc Phe 215 | 677 |
|-------------------|------------|------------|------------|-------------------|-------------------|------------|------------|------------|-------------------|-------------------|------------|------------|------------|-------------------|-------------------|------|
| | | | | | gaa Glu | | | | | | | | | | | 725 |
| _ | | - | | | tgg Trp | - | • | | | _ | - | - | _ | - | _ | 773 |
| | | | | | gct Ala | | | | | | | | | | | 821 |
| | | | | | ttc Phe | | | | | | | | | | | 869 |
| | | | | | gag Glu 285 | | | | | | | | | | | 917 |
| _ | | | | _ | _ | _ | | | _ | | | - | | | ttc Phe | 965 |
| | _ | | _ | | cca Pro | - | | | | _ | _ | | | _ | | 1013 |
| | | | | | aac Asn | | | | | | | | | | | 1061 |
| | | | | | cgt Arg | | | | | | | | | | | 1109 |
| | | | | | tac Tyr 365 | | | | | | | | | | | 1157 |
| gag Glu | gtc Val | aac Asn | acc Thr | tac Tyr 380 | agc Ser | cgc Arg | gaa Glu | ggt Gly | tcc Ser 385 | atg Met | cag Gln | tac Tyr | atc Ile | ttc Phe 390 | gac Asp | 1205 |
| | | | | | tcc Ser | | | | | | | | | | | 1253 |
| | | | | | ggt Gly | | | | | | | | | | | 1301 |

| | | | | | | | | | | | | | acc Thr | | 1349 |
|------|----------------|------|-----|---|------------|---|-------|---|---|---|---|------|-------------------|----|------|
| | | | | | | | | | | | | | ttc Phe | | 1397 |
| - | | | | | | - | _ | - | - | | | | aag Lys 470 | | 1445 |
| - | _ | - | _ | | | | - | - | - | | | | gag Glu | _ | 1493 |
| | | | - | - | | - | | | | - | - | | aac Asn | | 1541 |
| | - | - | - | - | gag Glu | | | - | - | - | • | taaq | gtcct | tc | 1590 |
| tgat | ttaa | aa t | :ga | | | | | | | | | | | | 1603 |
| |)> 12 .> 51 | | | | | | | | | | | | | | |

<212> PRT

<213> Corynebacterium glutamicum

<400> 12

Met Ser Glu Lys Ser Ala Ala Asp Gln Ile Val Asp Arg Gly Met Arg

Pro Lys Leu Ser Gly Asn Thr Thr Arg His Asn Gly Ala Pro Val Pro

Ser Glu Asn Ile Ser Ala Thr Ala Gly Pro Gln Gly Pro Asn Val Leu

Asn Asp Ile His Leu Ile Glu Lys Leu Ala His Phe Asn Arg Glu Asn

Val Pro Glu Arg Ile Pro His Ala Lys Gly His Gly Ala Phe Gly Glu

Leu His Ile Thr Glu Asp Val Ser Glu Tyr Thr Lys Ala Asp Leu Phe

Gln Pro Gly Lys Val Thr Pro Leu Ala Val Arg Phe Ser Thr Val Ala

Gly Glu Gln Gly Ser Pro Asp Thr Trp Arg Asp Val His Gly Phe Ala

19

Leu Arg Phe Tyr Thr Glu Glu Gly Asn Tyr Asp Ile Val Gly Asn Asn Thr Pro Thr Phe Phe Leu Arg Asp Gly Met Lys Phe Pro Asp Phe Ile 150 His Ser Gln Lys Arg Leu Asn Lys Asn Gly Leu Arg Asp Ala Asp Met Gln Trp Asp Phe Trp Thr Arg Ala Pro Glu Ser Ala His Gln Val Thr Tyr Leu Met Gly Asp Arg Gly Thr Pro Lys Thr Ser Arg His Gln Asp 200 Gly Phe Gly Ser His Thr Phe Gln Trp Ile Asn Ala Glu Gly Lys Pro 215 Val Trp Val Lys Tyr His Phe Lys Thr Arg Gln Gly Trp Asp Cys Phe 230 235 Thr Asp Ala Glu Ala Ala Lys Val Ala Gly Glu Asn Ala Asp Tyr Gln Arg Glu Asp Leu Tyr Asn Ala Ile Glu Asn Gly Asp Phe Pro Ile Trp Asp Val Lys Val Gln Ile Met Pro Phe Glu Asp Ala Glu Asn Tyr Arg 280 Trp Asn Pro Phe Asp Leu Thr Lys Thr Trp Ser Gln Lys Asp Tyr Pro Leu Ile Pro Val Gly Tyr Phe Ile Leu Asn Arg Asn Pro Arg Asn Phe Phe Ala Gln Ile Glu Gln Leu Ala Leu Asp Pro Gly Asn Ile Val Pro Gly Val Gly Leu Ser Pro Asp Arg Met Leu Gln Ala Arg Ile Phe Ala 345 Tyr Ala Asp Gln Gln Arg Tyr Arg Ile Gly Ala Asn Tyr Arg Asp Leu Pro Val Asn Arg Pro Ile Asn Glu Val Asn Thr Tyr Ser Arg Glu Gly Ser Met Gln Tyr Ile Phe Asp Ala Glu Gly Glu Pro Ser Tyr Ser Pro Asn Arg Tyr Asp Lys Gly Ala Gly Tyr Leu Asp Asn Gly Thr Asp Ser Ser Ser Asn His Thr Ser Tyr Gly Gln Ala Asp Asp Ile Tyr Val Asn 420 425

Pro Asp Pro His Gly Thr Asp Leu Val Arg Ala Ala Tyr Val Lys His 435 440 Gln Asp Asp Asp Phe Ile Gln Pro Gly Ile Leu Tyr Arg Glu Val Leu Asp Glu Gly Glu Lys Glu Arg Leu Ala Asp Asn Ile Ser Asn Ala 470 475 Met Gln Gly Ile Ser Glu Ala Thr Glu Pro Arg Val Tyr Asp Tyr Trp 490 Asn Asn Val Asp Glu Asn Leu Gly Ala Arg Val Lys Glu Leu Tyr Leu. 500 505 Gln Lys Lys Ala 515 <210> 13 <211> 2439 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(2416) <223> RXA00404 aagatoogat catoggoata cagaaacaco catotggoog aactttoott tttotgoatg 60 catttctgca cacagtttct gcccgctgtt tctacgcata gtg gct ttg aaa cga Val Ala Leu Lys Arg ccc gaa gag aaa aca gta aag atc gtg acc ata aaa cag act gac aac 163 Pro Glu Glu Lys Thr Val Lys Ile Val Thr Ile Lys Gln Thr Asp Asn atc aat gac gat gat ttg gtg tac agc aac gct act gac ctt cca gta 211 Ile Asn Asp Asp Leu Val Tyr Ser Asn Ala Thr Asp Leu Pro Val ggc gtg aag aag tcc cct aaa atg tca ccg acc gcc .cgc gtt ggt ctc 259 Gly Val Lys Lys Ser Pro Lys Met Ser Pro Thr Ala Arg Val Gly Leu 40 ctt gtc ttt ggg gtt atc gcg gcg gtg ggt tgg gga gca atc gct ttc 307 Leu Val Phe Gly Val Ile Ala Ala Val Gly Trp Gly Ala Ile Ala Phe tcc cgt ggc gaa aca atc aac tct gtg tgg ctg gtt ttg gcg gca gtt Ser Arg Gly Glu Thr Ile Asn Ser Val Trp Leu Val Leu Ala Ala Val 70 80

| | | | | | Ala | | | ttc Phe | | | | | | | | 403 |
|-----|-----|-----|-----|-----|-----|-----|-----|-------------------|-----|-----|-----|-----|-----|-----|-----|------|
| | | | | | | | | cga Arg 110 | | | | | | | | 451 |
| | | | Lys | | | | | acg Thr | | | | | | | | 499 |
| | | | | | | | | gcc Ala | | | | | | | | 547 |
| | | | | | | | | cca Pro | | | | | | | | 595 |
| | | | | - | | - | | cag Gln | _ | | | | - | | | 643 |
| | | | | | | | | ctt Leu 190 | | | | | | | | 691 |
| | | | | | | | | ggt Gly | | | | | | | | 739 |
| | | | | | | | | gca Ala | | | | | | | | 787 |
| _ | _ | | | | | _ | | tcc Ser | | | _ | | | | | 835 |
| | | | | | | | | cgt Arg | | | | | | | | 883 |
| | _ | | | | | | | gca Ala 270 | _ | | - | _ | _ | | - | 931 |
| | | | | | | | | tca Ser | | | | | | | | 979 |
| | | _ | | | _ | | - | gcc Ala | _ | | | | | | _ | 1027 |
| gct | gcg | att | ttg | ccg | gtg | tgg | ctg | ctg | ctt | gca | ccg | cgc | gat | tac | ctg | 1075 |

| Ala 310 | | Ile | Leu | Pro | Val 315 | Trp | Leu | Leu | Leu | Ala 320 | Pro | Arg | Asp | Tyr | Leu 325 | |
|------------|------------|-------------------|------------|-------------------|-------------------|------------|-------------------|------------|-------------------|------------|------------|-------------------|------------|-------------------|------------|------|
| tct Ser | acc Thr | ttt Phe | atg Met | aag Lys 330 | atc Ile | ggc | gtc Val | atc Ile | ggt Gly 335 | ctg Leu | ttg Leu | gca Ala | gtg Val | ggt Gly 340 | att Ile | 1123 |
| | | | | | gag Glu | | | | | | | | | | | 1171 |
| | | | | | ccg Pro | | | | | | | | | | | 1219 |
| | | | | | tgt Cys | | | | | | | | | | | 1267 |
| | | | | | cca Pro 395 | | | | | | | | | | | 1315 |
| | | | | | ggc Gly | | | | | | | | | | | 1363 |
| | | | | | gtt Val | | | | | | | | | | | 1411 |
| | - | - | _ | _ | ctg Leu | | | | _ | | _ | | _ | | | 1459 |
| | | | | | G] A G3G | | | | | | | | | | | 1507 |
| | | | | | gaa Glu 475 | | | | | | | | | | | 1555 |
| | | | | | acc Thr | | | | | | | | | | | 1603 |
| | | | | | gct Ala | | | | | | | | | | | 1651 |
| atc Ile | atg Met | ttt Phe 520 | gag Glu | gct Ala | ctg Leu | ttc Phe | atc Ile 525 | ctċ Leu | act Thr | act Thr | gtg Val | gat Asp 530 | gca Ala | ggt Gly | act Thr | 1699 |
| | | | | | atg Met | | | | | | | | | | | 1747 |

535 540 545

| | Arg | | | | | Pro | | | | | ggt Gly | | | | | 1795 |
|---|-----|---|---|---|-----|-----|---|---|---|---|-------------------|---|---|---|---|------|
| | | | | | Ala | | | | | | ttg Leu | | | | | 1843 |
| | | | | | | | | | | | cca Pro | | | | | 1891 |
| | | | | | | | | | | | ctc Leu | | | | | 1939 |
| | | | | | | | | | | | att Ile 625 | | | | | 1987 |
| | | | | | | | | | | | tca Ser | | | | | 2035 |
| | | | | | | | | | | | cag Gln | | | | | 2083 |
| _ | _ | - | _ | | | | | | _ | | ggt Gly | _ | - | | | 2131 |
| | | | | | | | | | | | atg Met | | | | | 2179 |
| - | | | _ | | | | | - | | _ | gtt Val 705 | _ | | _ | _ | 2227 |
| | | | | | | | | | | | gca Ala | | | | | 2275 |
| _ | | | | _ | | | - | | - | | gag Glu | | | - | | 2323 |
| | | | | | | | | | | | gtc Val | | | | | 2371 |
| | | | | | | | | | | | tct Ser | | | | | 2416 |

taaaacatga tggctcttac tca

2439

<210> 14

<211> 772

<212> PRT

<213> Corynebacterium glutamicum

<400> 14

Val Ala Leu Lys Arg Pro Glu Glu Lys Thr Val Lys Ile Val Thr Ile
1 5 10 15

Lys Gln Thr Asp Asn Ile Asn Asp Asp Leu Val Tyr Ser Asn Ala
20 25 30

Thr Asp Leu Pro Val Gly Val Lys Lys Ser Pro Lys Met Ser Pro Thr 35 40 45

Ala Arg Val Gly Leu Leu Val Phe Gly Val Ile Ala Ala Val Gly Trp 50 55 60

Gly Ala Ile Ala Phe Ser Arg Gly Glu Thr Ile Asn Ser Val Trp Leu 65 70 75 80

Val Leu Ala Ala Val Gly Ser Tyr Ile Ile Ala Phe Ser Phe Tyr Ala 85 90 95

Arg Leu Ile Glu Tyr Lys Val Val Lys Pro Lys Asp Gln Arg Ala Thr 100 105 110

Pro Ala Glu Tyr Val Asn Asp Gly Lys Asp Tyr Val Pro Thr Asp Arg 115 120 125

Arg Val Leu Phe Gly His His Phe Ala Ala Ile Ala Gly Ala Gly Pro 130 135 140

Leu Val Gly Pro Val Met Ala Ala Gln Met Gly Tyr Leu Pro Gly Thr 145 150 155 160

Leu Trp Ile Ile Leu Gly Val Ile Phe Ala Gly Ala Val Gln Asp Tyr
165 170 175

Leu Val Leu Trp Val Ser Thr Arg Arg Gly Arg Ser Leu Gly Gln 180 185 190

Met Val Arg Asp Glu Met Gly Thr Val Gly Gly Ala Ala Gly Ile Leu 195 200 205

Ala Thr Ile Ser Ile Met Ile Ile Ile Ile Ala Val Leu Ala Leu Ile 210 215 220

Val Val Asn Ala Leu Ala Asp Ser Pro Trp Gly Val Phe Ser Ile Thr 225 230 235 240

Met Thr Ile Pro Ile Ala Leu Phe Met Gly Val Tyr Leu Arg Tyr Leu 245 250 255

Arg Pro Gly Arg Val Thr Glu Val Ser Ile Ile Gly Val Ala Leu Leu Leu Leu Ala Ile Val Ala Gly Gly Trp Val Ala Asp Thr Ser Trp Gly Val Glu Trp Phe Thr Trp Ser Lys Thr Thr Leu Ala Leu Ala Leu Ile Gly Tyr Gly Ile Met Ala Ala Ile Leu Pro Val Trp Leu Leu Leu Ala Pro Arg Asp Tyr Leu Ser Thr Phe Met Lys Ile Gly Val Ile Gly Leu Leu Ala Val Gly Ile Leu Phe Ala Arg Pro Glu Val Gln Met Pro Ser Val Thr Ser Phe Ala Leu Glu Gly Asn Gly Pro Val Phe Ser Gly Ser 360 Leu Phe Pro Phe Leu Phe Ile Thr Ile Ala Cys Gly Ala Leu Ser Gly 375 Phe His Ala Leu Ile Ser Ser Gly Thr Thr Pro Lys Leu Val Glu Lys 390 Glu Ser Gln Met Arg Met Leu Gly Tyr Gly Gly Met Leu Met Glu Ser Phe Val Ala Met Met Ala Leu Ile Thr Ala Val Ile Leu Asp Arg His Leu Tyr Phe Ser Met Asn Ala Pro Leu Ala Leu Thr Gly Gly Asp Pro 440 Ala Thr Ala Ala Glu Trp Val Asn Ser Ile Gly Leu Thr Gly Ala Asp Ile Thr Pro Glu Gln Leu Ser Glu Ala Ala Glu Ser Val Gly Glu Ser 470 475 Thr Val Ile Ser Arg Thr Gly Gly Ala Pro Thr Leu Ala Phe Gly Met Ser Glu Ile Leu Ser Gly Phe Ile Gly Gly Ala Gly Met Lys Ala Phe Trp Tyr His Phe Ala Ile Met Phe Glu Ala Leu Phe Ile Leu Thr Thr Val Asp Ala Gly Thr Arg Val Ala Arg Phe Met Met Thr Asp Thr Leu Gly Asn Val Pro Gly Leu Arg Arg Phe Lys Asp Pro Ser Trp Thr Val

Gly Asn Trp Ile Ser Thr Val Phe Val Cys Ala Leu Trp Gly Ala Ile 565 570 575

Leu Leu Met Gly Val Thr Asp Pro Leu Gly Gly Ile Asn Val Leu Phe 580 585 590

Pro Leu Phe Gly Ile Ala Asn Gln Leu Leu Ala Ala Ile Ala Leu Ala 595 600 605

Leu Val Leu Val Val Val Val Lys Lys Gly Leu Tyr Lys Trp Ala Trp 610 615 620

Ile Pro Ala Val Pro Leu Ala Trp Asp Leu Ile Val Thr Met Thr Ala 625 630 635 640

Ser Trp Gln Lys Ile Phe His Ser Asp Pro Ala Ile Gly Tyr Trp Ala 645 650 655

Gln Asn Ala Asn Phe Arg Asp Ala Lys Ser Gln Gly Leu Thr Glu Phe 660 665 670

Gly Ala Ala Lys Ser Pro Glu Ala Ile Asp Ala Val Ile Arg Asn Thr 675 680 685

Met Ile Gln Gly Ile Leu Ser Ile Leu Phe Ala Val Leu Val Leu Val 690 695 700

Val Val Gly Ala Ala Ile Ala Val Cys Ile Lys Ser Ile Arg Ala Arg 705 710 715 720

Ala Ala Gly Thr Pro Leu Glu Thr Thr Glu Glu Pro Asp Thr Glu Ser
725 730 735

Glu Phe Phe Ala Pro Thr Gly Phe Leu Ala Ser Ser Arg Asp Lys Glu 740 745 750

Val Gln Ala Met Trp Asp Glu Arg Tyr Pro Gly Gly Ala Pro Val Ser 755 760 765

Ser Gly Gly His 770

<210> 15

<211> 255

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(232)

<223> RXN03119

<400> 15

tgggaggtgt cgcaccaagt acttttgcga agcgccatct gacggatttt caaaagatgt 60

| atatgctcgg tg | cggaaacc tacg | aaagga ttttttad | ecc atg gct gt Met Ala Va 1 | | 15 |
|--|---------------------|---|-----------------------------------|-----------------|----|
| | | a tac gac gct o a Tyr Asp Ala 1 15 | | | 63 |
| Ala Glu Ile M | | c cag tcc aag o p Gln Ser Lys <i>I</i> 30 | sp His Ala Th | | 11 |
| gcg ggc gca a Ala Gly Ala A 40 | | c taggcactag aç u | aaggcacg cga | 2! | 55 |
| <210> 16 <211> 44 <212> PRT <213> Coryneba | acterium glut | amicum | | | |
| <400> 16 Met Ala Val Ty 1 | yr Glu Leu Pr 5 | o Glu Leu Asp T 10 | yr Ala Tyr As | p Ala Leu 15 | |
| | le Val Ala Gl 20 | u Ile Met Glu I 25 | eu Asp Gln Se 3 | | |
| His Ala Thr Ty 35 | yr Val Ala Gl | y Ala Asn Ala A 40 | la Leu | | |
| <210> 17 <211> 249 <212> DNA <213> Coryneba | octerium gluta | amicum | | | |
| <220> <221> CDS <222> (101)(<223> RXN03120 | | | | | |
| <400> 17 ctgggcagtt ctt | gggtacg accad | catato oggtogoo | tg gttatcgagc | agctcaccga 60 |) |
| ccaggagggc aac | atctcct tcgad | catcac cccagttc | tg atg ctc ga Met Leu As 1 | _ | 15 |
| | | tac atg aac g Tyr Met Asn V 15 | | | 53 |
| | p Asn Val Phe | aac tgg gac g Asn Trp Asp A 30 | | a Arg Phe | .1 |

249 gca gca gct tcc aag taagcatttt tagtccgtgc aat Ala Ala Ser Lys 40 <210> 18 <211> 42 <212> PRT <213> Corynebacterium glutamicum <400> 18 Met Leu Asp Met Trp Glu His Ala Phe Tyr Leu Gln Tyr Met Asn Val Lys Ala Asp Tyr Val Lys Ala Val Trp Asn Val Phe Asn Trp Asp Asp 25 Ala Arg Ala Arg Phe Ala Ala Ala Ser Lys <210> 19 <211> 660 <212> DNA <213> Corynebacterium glutamicum <221> CDS <222> (101)..(637) <223> RXN00575 <400> 19 gaagcgtccg caggcaagaa aacgtcccgg aaaacggcga taggggtcac ccgcgcatgt 60 ccggttgccg atctatttaa ataccaggac aattgcgtgc atg gtt gaa aga gac 115 Met Val Glu Arg Asp ttc act atc cga cca atc cgc gag ggt gat ttc cct cag gtg agg gac 163 Phe Thr Ile Arg Pro Ile Arg Glu Gly Asp Phe Pro Gln Val Arg Asp atc tac gaa ttg ggc ctg gag acg gga cat gcg act tat gag act tct 211 Ile Tyr Glu Leu Gly Leu Glu Thr Gly His Ala Thr Tyr Glu Thr Ser 259 ggt ccc acg tgg gac cag ttc tcc caa tct aaa atc atg gat acc gtc Gly Pro Thr Trp Asp Gln Phe Ser Gln Ser Lys Ile Met Asp Thr Val 307 atg gtg gcg gta gaa aac aac gac ccg gac ttc atc ctc gga tgg gtg Met Val Ala Val Glu Asn Asn Asp Pro Asp Phe Ile Leu Gly Trp Val 60 tct gct gct cca att tca agc cga cag gtt ttc cat gga gtg gtg gaa 355 Ser Ala Ala Pro Ile Ser Ser Arg Gln Val Phe His Gly Val Val Glu

--- ---- ---- ----

75 70 80 85 gat too ato tat ato cac occ cag ggo caa ggo cga gga ato ggo ggo 403 Asp Ser Ile Tyr Ile His Pro Gln Gly Gln Gly Arg Gly Ile Gly Gly 90 get ttg etc gac gec ett atc acc tac tge gaa age aac gge atc tgg 451 Ala Leu Leu Asp Ala Leu Ile Thr Tyr Cys Glu Ser Asn Gly Ile Trp 105 tcg atc cac tcc tgg atc ttc ccg gaa aac ctc ggt tct gcg aaa ctg 499 Ser Ile His Ser Trp Ile Phe Pro Glu Asn Leu Gly Ser Ala Lys Leu 120 125 cat gaa tog aag ggc tto gtg aag gtg ggc acc atg cac caa atg gca 547 His Glu Ser Lys Gly Phe Val Lys Val Gly Thr Met His Gln Met Ala 135 140 595 agg atg ccc tac ggc gag atg gaa gga caa tgg cgc gat tgt gat ctg Arg Met Pro Tyr Gly Glu Met Glu Gly Gln Trp Arg Asp Cys Asp Leu 150 155 160 tgg gag tgc ctc tta tcc gtt cca gag caa gct caa agt tcc 637 Trp Glu Cys Leu Leu Ser Val Pro Glu Gln Ala Gln Ser Ser taaagcaatt taaatctgac ttt 660 <210> 20 <211> 179 <212> PRT <213> Corynebacterium glutamicum <400> 20 Met Val Glu Arg Asp Phe Thr Ile Arg Pro Ile Arg Glu Gly Asp Phe Pro Gln Val Arg Asp Ile Tyr Glu Leu Gly Leu Glu Thr Gly His Ala 25 Thr Tyr Glu Thr Ser Gly Pro Thr Trp Asp Gln Phe Ser Gln Ser Lys 40 Ile Met Asp Thr Val Met Val Ala Val Glu Asn Asn Asp Pro Asp Phe Ile Leu Gly Trp Val Ser Ala Ala Pro Ile Ser Ser Arg Gln Val Phe His Gly Val Val Glu Asp Ser Ile Tyr Ile His Pro Gln Gly Gln Gly Arg Gly Ile Gly Gly Ala Leu Leu Asp Ala Leu Ile Thr Tyr Cys Glu 105 100 Ser Asn Gly Ile Trp Ser Ile His Ser Trp Ile Phe Pro Glu Asn Leu

--- ---- ---

115 120 125

Gly Ser Ala Lys Leu His Glu Ser Lys Gly Phe Val Lys Val Gly Thr 130 135 140

Met His Gln Met Ala Arg Met Pro Tyr Gly Glu Met Glu Gly Gln Trp 145 150 155 160

Arg Asp Cys Asp Leu Trp Glu Cys Leu Leu Ser Val Pro Glu Gln Ala 165 170 175

Gln Ser Ser

<210> 21

<211> 606

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(583)

<223> FRXA00575

<400> 21

gcatgtccgg ttgccgatct atttaaatac caggacaatt gcgtgcatgg ttgaaagaga 60

cttcactatc cgaccaatcc gcgagggtga tttccctcag gtg agg gac atc tac 115
Val Arg Asp Ile Tyr
1 5

gaa ttg ggc ctg gag acg gga cat gcg act tat gag act tct ggt ccc 163 Glu Leu Gly Leu Glu Thr Gly His Ala Thr Tyr Glu Thr Ser Gly Pro 10 15 20

acg tgg gac dag tto too caa tot aaa ato atg gat acc gto atg gtg 211 Thr Trp Asp Gln Phe Ser Gln Ser Lys Ile Met Asp Thr Val Met Val 25 30 35

gcg gta gaa aac aac gac ccg gac ttc atc ctc gga tgg gtg tct gct 259 Ala Val Glu Asn Asn Asp Pro Asp Phe Ile Leu Gly Trp Val Ser Ala 40 45 50

gct cca att tca agc cga cag gtt ttc cat gga gtg gtg gaa gat tcc 307 Ala Pro Ile Ser Ser Arg Gln Val Phe His Gly Val Val Glu Asp Ser 55 60 65.

atc tat atc cac ccc cag ggc caa ggc cga gga atc ggc ggc gct ttg 355

Ile Tyr Ile His Pro Gln Gly Gln Gly Arg Gly Ile Gly Gly Ala Leu
70 80 85

ctc gac gcc ctt atc acc tac tgc gaa agc aac ggc atc tgg tcg atc Leu Asp Ala Leu Ile Thr Tyr Cys Glu Ser Asn Gly Ile Trp Ser Ile 90 95 100

cac too tgg ato tto cog gaa aac cto ggt tot gog aaa ctg cat gaa 451

| His | s Ser | Trp | 105 | | Pro | Glu | Asn | 110 | | Ser | Ala | Lys | Leu 115 | His | Glu | |
|-------------------|-------------------|-------------------|------------|----------------|------------|-------------------|-------------------|------------|------------|------------|-------------------|-------------------|------------|------------|------------|-----|
| t co Ser | g aag Lys | ggc Gly 120 | Phe | gtg Val | aag Lys | gtg Val | ggc Gly 125 | Thr | atg Met | cac His | caa Gln | atg Met 130 | Ala | agg Arg | atg Met | 499 |
| Pro | tac Tyr 135 | ggc | gaç Glu | g atg 1 Met | gaa Glu | gga Gly 140 | Gln | tgg Trp | cgc Arg | gat Asp | tgt Cys 145 | Asp | ctg Leu | tgg Trp | gag Glu | 547 |
| | Leu | tta Leu | | | | Glu | | | | | | | agca | att | | 593 |
| taa | atct | gac | ttt | | | | | | | | | | | | | 606 |
| <21 <21 <21 | | 61 RT oryn | ebac | teri | umg. | lutar | nicu | m | | | | | | | | |
| | _ | 2 Asp | Ile | Tyr 5 | Glu | Leu | Gly | Leu | Glu 10 | Thr | Gly | His | Ala | Thr 15 | Tyr | |
| Glu | Thr | Ser | Gly 20 | | Thr | Trp | Asp | Gln 25 | Phe | Ser | Gln | Ser | Lys 30 | Ile | Met | |
| Asp | Thr | Val 35 | Met | Val | Ala | Val | Glu 40 | Asn | Asn | Asp | Pro | Asp 45 | Phe | Ile | Leu | |
| .Gly | Trp 50 | Val | Ser | Ala | Ala | Pro 55 | Ile | Ser | Ser | Arg | Gln 60 | Val | Phe | His | Gly | |
| Val 65 | Val | Glu | Asp | Ser | Ile 70 | Tyr | Ile | His | Pro | Gln 75 | Gly | Gln | Gly | Arg | Gly 80 | |
| Ile | Gly | Gly | Ala | Leu 85 | Leu | Asp | Ala | Leu | Ile 90 | Thr | Tyr | Cys | Glu | Ser 95 | Asn | |
| Gly | Ile | Trp | Ser 100 | Ile | His | Ser | Trp | Ile 105 | Phe | Pro | Glu | Asn | Leu 110 | Gly | Ser | |
| Ala | Lys | Leu 115 | His | Glu | Ser | Lys | Gly 120 | Phe | Val | Lys | Val | Gly 125 | Thr | Met | His | |
| Gln | Met 130 | Ala | Arg | Met | Pro | Tyr 135 | Gly | Glu | Met | Glu | Gly 140 | Gln | Trp | Arg | Asp | |
| Cys 145 | Asp | Leu | Trp | Glu | Cys 150 | Leu | Leu | Ser | Val | Pro 155 | Glu | Gln | Ala | Gln | Ser 160 | |
| Ser | | | | | | | | | | | | | | | | |

32

| <21 <21 | 0> 2 1> 1 2> D 3> C | 575 NA | iebac | teri | ium g | ıluta | micu | ım | | | | | | | | |
|------------|------------------------------|-----------|-----------|-------|-------|-------|------|------|------|------|-----|------|-----|-------------------|--------|-----|
| <22 | 1> C 2> (| | (1 345 | .552) | ı | | | | | | | | | | | |
| | 0> 2 aacc | | ttga | acat | gc a | aaac | taat | g ct | tttg | gggg | gta | tgca | taa | attc | gtttcg | 60 |
| ttc | cact | gca | cago | ccga: | ıaa a | tgct | gcta | g gg | tcaa | gttc | | | | gga Gly | | 115 |
| | | | | | Arg | | | | | Ala | | | | gga Gly 20 | | 163 |
| | | | | Thr | | | | | | | | | | gat Asp | | 211 |
| | | | Val | | | | | | | | | | | ggt Gly | | 259 |
| | | | | | | | | | | | | | | tct Ser | | 307 |
| | | | | | | | | | | | | | | gtc Val | | 355 |
| | | | | | | | | | | | | | | ttt Phe 100 | | 403 |
| | | | | Thr | | | | | | | | | | gga Gly | | 451 |
| | | | | | | | | | | | | | | cac His | | 499 |
| | | | | | | | | | | | | | | atc Ile | | 547 |
| - | _ | | _ | - | | | | - | - | - | - | | | tac Tyr | | 595 |

| | | | | cgc Arg 170 | Thr | | | | | | | | | | | 643 |
|------------|------------|-------------------|------------|-------------------|------------|------------|-------------------|------------|------------|------------|------------|-------------------|------------|------------|------------|------|
| | _ | _ | | ggc | | | | • | | _ | | | - | | - | 691 |
| | | | | gag Glu | | | | | | | | | | | | 739 |
| | | | | gat Asp | | | | | | | | | | | | 787 |
| | | | | gat Asp | | | | | | | | | | | | 835 |
| | | | | aac Asn 250 | | | | | | | | | | | | 883 |
| _ | _ | | _ | att Ile | | - | - | _ | | | - | | _ | | | 931 |
| ttc Phe | tac Tyr | gag Glu 280 | gct Ala | gcc Ala | act Thr | ccc Pro | ctg Leu 285 | gtg Val | gaa Glu | aaa Lys | tcc Ser | ttg Leu 290 | tcc Ser | atc Ile | atg Met | 979 |
| | | | | ggc Gly | | | | | | | | | | | | 1027 |
| Ile 310 | Tyr | Leu | Val | ggt Gly | Gly 315 | Gly | Ser | Ser | Leu | Pro 320 | Leu | Val | Ser | Arg | Leu 325 | 1075 |
| | | | | ttc Phe 330 | | | | | | | | | | | | 1123 |
| Gly | Ser | Thr | Ala 345 | gtg Val | Gly | Leu | Āla | 11e 350 | Ala | Ala | Asp | Pro | Ser 355 | Ser | Gly | 1171 |
| ttc Phe | cac His | cta Leu 360 | agg Arg | gac Asp | cgc Arg | gtt Val | gcg Ala 365 | cga Arg | ggc Gly | atc Ile | ggt Gly | gtg Val 370 | ttc Phe | cgt Arg | gag Glu | 1219 |
| | | | | cgt Arg | | | | | | | | | | | | 1267 |

| | | | gcg Ala | | | | | | | | 1315 |
|------|------|------|-------------------|------|------|---|--|--|--|--|------|
| | | | ttc Phe | | | | | | | | 1363 |
| | | | gat Asp 425 | | | | | | | | 1411 |
| | | | acc Thr | | | | | | | | 1459 |
| | | | gaa Glu | | | | | | | | 1507 |
| | | | aag Lys | | | | | | | | 1552 |
| tagt | tacc | at t | ttgg | tgct | g gt | g | | | | | 1575 |

<210> 24

<211> 484

<212> PRT

<213> Corynebacterium glutamicum

<400> 24

Met Arg Phe Gly Leu Asp Leu Gly Thr Thr Arg Thr Ile Ala Ala 1 5 10 15

Val Asp Arg Gly Asn Tyr Pro Ile Val Thr Val Glu Asp Ser Leu Gly
20 25 30

Asp Thr His Asp Phe Ile Pro Ser Val Val Ala Leu Lys Ala Asp Arg
35 40 45

Ile Val Ala Gly Trp Asp Ala Ile Glu Val Gly Gln Asp His Pro Ser 50 55 60

Phe Val Arg Ser Phe Lys Arg Leu Leu Ser Glu Pro Asn Val Thr Glu 65 70 75 80

Ala Thr Pro Val Tyr Leu Gly Asp His Val His Pro Leu Gly Ala Val 85 90 95

Leu Glu Ala Phe Ala Glu Asn Val Val Thr Ala Leu Arg Ala Phe Gln
100 105 110

Thr Gln Leu Gly Asp Thr Ser Pro Ile Glu Val Val Ile Gly Val Pro 115 120 . 125

Ala Asn Ser His Ser Ala Gln Arg Leu Leu Thr Met Ser Ala Phe Ser 130 135 140

- Ala Thr Gly Ile Thr Val Val Gly Leu Val Asn Glu Pro Ser Ala Ala 145 150 155 160
- Ala Phe Glu Tyr Thr His Arg His Ala Arg Thr Leu Asn Ser Lys Arg 165 170 175
- Gln Ala Ile Val Val Tyr Asp Leu Gly Gly Gly Thr Phe Asp Ser Ser 180 185 190
- Leu Ile Arg Ile Asp Gly Thr His His Glu Val Val Ser Ser Ile Gly 195 200 205
- Ile Ser Arg Leu Gly Gly Asp Asp Phe Asp Glu Ile Leu Leu Gln Cys 210 215 220
- Ala Leu Lys Ala Ala Gly Arg Gln His Asp Ala Phe Gly Lys Arg Ala 225 230 235 240
- Lys Asn Thr Leu Leu Asp Glu Ser Arg Asn Ala Lys Glu Ala Leu Val 245 250 255
- Pro Gln Ser Arg Arg Leu Val Leu Glu Ile Gly Asp Asp Ile Thr 260 265 270
- Val Pro Val Asn Lys Phe Tyr Glu Ala Ala Thr Pro Leu Val Glu Lys 275 280 285
- Ser Leu Ser Ile Met Glu Pro Leu Ile Gly Val Asp Asp Leu Lys Asp 290 295 300
- Ser Asp Ile Ala Gly Ile Tyr Leu Val Gly Gly Gly Ser Ser Leu Pro 305 310 315 320
- Leu Val Ser Arg Leu Leu Arg Glu Arg Phe Gly Arg Arg Val His Arg 325 330 335
- Ser Pro Phe Pro Ser Gly Ser Thr Ala Val Gly Leu Ala Ile Ala Ala 340 345 350
- Asp Pro Ser Ser Gly Phe His Leu Arg Asp Arg Val Ala Arg Gly Ile 355 360 365
- Gly Val Phe Arg Glu His Asp Ser Gly Arg Ala Val Ser Phe Asp Pro 370 375 380
- Leu Ile Ala Pro Asp Thr Asp Ser Ala Thr Val Ala Lys Arg Cys Tyr 385 390 395 400
- Lys Ala Val His Asn Ile Gly Trp Phe Arg Phe Val Glu Tyr Ser Thr 405 410 415
- Val Ser Glu Asp Gly Ser Pro Gly Asp Ile Ser Leu Leu Ser Glu Ile 420 425 430

Lys Ile Pro Phe Asp Ser Ser Ile Thr Asp Val Asp Ala Thr Glu Ile Ser Arg Phe Asp Gly Pro Glu Val Glu Glu Thr Ile Thr Val Asn Asp 450 Asn Gly Val Ala Ser Ile Ser Ile Lys Ile Leu Gly Gly Val Thr Val 470 Glu His Thr Ile <210> 25 <211> 1267 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1267) <223> FRXA01345 <400> 25 cataacctca ttgaacatgc aaaactaatg cttttggggg gtatgcataa attcgtttcg 60 ttccactgca cagcccgaaa atgctgctag ggtcaagttc atg cgt ttt gga ctt 115 Met Arg Phe Gly Leu gac ttg gga act acc cgc aca atc gcg gcc gcc gtg gac cgc gga aac 163 Asp Leu Gly Thr Thr Arg Thr Ile Ala Ala Ala Val Asp Arg Gly Asn tat ecc ate gte act gtg gaa gat tet tta gge gae ace cae gat tte 211 Tyr Pro Ile Val Thr Val Glu Asp Ser Leu Gly Asp Thr His Asp Phe 25 30 259 att cca tct gtg gtg gcc ctc aag gca gat agg att gtc gcg ggt tgg Ile Pro Ser Val Val Ala Leu Lys Ala Asp Arg Ile Val Ala Gly Trp 45 40 gat gct att gag gtt ggg cag gac cac cct tcc ttc gta cgt tct ttc 307 Asp Ala Ile Glu Val Gly Gln Asp His Pro Ser Phe Val Arg Ser Phe 355 aaa cgc cta ctc tct gaa ccc aat gtc acg gaa gcc acc ccg gtc tac Lys Arg Leu Leu Ser Glu Pro Asn Val Thr Glu Ala Thr Pro Val Tyr 70 403 ttg ggc gat cat gta cac cct ttg ggc gcc gtc ctg gag gct ttt gcg Leu Gly Asp His Val His Pro Leu Gly Ala Val Leu Glu Ala Phe Ala gaa aac gtg gtc act gcg ctg cgt gca ttt cag acg caa ttg gga gat 451 Glu Asn Val Val Thr Ala Leu Arg Ala Phe Gln Thr Gln Leu Gly Asp 105 110 115

| acc Thr | tcc Ser | ccg Pro 120 | Ile | gaa Glu | gta Val | gtc Val | att Ile 125 | ggt Gly | gtg Val | ccc Pro | gcc Ala | aac Asn 130 | tcc Ser | cac His | agc Ser | 499 |
|------------|------------|-------------------|-----|------------|------------|------------|-------------------|------------|------------|-------------------|------------|-------------------|------------|------------|------------|------|
| | | Arg | | | | | | | | agc Ser | | | | | | 547 |
| | | | | | | | | | | gca Ala 160 | | | | | | 595 |
| | | | | | | | | | | cgc Arg | | | | | | 643 |
| | | | | | | | | | | tcg Ser | | | | | | 691 |
| | | | | | | | | | | Gly | | | | | | 739 |
| | | | | | | | | | | tgc Cys | | | | | | 787 |
| | | | | | | | | | | gct Ala 240 | | | | | | 835 |
| | | | | | | | | | | gtt Val | | | | | | 883 |
| | | | | | | | | | | acc Thr | | | | | | 931 |
| | | | | | | | | | | aaa Lys | | | | | | 979 |
| - | | | | | _ | - | - | | | gat Asp | | _ | | - | | 1027 |
| | | | _ | | | | | _ | | cca Pro 320 | | _ | | | _ | 1075 |
| | _ | - | Arg | | | - | - | - | | cgc Arg | | | | | | 1123 |

ggt too act gcg gtg ggt ctg gcc atc gcg gct gac cct too tot ggt 1171 Gly Ser Thr Ala Val Gly Leu Ala Ile Ala Ala Asp Pro Ser Gly 345 350 355

ttc cac cta agg gac cgc gtt gcg cga ggc atc ggt gtg ttc cgt gag 1219 Phe His Leu Arg Asp Arg Val Ala Arg Gly Ile Gly Val Phe Arg Glu 360 365 370

cac gat tot ggt cgt gcc gtg agc ttt gac ccg ctg atc gcc ccg gac 1267 His Asp Ser Gly Arg Ala Val Ser Phe Asp Pro Leu Ile Ala Pro Asp 375 380 385

<210> 26

<211> 389

<212> PRT

<213> Corynebacterium glutamicum

<400> 26

Met Arg Phe Gly Leu Asp Leu Gly Thr Thr Arg Thr Ile Ala Ala Ala 1 5 10 15

Val Asp Arg Gly Asn Tyr Pro Ile Val Thr Val Glu Asp Ser Leu Gly
20 25 30

Asp Thr His Asp Phe Ile Pro Ser Val Val Ala Leu Lys Ala Asp Arg
35 40 45

Phe Val Arg Ser Phe Lys Arg Leu Leu Ser Glu Pro Asn Val Thr Glu 65 70 75 80

Ala Thr Pro Val Tyr Leu Gly Asp His Val His Pro Leu Gly Ala Val 85 90 95

Leu Glu Ala Phe Ala Glu Asn Val Val Thr Ala Leu Arg Ala Phe Gln
100 105 110

Thr Gln Leu Gly Asp Thr Ser Pro Ile Glu Val Val Ile Gly Val Pro 115 120 125

Ala Asn Ser His Ser Ala Gln Arg Leu Leu Thr Met Ser Ala Phe Ser 130 135 140

Ala Thr Gly Ile Thr Val Val Gly Leu Val Asn Glu Pro Ser Ala Ala 145 150 155 160

Ala Phe Glu Tyr Thr His Arg His Ala Arg Thr Leu Asn Ser Lys Arg 165 170 175

Gln Ala Ile Val Val Tyr Asp Leu Gly Gly Gly Thr Phe Asp Ser Ser 180 185 190

Leu Ile Arg Ile Asp Gly Thr His His Glu Val Val Ser Ser Ile Gly 195 200 205

Ile Ser Arg Leu Gly Gly Asp Asp Phe Asp Glu Ile Leu Leu Gln Cys 210 215 Ala Leu Lys Ala Ala Gly Arg Gln His Asp Ala Phe Gly Lys Arg Ala 230 235 Lys Asn Thr Leu Leu Asp Glu Ser Arg Asn Ala Lys Glu Ala Leu Val 250 Pro Gln Ser Arg Arg Leu Val Leu Glu Ile Gly Asp Asp Ile Thr 265 Val Pro Val Asn Lys Phe Tyr Glu Ala Ala Thr Pro Leu Val Glu Lys 275 280 Ser Leu Ser Ile Met Glu Pro Leu Ile Gly Val Asp Asp Leu Lys Asp Ser Asp Ile Ala Gly Ile Tyr Leu Val Gly Gly Ser Ser Leu Pro 310 Leu Val Ser Arg Leu Leu Arg Glu Arg Phe Gly Arg Arg Val His Arg Ser Pro Phe Pro Ser Gly Ser Thr Ala Val Gly Leu Ala Ile Ala Ala Asp Pro Ser Ser Gly Phe His Leu Arg Asp Arg Val Ala Arg Gly Ile 360 Gly Val Phe Arg Glu His Asp Ser Gly Arg Ala Val Ser Phe Asp Pro 375 Leu Ile Ala Pro Asp 385 <210> 27 <211> 1308 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1285) <223> RXA02541 <400> 27 atccgccggt gtccggacaa caaaacttgc aacacaagat aacttaagaa attgcataca 60 attcaccgca tataagactc atggaaggag gggatgccca gtg aac aac agc gaa Val Asn Asn Ser Glu tgg gca aat aag aac tat tac gca gac ctg ggg gtc tcc tcg tcc gct Trp Ala Asn Lys Asn Tyr Tyr Ala Asp Leu Gly Val Ser Ser Ser Ala

10 15 20

| | J | - | gag Glu | | | - | - | | - | _ | | - | | - | | 211 |
|---|---|---|-------------------|-----|---|---|---|----|---|---|---|---|----|---|---|-----|
| | | _ | 25 | | _ | _ | | 30 | | - | | | 35 | | | |
| | | | aaa Lys | | | | | | | | | | | | | 259 |
| | | | gag Glu | | | | | | | | | | | | | 307 |
| _ | | _ | gag Glu | | | _ | | | _ | | | | | _ | | 355 |
| | | | agc Ser | | | | | | | | | | _ | _ | | 403 |
| | | | ttc Phe 105 | | | | | | | | | | | | | 451 |
| | | | acg Thr | | | | | | | | | | | | | 499 |
| | | | gct Ala | | | | | | | | | | | | | 547 |
| | | | acc Thr | | | | | | | | | | | | | 595 |
| | | | cca Pro | | | | | | | | | | | | | 643 |
| | | _ | ggc Gly 185 | | | | | | | - | | - | | | - | 691 |
| | | | gga Gly | | | | | | | | | | | | | 739 |
| - | | _ | gca Ala | | _ | | | | | - | | | | _ | | 787 |
| - | _ | | tgc Cys | His | | _ | | | - | | _ | | _ | | | 835 |

| | | | | | | | | | | | cag Gln | | | | | 883 |
|--------------|----------------------------------|------------|-------------------|-------------------|------------|-------------------|------------|-------------------|-------------------|------------|-------------------|------------|-------------------|-------------------|------------|------|
| | | | | | | | | | | | cca Pro | | | | | 931 |
| | | | | | | | | | | | ttc Phe | | | | | 979 |
| agc Ser | aac Asn 295 | att Ile | ttg Leu | atc Ile | acc Thr | att Ile 300 | ccc Pro | gtg Val | agc Ser | ttc Phe | agc Ser 305 | gag Glu | ctg Leu | gct Ala | ttg Leu | 1027 |
| | | | | | | | | | | | cct Pro | | | | | 1075 |
| cta Leu | cct Pro | gcg Ala | gga Gly | acg Thr 330 | cca Pro | gat Asp | ggt Gly | cgt Arg | act Thr 335 | ttg Leu | cgt Arg | gta Val | cgc Arg | ggt Gly 340 | cgc Arg | 1123 |
| ggt Gly | atc Ile | gaa Glu | gca Ala 345 | cgt Arg | gat Asp | tcc Ser | act Thr | ggt Gly 350 | gat Asp | ctg Leu | ctg Leu | gtt Val | aca Thr 355 | gtc Val | cag Gln | 1171 |
| | | | | | | | | | | | gcg Ala | | | | | 1219 |
| gca Ala | tat Tyr 375 | gct Ala | gaa Glu | gca Ala | gaa Glu | act Thr 380 | aat Asn | tca Ser | ggt Gly | ttt Phe | gat Asp 385 | ccc Pro | cgc Arg | gct Ala | aac Asn | 1267 |
| | | ggc Gly | | | | taga | cgtt | ct o | ettte | gagaa | aa go | ga | | | | 1308 |
| <211 <212 |)> 28 .> 39 ?> PF ß> Co |)5 (T | bact | eriu | ım gl | .utan | ιicuπ | n | | | | | | | | |
| |)> 28 Asn | | Ser | Glu 5 | Trp | Ala | Asn | Lys | Asn 10 | Tyr | Tyr | Ala | Asp | Leu 15 | Gly | |
| Val | Ser | Ser | Ser 20 | Ala | Ser | Glu | Asp | Glu 25 | Ile | Lys | Lys | Ala | Tyr 30 | Arg | Lys | |

Leu Ala Arg Glu Asn His Pro Asp Lys Asn Pro Gly Asp Lys Ala Ala 35 40 45

Glu Asp Arg Phe Lys Lys Ala Ala Glu Ala Tyr Asp Val Leu Gly Asp 50 55 60

- Asp Lys Lys Arg Lys Glu Tyr Asp Glu Leu Lys Ala Leu Leu Ala Ser 65 70 75 80
- Gly Gly Ile Arg Gly Gly Phe Gly Ser Gly Gly Ala Gly Phe Pro Gly 85 90 95
- Gly Phe Arg Thr Ser Thr Gly Gly Phe Asp Thr Ser Asp Leu Phe Gly 100 105 110
- Gly Gly Gly Gly Gly Phe Ser Thr Asp Gly Gly Leu Gly Asp Ile 115 120 125
- Phe Gly Gly Leu Phe Asn Arg Gly Ala Gly Ser His Gln Ser Ala Arg 130 135 140
- Pro Thr Arg Gly Ala Asp Val Gln Thr Glu Ile Thr Leu Ser Phe Val 145 150 155 160
- Glu Ala Ala Lys Gly Thr Thr Ile Pro Val Glu Leu Thr Gly Asp Ala 165 170 175
- Pro Cys Asn Thr Cys His Gly Ser Gly Ser Lys Ser Gly His Pro Ala 180 185 190
- Lys Cys Gly Thr Cys Asp Gly Thr Gly Phe Thr Ser Glu Asn Lys Gly 195 200 205
- Ala Phe Gly Phe Ser Ala Pro Cys Ala Thr Cys Gly Gly Thr Gly Glu 210 215 220
- Ile Ile Thr Asp Pro Cys Asp Asn Cys His Gly Arg Gly Thr Val Arg 225 230 235 240
- Lys Ser Arg Ser Ile Thr Val Arg Ile Pro Thr Gly Val Glu Asp Gly
 245 250 255
- Gln Lys Val Arg Leu Ala Gly Gln Gly Glu Ala Gly Pro Asn Gly Lys 260 265 270
- Pro Ala Gly Asp Leu Phe Val Lys Val His Val Lys Lys Asp Asp Val 275 280 285
- Phe Thr Arg Asp Gly Ser Asn Ile Leu Ile Thr Ile Pro Val Ser Phe 290 295 300
- Ser Glu Leu Ala Leu Gly Gly Ala Ile Ser Val Pro Thr Leu Asn Lys 305 310 315 320
- Pro Val Lys Leu Lys Leu Pro Ala Gly Thr Pro Asp Gly Arg Thr Leu 325 330 335
- Arg Val Arg Gly Arg Gly Ile Glu Ala Arg Asp Ser Thr Gly Asp Leu 340 345 350

Leu Val Thr Val Gln Val Ser Val Pro Lys Asn Leu Asp Asn Ala 355 360 365

Ala Glu Ala Leu Arg Ala Tyr Ala Glu Ala Glu Thr Asn Ser Gly Phe 370 375 380

Asp Pro Arg Ala Asn Trp Ala Gly Gln Asn Arg 385 390 395

<210> 29

<211> 777

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(754)

<223> RXA02542

<400> 29

ccaggctgac gcaggtgcag aaggcgctgc agatgacaat gttgttgacg ctgaagttgt 60

cgaagacgac gcagctgaca atggtgagga caagaagtaa atg act acc cct aac 115 Met Thr Thr Pro Asn 1 5

gga atg ccc gac aat cct ggg gat cct gaa aat acc gat cca gag gca 163 Gly Met Pro Asp Asn Pro Gly Asp Pro Glu Asn Thr Asp Pro Glu Ala 10 15 20

acc tct gct gat cgt gct gag cag gca gct gaa gca gct gcc cgc 211
Thr Ser Ala Asp Arg Ala Glu Gln Ala Ala Glu Glu Ala Ala Ala Arg

caa gcg gag gaa tct cca ttt gga cag gcc tca gag gaa gaa att tct 259
Gln Ala Glu Glu Ser Pro Phe Gly Gln Ala Ser Glu Glu Glu Ile Ser
40 45 50

cca gag ctc gaa gca gag atc aat gat ctt cta tca gat gtt gat cca 307
Pro Glu Leu Glu Ala Glu Ile Asn Asp Leu Leu Ser Asp Val Asp Pro
55 60 65

gat ttg gat ggc gat ggt gaa gtg tcc gct gta gaa aca cag ctt gcc 355
Asp Leu Asp Gly Asp Gly Glu Val Ser Ala Val Glu Thr Gln Leu Ala
70 80 85

gaa cgc act gag gat ctg cag cga gtc acc gct gag tac gcc aac tac 403 Glu Arg Thr Glu Asp Leu Gln Arg Val Thr Ala Glu Tyr Ala Asn Tyr 90 95 100

cgt cga cgt acc gag cgt gaa cgc cag ggc atc atc gac acc gca cgc 451 Arg Arg Arg Thr Glu Arg Glu Arg Gln Gly Ile Ile Asp Thr Ala Arg 105 110 115

gca ggt gtt gtt acc caa ctt ctg ccg ttg ctc gac gat ctt gac ctg 499 Ala Gly Val Val Thr Gln Leu Leu Pro Leu Leu Asp Asp Leu Asp Leu PCT/IB00/00922

WO 01/00804 120 125 130 547 gct gaa cag cac ggt gac ctt aac gaa ggt ccg ctg aag tca ctg tct Ala Glu Gln His Gly Asp Leu Asn Glu Gly Pro Leu Lys Ser Leu Ser 135 gac aag ctg atc aac atc ctg ggt gga ttg aag gtg gaa tcc ttc ggc 595 Asp Lys Leu Ile Asn Ile Leu Gly Gly Leu Lys Val Glu Ser Phe Gly 155 gag atc ggc gaa gca ttc gat cca gag atc cac gaa gca gta cag gat Glu Ile Gly Glu Ala Phe Asp Pro Glu Ile His Glu Ala Val Gln Asp 170 ctc tca cag ggt gat gtc aag gtt ctg gga acg gta ctc cgc aag gga 691 Leu Ser Gln Gly Asp Val Lys Val Leu Gly Thr Val Leu Arg Lys Gly 185 190 tac ege ete gge gae ege gte ate ege ace gea atg gte ete att ggg 739 Tyr Arg Leu Gly Asp Arg Val Ile Arg Thr Ala Met Val Leu Ile Gly 200 205 777 gat cca gag gag agc tagagagact aagtctctta gtg Asp Pro Glu Glu Ser 215

<210> 30

<211> 218

<212> PRT

<213> Corynebacterium glutamicum

<400> 30

Met Thr Thr Pro Asn Gly Met Pro Asp Asn Pro Gly Asp Pro Glu Asn

Thr Asp Pro Glu Ala Thr Ser Ala Asp Arg Ala Glu Gln Ala Ala Glu

Glu Ala Ala Ala Arg Gln Ala Glu Glu Ser Pro Phe Gly Gln Ala Ser

Glu Glu Glu Ile Ser Pro Glu Leu Glu Ala Glu Ile Asn Asp Leu Leu

Ser Asp Val Asp Pro Asp Leu Asp Gly Asp Gly Glu Val Ser Ala Val

Glu Thr Gln Leu Ala Glu Arg Thr Glu Asp Leu Gln Arg Val Thr Ala

Glu Tyr Ala Asn Tyr Arg Arg Arg Thr Glu Arg Glu Arg Gln Gly Ile

Ile Asp Thr Ala Arg Ala Gly Val Val Thr Gln Leu Leu Pro Leu Leu 120

Asp Asp Leu Asp Leu Ala Glu Gln His Gly Asp Leu Asn Glu Gly Pro 135 Leu Lys Ser Leu Ser Asp Lys Leu Ile Asn Ile Leu Gly Gly Leu Lys 145 150 155 160 Val Glu Ser Phe Gly Glu Ile Gly Glu Ala Phe Asp Pro Glu Ile His Glu Ala Val Gln Asp Leu Ser Gln Gly Asp Val Lys Val Leu Gly Thr 180 185 Val Leu Arg Lys Gly Tyr Arg Leu Gly Asp Arg Val Ile Arg Thr Ala Met Val Leu Ile Gly Asp Pro Glu Glu Ser 210 215 <210> 31 <211> 1977 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1954) <223> RXN02543 <400> 31 ctcaatgagg agtttttctt accggcgaaa gtcggtggga agcaagtcaa agctcaagcc 60 gtggacagta ctaaaatcac ctaaaacagg aggcaccatt atg gga cgt gca gta Met Gly Arg Ala Val gga att gac ett gga ace ace aac tet gtg gtt tee gta ett gaa gge 163 Gly Ile Asp Leu Gly Thr Thr Asn Ser Val Val Ser Val Leu Glu Gly ggc gag cca gta gtt atc gca aac gca gaa ggc tca cgc acc cct 211 Gly Glu Pro Val Val Ile Ala Asn Ala Glu Gly Ser Arg Thr Thr Pro 30 259 tcc gtc gtt gca ttc gca aag aac ggt gaa gtt cta gtc ggc cag tcc Ser Val Val Ala Phe Ala Lys Asn Gly Glu Val Leu Val Gly Gln Ser gct aag aac cag gcg gtc acc aac gtt gac cgc acc att cgc tcc gtc 307 Ala Lys Asn Gln Ala Val Thr Asn Val Asp Arg Thr Ile Arg Ser Val aag cgc cac atc ggc acc gac tgg tcc gtt gct atc gat gac aag aac 355 Lys Arg His Ile Gly Thr Asp Trp Ser Val Ala Ile Asp Asp Lys Asn tac acc tca cag gaa atc tcg gct cgt acc ctg atg aag ctg aag cgc 403

| Tyr | Thr | Ser | Gln | Glu 90 | Ile | Ser | Ala | Arg | Thr 95 | | Met | Lys | Leu | Lys 100 | Arg | |
|-----|-----|-----|-----|-----------|-------------------|-----|-----|-----|-----------|---|-----|-----|-----|------------|-----|------|
| | | | | Tyr | ctg Leu | | | | Val | | | | | | | 451 |
| - | | - | Tyr | | gag Glu | - | | Gln | - | _ | - | | - | _ | _ | 499 |
| | | Ile | | | ctt Leu | | | | | | | | | | | 547 |
| | Ala | - | | - | tac Tyr 155 | | | | _ | | | _ | | _ | | 595 |
| | _ | _ | | _ | ctc Leu | | | | | | _ | - | | | | 643 |
| | | | _ | | gtt ·Val | - | | _ | _ | - | | | | _ | | 691 |
| | | | | - | gac Asp | | _ | _ | _ | | _ | - | | _ | - | 739 |
| | _ | | _ | | tcc Ser | | | | - | - | | _ | _ | _ | _ | 787 |
| _ | - | _ | _ | - | cgt Arg 235 | | - | - | | _ | - | _ | | | - | 835 |
| | | | _ | - | gca Ala | | | | | | | | | - | - | 883 |
| | | | | | ctg Leu | | | | | | | | | | | 931 |
| | | | | | cag Gln | | | | | | | | | | | 979 |
| | | | | | gac Asp | | | | | | | | | | | 1027 |
| | | | | | ggt Gly | | | | | | | | | | | 1075 |

| 310 | | | | | 315 | | | | | 320 | | | | 325 | |
|-----|-----|---|-----|-------------------|-----|---|---|---|---|-----|---|-------|---|-----|------|
| | | | | acc Thr 330 | Gly | | | | | | | | | | 1123 |
| | | | | gca Ala | | | | | | | | | | | 1171 |
| | | | Lys | gat Asp | | | | | | | | | | | 1219 |
| | | - | | aag Lys | | | | _ | | _ | | | _ | | 1267 |
| | Thr | | | acc Thr | _ | - | | | | | | _ | | _ | 1315 |
| | | | | gtt Val 410 | _ | | _ | _ | | _ | | _ | _ | | 1363 |
| | | | | aag Lys | | | | | | | | | | | 1411 |
| | | | | ggc Gly | | | | | | | | | | | 1459 |
| _ | | | | gtc Val | | _ | | _ | _ | _ | - | | | _ | 1507 |
| | | | | acc Thr | | | | | | | | | | | 1555 |
| | | | | atc Ile 490 | | | | | | | | | | | 1603 |
| | | | | gag Glu | | | | | | | | | | | 1651 |
| | | | | aag Lys | | | | | | | | | | | 1699 |
| | | | | aag Lys | | | | | | | | | | | 1747 |

| ctc aag ggc gag gac ctc gag gca atc aag gct gca gtt gag aag ctg Leu Lys Gly Glu Asp Leu Glu Ala Ile Lys Ala Ala Val Glu Lys Leu 550 555 560 | |
|---|------|
| aac acc gag tcc cag gaa atg ggt aag gct atc tac gag gct gac gct Asn Thr Glu Ser Gln Glu Met Gly Lys Ala Ile Tyr Glu Ala Asp Ala 570 575 580 | 1843 |
| gct gct ggt gca acc cag gct gac gca ggt gca gaa ggc gct gca gat Ala Ala Gly Ala Thr Gln Ala Asp Ala Gly Ala Glu Gly Ala Ala Asp 585 590 595 | 1891 |
| gac aat gtt gtt gac gct gaa gtt gtc gaa gac gac gca gct gac aat Asp Asn Val Val Asp Ala Glu Val Val Glu Asp Asp Ala Ala Asp Asn 600 605 610 | |
| ggt gag gac aag aag taaatgacta cccctaacgg aat Gly Glu Asp Lys Lys 615 | 1977 |
| <210> 32 <211> 618 <212> PRT <213> Corynebacterium glutamicum | |
| <pre><400> 32 Met Gly Arg Ala Val Gly Ile Asp Leu Gly Thr Thr Asn Ser Val Val 1 5 10 15</pre> | |
| Ser Val Leu Glu Gly Gly Glu Pro Val Val Ile Ala Asn Ala Glu Gly 20 25 30 | |
| Ser Arg Thr Thr Pro Ser Val Val Ala Phe Ala Lys Asn Gly Glu Val 35 40 45 | |
| Leu Val Gly Gln Ser Ala Lys Asn Gln Ala Val Thr Asn Val Asp Arg 50 55 60 | |
| Thr Ile Arg Ser Val Lys Arg His Ile Gly Thr Asp Trp Ser Val Ala 65 70 75 80 | · |
| Ile Asp Asp Lys Asn Tyr Thr Ser Gln Glu Ile Ser Ala Arg Thr Leu 85 90 95 | |
| Met Lys Leu Lys Arg Asp Ala Glu Ala Tyr Leu Gly Glu Asp Val Thr 100 105 110 | |
| Asp Ala Val Ile Thr Val Pro Ala Tyr Phe Glu Asp Ser Gln Arg Gln 115 120 125 | |
| Ala Thr Lys Glu Ala Gly Gln Ile Ala Gly Leu Asn Val Leu Arg Ile 130 135 140 | |
| Val Asn Glu Pro Thr Ala Ala Ala Leu Ala Tyr Gly Leu Glu Lys Gly 145 150 155 160 | |

- Glu Gln Glu Gln Thr Ile Leu Val Phe Asp Leu Gly Gly Gly Thr Phe 165 170 175
- Asp Val Ser Leu Leu Glu Ile Gly Asp Gly Val Val Glu Val Arg Ala 180 185 190
- Thr Ser Gly Asp Asn Glu Leu Gly Gly Asp Asp Trp Asp Gln Arg Ile 195 200 205
- Val Asp Trp Leu Val Glu Lys Phe Gln Ser Ser Asn Gly Ile Asp Leu 210 215 220
- Thr Lys Asp Lys Met Ala Leu Gln Arg Leu Arg Glu Ala Ala Glu Lys 225 230 235 240
- Ala Lys Ile Glu Leu Ser Ser Ser Gln Ser Ala Asn Ile Asn Leu Pro 245 250 255
- Tyr Ile Thr Val Asp Ala Asp Lys Asn Pro Leu Phe Leu Asp Glu Thr 260 265 270
- Leu Ser Arg Ala Glu Phe Gln Arg Ile Thr Gln Asp Leu Leu Ala Arg 275 280 285
- Thr Lys Thr Pro Phe Asn Gln Val Lys Asp Ala Gly Val Ser Val 290 295 300
- Ser Glu Ile Asp His Val Val Leu Val Gly Gly Ser Thr Arg Met Pro 305 310 315 320
- Ala Val Thr Glu Leu Val Lys Glu Leu Thr Gly Gly Arg Glu Pro Asn 325 330 335
- Lys Gly Val Asn Pro Asp Glu Val Val Ala Val Gly Ala Ala Leu Gln 340 345 350
- Ala Gly Val Leu Arg Gly Glu Val Lys Asp Val Leu Leu Leu Asp Val 355 360 365
- Thr Pro Leu Ser Leu Gly Ile Glu Thr Lys Gly Gly Val Met Thr Lys 370 375 380
- Leu Ile Glu Arg Asn Thr Thr Ile Pro Thr Lys Arg Ser Glu Thr Phe 385 390 395 400
- Thr Thr Ala Glu Asp Asn Gln Pro Ser Val Gln Ile Gln Val Phe Gln 405 410 415
- Gly Glu Arg Glu Ile Ala Thr Ala Asn Lys Leu Leu Gly Ser Phe Glu 420 425 430
- Leu Gly Gly Ile Ala Pro Ala Pro Arg Gly Val Pro Gln Ile Glu Val 435 440 445
- Thr Phe Asp Ile Asp Ala Asn Gly Ile Val His Val Thr Ala Lys Asp 450 455 460

Lys Gly Thr Gly Lys Glu Asn Thr Ile Thr Ile Gln Asp Gly Ser Gly 465 470 Leu Ser Gln Asp Glu Ile Asp Arg Met Ile Lys Asp Ala Glu Ala His 490 Ala Asp Glu Asp Lys Lys Arg Arg Glu Glu Glu Val Arg Asn Asn 500 505 510 Ala Glu Ser Leu Val Tyr Gln Thr Arg Lys Phe Val Glu Glu Asn Ser 520 Glu Lys Val Ser Glu Asp Leu Lys Ala Lys Val Glu Glu Ala Ala Lys 530 Gly Val Glu Glu Ala Leu Lys Gly Glu Asp Leu Glu Ala Ile Lys Ala Ala Val Glu Lys Leu Asn Thr Glu Ser Gln Glu Met Gly Lys Ala Ile Tyr Glu Ala Asp Ala Ala Ala Gly Ala Thr Gln Ala Asp Ala Gly Ala 585 Glu Gly Ala Ala Asp Asp Asn Val Val Asp Ala Glu Val Val Glu Asp 600 Asp Ala Ala Asp Asn Gly Glu Asp Lys Lys <210> 33 <211> 1977 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1954) <223> FRXA02543 <400> 33 ctcaatgagg agtttttctt accggcgaaa gtcggtggga agcaagtcaa agctcaagcc 60 115 gtggacagta ctaaaatcac ctaaaacagg aggcaccatt atg gga cgt gca gta Met Gly Arg Ala Val gga att gac ctt gga acc acc aac tct gtg gtt tcc gta ctt gaa ggc 163 Gly Ile Asp Leu Gly Thr Thr Asn Ser Val Val Ser Val Leu Glu Gly 10 ggc gag cca gta gtt atc gca aac gca gaa ggc tca cgc acc acc cct Gly Glu Pro Val Val Ile Ala Asn Ala Glu Gly Ser Arg Thr Thr Pro 25 30

| | | | Ala | | | | | | | | cta Leu | | | | | 259 |
|-----|-----|-----|-----|-----|-----|-----|-----|-------|-----|-----|-------------------|-----|-----|-----|-----|-----|
| | | | | | | | | | | | acc Thr 65 | | | | | 307 |
| | Arg | | | | | Asp | | | | | atc Ile | | | | | 355 |
| | | | | | | | | | | | atg Met | | | | | 403 |
| | | | | | | | | | | | gat Asp | | | | | 451 |
| _ | | - | | | | _ | | - | _ | _ | gca Ala | | _ | - | _ | 499 |
| | | | | | | | | | | | gtt Val 145 | | | | | 547 |
| | | | | | | | | | | | gag Glu | | | | | 595 |
| | | | | | | | | | | | gac Asp | | | | | 643 |
| | | | | | | | | | | | acc Thr | | | | | 691 |
| | | | | | | | | | | | gtt Val | | | | | 739 |
| | | | | | | | | | | | acc Thr 225 | | | | | 787 |
| | | | | | | | | | | | gca Ala | | | | | 835 |
| | | | | | | | | Asn ' | | | tac Tyr | | | | | 883 |
| gca | gac | aag | aac | cca | ctg | ttc | ttg | gat | gag | acc | ctt | tcc | cgt | gcc | gag | 931 |

| Ala | Asp | Lys | Asn 265 | | Leu | Phe | Leu | Asp 270 | | Thr | Leu | Ser | Arg 275 | Ala | Glu | |
|------------|-------------------|------------|------------|------------|------------|-------------------|-----|------------|------------|------------|-------------------|-----|------------|------------|------------|------|
| | | | Ile | | | | | Leu | | | acc Thr | | | | | 979 |
| aac Asn | cag Gln 295 | gtt Val | gtt Val | aag Lys | gac Asp | gct Ala 300 | Gly | gtg Val | tcc Ser | gtc Val | tcg Ser 305 | Glu | atc Ile | gac Asp | cac His | 1027 |
| | | | | | | | | | | | gct Ala | | | | | 1075 |
| _ | _ | - | _ | | | | _ | | | | aag Lys | | _ | | | 1123 |
| | | | | | | | | | | | gcc Ala | | | | | 1171 |
| | | _ | _ | _ | - | | | | _ | - | acc Thr | | _ | | | 1219 |
| | | | | _ | | | | _ | | _ | ctc Leu 385 | | | _ | | 1267 |
| | | | | | _ | _ | | | | | acc Thr | | - | | _ | 1315 |
| | | | | | | | | | | | ggc Gly | | | | | 1363 |
| | | | | | | | | | | | ctc Leu | | | | | 1411 |
| | | | | | | | | | | | act Thr | | | | | 1459 |
| | | | | | | | | | | | aag Lys 465 | | | | | 1507 |
| | | | | | | | | | Ser | | ctc Leu | | | | | 1555 |
| | | | | | | | | | | | gct Ala | | | | | 1603 |

490 495 500

| | | | | | cag Gln | | | | | | | | | | | 1651 |
|--|-------------------|---|---|---|-------------------|------|------|------|------|-------|----|---|---|---|---|------|
| | _ | | - | _ | ttc Phe | - | - | | | | - | - | _ | | - | 1699 |
| | | | | | gtc Val | | | | | | | | | | | 1747 |
| | - | | | _ | ctc Leu 555 | | - | | _ | - | • | - | | | _ | 1795 |
| | | | | | gaa Glu | | | | | | | | | | | 1843 |
| | _ | | - | | cag Gln | - | _ | _ | | - | _ | | - | _ | _ | 1891 |
| | | | | | gct Ala | | | | | | | | | | | 1939 |
| | gag Glu 615 | - | | - | taaa | tgac | ta c | ccct | aacç | gg aa | it | | | | | 1977 |
| | | | | | | | | | | | | | | | | |

<210> 34

<211> 618

<212> PRT

<213> Corynebacterium glutamicum

<400> 34

Met Gly Arg Ala Val Gly Ile Asp Leu Gly Thr Thr Asn Ser Val Val 1 5 10 15

Ser Val Leu Glu Gly Gly Glu Pro Val Val Ile Ala Asn Ala Glu Gly 20 25 30

Ser Arg Thr Thr Pro Ser Val Val Ala Phe Ala Lys Asn Gly Glu Val 35 40 45

Leu Val Gly Gln Ser Ala Lys Asn Gln Ala Val Thr Asn Val Asp Arg
50 55 60

Thr Ile Arg Ser Val Lys Arg His Ile Gly Thr Asp Trp Ser Val Ala 65 70 75 80

Ile Asp Asp Lys Asn Tyr Thr Ser Gln Glu Ile Ser Ala Arg Thr Leu

85 90 95

Met Lys Leu Lys Arg Asp Ala Glu Ala Tyr Leu Gly Glu Asp Val Thr 100 105 110

Asp Ala Val Ile Thr Val Pro Ala Tyr Phe Glu Asp Ser Gln Arg Gln
115 120 125

Ala Thr Lys Glu Ala Gly Gln Ile Ala Gly Leu Asn Val Leu Arg Ile 130 135 140

Val Asn Glu Pro Thr Ala Ala Ala Leu Ala Tyr Gly Leu Glu Lys Gly 145 150 155 160

Glu Gln Glu Gln Thr Ile Leu Val Phe Asp Leu Gly Gly Gly Thr Phe
165 170 175

Asp Val Ser Leu Leu Glu Ile Gly Asp Gly Val Val Glu Val Arg Ala 180 185 190

Thr Ser Gly Asp Asn Glu Leu Gly Gly Asp Asp Trp Asp Gln Arg Ile 195 200 205

Val Asp Trp Leu Val Glu Lys Phe Gln Ser Ser Asn Gly Ile Asp Leu 210 215 220

Thr Lys Asp Lys Met Ala Leu Gln Arg Leu Arg Glu Ala Ala Glu Lys 225 230 235 240

Ala Lys Ile Glu Leu Ser Ser Ser Gln Ser Ala Asn Ile Asn Leu Pro 245 250 255

Tyr Ile Thr Val Asp Ala Asp Lys Asn Pro Leu Phe Leu Asp Glu Thr 260 265 270

Leu Ser Arg Ala Glu Phe Gln Arg Ile Thr Gln Asp Leu Leu Ala Arg 275 280 285

Thr Lys Thr Pro Phe Asn Gln Val Val Lys Asp Ala Gly Val Ser Val 290 295 300

Ser Glu Ile Asp His Val Val Leu Val Gly Gly Ser Thr Arg Met Pro 305 310 315 320

Ala Val Thr Glu Leu Val Lys Glu Leu Thr Gly Gly Arg Glu Pro Asn 325 330 335

Lys Gly Val Asn Pro Asp Glu Val Val Ala Val Gly Ala Ala Leu Gln 340 345 350

Ala Gly Val Leu Arg Gly Glu Val Lys Asp Val Leu Leu Leu Asp Val 355 360 365

Thr Pro Leu Ser Leu Gly Ile Glu Thr Lys Gly Gly Val Met Thr Lys 370 380

Leu Ile Glu Arq Asn Thr Thr Ile Pro Thr Lys Arg Ser Glu Thr Phe

385 390 395 400

Thr Thr Ala Glu Asp Asn Gln Pro Ser Val Gln Ile Gln Val Phe Gln 405 410 415

Gly Glu Arg Glu Ile Ala Thr Ala Asn Lys Leu Leu Gly Ser Phe Glu
420 425 430

Leu Gly Gly Ile Ala Pro Ala Pro Arg Gly Val Pro Gln Ile Glu Val 435 440 445

Thr Phe Asp Ile Asp Ala Asn Gly Ile Val His Val Thr Ala Lys Asp 450 455 460

Lys Gly Thr Gly Lys Glu Asn Thr Ile Thr Ile Gln Asp Gly Ser Gly 465 470 475 480

Leu Ser Gln Asp Glu Ile Asp Arg Met Ile Lys Asp Ala Glu Ala His 485 490 495

Ala Asp Glu Asp Lys Lys Arg Arg Glu Glu Glu Glu Val Arg Asn Asn 500 505 510

Ala Glu Ser Leu Val Tyr Gln Thr Arg Lys Phe Val Glu Glu Asn Ser 515 520 525

Glu Lys Val Ser Glu Asp Leu Lys Ala Lys Val Glu Glu Ala Ala Lys 530 535 540

Gly Val Glu Glu Ala Leu Lys Gly Glu Asp Leu Glu Ala Ile Lys Ala 545 550 555 560

Ala Val Glu Lys Leu Asn Thr Glu Ser Gln Glu Met Gly Lys Xaa Ile 565 570 575

Xaa Glu Ala Asp Ala Xaa Ala Gly Ala Thr Gln Ala Asp Ala Gly Ala 580 585 590

Glu Gly Ala Ala Asp Asp Asn Val Val Asp Ala Glu Val Val Glu Asp 595 600 605

Asp Ala Ala Asp Asn Gly Glu Asp Lys Lys 610 615

<210> 35

<211> 1947

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1924)

<223> RXN02280

<400> 35

cgcgattgcg tcatcgatcg ttgttgcttc catgcgcacc acactatctt tctgcacgcc 60

| ctg | atgo | cct | gtgç | gatto | aa a | actg | ıtgct | t tt | atag | gcgt | _ | | - | tcc Ser | | 115 |
|------------|------------|------------|------------|-------------------|------------|------------|------------|-------------------|-------------------|------------|------------|------------|------------|-------------------|------------|-----|
| cgt Arg | gat | aat Asn | tto Phe | caa Gln 10 | Val | gac Asp | ctc Leu | ggc | ggc Gly 15 | Val | gtt Val | gat Asp | ctt Leu | ttg Leu 20 | agt Ser | 163 |
| | | | | Ser | | | | gtg Val 30 | | | | | | | | 211 |
| | | | Asp | | | | | cgt Arg | | | | | | | | 259 |
| | | Pro | | | | | | ccg Pro | | | | | | | | 307 |
| | Ser | | | | | | | ggc Gly | | | | | | | | 355 |
| _ | _ | _ | | _ | | | | acg Thr | _ | | - | _ | _ | | | 403 |
| | | | | | | | | caa Gln 110 | | | | | | | | 451 |
| | | | | | | | | acc Thr | | | | | | | | 499 |
| | | | | | | | | cat His | | | | | | | | 547 |
| | Ile | Leu | Gly | Asp | Asp | Ala | Thr | gat Asp | Val | Ile | Pro | | | | | 595 |
| gtg Val | cac His | ctg Leu | act Thr | ccg Pro 170 | cgc Arg | cct Pro | gat Asp | gag Glu | cgc Arg 175 | acg Thr | ttg Leu | ctg Leu | acg Thr | gaa Glu 180 | aat Asn | 643 |
| | | | | | | | | tat Tyr 190 | | | | | | | | 691 |
| | | | | | | | | acc Thr | | | | | | | | 739 |

| ttt Phe | gca Ala 215 | Lys | gat Asp | act Thr | gat Asp | cag Gln 220 | Gln | cac His | agg Arg | ctg Leu | tat Tyr 225 | gcc Ala | ggc Gly | cgg Arg | gag Glu | 787 |
|------------|-------------------|------------|------------|-------------------|-------------------|-------------------|------------|------------|-------------------|------------|-------------------|------------|------------|-------------------|------------|------|
| | Leu | | | | cct Pro 235 | Phe | | | | | | | | | | 835 |
| ato | gag Glu | ggt Gly | gtg Val | gct Ala 250 | tat Tyr | gta Val | ttg Leu | ccg Pro | gag Glu 255 | gcc Ala | cag Gln | gct Ala | ccg Pro | cat His 260 | atg Met | 883 |
| | | | | Ser | att Ile | | | | | | | | | | | 931 |
| | | | Val | | ccc Pro | | | | | | | | | | | 979 |
| | | | | | gaa Glu | | | | | | | | | | | 1027 |
| | Thr | | | | gca Ala 315 | | | | | | | | | | | 1075 |
| _ | | _ | | | ctc Leu | - | _ | | - | | | - | | | - | 1123 |
| | | | | | gat Asp | | | | | | | | | | | 1171 |
| | | | | | acc Thr | | | | | | | | | | | 1219 |
| | | | | | atc Ile | | | | | | | | | | | 1267 |
| | | | | | ctg Leu 395 | | | | | | | | | | | 1315 |
| | | | | | ccg Pro | | | | | | | | | | | 1363 |
| | - | _ | - | - | gct Ala | | Leu | | | - | | | | - | | 1411 |
| acg | gta | tct | act | gct | gac | ctg | cgc | gaa | tcc | atg | gat | ctg | atg | gag | ctt | 1459 |

| Thr | Val | Ser 440 | Thr | Ala | Asp | Leu | Arg 445 | Glu | Ser | Met | Asp | Leu 450 | Met | Glu | Leu | |
|--|-------------|------------|-----|----------|------------|-----|------------|-----|-----------|-----|-------------------|------------|-------|-----------|--------|------|
| | | | | | | | | | | | ctg Leu 465 | | | | | 1507 |
| | | | | | | | | | | | gca Ala | | | | | 1555 |
| _ | | - | _ | - | | - | - | | | | gat Asp | | _ | | _ | 1603 |
| | | | | | | | | | | | acc Thr | | | | | 1651 |
| | | | | | | | | | | | agc Ser | | | | | 1699 |
| | | | | | | | | | | | tgc Cys 545 | | | | | 1747 |
| | | | | | | | | | | | gac Asp | | | | | 1795 |
| _ | _ | _ | | _ | _ | | | _ | - | - | ttg Leu | _ | | _ | _ | 1843 |
| | | | | | | | | | | | aat Asn | | | | | 1891 |
| | | | | | tct Ser | | | | | | taaç | acaa | itc o | tecç | gctaat | 1944 |
| ctt | | | | | • | | | | | | | | | | | 1947 |
| <210> 36 <211> 608 <212> PRT <213> Corynebacterium glutamicum | | | | | | | | | | | | | | | | |
| | > 36 Gln | | Ser | Ser 5 | Arg . | Asp | Asn | Phe | Gln 10 | Val | Asp | Leu | Gly | Gly 15 | Val | |

59

Val Asp Leu Leu Ser Arg His Ile Tyr Ser Gly Pro Arg Val Tyr Val 20 25 30

- Arg Glu Leu Cln Asn Ala Val Asp Ala Cys Thr Ala Arg Ser Glu 35 40 45
- Gln Gly Glu Gly Tyr Glu Pro Ser Ile Arg Ile Arg Pro Val Thr
 50 55 60
- Lys Asp Arg Ala Thr Phe Ser Leu Val Asp Asn Gly Thr Gly Leu Thr 65 70 75 80
- Ala Gln Glu Ala Arg Glu Leu Leu Ala Thr Val Gly Arg Thr Ser Lys 85 90 95
- Arg Asp Glu Phe Gly Leu Gln Arg Glu Gly Arg Leu Gly Gln Phe Gly
 100 105 110
- Ile Gly Leu Leu Ser Cys Phe Met Val Ala Asp Glu Ile Thr Met Val 115 120 125
- Ser His Ala Glu Gly Ala Ser Ala Ile Arg Trp Thr Gly His Ala Asp 130 135 140
- Gly Thr Phe Asn Leu Glu Ile Leu Gly Asp Asp Ala Thr Asp Val Ile 145 150 155 160
- Pro Val Gly Thr Thr Val His Leu Thr Pro Arg Pro Asp Glu Arg Thr 165 170 175
- Leu Leu Thr Glu Asn Ser Val Val Thr Ile Ala Ser Asn Tyr Gly Arg 180 185 190
- Tyr Leu Pro Ile Pro Ile Val Val Gln Gly Glu Lys Asn Thr Ile 195 200 205
- Thr Thr Ser Pro Val Phe Ala Lys Asp Thr Asp Gln Gln His Arg Leu 210 215 220
- Tyr Ala Gly Arg Glu Arg Leu Gly Lys Thr Pro Phe Asp Val Ile Asp 225 230 235 240
- Leu Thr Gly Pro Gly Ile Glu Gly Val Ala Tyr Val Leu Pro Glu Ala 245 250 255
- Gln Ala Pro His Met Ser Arg Arg His Ser Ile Tyr Val Asn Arg Met 260 265 270
- Leu Val Ser Asp Gly Pro Ser Thr Val Leu Pro Asn Trp Ala Phe Phe 275 280 285
- Val Glu Cys Glu Ile Asn Ser Thr Asp Leu Glu Pro Thr Ala Ser Arg 290 295 300
- Glu Ala Leu Met Asp Asp Thr Ala Phe Ala Ala Thr Arg Glu His Ile 305 310 315 320
- Gly Glu Cys Ile Lys Ser Trp Leu Ile Asn Leu Ala Met Thr Lys Pro 325 330 335

| His | Arg | Val | Arg 340 | | Phe | Thr | Ala | Ile 345 | His | Asp | Leu | Ala | Leu 350 | Arg | Glu |
|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Leu | Cys | Gln 355 | Ser | Asp | Ala | Asp | Leu 360 | | Glu | Thr | Met | Leu 365 | Gly | Leu | Leu |
| Thr | Leu 370 | Glu | Thr | Ser | Arg | Gly 375 | | Ile | Ser | Ile | Gly 380 | Glu | Ile | Thr | Thr |
| Leu 385 | Ser | Ile | Thr | Glu | Asp 390 | Val | Ser | Leu | Gln | Leu 395 | Ala | Thr | Thr | Leu | Asp 400 |
| Asp | Phe | Arg | Gln | Leu 405 | Asn | Thr | Ile | Ala | Arg 410 | Pro | Asp | Thr | Leu | Ile 415 | Ile |
| Asn | Gly | Gly | Tyr 420 | Ile | His | Asp | Ser | Asp 425 | Leu | Ala | Arg | Leu | Ile 430 | Pro | Val |
| His | Tyr | Pro 435 | Pro | Leu | Thr | Val | Ser 440 | Thr | Ala | Asp | Leu | Arg 445 | Glu | Ser | Met |
| Asp | Leu 450 | Met | Glu | Leu | Pro | Pro 455 | Leu | Gln | Asp | Ile | Glu 460 | Lys | Ala | Lys | Ala |
| Leu 465 | Asp | Ala | Gln | Val | Thr 470 | Glu | Ser | Leu | Lys | Asp 475 | Phe | Gln | Ile | Lys | Gly 480 |
| Ala | Thr | Arg | Val | Phe 485 | Glu | Pro | Ala | Asp | Val 490 | Pro | Ala | Val | Val | Ile 495 | Ile |
| Asp | Ser | Lys | Ala 500 | Gln | Ala | Ser | Arg | Asp 505 | Arg | Asn | Glu | Thr | Gln 510 | Ser | Ala |
| Thr | Thr | Asp 515 | Arg | Trp | Ala | Asp | Ile 520 | Leu | Ala | Thr | Val | Asp 525 | Asn | Thr | Leu |
| Ser | Arg 530 | Gln | Thr | Ala | Asn | Ile 535 | Pro | Gln | Asp | Gln | Gly 540 | Leu | Ser | Ala | Leu |
| Cys 545 | Leu | Asn | Trp | Asn | Asn 550 | Ser | Leu | Val | Arg | Lys 555 | Leu | Ala | Ser | Thr | Asp 560 |
| Asp | Thr | Ala | Val | Val 565 | Ser | Arg | Thr | Val | Arg 570 | Leu | Leu | Tyr | Val | Gln 575 | Ala |
| Leu | Leu | Ser | Ser 580 | Lys | Arg | Pro | Leu | Arg 585 | Val | Lys | Glu | Arg | Ala 590 | Leu | Leu |
| Asn | Asp | Ser 595 | Leu | Ala | Asp | Leu | Val 600 | Ser | Leu | Ser | Leu | Ser 605 | Ser | Asp | Ile |

<210> 37

| <21 | 1> 4 2> D 3> C | NA | iebac | teri | ium ç | luta | micu | ım | | | | | | | | |
|--|------------------------------|------------------|------------|------------------|------------------|------------------|------------------|-------------------|------------------|------------------|------------------|------------------|------------|-------------------|------------------|-----|
| <22 | 1> C 2> (| 101) | (4 2282 | | | | | | | | | | | | | |
| | 0> 3 gatt | | tcat | cgat | cg t | tgtt | gctt | сса | tgcg | cacc | aca | ctat | ctt | tctg | cacgcc | 60 |
| ctgatgccct gtggattcaa aactgtgctt ttataggcgt atg caa gaa tcc tca Met Gln Glu Ser Ser 1 5 cgt gat aat ttc caa gtt gac ctc ggc ggc gtt gtt gat ctt ttg agt | | | | | | | | | | | | | | 115 | | |
| | | | | | Val | | | | | Val | | | | | Ser | 163 |
| | | | | | | | | | Tyr | | | | | | cag Gln | 211 |
| aat Asn | gcg Ala | gtt Val 40 | gat Asp | gct Ala | tgt Cys | act Thr | gca Ala 45 | cgt Arg | tct Ser | gaa Glu | cag Gln | ggt Gly 50 | Glu | gag Glu | ggc Gly | 259 |
| tac Tyr | gag Glu 55 | ccg Pro | agt Ser | att Ile | cgt Arg | att Ile 60 | cgg Arg | ccg Pro | gtg Val | acc Thr | aag Lys 65 | Asp | cgt Arg | gcc Ala | acg Thr | 307 |
| ttt Phe 70 | tca Ser | ctg Leu | gtt Val | gat Asp | aat Asn 75 | ggt Gly | acg Thr | ggc Gly | ctg Leu | acc Thr 80 | gcg Ala | cag Gln | gag Glu | gcg Ala | cgg Arg 85 | 355 |
| gaa Glu | ttg Leu | ctg Leu | gcg Ala | acg Thr 90 | gtg Val | ggg Gly | cgg Arg | acg Thr | tcg Ser 95 | aaa Lys | cgc Arg | gat Asp | gaa Glu | ttc Phe 100 | ggt Gly | 403 |
| _ | _ | | - | | _ | _ | | caa Gln 110 | | | | | | | | 436 |
| <211 <212 | > 38 > 11 > PR > Co | 2 .T | ebact | eriu | ım gl | .utan | nicum | n | | | | | | | | |
| | > 38 Gln | | Ser | Ser 5 | Arg | Asp | Asn | Phe | Gln 10 | Val | Asp | Leu | Gly | Gly 15 | Val | |
| /al / | Asp | Leu | Leu 20 | Ser | Arg | His | Ile | Tyr 25 | Ser | Gly | Pro | Arg | Val 30 | Tyr | Val | |

Arg Glu Leu Leu Gln Asn Ala Val Asp Ala Cys Thr Ala Arg Ser Glu 35 40 45

Gln Gly Glu Gly Tyr Glu Pro Ser Ile Arg Ile Arg Pro Val Thr
50 55 60

Lys Asp Arg Ala Thr Phe Ser Leu Val Asp Asn Gly Thr Gly Leu Thr 65 70 75 80

Ala Gln Glu Ala Arg Glu Leu Leu Ala Thr Val Gly Arg Thr Ser Lys
85 90 95

Arg Asp Glu Phe Gly Leu Gln Arg Glu Gly Arg Leu Gly Gln Phe Gly 100 105 110

<210> 39

<211> 1269

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1246)

<223> RXA00886

<400> 39

taagtatgtt ggtcgtgtgc tcgctggcga atagctgcgg gtatagttgg ccatttgttt 60

tgattaatct gtttagaagc taaaggaagt atcacccacc gtg gca cgt gac tat 115 Val Ala Arg Asp Tyr 1 5

tac ggc att ctc ggc gtc gat cgc aat gca acc gaa tca gag atc aaa 163 Tyr Gly Ile Leu Gly Val Asp Arg Asn Ala Thr Glu Ser Glu Ile Lys 10 15 20

aag gca tac cga aag ctt gcc cgc aaa tac cac ccg gac gta aac cca 211 Lys Ala Tyr Arg Lys Leu Ala Arg Lys Tyr His Pro Asp Val Asn Pro 25 30 35

ggt gag gaa gca gcg gag aaa ttc cgc gag gct tct gtt gcg cat gag 259 Gly Glu Glu Ala Ala Glu Lys Phe Arg Glu Ala Ser Val Ala His Glu

gta ctc act gat ccg gat aag cgc cgc att gtt gat atg ggc ggt gac 307 Val Leu Thr Asp Pro Asp Lys Arg Arg Ile Val Asp Met Gly Gly Asp 55 60 65

cca atg gag caa ggc ggc gga gct ggc ggt ggc ttc ggt gga ggc 355 Pro Met Glu Gln Gly Gly Gly Ala Gly Ala Gly Gly Phe Gly Gly Gly 75 80 85

tto ggc ggc agc ggt gga ctg ggc gat atc tto gat gcc tto tto ggc 403

| Phe | Gly | Gly | Ser | Gly 90 | | Leu | Gly | Asp | Ile 95 | | Asp | Ala | Phe | Phe 100 | Gly | |
|-------------------|-------------------|------------|-------------------|------------|-------------------|-------------------|------------|-------------------|------------|-------------------|-------------------|-------------------|-------------------|------------|-------------------|------|
| | | | | Gly | | | | cca Pro 110 | Arg | | | | | | | 451 |
| agt Ser | gac Asp | Thr 120 | Leu | tgg Trp | cgc Arg | acc | Ser 125 | atc | acc Thr | ttg Leu | gaa Glu | gag Glu 130 | Ala | tac Tyr | aag Lys | 499 |
| ggc Gly | gct Ala 135 | aag Lys | aaa Lys | gat Asp | ctc Leu | acc Thr 140 | Leu | gac Asp | acc Thr | gca Ala | gtg Val 145 | ctg Leu | tgt Cys | acc Thr | aag Lys | 547 |
| | His | | | | | | | gac Asp | | | | | | | | 595 |
| | | | | | Gly | | | cag Gln | | | | | | | | 643 |
| ggc Gly | aac Asn | gtc Val | atg Met 185 | acg Thr | tcc Ser | cgc Arg | cca Pro | tgc Cys 190 | cac His | acc Thr | tgc Cys | gat Asp | ggc Gly 195 | acc Thr | ggt Gly | 691 |
| | | | | _ | | _ | | gag Glu | _ | _ | _ | _ | | _ | | 739 |
| | | | | | | | | aac Asn | | | | | | | | 787 |
| ggc Gly 230 | atg Met | cgc Arg | atc Ile | cgc Arg | atg Met 235 | gca Ala | ggc Gly | caa Gln | ggt Gly | gag Glu 240 | gtt Val | ggc Gly | gct Ala | ggt Gly | ggc Gly 245 | 835 |
| | | | | | | | | gaa Glu | | | | | | | | 883 |
| atc Ile | ttc Phe | acc Thr | cgc Arg 265 | gat Asp | ggc Gly | gac Asp | gat Asp | ctg Leu 270 | cac His | gcc Ala | agc Ser | atc Ile | aag Lys 275 | gtt Val | cca Pro | 931 |
| | | | | | | | | gaa Glu | | | | | | | | 979 |
| | | | | | | | | cct Pro | | | | | | | | 1027 |
| gtg Val | | | | | | | | atg Met | | | | | | | | 1075 |

310 315 320 325 cac ggc aac ctc atg gcg cat gtc gat cta ttt gtg cca acc gat ttg 1123 His Gly Asn Leu Met Ala His Val Asp Leu Phe Val Pro Thr Asp Leu gat gac cgc acc cgc gaa ttg ctt gaa gaa atc cgc aac cat cgc agc 1171 Asp Asp Arg Thr Arg Glu Leu Leu Glu Glu Ile Arg Asn His Arg Ser gac aac gct tcc gtg cat cgc gaa ggc gga gaa gaa tcc ggt ttc ttt 1219 Asp Asn Ala Ser Val His Arg Glu Gly Glu Glu Ser Gly Phe Phe 360 gac aag ctc cga aac aag ttc cgc aaa taatgtcact gccagtattt 1266 Asp Lys Leu Arg Asn Lys Phe Arg Lys 375 1269 atc <210> 40 <211> 382 <212> PRT <213> Corynebacterium glutamicum <400> 40 Val Ala Arg Asp Tyr Tyr Gly Ile Leu Gly Val Asp Arg Asn Ala Thr Glu Ser Glu Ile Lys Lys Ala Tyr Arg Lys Leu Ala Arg Lys Tyr His Pro Asp Val Asn Pro Gly Glu Glu Ala Ala Glu Lys Phe Arg Glu Ala Ser Val Ala His Glu Val Leu Thr Asp Pro Asp Lys Arg Arg Ile Val Asp Met Gly Gly Asp Pro Met Glu Gln Gly Gly Ala Gly Ala Gly 70 Gly Phe Gly Gly Phe Gly Gly Ser Gly Gly Leu Gly Asp Ile Phe Asp Ala Phe Phe Gly Gly Gly Ala Gly Gly Ser Arg Gly Pro Arg Ser Arg Val Gln Pro Gly Ser Asp Thr Leu Trp Arg Thr Ser Ile Thr Leu Glu Glu Ala Tyr Lys Gly Ala Lys Lys Asp Leu Thr Leu Asp Thr Ala Val Leu Cys Thr Lys Cys His Gly Ser Gly Ser Ala Ser Asp Lys Lys 155

Pro Val Thr Cys Gly Thr Cys Asn Gly Ala Gly Glu Ile Gln Glu Val 165 170 175

Gln Arg Ser Phe Leu Gly Asn Val Met Thr Ser Arg Pro Cys His Thr 180 185 190

Cys Asp Gly Thr Gly Glu Ile Ile Pro Asp Pro Cys Thr Glu Cys Ala 195 200 205

Ala Asp Gly Arg Val Arg Ala Arg Asp Ile Val Ala Asn Ile Pro 210 215 220

Ala Gly Ile Gln Ser Gly Met Arg Ile Arg Met Ala Gly Gln Gly Glu 225 230 235 240

Val Gly Ala Gly Gly Gly Pro Ala Gly Asp Leu Tyr Ile Glu Val Met 245 250 255

Val Arg Pro His Ala Ile Phe Thr Arg Asp Gly Asp Asp Leu His Ala 260 265 270

Ser Ile Lys Val Pro Met Phe Asp Ala Ala Leu Gly Thr Glu Leu Asp 275 280 285

Val Glu Ser Leu Thr Gly Glu Glu Val Lys Ile Thr Ile Pro Ala Gly 290 295 300

Thr Gln Pro Asn Asp Val Ile Thr Leu Asp Gly Glu Gly Met Pro Lys 305 310 315 320

Leu Arg Ala Glu Gly His Gly Asn Leu Met Ala His Val Asp Leu Phe 325 330 335

Val Pro Thr Asp Leu Asp Asp Arg Thr Arg Glu Leu Leu Glu Glu Ile 340 345 350

Arg Asn His Arg Ser Asp Asn Ala Ser Val His Arg Glu Gly Glu 355 360 365

Glu Ser Gly Phe Phe Asp Lys Leu Arg Asn Lys Phe Arg Lys 370 375 380

<210> 41

<211> 1470

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1447)

<223> RXS00568

<400> 41

gtttcggacg acgcgagaaa tcgcattaat cgtcggaaac cgggcttgtt tttgtaatat 60

66

ctgaaacttt ccctttcccg atcatccagg agatttactc gtg aag agt tct gtc 115

Val Lys Ser Ser Val

| | | | | | | | | | | | 1 | _ | | | 5 | |
|------------|------------|------------|------------|------------------|------------|-------------------|------------|------------|------------------|------------|------------|------------|------------|-------------------|------------|------------|
| | _ | _ | - | - | Thr | cgt Arg | | - | | Thr | _ | | - | | Phe | 163 |
| | | | | Pro | | atc Ile | | | Ala | | | | | | | 211 |
| | | | Ile | | | ttc Phe | | | | | | | Arg | | | 259 |
| | | Ala | | | | cgt Arg 60 | Gly | | | | | | | | | 307 |
| | Met | | | | | tac Tyr | | | | | | | | | | 355 |
| aag Lys | gca Ala | atc Ile | ggc Gly | cag Gln 90 | cct Pro | aac Asn | gta Val | gag Glu | gtc Val 95 | acc Thr | aag Lys | atc Ile | gaa Glu | gac Asp 100 | aac Asn | 403 |
| | | | | | | gct Ala | | | | | | | | | | 451 |
| | | | | | | atc Ile | | | | | | | | | | 499 |
| | _ | | - | | _ | gca Ala 140 | | | | | _ | _ | - | - | | 547 |
| | | | | | | aac Asn | | | | | | | | | | 595 |
| | | | | | | agc Ser | | | _ | | | _ | _ | | _ | 643 |
| | | | | | | tac Tyr | | | | | | | | | | 691 |
| | | | | | | atc Ile | | | | | | | | | | 739 |
| | | | | | | aac Asn | | | | | | | | | | 787 |

220 225 215 atc age gtt gag atc acc gca acc aag cag cgc gag ctg cct gag ctg 835 Ile Ser Val Glu Ile Thr Ala Thr Lys Gln Arg Glu Leu Pro Glu Leu 230 235 240 gat gat gag ttc gca cag ctg gct tct gag ttc gac acc atc gaa gag 883 Asp Asp Glu Phe Ala Gln Leu Ala Ser Glu Phe Asp Thr Ile Glu Glu 255 260 ctt cgt gag tcc acc gtg tct gac gtt gag gct aag cag aac gag 931 Leu Arg Glu Ser Thr Val Ser Asp Val Glu Ala Lys Gln Lys Asn Glu 265 cag get get gea ate ege gae gaa gtt ete get geg get ett gge gag 979 Gln Ala Ala Ala Ile Arg Asp Glu Val Leu Ala Ala Ala Leu Gly Glu 280 gct gac ttc gct ctg cca cag tcc atc gtt gac gag cag gca cac tcc 1027 Ala Asp Phe Ala Leu Pro Gln Ser Ile Val Asp Glu Gln Ala His Ser 295 300 cag ctg cac cag ctc ctc ggc gag ctt gca cac gac gat gct gca ctg 1075 Gln Leu His Gln Leu Leu Gly Glu Leu Ala His Asp Asp Ala Ala Leu 315 aac tee ett gag get eag gge ace act egt gaa gag tte gae aag 1123 Asn Ser Leu Leu Glu Ala Gln Gly Thr Thr Arg Glu Glu Phe Asp Lys 330 aag aac gtc gaa gat gct gag aag gct gtt cgc acc cag ctg ttc ctg 1171 Lys Asn Val Glu Asp Ala Glu Lys Ala Val Arg Thr Gln Leu Phe Leu 345 gac acc ctc tct gag gtt gag gag cct gag gtt tcc cag cag gag ctc 1219 Asp Thr Leu Ser Glu Val Glu Glu Pro Glu Val Ser Gln Gln Glu Leu 365 acc gac cac atc ctg ttc acc gca cag tct tac ggc atg gac cca aac 1267 Thr Asp His Ile Leu Phe Thr Ala Gln Ser Tyr Gly Met Asp Pro Asn 380 cag ttc atc ggt cag ctg cag cag tcc ggc cag atc gcg aac ctc ttc 1315 Gln Phe Ile Gly Gln Leu Gln Gln Ser Gly Gln Ile Ala Asn Leu Phe 390 tcc gac gtt cgc cgt ggc aag gct ctt gca cag gct atc tgc cgc gta 1363 Ser Asp Val Arg Arg Gly Lys Ala Leu Ala Gln Ala Ile Cys Arg Val 415 1411 aac gtg aag gac too gag ggt aac gag ato gac cot aag gaa tac tto Asn Val Lys Asp Ser Glu Gly Asn Glu Ile Asp Pro Lys Glu Tyr Phe 430 ggt gaa gaa gta gct gag act gag tct gaa gct taaaaacttt 1457

Gly Glu Glu Glu Val Ala Glu Thr Glu Ser Glu Ala

445

aaagaaataa cgc 1470

<210> 42

<211> 449

<212> PRT

<213> Corynebacterium glutamicum

<400> 42

Val Lys Ser Ser Val Glu Lys Leu Ser Asp Thr Arg Ser Lys Ile Thr 1 5 10 15

Val Glu Val Pro Phe Ser Glu Leu Lys Pro Glu Ile Asp Gln Ala Tyr 20 25 30

Ala Ala Leu Ala Gln Gln Val Gln Ile Pro Gly Phe Arg Lys Gly Lys 35 40 45

Ala Pro Arg Gln Leu Ile Asp Ala Arg Phe Gly Arg Gly Ala Val Leu 50 55 60

Glu Gln Val Val Asn Asp Met Leu Pro Asn Arg Tyr Ala Gln Ala Ile 65 70 75 80

Glu Ala Glu Gly Ile Lys Ala Ile Gly Gln Pro Asn Val Glu Val Thr 85 90 95

Lys Ile Glu Asp Asn Glu Leu Val Glu Phe Val Ala Glu Val Asp Val 100 105 110

Arg Pro Glu Phe Glu Leu Pro Lys Phe Glu Asp Ile Thr Val Glu Val 115 120 125

Pro Ala Ile Lys Ala Asp Glu Glu Ala Ile Glu Ala Glu Leu Glu Thr 130 135 140

Leu Arg Ala Arg Phe Ser Thr Leu Lys Asp His Asn His Lys Leu Lys 145 150 155 160

Lys Gly Glu Phe Val Thr Ile Asn Ile Thr Ala Ser Ile Asp Gly Glu 165 170 175

Lys Ile Glu Glu Ala Thr Thr Glu Gly Leu Ser Tyr Glu Ile Gly Ser 180 185 190

Asp Asp Leu Ile Asp Gly Leu Asp Lys Ala Leu Ile Gly Ala Lys Lys 195 200 205

Asp Glu Thr Val Glu Phe Thr Ser Glu Leu Ala Asn Gly Glu His Lys 210 215 220

Gly Lys Glu Ala Gln Ile Ser Val Glu Ile Thr Ala Thr Lys Gln Arg 225 230 235 240

Glu Leu Pro Glu Leu Asp Asp Glu Phe Ala Gln Leu Ala Ser Glu Phe 245 250 255

Asp Thr Ile Glu Glu Leu Arg Glu Ser Thr Val Ser Asp Val Glu Ala 260 Lys Gln Lys Asn Glu Gln Ala Ala Ile Arg Asp Glu Val Leu Ala 280 Ala Ala Leu Gly Glu Ala Asp Phe Ala Leu Pro Gln Ser Ile Val Asp 295 Glu Gln Ala His Ser Gln Leu His Gln Leu Leu Gly Glu Leu Ala His Asp Asp Ala Ala Leu Asn Ser Leu Leu Glu Ala Gln Gly Thr Thr Arg 325 330 Glu Glu Phe Asp Lys Lys Asn Val Glu Asp Ala Glu Lys Ala Val Arg 345 Thr Gln Leu Phe Leu Asp Thr Leu Ser Glu Val Glu Glu Pro Glu Val Ser Gln Gln Glu Leu Thr Asp His Ile Leu Phe Thr Ala Gln Ser Tyr Gly Met Asp Pro Asn Gln Phe Ile Gly Gln Leu Gln Gln Ser Gly Gln 390 Ile Ala Asn Leu Phe Ser Asp Val Arg Arg Gly Lys Ala Leu Ala Gln Ala Ile Cys Arg Val Asn Val Lys Asp Ser Glu Gly Asn Glu Ile Asp Pro Lys Glu Tyr Phe Gly Glu Glu Glu Val Ala Glu Thr Glu Ser Glu 440 Ala <210> 43 <211> 826 <212> DNA <213> Corynebacterium glutamicum <220>

| | | | | | | gga Gly | | | | | | | | | | 163 |
|------------|------------|------------|-------------------|------------|------------|-------------------|------------|-------------------|------------|------------|------------|------------|-------------------|------------|------------|-----|
| | | | | Gly | | gga Gly | | | | | | | | | | 211 |
| | | | | | | ttt Phe | | | | | | | | | | 259 |
| | | | | | | atc Ile 60 | | | | | | | | | | 307 |
| | | | | | | aaa Lys | | | | | | | | | | 355 |
| | | | | | - | gtg Val | | | | | _ | _ | | | _ | 403 |
| | | | | | | aaa Lys | | | | | | | | | | 451 |
| | | | | | | gcg Ala | | | | | | | | | | 499 |
| | | | | | | atc Ile 140 | | | | | | | | | | 547 |
| | | | | | | gtt Val | | | | | | | | | | 595 |
| | | Val | Tyr | | Leu | gga Gly | Gly | Gly | Asp | Gly | Gly | Gln | Gly | | | 643 |
| aac Asn | tgg Trp | gtc Val | acc Thr 185 | cgc Arg | acc Thr | gac Asp | ctt Leu | gag Glu 190 | gaa Glu | tta Leu | acc Thr | agt Ser | gac Asp 195 | aac Asn | aac Asn | 691 |
| | | | | | | atg Met | | | | | | | | | | 739 |
| | | | | | | tcc Ser 220 | | | | | | | | | | 787 |

ttg ctc atg cac gaa ctg cct gag ccg ctt gta gcg gcc Leu Leu Met His Glu Leu Pro Glu Pro Leu Val Ala Ala 230 235 240 826

<210> 44

<211> 242

<212> PRT

<213> Corynebacterium glutamicum

<400> 44

Met His Ser Lys Glu Glu Leu Thr Val Arg Lys Gly Ile Ser Arg Val

1 5 10 15

Leu Ser Val Ala Val Ala Ser Ser Ile Gly Phe Gly Thr Val Leu Thr 20 25 30

Gly Thr Gly Ile Ala Ala Ala Gln Asp Ser Ala Phe Asp Tyr Gly Met $35 \hspace{1cm} 40 \hspace{1cm} 45$

Asp Pro Asn Met Asn Tyr Asn Pro Ile Asp Asp Ile Lys Asp Arg Pro 50 55 60

Glu Gly Leu Ser Asn Leu Pro Tyr Phe Gly Ser Lys Leu Thr Ser Trp 65 70 75 80

Gly Ser Ser Tyr Ala Thr Ala Ser Ser Gly Val Val Thr Ser Ala Leu 85 90 95

Pro Gln Tyr Thr Asp Pro Arg Tyr Pro Leu Gly Lys Asp Asp Leu Pro 100 105 110

Lys Ala Thr Ile Asp Met Glu Pro Glu Val Leu Ala Arg Leu Glu Arg 115 120 . 125

Phe Val Gly Val Asp Gly Asp Arg Ile Arg Gln Ile Asn Ala Tyr Ser 130 135 140

Pro Ser Met Gly Arg Thr Ile Pro Leu Val Trp Val Val Pro Glu Asp 150 155 160

Asn Thr Val Pro Gly Pro Thr Val Tyr Ala Leu Gly Gly Gly Asp Gly
165 170 175

Gly Gln Gly Gln Asn Trp Val Thr Arg Thr Asp Leu Glu Glu Leu 180 185 190

Thr Ser Asp Asn Asn Ile Asn Leu Ile Met Pro Met Leu Gly Ser Phe 195 200 205

Ser Phe Tyr Ser Asp Trp Ala Arg Glu Ser Gln Ser Met Gly Cys Ala 210 215 220

Gln Gln Trp Glu Thr Leu Leu Met His Glu Leu Pro Glu Pro Leu Val 225 230 235 240

Ala Ala

| <21 <21 <21 <22 <22 <22 | | 53 NA oryn DS 1) | (630 | | um g | luta | micu | m | | | | | | | | |
|--|-------------------|------------------------------|------------|-------------------|------------|-------------------|------------|------------|-------------------|-------------------|-------------------|------------|------------|-------------------|------------|-----|
| gca | | ccg | | | | | | | | ccc Pro | | | | | | 48 |
| | | | | | | | | | | gaa Glu | | | | | | 96 |
| | | | | | | | | | | atc Ile | | | | | | 144 |
| | | | | | | | | | | cta Leu | | | | | | 192 |
| | | | | | | | | | | tac Tyr 75 | | | | | | 240 |
| | | | | | | | | | | acc Thr | | | | | | 288 |
| | | | | | | | | | | atc Ile | | | | | | 336 |
| | | | | | | | | | | gaa Glu | | | | | | 384 |
| ggt Gly | gcg Ala 130 | caa Gln | cag Gln | tgg Trp | gaa Glu | aca Thr 135 | ttc Phe | ctc Leu | atg Met | cac His | gaa Glu 140 | ctr Xaa | ccm Xaa | gag Glu | ccg Pro | 432 |
| | | | | | | | | | | cgc Arg 155 | | | | | | 480 |
| tcc Ser | atg Met | tcc Ser | ggg Gly | gga Gly 165 | tcr Xaa | gtg Val | ctg Leu | aac Asn | ttt Phe 170 | gcg Ala | acg Thr | cat His | gac Asp | ccc Pro 175 | aac Asn | 528 |

ttt tay tcc tck gtc ggc tca ttt tct gga tgt gcc gaa acc aac tcc 576 Phe Xaa Ser Xaa Val Gly Ser Phe Ser Gly Cys Ala Glu Thr Asn Ser 185 tgg atg ggr cgc cgn tgg cat cgc agc cac tgc cta caa cgg caa tgt 624 Trp Met Xaa Arg Arg Trp His Arg Ser His Cys Leu Gln Arg Gln Cys 200 cgt gcc tgagcaaatc tttggtgaag tag 653 Arg Ala 210 <210> 46 <211> 210 <212> PRT <213> Corynebacterium glutamicum <400> 46 Ala Leu Pro Gln Tyr Thr Asp Pro Arg Tyr Pro Leu Gly Lys Asp Asp Leu Pro Lys Ala Thr Ile Asp Met Glu Pro Glu Ala Leu Ala Arg Leu Glu Arg Phe Val Gly Val Asp Gly Asp Arg Ile Arg Gln Ile Asn Ala Tyr Ser Pro Ser Met Gly Arg Thr Ile Pro Leu Val Trp Val Val Pro Glu Asp Asn Thr Val Pro Gly Pro Thr Val Tyr Ala Leu Gly Gly Gly Asp Gly Gly Gln Gly Gln Asn Trp Val Thr Arg Thr Asp Leu Asp Glu Leu Thr Ser Glu Asn Asn Ile Asn Leu Ile Met Pro Met Leu Gly Ser Phe Ser Phe Tyr Ala Asp Trp Ala Gly Glu Ser Glu Ser Met Gly Gly Ala Gln Gln Trp Glu Thr Phe Leu Met His Glu Xaa Xaa Glu Pro Leu Glu Ala Ala Ile Gly Ala Asp Gly Gln Arg Ser Ile Val Gly Met Ser Met Ser Gly Gly Xaa Val Leu Asn Phe Ala Thr His Asp Pro Asn 170 Phe Xaa Ser Xaa Val Gly Ser Phe Ser Gly Cys Ala Glu Thr Asn Ser 180 185 Trp Met Xaa Arg Arg Trp His Arg Ser His Cys Leu Gln Arg Gln Cys

195 200 205

Arg Ala 210

<210> 47

<211> 432

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(409)

<223> RXN03040

<400> 47

attactctcg ctataacgat ccttntgctc aacgctgcga agctcgaaga acaagacaac 60

ctctacatct tcgccggttc cggtgtgttc tctgaactag atg tca tnc ggt gac 115

Met Ser Xaa Gly Asp

1 5

aac gca ccg att gat gag gat gcg ttc aaa aac cgc gtc ttg gtt ggg 163 Asn Ala Pro Ile Asp Glu Asp Ala Phe Lys Asn Arg Val Leu Val Gly

ttt gaa atc gaa gct atg tcc aac acc tgc acc cat aac ctc aag gct 211 Phe Glu Ile Glu Ala Met Ser Asn Thr Cys Thr His Asn Leu Lys Ala 25 30 35

gcg acc gat caa atg ggc atc gac aac atc aac tac gat ttc cga cca 259 Ala Thr Asp Gln Met Gly Ile Asp Asn Ile Asn Tyr Asp Phe Arg Pro 40 45 50

acc gga acc cac gcc tgg gat tac tgg aac gaa gcg ctc cac cgc ttc 307
Thr Gly Thr His Ala Trp Asp Tyr Trp Asn Glu Ala Leu His Arg Phe
55 60 65

ttc ccg ttg atg atg cag ggc ttc ggc ctc gac ggt ggt ccc atc ccg 355
Phe Pro Leu Met Met Gln Gly Phe Gly Leu Asp Gly Gly Pro Ile Pro
75 80 85

atc tat aac cct aac ggt gtg acc tcc agc gag tct tct ntc aga act 403 Ile Tyr Asn Pro Asn Gly Val Thr Ser Ser Glu Ser Ser Xaa Arg Thr 90 95 100

gtc ttc tgatgtgagc cttggcaccn gtg 432
Val Phe

<210> 48

<211> 103

<212> PRT

<213> Corynebacterium glutamicum

| | | | Gly | Asp 5 | Asn | Ala | Pro | Ile | Asp 10 | Glu | Asp | Ala | Phe | Lys 15 | Asn | |
|------------|----------------------------------|-----------|------------|-----------|-----------|-----------|------------|------------------|-----------|-----------|-----------|-----------|------------|-----------|-----------|-------------|
| Arg | Val | Leu | Val 20 | | Phe | Glu | Ile | Glu 25 | Ala | Met | Ser | Asn | Thr 30 | Cys | Thr | |
| His | Asn | Leu 35 | | Ala | Ala | Thr | Asp .40 | Gln | Met | Gly | Ile | Asp 45 | | Ile | Asn | |
| Tyr | Asp 50 | | Arg | Pro | Thr | Gly 55 | Thr | His | Ala | Trp | Asp 60 | Tyr | Trp | Asn | Glu | |
| Ala 65 | | His | Arg | Phe | Phe 70 | Pro | Leu | Met | Met | Gln 75 | Gly | Phe | Gly | Leu | Asp 80 | |
| Gly | Gly | Pro | Ile | Pro 85 | Ile | Tyr | Asn | Pro | Asn 90 | Gly | Val | Thr | Ser | Ser 95 | Glu | |
| Ser | Ser | Xaa | Arg 100 | Thr | Val | Phe | | | | | | | | | | |
| <21 <21 | 0> 49 1> 83 2> Di 3> Co | 35 NA | ebact | teri | um g] | lutar | nicur | n | | | | | | | | |
| <22 | 0> 1> CI 2> (3 3> R) | 101) | | 35) | | | | | | | | | | | | |
| | 0> 49 tccaq | | gtagt | cgtt | g ag | gtato | cacga | a gca | agto | caac | gata | agtaa | aag a | ataat | tgtcga | 60 . |
| ggaa | actco | ecg (| etge | ctaag | ic đđ | gaca | tagt | tgo | aggg | ggac | | | tca Ser | | | 115 |
| | | | | | | Val | | aag Lys | | | | | | | | 163 |
| | | | | | | | | ggt Gly 30 | | | | | | | | 211 |
| | | | | | | | | ggc Gly | | | | | | | | 259 |
| | | | | | | | | ggt Gly | | | | | | | | 307 |
| | | | | | | | | | | | | | | | | |

ccg aag tca aac gag ttg acc aat ccc gac ggt gtt ggc aaa aga agt 355

| Pro 70 | _ | Ser | Asn | Glu | Leu 75 | Thr | Asn | Pro | Asp | Gly 80 | Val | Gly | Lys | Arg | Ser 85 | |
|-----------|---|-----|-----|-----|-------------------|-----|-----|-----|-----|-----------|-----|-----|-----|-----|-----------|-----|
| - | | | | | gcc Ala | | | | | | • | | | - | | 403 |
| | | | | | ggt Gly | | | | | | | | | | | 451 |
| | | | | | tac Tyr | | | | | | | | | | | 499 |
| | | | | | cag Gln | | | | | | | | | | | 547 |
| | | | | | gct Ala 155 | | | | | | | | | | | 595 |
| | | | | | aat Asn | | | | | | | | | | | 643 |
| | | | | | gag Glu | | | | | | | | | | | 691 |
| | | | | | gat Asp | | | | | | | | | | | 739 |
| _ | | | | - | gcg Ala | - | | | | _ | | _ | | | | 787 |
| | | | | | aca Thr 235 | | | | | | | | | | | 835 |

<210> 50

<211> 245

<212> PRT

<213> Corynebacterium glutamicum

<400> 50

Met Arg Ser Asp Val Ile Glu Leu Pro Glu Gly Val Ser Lys Glu Lys 1 5 10 15

Ala Asp Gln Leu Glu Val Ala Glu Ala Arg Leu Asn Glu Gly Ala Arg 20 25 30

Leu Met Ala Thr Thr Gly Cys Glu Val Met Trp Pro Thr Gly Phe Ser

35 40 45

Val Cys Gly Arg Ile Leu Asp Thr Tyr Arg Gln Val Gly Gln Leu
50 55 60

Ser Trp Leu Gly Pro Pro Lys Ser Asn Glu Leu Thr Asn Pro Asp Gly 65 70 75 80

Val Gly Lys Arg Ser Glu Phe Phe Gly Gly Ala Ile Tyr Trp His Pro 85 90 95

Asp Thr Gly Ala Tyr Ala Val Thr Leu Asp Gly Leu Arg Gln Trp Gly 100 105 110

Thr Leu Asn Trp Glu Ser Gly Pro Leu Gly Tyr Pro Thr Ser Gly Pro 115 120 125

Met Asp Thr Asn Tyr Pro Leu Thr Gln Arg Gln Thr Phe Gln Gly Gly 130 135 140

Asp Asn Tyr Tyr Asn Pro Leu Thr Gly Gly Ala Val Trp Gly Asp Ile 145 150 155 160

Lys Gln Arg Tyr Glu Glu Leu Gly Gly Ser Asn His Ala Ile Gly Ile 165 170 175

Pro Ile Thr Asn Glu Leu Pro Ser Gly Thr Glu Tyr Phe Tyr Asn Asn 180 185 190

Phe Ser Asn Gly Thr Ile Ser Trp Arg Asn Asp Arg Gln Thr Arg Phe 195 200 205

Met Tyr Leu Ala Thr Gln Arg Val Trp Asp Ala Leu Gly Arg Glu Thr 210 215 220

Gly Arg Leu Gly Phe Pro Glu Ala Asp Glu Thr Pro Glu Val Ser Gly 225 230 235 240

Leu Phe His Val Ala 245

<210> 51

<211> 1704

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1681)

<223> RXN03054

<400> 51

ggtggaaata cgcgcacaac aattttattc acagaactta tgattttttc gggttagggt 60

cagtttgttc acatcaacta gtaacgaaag gatcatgtga atg aaa ctg ttt tcc 115 Met Lys Leu Phe Ser

| | | | | | | | | | | | | 1 | | | 5 | |
|------------|-----------------------|-------------------|--------------|--------------|-------------------|-----------------------|-----------------------|--------------------|-------------------|--------------|-------------------|----------------------|--------------|---------------------|---------------------|-----|
| aa Ly: | g gc | t go a Al | a go a Gl | y Va | c at l Il O | t gc e Ala | t gca a Ala | a gc a Al | a ct a Le 1 | u Le | t gt u Va | t gc | a gg a Gl | t gg y Gl: 20 | t ata y Ile O | 163 |
| gca Ala | a cct | t gt o Va | T AT | a ca a Gl | g gg n Gl | g caa y Gli | a gct n Ala | t ag a Se: 3 | r Gl | g gt n Va | g gt 1 Va | c aca | a cc r Pr | o Gli | a gac u Asp | 211 |
| caa Glr | a gat n Asp | gc Al 4 | а Ту | t gt r Va | t caa | a caq n Glr | g tto Phe 45 | Hi: | c ca s Hi | c gads Gl | a ggo u Gl | g aat y Asi 50 | Th: | c cca r Pro | cct Pro | 259 |
| . vai | . vai 55 | . As _i | b GT | y Va. | l Gly | y Gly 60 | , TÀż | Thi | c Glu | ı Glı | n Glu 65 | ı Ile | e Ala | a Glu | atc lle | 307 |
| 70 | GIU | . Ala | 3 110 | e Aro | 75 75 | n Ala | Gln | Glu | ı Seı | 61 G 80 | / Ala | Pro |) Asr | ı Glu | gag Glu 85 | 355 |
| Leu | ile | Pro | o GTZ | 90 90 | Met | : Trp | Ser | Asp | 95 95 | Val | . Glu | Leu | Pro | Val 100 | | 403 |
| 116 | Asp | ьys | 105 | Ala | Ala | Asp | Glu | Ala 110 | Glu | Ile | Ala | Ile | Ala 115 | Gln | caa Gln | 451 |
| GIN | ser | 120 | Pro | Gin | Thr | cga Arg | Gly 125 | Leu | Ala | Ala | Ala | Ala 130 | Ala | Cys | Gln | 499 |
| Inr | 135 | Trp | Pro | Ser | Pro | cat His 140 | Gln | Val | Cys | Gly | Ala 145 | Ile | Leu | Glu | Arg | 547 |
| 150 | 11e | GIn | GIn | Gly | Ala 155 | cag Gln | Phe | Gly | Trp | Met 160 | Leu | Phe | Pro | Ser | Glu 165 | 595 |
| стА | GIN | Thr | Leu | 170 | Pro | gat Asp | Gly | Gln | Gly 175 | Tyr | Arg | Gln | Arg | Phe 180 | Met | 643 |
| Asn | GIŸ | Phe | Val 185 | Tyr | Trp | cat His | Pro | Thr 190 | Thr | Gly | Ala | His | Ala 195 | Val | Asn | 691 |
| aat Asn | Tyr | agt Ser 200 | gcg Ala | cag Gln | gtg Val | Trp (| gag (Glu / 205 | cgt Arg | aat Asn | ggg Gly | tgg Trp | gag Glu 210 | tct Ser | ggg ggg | tgg Trp | 739 |
| atg (| ggt (Gly : 215 | tat Tyr | ccc Pro | act Thr | Gly (| ggt (Gly (220 | gaa q Glu V | gtc Val | cct Pro | Val | aat Asn 225 | ggt Gly | tcc Ser | aat Asn | ccg Pro | 787 |
| | | | | | | | | | | | | | | | | |

| 11e 230 | : Asp | ggt Gly | : gaq / Glu | y tto 1 Lei | g agt 1 Sei 239 | : Gl | g tgg / Trp | g gto Val | g caa l Glr | a act n Thi 240 | c Phe | caa Glr | ggt Gl | ggg Gly | cga Arg 245 | 835 |
|-------------------|-------------------|-------------------|-------------------|-------------------|-----------------------|-------------------|-------------------|-------------------|-------------------|-----------------------|-------------------|-------------------|-------------------|-------------------|-------------------|------------------|
| gtg Val | tat Tyr | cgc Arc | agt Sei | 250 | Va] | tto Lev | g gac 1 Asp | ggt Gly | tto Phe 255 | Glr | g gto n Val | g gcc . Ala | agt Ser | att Ile 260 | Asn | 883 |
| Gly | ctç Lev | g ato | tto Lev 265 | ı Asp | aaa Lys | tgg Trp | ctt Leu | gaa Glu 270 | ı Lev | ggt Gly | ggt Gly | cct Pro | gat Asp 275 | Ser | gac Asp | 931 |
| ctt Leu | ggt | ttt Phe 280 | Pro | att Ile | gcg | gat Asp | gag Glu 285 | Ala | gtg Val | aca Thr | gct Ala | gac Asp 290 | Gly | gtg Val | ggt Gly | [.] 979 |
| aga Arg | ttt Phe 295 | Ser | gtt Val | ttc Phe | cag Gln | aac Asn 300 | Gly | gtt Val | gtc Val | tac Tyr | tgg Trp 305 | cat His | ccg Pro | caa Gln | cac His | 1027 |
| gga Gly 310 | Ala | cac His | cct Pro | ata Ile | tta Leu 315 | Gly | aat Asn | ata Ile | tac Tyr | agt Ser 320 | Ile | tgg Trp | aga Arg | gaa Glu | gaa Glu 325 | 1075 |
| gga Gly | gct Ala | gag Glu | agt Ser | ggg Gly 330 | gaa Glu | ttc Phe | ggt Gly | tac Tyr | cct Pro 335 | atc Ile | ggc | gat Asp | cca Pro | gaa Glu 340 | aag Lys | 1123 |
| tat Tyr | aca Thr | gaa Glu | aac Asn 345 | atg Met | gct Ala | aat Asn | cag Gln | gta Val 350 | ttc Phe | gaa Glu | aaa Lys | ggc Gly | gaa Glu 355 | ctt Leu | gca Ala | 11:71 |
| gct Ala | aac Asn | cta Leu 360 | tac Tyr | ccc Pro | aat Asn | cct Pro | ctt Leu 365 | gag Glu | gct Ala | ttt Phe | att Ile | gag Glu 370 | ttt Phe | tta Leu | ccc Pro | 1219 |
| ttt Phe | gct Ala 375 | aat Asn | ctt Leu | gag Glu | gaa Glu | gca Ala 380 | ata Ile | gag Glu | tat Tyr | ttt Phe | gag Glu 385 | aac Asn | gga Gly | ttg Leu | tca Ser | 1267 |
| aat Asn 390 | tct Ser | cgt Arg | gta Val | Glu | Ala | Asn | Ser | Leu | Asn | Ala | Lys | aaa Lys | Asp | Ser | att Ile 405 | 1315 |
| caa Gln | tgt Cys | caa Gln | tcg Ser | caa Gln 410 | tcc Ser | gct Ala | aac Asn | att Ile | cat His 415 | gtg Val | aga Arg | acg Thr | aag Lys | agt Ser 420 | gac Asp | 1363 |
| gga Gly | gtc Val | Gly | att Ile 425 | agg Arg | gtt Val | cca Pro | Lys | att Ile 430 | ggg Gly | ttt Phe | aag Lys | gct Ala | agg Arg 435 | atg Met | gat Asp | 1411 |
| tgc Cys | Asp | ctt Leu 440 | cct Pro | gga Gly | act Thr | Val | tca Ser 445 | gat Asp | gta Val | gtg Val | ggg Gly | tat Tyr 450 | gga Gly | tgg Trp | att Ile· | 1459 |

| | | Asp | | | g gga Gly | | Trp | | | | | Tyr | | | | 1507 |
|------------|---------------------------------|------------------|------------|-----------|-------------------|------------|------------|------------|-----------|-----------|------------|------------|------------|-----------|-----------|------|
| | Phe | | | | aat Asn 475 | Ser | | | | | Asn | | | | | 1555 |
| | | | | | aat Asn | | | | | Gly | | | | | Gln | 1603 |
| | | | | Gly | cag Gln | | | | Gly | | | | | | | 1651 |
| | | | Pro | | acg Thr | | | Arg | | | cata | agg | aatg | gaat | ag | 1701 |
| gag | | | | | | | | | | | | | | | | 1704 |
| <21 <21 | 0> 5. 1> 5. 2> P: 3> C | 27 R T | ebac | teri | um gi | lutai | micu | m | | | | | | | | |
| | 0> 5: Lys | _ | Phe | Ser 5 | Lys | Ala | Ala | Gly | Val 10 | Ile | Ala | Ala | Ala | Leu 15 | Leu | |
| Val | Ala | Gly | Gly 20 | | Ala | Pro | Val | Ala 25 | Gln | Gly | Gln | Ala | Ser 30 | Gln | Val | |
| Val | Thr | Pro 35 | Glu | Asp | Gln | Asp | Ala 40 | Tyr | Val | Gln | Gln | Phe 45 | His | His | Glu | |
| Gly | Asn 50 | Thr | Pro | Pro | Val | Val 55 | Asp | Gly | Val | Gly | Gly 60 | Tyr | Thr | Glu | Gln | |
| Glu 65 | | Ala | Glu | | His 70 | | Ala | Ile | | Gln 75 | | Gln | Glu | Ser | Gly 80 | • |
| Ala | Pro | Asn | Glu | Glu 85 | Leu | Ile | Pro | Gly | Glu 90 | Met | Trp | Ser | Asp | Lys 95 | Val | |
| Glu | Leu | Pro | Val 100 | Thr | Ile | Asp | Lys | Ala 105 | Ala | Ala | Asp | Glu | Ala 110 | Glu | Ile | |
| Ala | Ile | Ala 115 | Gln | Gln | Gln | Ser | Gln 120 | Pro | Gln | Thr | Arg | Gly 125 | Leu | Ala | Ala | |
| Ala | Ala 130 | Ala | Cys | Gln | Thr | Phe 135 | Trp | Pro | Ser | Pro | His 140 | Gln | Val | Cys | Gly | |
| Ala | Ile | Leu | Glu | Arg | Tyr | lle | Gln | Gln | Gly | Ala | Gln | Phe | Gly | Trp | Met | |

145 150 155 160

Leu Phe Pro Ser Glu Gly Gln Thr Leu Asn Pro Asp Gly Gln Gly Tyr 165 170 175

Arg Gln Arg Phe Met Asn Gly Phe Val Tyr Trp His Pro Thr Thr Gly 180 185 190

Ala His Ala Val Asn Asn Tyr Ser Ala Gln Val Trp Glu Arg Asn Gly 195 200 205

Trp Glu Ser Gly Trp Met Gly Tyr Pro Thr Gly Gly Glu Val Pro Val 210 220

Asn Gly Ser Asn Pro Ile Asp Gly Glu Leu Ser Gly Trp Val Gln Thr 225 230 235

Phe Gln Gly Gly Arg Val Tyr Arg Ser Pro Val Leu Asp Gly Phe Gln 245 250 255

Val Ala Ser Ile Asn Gly Leu Ile Leu Asp Lys Trp Leu Glu Leu Gly 260 265 270

Gly Pro Asp Ser Asp Leu Gly Phe Pro Ile Ala Asp Glu Ala Val Thr 275 280 285

Ala Asp Gly Val Gly Arg Phe Ser Val Phe Gln Asn Gly Val Val Tyr 290 295 300

Trp His Pro Gln His Gly Ala His Pro Ile Leu Gly Asn Ile Tyr Ser 305 310 315 320

Ile Trp Arg Glu Glu Gly Ala Glu Ser Gly Glu Phe Gly Tyr Pro Ile 325 330 335

Gly Asp Pro Glu Lys Tyr Thr Glu Asn Met Ala Asn Gln Val Phe Glu 340 345 350

Lys Gly Glu Leu Ala Ala Asn Leu Tyr Pro Asn Pro Leu Glu Ala Phe 355 360 365

Ile Glu Phe Leu Pro Phe Ala Asn Leu Glu Glu Ala Ile Glu Tyr Phe 370 375 380

Glu Asn Gly Leu Ser Asn Ser Arg Val Glu Ala Asn Ser Leu Asn Ala 385 390 395 400

Lys Lys Asp Ser Ile Gln Cys Gln Ser Gln Ser Ala Asn Ile His Val 405 410 415

Arg Thr Lys Ser Asp Gly Val Gly Ile Arg Val Pro Lys Ile Gly Phe 420 425 430

Lys Ala Arg Met Asp Cys Asp Leu Pro Gly Thr Val Ser Asp Val Val 435 440 445

Gly Tyr Gly Trp Ile Tyr Tyr Asp Tyr Trp Gly Arg Trp Ala Gln Ala

450 455 460 Ala Tyr Ala Gln Gln Phe Phe Gly Asn Arg Asn Ser Val Val Gln Thr 470 Asn Leu Glu Ala Gly Cys Ser Gly Glu Lys Asn Thr Leu Phe Trp Gly 490 Thr Ser Tyr Phe Gln Val Thr Tyr Glu Gly Gln Pro Tyr Phe Gly Gln Ser Ala Thr Asn Tyr Ala Tyr Leu Pro Cys Thr Ile Asp Arg Ser 520 <210> 53 <211> 456 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(433) <223> RXN02949 <400> 53 actotogaag gttgaacaca gggotgogat tgtgotggat caaatgtotg cacgaaaaat 60 tgttatcgcc cctggatgag tagtgattta gaggagtgct gtg agc gac gag cag Val Ser Asp Glu Gln aat tot ggc gta ggc gga acg tot cgc cca acg ggt aaa cgc cag ctg 163 Asn Ser Gly Val Gly Gly Thr Ser Arg Pro Thr Gly Lys Arg Gln Leu teg ggt get tee act ace tet ace tet tet tat gag get aag cag gta 211 Ser Gly Ala Ser Thr Thr Ser Thr Ser Ser Tyr Glu Ala Lys Gln Val 25 30 tet aca cag aag aag tea tee ggt teg gat tet aag eet gge ggt 259 Ser Thr Gln Lys Lys Ser Ser Gly Ser Asp Ser Lys Pro Gly Gly Gly 40 307 gtt att tct ttt ctg cct gag gtt gtg gga gaa gtc cgt aag gtt att Val Ile Ser Phe Leu Pro Glu Val Val Gly Glu Val Arg Lys Val Ile 355 tgg cct act gcg cgc cag atg gtc acg tac acc ctt gtc gtt ttg gga Trp Pro Thr Ala Arg Gln Met Val Thr Tyr Thr Leu Val Val Leu Gly

ggt ctt gga gtt gag aag att ctg act ccg taggtaggat gtgtaacatc 453

95

ttc ttg att gtt ttg acc gct ttg gtg tct ggt gtg gat ttc cta gct Phe Leu Ile Val Leu Thr Ala Leu Val Ser Gly Val Asp Phe Leu Ala

75

90

Gly Leu Gly Val Glu Lys Ile Leu Thr Pro 105 110

ttt 456

<210> 54

<211> 111

<212> PRT

<213> Corynebacterium glutamicum

<400> 54

Val Ser Asp Glu Gln Asn Ser Gly Val Gly Gly Thr Ser Arg Pro Thr 1 5 10 15

Gly Lys Arg Gln Leu Ser Gly Ala Ser Thr Thr Ser Thr Ser Ser Tyr
20 25 30

Glu Ala Lys Gln Val Ser Thr Gln Lys Lys Ser Ser Gly Ser Asp Ser 35 40 45

Lys Pro Gly Gly Gly Val Ile Ser Phe Leu Pro Glu Val Val Gly Glu 50 55 60

Val Arg Lys Val Ile Trp Pro Thr Ala Arg Gln Met Val Thr Tyr Thr 65 70 75 80

Leu Val Val Leu Gly Phe Leu Ile Val Leu Thr Ala Leu Val Ser Gly 85 90 95

Val Asp Phe Leu Ala Gly Leu Gly Val Glu Lys Ile Leu Thr Pro 100 105 110

<210> 55

<211> 1941

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1918)

<223> RXN02462

<400> 55

tocatoctca togacgaago cogcaccca ctgattatot cogggaccag tagacggcac 60

atcgcagttc tacaacgtct tcgcacagat cgtcccacgc atg acc aag gac gtt 115
Met Thr Lys Asp Val

cac tac gaa gtc gac gaa cgt aaa aag acc gtc ggt gtg aaa gaa gaa 163 His Tyr Glu Val Asp Glu Arg Lys Lys Thr Val Gly Val Lys Glu Glu 10 15 20

ggc gtc gaa tac gtc gaa gac caa ctc ggc atc gac aac ctc tac gca 211 Gly Val Glu Tyr Val Glu Asp Gln Leu Gly Ile Asp Asn Leu Tyr Ala

25 30 35

| | | | Ser | | | | | tac Tyr | | | | | | | | 259 |
|------------|-------------------|------------|------------|------------|------------|-------------------|------------|-------------------|------------|------------|-------------------|------------|------------|------------|------------|-----|
| | | | | | | | | gac Asp | | | | | | | | 307 |
| | Met | | | | | | | ggc Gly | | | | | | | | 355 |
| | | | | | | | | atc Ile | | | | | | | | 403 |
| | | | | | | | | gcg Ala 110 | | | | | | | | 451 |
| | | | | | | | | ggc | | | | | | | | 499 |
| _ | _ | _ | | | | _ | | tac Tyr | _ | | - | _ | | | | 547 |
| | | | | | | | | gaa Glu | | | | | | | | 595 |
| | | | | | | | | gca Ala | | | | | | | | 643 |
| | | | | | | | | ctc Leu 190 | | | | | | | | 691 |
| | | Glu | Tyr | Leu | Ser | Gln | Leu | ttg Leu | Thr | Lys | Arg | Gly | Ile | | | 739 |
| aac Asn | gtc Val 215 | ctc Leu | aat Asn | gcg Ala | aag Lys | cac His 220 | cac His | gag Glu | cag Gln | gaa Glu | gca Ala 225 | cag Gln | atc Ile | gtt Val | gct Ala | 787 |
| | | | | | | | | acc Thr | | | | | | | | 835 |
| | | | Asp | | | | | gga Gly | | | | | | | | 883 |

| | | | | | | | | gat Asp 270 | Pro | | | | | | | 931 |
|-------------------|------------|-------------------|------------|-------------------|-------------------|------------|-------------------|-------------------|-------------------|-------------------|------------|-------------------|------------|-------------------|-------------------|------|
| | | | Ala | | | | | ctt Leu | | | | | | | | 979 |
| | | Arg | | | | | Arg | gaa Glu | | | | | | | | 1027 |
| ggc Gly 310 | Thr | gaa Glu | cgc Arg | cac His | gaa Glu 315 | tcc Ser | cga Arg | cgc Arg | atc Ile | gac Asp 320 | aac Asn | cag Gln | ctg Leu | cgc Arg | ggt Gly 325 | 1075 |
| | | | | | | | | gga Gly | | | | | | | | 1123 |
| | | | | | | | | ttc Phe 350 | | | | | | | | 1171 |
| atg Met | atg Met | aac Asn 360 | agg Arg | ctc Leu | aac Asn | gtc Val | cca Pro 365 | gac Asp | gat Asp | gtg Val | ccc Pro | atc Ile 370 | gaa Glu | tcc Ser | aaa Lys | 1219 |
| | | | | | | | | gcc Ala | | | | | | | | 1267 |
| Asn 390 | Phe | Glu | Met | Arg | Lys 395 | Asn | Val | ctg Leu | Lys | Tyr 400 | Asp | Glu | Val | Met | Asn 405 | 1315 |
| gaa Glu | cag Gln | cgc Arg | aag Lys | gtt Val 410 | atc Ile | tac Tyr | agc Ser | gag Glu | cga Arg 415 | cgc Arg | gaa Glu | atc Ile | ctc Leu | gaa Glu 420 | tcc Ser | 1363 |
| | | | | | | | | aac Asn 430 | | | | | | | | 1411 |
| | | | | | | | | aac Asn | | | | | | | | 1459 |
| | | | | | | | | gaa Glu | | | | | | | | 1507 |
| | | | - | | | - | | agc Ser | _ | | | | | | | 1555 |

| ctg Leu | tcc Ser | gcc | gaa Glu | gat Asp 490 | Leu | cgc Arg | acc Thr | gca Ala | ctc Leu 495 | gtc Val | aac Asn | gac Asp | gcc Ala | cac His 500 | gcc Ala | 1603 |
|--------------|----------------------------------|------------|-------------------|-------------------|-------------|-------------------|------------|-------------------|-------------------|------------|-------------------|------------|-------------------|-------------------|------------|------|
| gaa Glu | tac Tyr | gca Ala | aaa Lys 505 | Leu | gaa Glu | gaa Glu | gcc Ala | gta Val 510 | tcc Ser | gca Ala | atc Ile | ggc Gly | ggc Gly 515 | gaa Glu | gca Ala | 1651 |
| | | | Asn | | | | | Val | | | cca Pro | | | | | 1699 |
| aaa Lys | tgg Trp 535 | cgc Arg | gaa Glu | cac His | ct'c Leu | tac Tyr 540 | gaa Glu | atg Met | gac Asp | tac Tyr | ctg Leu 545 | aaa Lys | gaa Glu | ggc Gly | atc Ile | 1747 |
| | Leu | | | | | | | | | | gtc Val | | | | | 1795 |
| gaa Glu | ggc Gly | ggc | gac Asp | atg Met 570 | ttc Phe | aac Asn | ggc Gly | atg Met | aaa Lys 575 | gac Asp | ggc Gly | atc Ile | aag Lys | gaa Glu 580 | gaa Glu | 1843 |
| | | | | | | | | | | | tca Ser | | | | | 1891 |
| | | | | | | tca Ser | | | tgaa | aatto | cag d | catco | gcca | ac | | 1938 |
| atg | | | | | | | | | | | | | | | | 1941 |
| <211 <212 | 0> 50 l> 60 2> PF 3> Co |)6 RT | ebact | eriu | ım gl | .utam | icum | n | | | | | | | | |
| <400 |)> 56 | 5 | | | | | | | | | | | | | | |
| | | Lys | Asp | | | Tyr | Glu | | Asp 10 | | Arg | Lys | Lys | Thr 15 | Val | |
| Gly | Val | Lys | Glu 20 | Glu | Gly | Val | Glu | Tyr 25 | Val | Glu | Asp | Gln | Leu 30 | Gly | Ile | |
| Asp | Asn | Leu 35 | Tyr | Ala | Pro | Glu | His 40 | Ser | Gln | Leu | Val | Ser 45 | Tyr | Leu | Asn | |
| Asn | Ala 50 | Ile | Lys | Ala | Gln | Glu 55 | Leu | Phe | Thr | Arg | Asp 60 | Lys | Asp | Tyr | Ile | |
| Val 65 | Arg | Asn | Gly | Glu | Val 70 | Met | Ile | Val | Asp | Gly 75 | Phe | Thr | Gly | Arg | Val 80 | |

Leu Ala Gly Arg Arg Tyr Asn Glu Gly Met His Gln Ala Ile Glu Ala

85 90 95

Lys Glu Arg Val Glu Ile Lys Asn Glu Asn Gln Thr Leu Ala Thr Val

Thr Leu Gln Asn Tyr Phe Arg Leu Tyr Thr Lys Leu Ala Gly Met Thr 115 120 125

Gly Thr Ala Glu Thr Glu Ala Ala Glu Leu Asn Gln Ile Tyr Lys Leu 130 135 140

Asp Val Ile Ala Ile Pro Thr Asn Arg Pro Asn Gln Arg Glu Asp Leu 145 150 155 160

Thr Asp Leu Val Tyr Lys Thr Gln Glu Ala Lys Phe Ala Ala Val Val 165 170 175

Asp Asp Ile Ala Glu Arg Thr Glu Lys Gly Gln Pro Val Leu Val Gly
180 185 190

Thr Val Ser Val Glu Arg Ser Glu Tyr Leu Ser Gln Leu Leu Thr Lys 195 200 205

Arg Gly Ile Lys His Asn Val Leu Asn Ala Lys His His Glu Gln Glu 210 215 220

Ala Gln Ile Val Ala Gln Ala Gly Leu Pro Gly Ala Val Thr Val Ala 225 230 235 240

Thr Asn Met Ala Gly Arg Gly Thr Asp Ile Val Leu Gly Gly Asn Pro 245 250 255

Glu Ile Leu Leu Asp Ile Lys Leu Arg Glu Arg Gly Leu Asp Pro Phe 260 . 265 270

Glu Asp Glu Glu Ser Tyr Gln Glu Ala Trp Asp Ala Glu Leu Pro Ala 275 280 285

Met Lys Gln Arg Cys Glu Glu Arg Gly Asp Lys Val Arg Glu Ala Gly 290 295 300

Gly Leu Tyr Val Leu Gly Thr Glu Arg His Glu Ser Arg Arg Ile Asp 305 310 315

Asn Gln Leu Arg Gly Arg Ser Ala Arg Gln Gly Asp Pro Gly Ser Thr 325 330 335

Arg Phe Tyr Leu Ser Met Arg Asp Asp Leu Met Val Arg Phe Val Gly 340 345 . 350

Pro Thr Met Glu Asn Met Met Asn Arg Leu Asn Val Pro Asp Asp Val 355 360 365

Pro Ile Glu Ser Lys Thr Val Thr Asn Ser Ile Lys Gly Ala Gln Ala 370 375 380

Gln Val Glu Asn Gln Asn Phe Glu Met Arg Lys Asn Val Leu Lys Tyr

385 390 395 400 Asp Glu Val Met Asn Glu Gln Arg Lys Val Ile Tyr Ser Glu Arg Arg Glu Ile Leu Glu Ser Ala Asp Ile Ser Arg Tyr Ile Gln Asn Met Ile Glu Glu Thr Val Ser Ala Tyr Val Asp Gly Ala Thr Ala Asn Gly Tyr Val Glu Asp Trp Asp Leu Asp Lys Leu Trp Asn Ala Leu Glu Ala Leu 455 Tyr Asp Pro Ser Ile Asn Trp Thr Asp Leu Val Glu Gly Ser Glu Tyr Gly Lys Pro Gly Glu Leu Ser Ala Glu Asp Leu Arg Thr Ala Leu Val Asn Asp Ala His Ala Glu Tyr Ala Lys Leu Glu Glu Ala Val Ser Ala 505 Ile Gly Gly Glu Ala Gln Ile Arg Asn Ile Glu Arg Met Val Leu Met 520 Pro Val Ile Asp Thr Lys Trp Arg Glu His Leu Tyr Glu Met Asp Tyr 535 Leu Lys Glu Gly Ile Gly Leu Arg Ala Met Ala Gln Arg Asp Pro Leu Val Glu Tyr Gln Lys Glu Gly Gly Asp Met Phe Asn Gly Met Lys Asp 570 Gly Ile Lys Glu Glu Thr Val Arg Gln Leu Phe Leu Ser Ala Ser Ser Ser Ser Ser Lys Thr Arg Lys Ser Leu Thr Asn Ser Glu Pro 600 <210> 57 <211> 1965 <212> DNA <213> Corynebacterium glutamicum <220>

<221> CDS <222> (101)..(1942) <223> RXN01559

<400> 57
gtctggttga ttggaattga aggagacttt cttggctcgg caaaaaaaga gtgccgctag 60
cgcctgggaa cgatggccaa aacgcgcaat agcgttgttt gtg ctc atc gtc gtt Val Leu Ile Val Val

_ - - - -

| | | | | | | | | | | | _ | | | | | |
|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-----|
| ggt Gly | gtt Val | tat Tyr | gcg Ala | ttg Leu 10 | gtg Val | ctg Leu | ttg Leu | aca Thr | ggc Gly 15 | gat Asp | cgt Arg | tct Ser | gcc Ala | aca Thr 20 | cca Pro | 163 |
| | | | | gat Asp | | | | | | | | | | | | 211 |
| cag Gln | ggg Gly | cag Gln 40 | gat Asp | cca Pro | act Thr | cag Gln | gac Asp 45 | cag Gln | ctg Leu | aat Asn | cag Gln | gca Ala 50 | cgc Arg | acc Thr | att Ile | 259 |
| ctg Leu | gaa Glu 55 | aac Asn | cgt Arg | gtg Val | aac Asn | ggc Gly 60 | atg Met | ggc Gly | gtt Val | tca Ser | ggt Gly 65 | gca Ala | agc Ser | gtg Val | gtc Val | 307 |
| gct Ala 70 | gac Asp | ggt Gly | aac Asn | acg Thr | ctg Leu 75 | gtg Val | atc Ile | act Thr | gtt Val | ccc Pro 80 | ggg Gly | gaa Glu | aat Asn | acc Thr | gca Ala 85 | 355 |
| cag Gln | gcg Ala | caa Gln | tcc Ser | cta Leu 90 | gga Gly | cag Gln | acc Thr | tcc Ser | cag Gln 95 | ctg Leu | ctg Leu | ttc Phe | cgt Arg | ccc Pro 100 | gtt Val | 403 |
| ggt Gly | cag Gln | gca Ala | gga Gly 105 | atg Met | ccc Pro | gat Asp | atg Met | acc Thr 110 | acg Thr | ttg Leu | atg Met | cca Pro | gag Glu 115 | ctg Leu | gaa Glu | 451 |
| gag Glu | atg Met | gcc Ala 120 | aac Asn | agg Arg | tgg Trp | gtt Val | gaa Glu 125 | tac Tyr | ggc Gly | gtc Val | atc Ile | acc Thr 130 | gaa Glu | gag Glu | cag Gln | 499 |
| gca Ala | aat Asn 135 | gcc Ala | tcc Ser | ttg Leu | gag Glu | gaa Glu 140 | atg Met | aac Asn | acc Thr | gct Ala | gtt Val 145 | gca Ala | tcg Ser | acc Thr | act Thr | 547 |
| gcg Ala 150 | gtg Val | gaa Glu | ggc Gly | gaa Glu | gaa Glu 155 | gca Ala | act Thr | gag Glu | cca Pro | gaa Glu 160 | ccc Pro | gtc Val | acç Thr | gtg Val | tcg Ser 165 | 595 |
| gcg Ala | acc Thr | cct Pro | atg Met | gat Asp 170 | gag Glu | cca Pro | gcc Ala | aac Asn | tcc Ser 175 | att Ile | gag Glu | gca Ala | aca Thr | cag Gln 180 | cga Arg | 643 |
| cgc Arg | cag Gln | gaa Glu | atc Ile 185 | acg Thr | gac Asp | atg Met | ctg Leu | cgc Arg 190 | acc Thr | gac Asp | cgc Arg | cag Gln | tcc Ser 195 | acc Thr | gat Asp | 691 |
| ccc Pro | act Thr | gtc Val 200 | cag Gln | atc Ile | gct Ala | gca Ala | agt Ser 205 | tct Ser | ttg Leu | atg Met | cag Gln | tgc Cys 210 | acc Thr | act Thr | gat Asp | 739 |
| gag Glu | atg Met 215 | gat Asp | cct Pro | ttg Leu | gcc Ala | ggc Gly 220 | acc Thr | gat Asp | gat Asp | cca Pro | cgc Arg 225 | ctg Leu | cca Pro | ttg Leu | gtg Val | 787 |

| Cys | | | | Gly | | | | | ctt Leu | | | 835 |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------------------|-----|-----|------|
| | | | Thr | | | | | | gcg Ala | | | 883 |
| | | Thr | | | | | | | gga Gly | | | 931 |
| | | | | | | Ala | | | tcc Ser | | | 979 |
| | | | | | | | | | cag Gln 305 | | | 1027 |
| | | | | | | | | | tct Ser | | | 1075 |
| | | | | | | | | | atc Ile | | | 1123 |
| | | | | | | | | | ctg Leu | | | 1171 |
| | | | | | | | | | cgc Arg | | | 1219 |
| | | | | | | | | | ttg Leu 385 | | | 1267 |
| | Gly | Val | Gly | Ile | Ala | Leu | Val | Āla | atc Ile | Phe | Phe | 1315 |
| | | | | | | | | | acc Thr | | | 1363 |
| | | | | | | | | | gga Gly | | | 1411 |
| | | | | | | | | | atc Ile | | | 1459 |

| acc Thr | acc Thr 455 | Ala | gac Asp | tcc Ser | ttc Phe | gtg Val 460 | gtg Val | ttc Phe | tat Tyr | gag Glu | cgc Arg 465 | atc Ile | aag Lys | gat Asp | gag Glu | 1507 |
|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|------|
| atc Ile 470 | Arg | gaa Glu | gga Gly | aga Arg | tcc Ser 475 | ttt Phe | aga Arg | tct Ser | gca Ala | gta Val 480 | cct Pro | cgt Arg | gca Ala | tgg Trp | gaa Glu 485 | 1555 |
| agc Ser | gcc Ala | aag Lys | cgc Arg | acc Thr 490 | atc Ile | gtc Val | aca Thr | ggc Gly | aac Asn 495 | atg Met | gtc Val | act Thr | ttg Leu | ctc Leu 500 | ggc Gly | 1603 |
| gct Ala | atc Ile | gtg Val | att Ile 505 | tac Tyr | ttg Leu | ctc Leu | gcg Ala | gtc Val 510 | ggc Gly | gaa Glu | gtc Val | aag Lys | ggc Gly 515 | ttt Phe | gcc Ala | 1651 |
| ttc Phe | acc Thr | ctg Leu 520 | ggt Gly | ctg Leu | acc Thr | acc Thr | gta Val 525 | ttc Phe | gat Asp | ctc Leu | gtt Val | gtc Val 530 | acc Thr | ttc Phe | ctg Leu | 1699 |
| | | | cca Pro | | | | | | | | | | | | | 1747 |
| aag Lys 550 | tca Ser | tcg Ser | gtc Val | aac Asn | ggc Gly 555 | atg Met | gga Gly | cga Arg | gtg Val | atg Met 560 | aag Lys | ctc Leu | gtt Val | gaa Glu | gaa Glu 565 | 1795 |
| cgc Arg | cgc Arg | gcc Ala | aac Asn | ggt Gly 570 | gaa Glu | ttg Leu | gat Asp | gag Glu | cct Pro 575 | gag Glu | tac Tyr | ctg Leu | aaa Lys | aag Lys 580 | atc Ile | 1843 |
| | | | aat Asn 585 | | | | | | | | | | | | | 1891 |
| | | | tct Ser | | | Pro | | | | | | | | | | 1939 |
| aag Lys | tago | catg | ac t | gatt | ccca | g ac | t | | | | | | | | | 1965 |

<210> 58

<211> 614

<212> PRT

<213> Corynebacterium glutamicum

<400> 58

Val Leu Ile Val Val Gly Val Tyr Ala Leu Val Leu Leu Thr Gly Asp

1 5 10 15

Arg Ser Ala Thr Pro Lys Leu Gly Ile Asp Leu Gln Gly Gly Thr Arg 20 25 30

Val Thr Leu Val Pro Gln Gly Gln Asp Pro Thr Gln Asp Gln Leu Asn Gln Ala Arg Thr Ile Leu Glu Asn Arg Val Asn Gly Met Gly Val Ser Gly Ala Ser Val Val Ala Asp Gly Asn Thr Leu Val Ile Thr Val Pro Gly Glu Asn Thr Ala Gln Ala Gln Ser Leu Gly Gln Thr Ser Gln Leu Leu Phe Arg Pro Val Gly Gln Ala Gly Met Pro Asp Met Thr Thr Leu Met Pro Glu Leu Glu Glu Met Ala Asn Arg Trp Val Glu Tyr Gly Val 120 115 Ile Thr Glu Glu Gln Ala Asn Ala Ser Leu Glu Glu Met Asn Thr Ala 135 Val Ala Ser Thr Thr Ala Val Glu Gly Glu Glu Ala Thr Glu Pro Glu 145 Pro Val Thr Val Ser Ala Thr Pro Met Asp Glu Pro Ala Asn Ser Ile 170 Glu Ala Thr Gln Arg Arg Gln Glu Ile Thr Asp Met Leu Arg Thr Asp Arg Gln Ser Thr Asp Pro Thr Val Gln Ile Ala Ala Ser Ser Leu Met 200 Gln Cys Thr Thr Asp Glu Met Asp Pro Leu Ala Gly Thr Asp Asp Pro 215 Arg Leu Pro Leu Val Ala Cys Asp Pro Ala Val Gly Gly Val Tyr Val 230 235 Leu Asp Pro Ala Pro Leu Leu Asn Gly Glu Thr Asp Glu Glu Asn Gly Ala Arg Leu Thr Gly Asn Glu Ile Asp Thr Asn Arg Pro Ile Thr Gly Gly Phe Asn Ala Gln Ser Gly Gln Met Glu Ile Ser Phe Ala Phe Lys Ser Gly Asp Gly Glu Glu Gly Ser Ala Thr Trp Ser Ser Leu Thr Ser Gln Tyr Leu Gln Gln Gln Ile Ala Ile Thr Leu Asp Ser Gln Val Ile

Ser Ala Pro Val Ile Gln Ser Ala Thr Pro Val Gly Ser Ala Thr Ser

330

Ile Thr Gly Asp Phe Thr Gln Thr Glu Ala Gln Asp Leu Ala Asn Asn 340 345 350

Leu Arg Tyr Gly Ala Leu Pro Leu Ser Phe Ala Gly Glu Asn Gly Glu 355 360 365

Arg Gly Gly Thr Thr Thr Thr Val Pro Pro Ser Leu Gly Ala Ala Ser 370 375 380

Leu Lys Ala Gly Leu Ile Ala Gly Ile Val Gly Ile Ala Leu Val Ala 385 390 395 400

Ile Phe Val Phe Ala Tyr Tyr Arg Val Phe Gly Phe Val Ser Leu Phe 405 410 415

Thr Leu Phe Ala Ala Gly Val Leu Val Tyr Gly Leu Leu Val Leu Leu 420 425 430

Gly Arg Trp Ile Gly Tyr Ser Leu Asp Leu Ala Gly Ile Ala Gly Leu 435 440 445

Ile Ile Gly Ile Gly Thr Thr Ala Asp Ser Phe Val Val Phe Tyr Glu 450 455 460

Arg Ile Lys Asp Glu Ile Arg Glu Gly Arg Ser Phe Arg Ser Ala Val 465 470 475 480

Pro Arg Ala Trp Glu Ser Ala Lys Arg Thr Ile Val Thr Gly Asn Met
485 490 495

Val Thr Leu Leu Gly Ala Ile Val Ile Tyr Leu Leu Ala Val Gly Glu
500 505 510

Val Lys Gly Phe Ala Phe Thr Leu Gly Leu Thr Thr Val Phe Asp Leu 515 520 525

Val Val Thr Phe Leu Île Thr Ala Pro Leu Val Ile Leu Ala Ser Arg 530 535 540

Asn Pro Phe Phe Ala Lys Ser Ser Val Asn Gly Met Gly Arg Val Met 545 550 560

Lys Leu Val Glu Glu Arg Arg Ala Asn Gly Glu Leu Asp Glu Pro Glu 565 570 575

Tyr Leu Lys Lys Ile His Ala Lys Asn Ala Ala Ala Asp Lys Ala Ser 580 585 590

Thr Asp Asn Ser Ser Thr Asp Asn Ser Glu Ala Pro Gly Thr Asp Thr 595 600 605

Asn Gln Glu Glu Glu Lys 610

<210> 59 <211> 819

<212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(796) <223> RXN00046 <400> 59 tggtgcccaa gcagccgtca tcgcagcagc aaaatatgcc cgcgataacg ccttttaagc 60 acctaaaacg ctgttctcaa cacaggagtt tccttaaata atg gac tta aat act Met Asp Leu Asn Thr 163 caa cgc tca aag ctc tac gca cag ctt caa ggc cag ctc att gtt tcc Gln Arg Ser Lys Leu Tyr Ala Gln Leu Gln Gly Gln Leu Ile Val Ser gtg caa get eee gae gge eat gee atg ega gat ace eat acg etc ace 211 Val Gln Ala Pro Asp Gly His Ala Met Arg Asp Thr His Thr Leu Thr 30 cat gtg gcc gca gcc tgt gtc gat ggc ggt gct cct gcc att cgc tgt 259 His Val Ala Ala Ala Cys Val Asp Gly Gly Ala Pro Ala Ile Arg Cys 307 ggc ggt tac ggc ggt ttg gaa gat atc cgt tca atc tcc aac cgt gtc Gly Gly Tyr Gly Gly Leu Glu Asp Ile Arg Ser Ile Ser Asn Arg Val 60 355 gac gtt ccc gtt ttc gga ctc acc aaa gaa ggc tcc gaa gga gtt tac Asp Val Pro Val Phe Gly Leu Thr Lys Glu Gly Ser Glu Gly Val Tyr atc acc cca acc agg gat tcc gtt cga gca gtg gca gaa tcc ggc gcc 403 Ile Thr Pro Thr Arg Asp Ser Val Arg Ala Val Ala Glu Ser Gly Ala 90 95 451 act qta qtc tqc gcg gat gca act ttc cga cct agg cct gac ggc tcc Thr Val Val Cys Ala Asp Ala Thr Phe Arg Pro Arg Pro Asp Gly Ser 110 acc ttt gca gag ctg gtc act gtt gcc cac gat tcc gga att ctc atc 499 Thr Phe Ala Glu Leu Val Thr Val Ala His Asp Ser Gly Ile Leu Ile 120 125 atg gcg gac tgc gca act ccc gaa gaa gtt ctc agt gcg cat aag gct 547 Met Ala Asp Cys Ala Thr Pro Glu Glu Val Leu Ser Ala His Lys Ala 595 ggc gcg gat ttt gtg tcc acc acg ctt gct gga tac acc gaa cac cgc Gly Ala Asp Phe Val Ser Thr Thr Leu Ala Gly Tyr Thr Glu His Arg 160

95

gag aaa aca gtc ggt cca gat ttc gat tgc ctc cgc gaa gca cgt gag Glu Lys Thr Val Gly Pro Asp Phe Asp Cys Leu Arg Glu Ala Arg Glu

170 175 180

tta gtt ccc gat gcg ttc ctc att ggc gaa ggt cgc ttc tcc aac cct 693 Leu Val Pro Asp Ala Phe Leu Ile Gly Glu Gly Arg Phe Ser Asn Pro 185 190 195

gcg gat gtg gcg cac ggt cgt ctc att ggt gcc aac gcg atc atc gtg 739 Ala Asp Val Ala His Gly Arg Leu Ile Gly Ala Asn Ala Ile Ile Val 200 205 2:10

ggc acc gca atc act gac cct ggt ttc atc act gga cag ttc gcg tca
Gly Thr Ala Ile Thr Asp Pro Gly Phe Ile Thr Gly Gln Phe Ala Ser
215
220
225

ctg ttg cac tagcacttag tccagcgctg cac 819
Leu Leu His
230

<210> 60

<211> 232

<212> PRT

<213> Corynebacterium glutamicum

<400> 60

Met Asp Leu Asn Thr Gln Arg Ser Lys Leu Tyr Ala Gln Leu Gln Gly
1 5 10 15

Gln Leu Ile Val Ser Val Gln Ala Pro Asp Gly His Ala Met Arg Asp 20 25 30

Thr His Thr Leu Thr His Val Ala Ala Ala Cys Val Asp Gly Gly Ala 35 40 45

Pro Ala Ile Arg Cys Gly Gly Tyr Gly Gly Leu Glu Asp Ile Arg Ser 50 60

Ile Ser Asn Arg Val Asp Val Pro Val Phe Gly Leu Thr Lys Glu Gly 65 70 75 80

Ser Glu Gly Val Tyr Ile Thr Pro Thr Arg Asp Ser Val Arg Ala Val 85 90 95

Ala Glu Ser Gly Ala Thr Val Val Cys Ala Asp Ala Thr Phe Arg Pro 100 105 110

Arg Pro Asp Gly Ser Thr Phe Ala Glu Leu Val Thr Val Ala His Asp 115 120 125

Ser Gly Ile Leu Ile Met Ala Asp Cys Ala Thr Pro Glu Glu Val Leu 130 140

Ser Ala His Lys Ala Gly Ala Asp Phe Val Ser Thr Thr Leu Ala Gly 145 150 155 160

Tyr Thr Glu His Arg Glu Lys Thr Val Gly Pro Asp Phe Asp Cys Leu 165 170 175

Arg Glu Ala Arg Glu Leu Val Pro Asp Ala Phe Leu Ile Gly Glu Gly 180 185 Arg Phe Ser Asn Pro Ala Asp Val Ala His Gly Arg Leu Ile Gly Ala 200 Asn Ala Ile Ile Val Gly Thr Ala Ile Thr Asp Pro Gly Phe Ile Thr 215 Gly Gln Phe Ala Ser Leu Leu His 230 225 <210> 61 <211> 1219 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (48)..(1196) <223> RXN01863 <400> 61 ggtatcatac cgatatgaac caaatagaaa gaaggaagtt taagacgatg aat agc Met Asn Ser gtc aaa ttg aag caa cct gtt agc att tac aat gat cca tgg gaa tca 104 Val Lys Leu Lys Gln Pro Val Ser Ile Tyr Asn Asp Pro Trp Glu Ser tat aac gat gtt aaa gaa cat ggc caa tta act tta agt aac atc gaa 152 Tyr Asn Asp Val Lys Glu His Gly Gln Leu Thr Leu Ser Asn Ile Glu 20 25 30 ttt aca act aca aat ctt tgt aat atg cgt tgt agc cac tgt gca gtt 200 Phe Thr Thr Asn Leu Cys Asn Met Arg Cys Ser His Cys Ala Val ggt tat act tta caa act gtc gac ccc gag cct tta gat atg gac tta 248 Gly Tyr Thr Leu Gln Thr Val Asp Pro Glu Pro Leu Asp Met Asp Leu 296 att tat cgt aga ctt gat gaa att cca aat ctg cga acg atg tca att Ile Tyr Arg Arg Leu Asp Glu Ile Pro Asn Leu Arg Thr Met Ser Ile 344 aca ggt ggc gaa cca atg ttt tct aaa aag tct att aga aat gtt gtt Thr Gly Gly Glu Pro Met Phe Ser Lys Lys Ser Ile Arg Asn Val Val aaa cct cta tta aag tat gca cat cat cga ggt ata tat aca caa atg Lys Pro Leu Leu Lys Tyr Ala His His Arg Gly Ile Tyr Thr Gln Met

| WO 01/00804 | PCT/IB00/0092 |
|--------------|---------------|
| W O 01/00004 | FC1/1D00/003 |

| | | | | | | | | | | | | gat Asp | | | | 440 |
|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-------------------|------------|------------|------------|-------|
| | | | | | | | | | | | | aca Thr | | | | 488 |
| | | | | | | | | | | | | cca Pro 160 | | | | 536 |
| | | | | | | | | | | | | gca Ala | | | | 584 . |
| | | | | | | | | | | | | ctc Leu | | | | 632 |
| _ | | | | | _ | | | | | - | - | gtt Val | | • | _ | 680 |
| Lys | Cys | Ser | Arg 215 | His | Glu | Ile | His | Pro 220 | Met | Tyr | Pro | gct Ala | Asp 225 | Phe | Ala | 728 |
| Ser | Gln | Leu 230 | Asn | Val | Leu | Thr | Leu 235 | Ala | Glu | Met | Lys | aag Lys 240 | Thr | Ile | His | 776 |
| Asp | Ile 245 | Leu | Asp | Phe | Arg | Asp 250 | Glu | Asp | Ile | Trp | Met 255 | tta Leu | Phe | Gly | Thr | 824 |
| Leu 260 | Pro | Val | Phe | Pro | Cys 265 | Leu | Lys | Asp | Asp | Glu 270 | Asp | caa Gln | Lys | Leu | Leu 275 | 872 |
| Ser | Arg | Leu | Arg | Asn 280 | Āla | Asn | Asn | Val | Thr 285 | Thr | Arg | aat Asn | Asp | Pro 290 | Asp | 920 |
| ĞÎy | Arg | Ser | Arg 295 | Leu | Asn | Val | Asn | Val 300 | Phe | Thr | Gly | aat Asn | Val 305 | Ile | Val | 968 |
| Thr | Asp | Phe 310 | Ğİy | Asp | Ğlu | Thr | Gly 315 | Thr | Ile | Ser | Asn | ata Ile 320 | Gln | Lys | Asp | 1016 |
| Lys | Leu 325 | Thr | Āsp | Val | Phe | Asp 330 | Lys | Trp | Leu | Ser | Ser 335 | gat Asp | Leu | Ala | Lys | 1064 |
| tca | tta | aat | tgt | cat | tgt | tcc | gag | ttt | agt | tgt | tta | gga | cca | aat | gtt | 1112 |

Ser Leu Asn Cys His Cys Ser Glu Phe Ser Cys Leu Gly Pro Asn Val 340 345 345 350 355

ctt gtt aaa aat atg tac tat ccg aat atg gat ttt aaa gat aat gag 1160

Leu Val Lys Asn Met Tyr Tyr Pro Asn Met Asp Phe Lys Asp Asn Glu 370

cgt cat atg cac aaa caa cca caa att ata caa ttt taaaaactct 1206

Arg His Met His Lys Gln Pro Gln Ile Ile Gln Phe

taattatgcg gag 1219

380

<210> 62 <211> 383

<212> PRT

<213> Corynebacterium glutamicum

<400> 62

Met Asn Ser Val Lys Leu Lys Gln Pro Val Ser Ile Tyr Asn Asp Pro 1 5 10 15

Trp Glu Ser Tyr Asn Asp Val Lys Glu His Gly Gln Leu Thr Leu Ser 20 . 25 30

Asn Ile Glu Phe Thr Thr Thr Asn Leu Cys Asn Met Arg Cys Ser His 35 40 45

Cys Ala Val Gly Tyr Thr Leu Gln Thr Val Asp Pro Glu Pro Leu Asp 50 55 60

Met Asp Leu Ile Tyr Arg Arg Leu Asp Glu Ile Pro Asn Leu Arg Thr 65 70 75 80

Met Ser Ile Thr Gly Gly Glu Pro Met Phe Ser Lys Lys Ser Ile Arg 85 90 95

Asn Val Val Lys Pro Leu Leu Lys Tyr Ala His His Arg Gly Ile Tyr 100 105 110

Thr Gln Met Asn Ser Asn Leu Thr Leu Pro Gln Asp Arg Tyr Leu Asp 115 120 125

Ile Ala Glu Tyr Ile Asp Val Met His Ile Ser His Asn Trp Gly Thr 130 135 140

Thr Asp Glu Phe Ala Asn Val Gly Phe Gly Ala Met Lys Lys Gln Pro 145 150 155 160

Pro Leu Lys Ala Lys Leu Lys Leu Tyr Glu Gln Met Ile Ser Asn Ala 165 170 175

Arg Thr Leu Ser Glu Gln Gly Met Phe Val Ser Ala Glu Thr Met Leu 180 185 190

Asn Gln Ser Thr Leu Pro His Leu Arg Lys Ile His Gln Glu Val Val

195 200 205

His Asp Met Lys Cys Ser Arg His Glu Ile His Pro Met Tyr Pro Ala 210 215 220

Asp Phe Ala Ser Gln Leu Asn Val Leu Thr Leu Ala Glu Met Lys Lys 225 230 235 240

Thr Ile His Asp Ile Leu Asp Phe Arg Asp Glu Asp Ile Trp Met Leu 245 250 255

Phe Gly Thr Leu Pro Val Phe Pro Cys Leu Lys Asp Asp Glu Asp Gln 260 265 270

Lys Leu Leu Ser Arg Leu Arg Asn Ala Asn Asn Val Thr Thr Arg Asn 275 280 285

Asp Pro Asp Gly Arg Ser Arg Leu Asn Val Asn Val Phe Thr Gly Asn 290 295 300

Val Ile Val Thr Asp Phe Gly Asp Glu Thr Gly Thr Ile Ser Asn Ile 305 310 315 320

Gln Lys Asp Lys Leu Thr Asp Val Phe Asp Lys Trp Leu Ser Ser Asp 325 330 335

Leu Ala Lys Ser Leu Asn Cys His Cys Ser Glu Phe Ser Cys Leu Gly 340 345 350

Pro Asn Val Leu Val Lys Asn Met Tyr Tyr Pro Asn Met Asp Phe Lys 355 360 365

Asp Asn Glu Arg His Met His Lys Gln Pro Gln Ile Ile Gln Phe 370 380

<210> 63

<211> 618

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(595)

<223> RXN00833

<400> 63

agetttttgc atgtgtcata tegtacegtt tgcataggee tgttegeget tggtgaacet 60

tttctagcac caaaacaaaa ctctccctag tatggggtcc atg gct aaa aca cat 115
Met Ala Lys Thr His

ttt caa ggc aac gaa act gct acc tcc ggc gaa ctg cca cag gtc ggc 163 Phe Gln Gly Asn Glu Thr Ala Thr Ser Gly Glu Leu Pro Gln Val Gly 10 15 20

| - | aac Asn | | - | | | | | - | | | - | - | | | - | 211 |
|------|-------------------|------|------|------|------|---|---|---|---|---|---|---|---|---|---|-----|
| | tca Ser | | | | | | | | | | | | | | | 259 |
| | gtt Val 55 | - | | | _ | _ | - | | | - | - | _ | | | | 307 |
| | gca Ala | | | | | | | | | | | | | | | 355 |
| | cca Pro | | | | | | | | | | | | | | | 403 |
| _ | acc Thr | | - | | _ | | _ | | | | | _ | _ | | | 451 |
| | gtg Val | | _ | | | | | _ | | | | _ | _ | _ | - | 499 |
| | gtc Val 135 | - | - | - | | | _ | - | _ | | | _ | _ | - | - | 547 |
| | atc Ile | | | - | | _ | | - | _ | _ | | _ | | _ | | 595 |
| taat | ttac | tt c | gctc | aggo | g aa | t | | | | | | | | | | 618 |

<210> 64

<211> 165

<212> PRT

<213> Corynebacterium glutamicum

<400> 64

Met Ala Lys Thr His Phe Gln Gly Asn Glu Thr Ala Thr Ser Gly Glu 1 5 15

Leu Pro Gln Val Gly Asp Asn Leu Ala Glu Phe Asn Leu Val Asn Thr 20 25 30

Glu Leu Gly Glu Val Ser Ser Lys Asp Phe Gln Gly Arg Lys Leu Val

Leu Asn Ile Phe Pro Ser Val Asp Thr Gly Val Cys Ala Thr Ser Val 50 55 60

Arg Lys Phe Asn Glu Ala Ala Ser Leu Glu Asn Thr Thr Val Leu Cys Ile Ser Lys Asp Leu Pro Phe Ala Leu Gly Arg Phe Cys Ser Ala Glu Gly Ile Glu Asn Val Thr Pro Val Ser Ala Phe Arg Ser Thr Phe Gly Glu Asp Asn Gly Ile Val Leu Glu Gly Ser Pro Leu Lys Gly Leu Leu Ala Arg Ser Val Ile Val Val Asp Glu Asn Gly Lys Val Ala Tyr Thr Gln Leu Val Asp Glu Ile Phe Thr Glu Pro Asp Tyr Asp Ala Ala Leu Ala Gly Leu Asn <210> 65 <211> 879 <212> DNA <213> Corynebacterium glutamicum <221> CDS <222> (101)..(856) <223> RXN01676 <400> 65 agttacaget tttctcggtg gcacactcgc gctacttagc ccttgtgccg cactcctttt 60 accagcattt tttgcatcct cagtgggtgc tggcccgcgc atg atc ctt cac ggt Met Ile Leu His Gly gtt gtg ttc tac gca gga ctt cta gta ctt ctc gtg cca ctt ggc ctt 163 Val Val Phe Tyr Ala Gly Leu Leu Val Leu Val Pro Leu Gly Leu 10 15 ggt gcg gga atc ctc ggc gag ctg ttt atc acc caa cgc cag acc atc 211 Gly Ala Gly Ile Leu Gly Glu Leu Phe Ile Thr Gln Arg Gln Thr Ile atc gtg gtt tca tcg atc gtg ctg att atc cta ggt ttt gtc cag atc Ile Val Val Ser Ser Ile Val Leu Ile Ile Leu Gly Phe Val Gln Ile ttc ggc ggc gga ttc gac ttc gga aaa gca ctc cca gga tta gat cgt 307 Phe Gly Gly Gly Phe Asp Phe Gly Lys Ala Leu Pro Gly Leu Asp Arg 355 ctg caa tot aag goo act gtg acc toa ggt ota gga aag ago ttt tta Leu Gln Ser Lys Ala Thr Val Thr Ser Gly Leu Gly Lys Ser Phe Leu

| 70 | | | | 75 | | | | | 80 | | | | | 85 | |
|----|-------------------|---|---|-----|---|------|------|------|------|------|------|----|---|----|-------------|
| | atg Met | | | Ser | | | | | | | | | | | 403 |
| | gtt Val | | | | | | | | | | | | | | 451 |
| | att Ile 120 | | | | | | | | | | | | | | 499 |
| | gca Ala | | | | | | | | | | | | | | 547 |
| | ggc Gly | | | | | | | | | | | | | | 595 |
| | att Ile | | | | | | | | | | | | | | 643 |
| | aac Asn | | | | | | | | | | | | | | 691 |
| - | tgg Trp 200 | | _ | - | - | | | | | | | | | | 739 |
| _ | gca Ala | - | | | _ | _ | - | | - | | - | | | | 7 87 |
| | cga Arg | | _ | _ | | - | - | _ | - | _ | | | _ | _ | 835 |
| | gtt Val | | | | | taat | tatt | ag t | tttg | gago | g ag | ig | | | 879 |

<210> 66

<211> 252

<212> PRT

<213> Corynebacterium glutamicum

<400> 66

Met Ile Leu His Gly Val Val Phe Tyr Ala Gly Leu Leu Val Leu Leu 1 5 10 15

Val Pro Leu Gly Leu Gly Ala Gly Ile Leu Gly Glu Leu Phe Ile Thr

20 25 30

Gln Arg Gln Thr Ile Ile Val Val Ser Ser Ile Val Leu Ile Ile Leu
35 40 45

Gly Phe Val Gln Ile Phe Gly Gly Gly Phe Asp Phe Gly Lys Ala Leu 50 55 60

Pro Gly Leu Asp Arg Leu Gln Ser Lys Ala Thr Val Thr Ser Gly Leu 65 70 75 80

Gly Lys Ser Phe Leu Leu Gly Met Thr Ser Ser Ile Ala Gly Phe Cys 85 90 95

Ser Gly Pro Ile Leu Gly Ala Val Leu Thr Leu Ala Ala Thr Ser Gly 100 105 110

Asn Ser Ile Thr Ser Ala Leu Ile Leu Ser Ala Tyr Gly Ala Gly Met 115 120 125

Val Leu Pro Leu Met Ala Ile Ala Ala Leu Trp Ala Lys Leu Gly Gln 130 135 140

Arg Gly Gln Gln Met Leu Arg Gly Arg Glu Phe Thr Phe Leu Gly Arg 145 150 155 160

Gln Trp His Ile Val Ser Val Ile Ser Gly Ala Leu Ile Ile Ala Val 165 170 175

Gly Ile Leu Phe Trp Ser Thr Asn Gly Leu Val Ser Met Pro Glu Leu 180 185 190

Val Pro Met Asp Thr Gln Ile Trp Leu Gln Glu Ala Thr Phe Ser Leu 195 200 205

Gly Ser Pro Leu Phe Asp Ile Ala Leu Ile Ile Val Ala Ala Gly Leu 210 220

Phe Leu Tyr Phe Trp Asn Lys Arg Gln Lys Arg Lys Glu Glu Ala Gln 225 230 235 240

Arg Pro Lys Glu Ser Gly Trp Val Ile Asn Pro Arg 245 250

<210> 67

<211> 744

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(721)

<223> RXN00380

<400> 67

caggcaatgc gacctcgcct cagtgacatc cttggtgttc caagacgatc aaattgtcgg 60

| cgt | gcat | tac | aacg | aacc | ag c | tcag | gaga | t tt | gatc | actc | | | ttg Leu | | | 115 |
|------------|------------|------------|-------------------|------------------|------------|------------|------------|-------------------|------------------|-------------------|------------|------------|-------------------|-------------------|------------|-----|
| | | | | | | | | | | agc Ser | | | | | | 163 |
| | | | | | | | | | | gac Asp | | | | | | 211 |
| | | | | | | | | | | aag Lys | | | | | | 259 |
| | | | | | | | | | | att Ile | | | | | | 307 |
| | | | | | | | | | | gat Asp 80 | | | | | | 355 |
| gtc Val | atc Ile | ctc Leu | aat Asn | gcg Ala 90 | tgg Trp | ggg Gly | cag Gln | tgg Trp | tgt Cys 95 | gca Ala | ccg Pro | tgc Cys | cgc Arg | tcc Ser 100 | gaa Glu | 403 |
| tcc Ser | gat Asp | gat Asp | ctc Leu 105 | cag Gln | att Ile | atc Ile | cat His | gag Glu 110 | gaa Glu | ctc Leu | caa Gln | gct Ala | gcc Ala 115 | gga Gly | aac Asn | 451 |
| | | | | | | | | | | atc Ile | | | | | | 499 |
| | | | | | | | | | | gac Asp | | | | | | 547 |
| | | Ile | Tyr | Asp | Pro | Pro | Phe | Met | Thr | gca Ala 160 | Ala | Ser | | Gly | | 595 |
| | | | | | | | | | | gtg Val | | | | | | 643 |
| | | | | | | | | | | acc Thr | | | | | | 691 |
| | | | | cca Pro | | Val | | | | taaa | tgtc | tg a | ıgatt | gtgg | jt. | 741 |

agc 744

<210> 68

<211> 207

<212> PRT

<213> Corynebacterium glutamicum

<400> 68

Val Arg Leu Thr Lys Leu Ala Ala Thr Ile Gly Cys Val Thr Leu Ser 1 5 10 15

Gly Leu Ala Leu Val Ala Cys Ser Ser Asp Ser Thr Ala Gly Thr Asp 20 25 30

Ala Val Ala Val Gly Gly Thr Phe Gln Phe His Ser Pro Asp Gly Lys
35 40 45

Met Glu Ile Phe Tyr Asp Glu Ala Asp Arg Gln Gln Leu Pro Asp Ile 50 55 60

Gly Gly Asp Ser Leu Met Glu Glu Gly Thr Gln Ile Asn Leu Ser Asp 65 70 75 80

Phe Glu Asn Gln Val Val Ile Leu Asn Ala Trp Gly Gln Trp Cys Ala 85 90 95

Pro Cys Arg Ser Glu Ser Asp Asp Leu Gln Ile Ile His Glu Glu Leu 100 105 110

Gln Ala Gly Asn Gly Asp Thr Pro Gly Gly Thr Val Leu Gly Ile 115 120 125

Asn Val Arg Asp Tyr Ser Arg Asp Ile Ala Gln Asp Phe Val Thr Asp 130 135 140

Asn Gly Leu Asp Tyr Pro Ser Ile Tyr Asp Pro Pro Phe Met Thr Ala 145 150 155 160

Ala Ser Leu Gly Gly Val Pro Ala Ser Val Ile Pro Thr Thr Ile Val 165 170 175

Leu Asp Lys Gln His Arg Pro Ala Ala Val Phe Leu Arg Glu Val Thr 180 185 190

Ser Lys Asp Val Leu Asp Val Ala Leu Pro Leu Val Asp Glu Ala 195 200 205

<210> 69

<211> 495

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(472)

<223> RXN00937

| - | 0> 6 tgcc | | caat | gaag | aa a | atcc | ttgg | c cg | ggaa | taac | tac | agtc | cgc · | tgaaa | agttgg | 60 |
|------------|--------------|------------|------------------|------------------|------------|------------|------------|------------------|------------------|------------|------------|------------|------------------|------------------|------------|-----|
| tct | atat | ata | gacc | ttac | aa a | tctt | gaac | g ga | gatt | ctta | | gca Ala | | | | 115 |
| gta Val | acc Thr | gaa Glu | gaa Glu | aca Thr 10 | ttt Phe | gag Glu | agc Ser | aca Thr | gtt Val 15 | acc Thr | ggc Gly | gac Asp | gga Gly | att Ile 20 | gtc Val | 163 |
| ctc Leu | gta Val | gac Asp | gca Ala 25 | tgg Trp | gca Ala | tcc Ser | tgg Trp | tgc Cys 30 | gga Gly | cct Pro | tgc Cys | cgc Arg | cag Gln 35 | ttc Phe | gcc Ala | 211 |
| | | | | aag Lys | | | | | | | | | | | | 259 |
| | | | | gaa Glu | | | | | | | | | | | | 307 |
| | | | | act Thr | | | | | | | | | | | | 355 |
| | | | | acc Thr 90 | | | | | | | | | | | | 403 |
| | | | | ctc Leu | | | | | | | | | | | | 451 |
| _ | - | | | gca Ala | | - | taag | cttc | ca a | ittgt | gttt | t gg | rt | | | 495 |
| -210 | . 70 | | | | | | | | | | | | | | | |

<210> 70 <211> 124

<212> PRT

<213> Corynebacterium glutamicum

<400> 70

Met Ala Thr Ile Asp Val Thr Glu Glu Thr Phe Glu Ser Thr Val Thr 1 5 10 15

Gly Asp Gly Ile Val Leu Val Asp Ala Trp Ala Ser Trp Cys Gly Pro 20 25 30

Cys Arg Gln Phe Ala Pro Thr Tyr Glu Lys Val Ser Glu Thr His Thr 40

Asp Ala Thr Phe Ala Lys Leu Asp Thr Glu Ala Asn Gln Gly Leu Ala 55 Ala Ala Leu Gln Ile Gln Ser Ile Pro Thr Leu Met Val Phe Arg Asp Gly Ile Met Val Tyr Arg Glu Ala Gly Thr Met Pro Ala Pro Ala Leu Asp Asp Leu Val Asn Gln Val Lys Ala Leu Asp Met Asp Asp Val Arg Arg Gln Val Ala Glu Gln Gln Gly Ser Ala Glu Ala <210> 71 <211> 990 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(967) <223> RXN02325 <400> 71 cagagatttg aagatggaga ccaaggctca aagggaatcc atgccgtctt ggtttaatac 60 tgcacccgtc taatgaaaat cattactatt aggtgtcatg atg gac cat gca cac Met Asp His Ala His gat too tgo toa coa act otg ogo ogt gat ttg gag gto act ggo cag 163 Asp Ser Cys Ser Pro Thr Leu Arg Arg Asp Leu Glu Val Thr Gly Gln ctc caa cct gag aaa gct gtc gat tta gca gcg ccg cac gaa ggg aag 211 Leu Gln Pro Glu Lys Ala Val Asp Leu Ala Ala Pro His Glu Gly Lys 259 gtt gcc aat ata acg aag gtg acc tcc tca aat atg gag cac acc atc Val Ala Asn Ile Thr Lys Val Thr Ser Ser Asn Met Glu His Thr Ile 307 acg cag gcc tca aaa gct aag gag gtg gtg gtg ctc att ggt cac tcc Thr Gln Ala Ser Lys Ala Lys Glu Val Val Val Leu Ile Gly His Ser ctg ctg ccc aca ttt cag gat ttg gaa aaa gac att ctg cac ttt cag 355 Leu Leu Pro Thr Phe Gln Asp Leu Glu Lys Asp Ile Leu His Phe Gln 75 80 gca ggt aat aaa ggg cga ttt tct gta gcg att gtt gat cct gat cgc 403 Ala Gly Asn Lys Gly Arg Phe Ser Val Ala Ile Val Asp Pro Asp Arg 90 95

| | | | | | gcc Ala | | | | | | | | | 451 |
|------|------|------|----|---|-------------------|---|---|---|---|-------|------|-------|-----|---------|
| | | | | | ggc Gly | | | | | | | | | 499 |
| | | | | | caa Gln | | | | | | | | | 547 |
| | | | | | gag Glu 155 | | | | | | | | | 595 |
| | | | | | gaa Glu | | | | | | | | | 643 |
| _ | | _ | | | cag Gln | _ | _ | _ | _ | _ | | - | | 691 |
| _ | | - | | - | gta Val | _ | | | - | | | - | | 739 |
| | | | | | aag Lys | | | | | | | | | 787 |
| | | | | | gat Asp 235 | | | | | | | | | 835 |
| | | | | | gca Ala | | | | | | | | | 883 |
| | | | | | ctg Leu | | | | | | | | | 931 |
| | | | | | cag Gln | | | | | | taag | jaaaa | ıca | 977 |
| cttt | aaat | at t | ct | | | | | | | | | | | 990 |

<210> 72

<211> 289 <212> PRT

<213> Corynebacterium glutamicum

<400> 72

| Met | Asp | His | Ala | Hls | Asp | Ser | Cys | Ser | Pro | Thr | Leu | Arg | Arg | Asp | Leu |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | | | | 5 | | | | | 10 | | | | | 15 | |

- Glu Val Thr Gly Gln Leu Gln Pro Glu Lys Ala Val Asp Leu Ala Ala 20 25 30
- Pro His Glu Gly Lys Val Ala Asn Ile Thr Lys Val Thr Ser Ser Asn 35 40 45
- Met Glu His Thr Ile Thr Gln Ala Ser Lys Ala Lys Glu Val Val 50 55 60
- Leu Ile Gly His Ser Leu Leu Pro Thr Phe Gln Asp Leu Glu Lys Asp 65 70 75 80
- Ile Leu His Phe Gln Ala Gly Asn Lys Gly Arg Phe Ser Val Ala Ile 85 90 95
- Val Asp Pro Asp Arg Ser Ala Asp Val Val Ala Arg Phe Arg Pro Lys
 100 105 110
- Gln Ile Pro Val Ala Tyr Val Val Lys Asp Gly Ala Ser Ile Ala Glu 115 120 125
- Phe Asn Ser Leu Asn Lys Glu Pro Val Ala Gln Trp Leu Asp His Phe 130 135 140
- Val Ser Arg Glu Thr Ile Pro Asn Glu Lys Glu Gly Asp Val Asp Lys 145 150 155 160
- Gln Ile Asp Pro Arg Leu Trp Arg Ala Ala Glu Leu Val Asn Ala Gly
 165 170 175
- Asp Phe Arg Ala Ala Leu Ala Leu Tyr Glu Gln Leu Pro Gln Asp Ala 180 185 190
- Thr Val Lys Arg Ala His Ala Ala Val Ser Val Leu Ala Arg Met Ser 195 200 205
- Val Ala Asp Arg Gly Glu Asp Pro Ile Glu Lys Ser Arg Arg Asp Pro 210 215 220
- Asp Asp Val Asn Lys Ala Leu Ala Ala Ala Asp Met Tyr Val Leu Met 225 230 235 240
- Asn Gln Pro Asp Thr Ala Leu Ala His Leu Ala Ala Leu Leu Pro Lys 245 250 255
- Pro Glu Ala Ala Arg Arg Ile Val Glu Leu Leu Asn Leu Phe Asp Pro 260 265 270
- Leu Asp Leu Val Ala Leu Glu Ile Arg Ala Gln Val Gly Asn Ala Met 275 280 285

Ser

<210> 73 <211> 900 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(877) <223> RXN01837 <400> 73 ccccatcat tccctcaagg tgtgaagata cggttaggat agaaaagaat ttttttgacg 60 ttggacattc tcaaaatcaa gtagcaaggg atcaaactct gtg agt act aat aag Val Ser Thr Asn Lys gaa cga cgc caa cag gcg ctt tcc cag ctg gag aaa gaa atc aaa agc Glu Arg Arg Gln Gln Ala Leu Ser Gln Leu Glu Lys Glu Ile Lys Ser 10 cgg gac cgc aaa gaa aag acc aag cca cta acc gtg gtc ttt gct tcc 211 Arg Asp Arg Lys Glu Lys Thr Lys Pro Leu Thr Val Val Phe Ala Ser 25 ctg gct gtc atc ctg gtt gtc gtt ggc ggt atc tgg tac gca gct acc Leu Ala Val Ile Leu Val Val Val Gly Gly Ile Trp Tyr Ala Ala Thr 40 307 cgc agc acc gaa gac gaa gtc atc acc gct gat gaa aca tcc acc acc Arg Ser Thr Glu Asp Glu Val Ile Thr Ala Asp Glu Thr Ser Thr Thr 55 gca gag acc cct gac tac cag cca ctg gcg ctg acc cgc acc acc gcg 355 Ala Glu Thr Pro Asp Tyr Gln Pro Leu Ala Leu Thr Arg Thr Thr Ala 70 ctc ggc gac tcc gtg acc tgt gag tac cca gat gct ggc gag gct tcc Leu Gly Asp Ser Val Thr Cys Glu Tyr Pro Asp Ala Gly Glu Ala Ser 90 95 aag gat gtc tcc aag cct gct act gaa aac gtg cca gca acc ggc acc 451 Lys Asp Val Ser Lys Pro Ala Thr Glu Asn Val Pro Ala Thr Gly Thr 110 105 gtg acc gtc aac ctg acc acc gcc cag ggc aac atc ggc atg gaa ctt Val Thr Val Asn Leu Thr Thr Ala Gln Gly Asn Ile Gly Met Glu Leu 120 125 gat ege tee gta tee eet tgt ace gte aac get gtt gag eac atg get 547 Asp Arg Ser Val Ser Pro Cys Thr Val Asn Ala Val Glu His Met Ala 135 595 tee gag gge tae tae aac gat act gte tge cae ege ate ace ace tet Ser Glu Gly Tyr Tyr Asn Asp Thr Val Cys His Arg Ile Thr Thr Ser 150 155 160

| | | | | | cag Gln | | | | | Ser | | | | | | 643 |
|---|---|---|---------------------------------------|--------------------------------------|---------------------------------------|---------------------------------------|-------------------------|---------------------------------------|---|--------------------------------|---------------------------------------|-------------------------|--------------------------------|---------------------------------------|------------------------|-----|
| | | | | Ser | ttc Phe | | | | Tyr | | | | | | | 691 |
| | | | | | gtc Val | | | Glu | | | | | | | | 739 |
| | | Gly | | | acc Thr | | | | | | | | | | | 787 |
| | Phe | | | | acc Thr 235 | | | | | | | | | | | 835 |
| - | | | - | | cct Pro | _ | _ | | - | _ | _ | | | | | 877 |
| tga | aggt | gga a | accg | gcga | cg ga | ag | | | | | | | | | | 900 |
| -21 | 0> 7 | _ | | | | • | | | | | | | | | | |
| <21 <21 | 1> 2: 2> Pi | 59 RT | ebact | eri | um gi | lutar | nicur | n | | | | | | | | |
| <21: <21: <21: <40: | 1> 2: 2> PI 3> Co | 59 RT oryne | | | | | | | Gln | Ala | Leu | Ser | G) n | Leu | Glu | |
| <21: <21: <21: <40: | 1> 2: 2> PI 3> Co | 59 RT oryne | | | um gi Glu | | | | Gln 10 | Ala | Leu | Ser | Gln | Leu 15 | Glu | |
| <21 <21 <21 <40 Val | 1> 2: 2> PI 3> Co 0> 74 Ser | 59 RT oryne 4 Thr | Asn | Lys 5 | | Arg | Arg | Gln | 10 | | | | | 15 | | |
| <21: <21: <21: <400 Val 1 Lys | 1> 2: 2> P! 3> Cd 0> 74 Ser | 59 RT oryne 4 Thr | Asn Lys 20 | Lys 5 Ser | Glu | Arg Asp | Arg Arg | Gln Lys 25 | 10 Glu | Lys | Thr | Lys | Pro 30 | 15 Leu | Thr | |
| <21 <21 <21 <40 Val Lys | 1> 2: 2> Pi 3> Co 0> 7. Ser Glu Val | 59 RT Oryne 4 Thr Ile Phe 35 | Asn Lys 20 Ala | Lys 5 Ser | Glu Arg | Arg Asp Ala | Arg Arg Val 40 | Gln Lys 25 Ile | 10 Glu Leu | Lys Val | Thr Val | Lys Val 45 | Pro 30 Gly | 15 Leu Gly | Thr Ile | |
| <21 <21: <21: <400 Val Lys Val Trp | 1> 2: 2> PI 3> Co 0> 7, Ser Glu Val | Thr Ile Phe 35 | Asn Lys 20 Ala Ala | Lys 5 Ser Ser | Glu Arg Leu | Arg Asp Ala Ser 55 | Arg Val 40 | Gln Lys 25 Ile Glu | 10 Glu Leu Asp | Lys Val Glu | Thr Val Val 60 | Lys Val 45 Ile | Pro 30 Gly Thr | 15 Leu Gly Ala | Thr Ile Asp | |
| <21 <21: <21: <400 Val Lys Val Trp Glu 65 | 1> 2: 2> PI 3> Co 0> 7, Ser Glu Val Tyr 50 | Thr Ile Phe 35 Ala | Asn Lys 20 Ala Ala Thr | Lys 5 Ser Ser Thr | Glu Arg Leu Arg | Arg Asp Ala Ser 55 Glu | Arg Val 40 Thr | Gln Lys 25 Ile Glu Pro | 10 Glu Leu Asp | Lys Val Glu Tyr 75 | Thr Val Val 60 Gln | Lys Val 45 Ile | Pro 30 Gly Thr | 15 Leu Gly Ala Ala | Thr Ile Asp Leu 80 | |
| <21 <21 <400 Val Lys Val Trp Glu 65 Thr | 1> 2: 2> Pi 3> Co 0> 7, Ser Glu Val Tyr 50 Thr | Fig. 19 Ser Thr | Asn Lys 20 Ala Ala Thr | Lys 5 Ser Ser Thr Thr | Glu Arg Leu Arg Ala 70 | Arg Asp Ala Ser 55 Glu Gly | Arg Val 40 Thr Asp | Gln Lys 25 Ile Glu Pro Ser | 10 Glu Leu Asp Asp Val 90 | Lys Val Glu Tyr 75 | Thr Val Val 60 Gln Cys | Lys Val 45 Ile Pro Glu | Pro 30 Gly Thr Leu | Leu Gly Ala Ala Pro 95 | Thr Ile Asp Leu 80 Asp | |

| Ile | 130 | Met | Glu | Leu | Asp | Arg 135 | | · Val | Ser | Pro | Cys 140 | | Val | Asn | Ala | |
|------------|----------------------------------|-------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|--------------|-----|
| Val 145 | | His | Met | Ala | Ser 150 | | Gly | Tyr | Tyr | Asn 155 | | Thr | Val | Cys | His 160 | |
| Arg | Ile | Thr | Thr | Ser 165 | | Ile | Tyr | Val | Leu 170 | | Cys | Gly | Asp | Pro 175 | | |
| Ser | Thr | Gly | Ala 180 | | Gly | Pro | Gly | Phe 185 | | Phe | Ala | Asn | Glu 190 | | Pro | |
| Thr | Asp | Glu 195 | Ala | Thr | Asp | Leu | Thr 200 | | Pro | Val | Ile | Tyr 205 | Glu | Arg | Gly | |
| Thr | Ile 210 | Ala | Met | Ala | Asn | Ala 215 | Gly | Ala | Asp | Thr | Asn 220 | Gly | Leu | Pro | Val | |
| Leu 225 | | Gln | Leu | Arg | Gly 230 | Phe | Pro | Thr | Gly | Thr 235 | Glu | Leu | His | Leu | Leu 240 . | |
| Arg | Pro | Asp | His | Arg 245 | Arg | Arg | Pro | Cys | Asn 250 | Pro | Arg | Arg | His | Arg 255 | Arg | |
| Ser | Trp | His | | | | | | | | | | | | | | |
| <21 <21 | 0> 7: 1> 7: 2> Di 3> Ci | 41 | ebact | teri | um gi | lutar | nicur | n | | | | | | | | |
| <22 | 1> CI 2> (: | DS 1) KN019 | |) | | | | | | | | | | | | |
| <40 | 0> 75 | 5 | | | | | | | | | | | | | | |
| | | agc Ser | | | | | | | | | | | | | | 48 |
| | | aaa Lys | | | | | | | | | | | | | | 96 |
| | | cac His 35 | | | | | | | | | | | | | | 144 |
| | | gcc Ala | | | | Leu | | | | | His | | | | | 192 |
| | 50 | | | | | 55 | | | | | 60 | | | | | |

| Thr 65 | Leu | Cys | Gln | Leu | Ala 70 | Pro | Ser | Pro | Ala | Gly 75 | Arg | Asp | Ala | Asp | Pro 80 | |
|-----------|-----|-----|-----|-----|------------|-----|-----|-----|-----|-----------|-----|-----|-----|-------------------|------------|----------|
| | | | | | | | | | | | | | | gac Asp 95 | | 288 |
| | | | | | | | | | | | | | | atg Met | | 336 |
| | | | | | | | | | | | | | | ggc Gly | | 384 |
| | | | | | | | | | | | | | | agc Ser | | 432 |
| | | | | | | | | | | | | | | acc Thr | | 480 |
| _ | | - | | | | _ | | _ | | | _ | | _ | ggc Gly 175 | _ | 528 |
| | | | | | | | | | | | | | | tac Tyr | cca Pro | 576 |
| | _ | | | | | | - | | | • | | • | - | gcc Ala | | 624 |
| | | | | | | | | | | | | | | ctg Leu | | 672 |
| | | | | | | | | | | | | | | gac Asp | | 720 · |
| | | | | 7.7 | cgg Arg | _ | | | | | | | | | | 741 |

<210> 76

<211> 247

<212> PRT

<213> Corynebacterium glutamicum

<400> 76

Leu Arg Ser Phe Tyr Thr Pro Glu Gln Ala Ile Glu Arg Glu Gly Asp
1 5 10 15

Val Trp Lys Ala Ala Thr Glu Glu Ala Glu Leu Leu Ala Ala Asp Gly 20 25 30

Ala Val His Asp Gln Glu Leu Phe Leu Asn Cys Thr Thr Ser Pro Leu 35 40 45

Ile Phe Ala Ser Ala Met Leu Asn Phe Gly Val His Gln Ile Leu Asp 50 55 60

Thr Leu Cys Gln Leu Ala Pro Ser Pro Ala Gly Arg Asp Ala Asp Pro 65 70 75 80

Lys-Ala Leu Glu Ala Ala Thr Ser Ala Met Asp Asp His Arg Asp Thr 85 90 95

Thr Asp Asp Phe Ser Gly Val Val Phe Lys Val Gln Ala Gly Met Asp 100 105 110

Lys Asn His Arg Asp Thr Leu Ala Phe Met Arg Val Val Ser Gly Glu 115 120 125

Phe Asp Arg Gly Met Gln Val Thr His Ser Gln Ser Gly Arg Ser Phe 130 140

Ser Thr Lys Tyr Ala Leu Thr Val Phe Gly Arg Thr Arg Ser Thr Val 145 150 155 160

Glu Thr Ala Phe Pro Gly Asp Ile Val Gly Leu Val Asn Ala Gly Ala 165 170 175

Leu Ala Pro Gly Asp Thr Ile Phe Glu Gly Arg Lys Ile Gln Tyr Pro 180 185 190

Pro Met Pro Lys Phe Ala Pro Glu His Phe Arg Ile Leu Arg Ala Lys 195 200 205

Ser Leu Gly Lys Tyr Lys Gln Phe Arg Lys Ala Leu Glu Gln Leu Asp 210 215 220

Ser Glu Gly Val Val Gln Ile Leu Lys Asn Asp Leu Arg Gly Asp Ala 225 230 235 240

Asn Pro Gly His Gly Arg Cys 245

<210> 77

<211> 478

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(478)

<223> RXN02002

<400> 77

--

| aag | tggc | aaa | aaac | gttt | ca a | gcag | gcaa | c gc | cggc | gtac | aac | ttcg | ctg . | agct | ggggcg | 60 |
|--------------|----------------------------------|----------|------------|----------|-------|-------|-------|------|-----------|------|------------------|------------|-------|-----------|--------|-----|
| att | atgg | ccc | agcg | ccca | ca a | cccg | ctat | t ct | taat | accc | atg Met 1 | agc Ser | | | | 115 |
| | | | | | Ala | | | | | Arg | aga Arg | | | | | 163 |
| | | | | | | | | | | | acc Thr | | | | | 211 |
| _ | | - | | | | | - | - | | - | acc Thr | | | | - | 259 |
| | | | | | | | | | | | atg Met 65 | | | | | 307 |
| | | | | | | | - | | | | gag Glu | | _ | | | 355 |
| | | | | | | | | | | | gtg Val | | | | | 403 |
| | - | - | | | _ | - | | | - | - | ctc Leu | _ | - | _ | _ | 451 |
| | - | - | atg Met | | _ | | | _ | | | | | | | | 478 |
| <211 <212 |)> 78 l> 12 2> PF 3> Co | 26 RT | ebact | eriu | ım gl | .utaл | nicum | ı | | | | | | | | |
| |)> 78 Ser | | Ala | Asn 5 | Ser | Asp | Thr | Thr | Ala 10 | Ala | Glu | Ala | His | Arg 15 | Arg | |
| Arg | Thr | Phe | Ala | Val | Ile | Ala | His | Pro | Asp | Ala | Gly | Lys | Ser | Thr | Leu | |

Arg Thr Phe Ala Val Ile Ala His Pro Asp Ala Gly Lys Ser Thr Leu 20 25 30

Thr Glu Ala Leu Ala Leu His Ala His Ile Ile Ser Glu Ala Gly Ala 35 40 45

Thr His Gly Lys Ala Gly Arg Lys Ala Thr Val Ser Asp Trp Met Glu 50 60

116

Met Glu Lys Asp Arg Gly Ile Ser Ile Ala Ser Ser Ala Leu Gln Phe Glu Tyr Ala Pro Glu Gly His Ala Gly Glu Pro Phe Met Ile Asn Leu Val Asp Thr Pro Gly His Ala Asp Phe Ser Glu Asp Thr Tyr Arg Val Leu Met Ala Val Asp Ala Ala Val Met Leu Met His Ser Val 120 <210> 79 <211> 1080 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1057) <223> RXN02736 <400> 79 caqaqqatta cccaqcqqqt acqtqqqqtc caaaqaqcqc tqatqaaatg ctttcccqca 60 acggtcacac ctggcgcagg ccataattta ggggcaaaaa atg atc ttt gaa ctt Met Ile Phe Glu Leu ccq gat acc acc acc cag caa att tcc aag acc cta act cga ctg cgt Pro Asp Thr Thr Gln Gln Ile Ser Lys Thr Leu Thr Arg Leu Arg 10 gaa tcg ggc acc cag gtc acc acc ggc cga gtg ctc acc ctc atc gtg 211 Glu Ser Gly Thr Gln Val Thr Thr Gly Arg Val Leu Thr Leu Ile Val gtc act gac tcc gaa agc gat gtc gct gca gtt acc gag tcc acc aat 259 Val Thr Asp Ser Glu Ser Asp Val Ala Ala Val Thr Glu Ser Thr Asn 40 45 50 307 gaa gcc tcg cgc gag cac cca tct cgc gtg atc att ttg gtg gtt ggc Glu Ala Ser Arg Glu His Pro Ser Arg Val Ile Ile Leu Val Val Gly 60 55 gat aaa act gca gaa aac aaa gtt gac gca gaa gtc cgt atc ggt ggc 355 Asp Lys Thr Ala Glu Asn Lys Val Asp Ala Glu Val Arg Ile Gly Gly 70 75 gac gct ggt gct tcc gag atg atc atc atg cat ctc aac gga cct gtc 403 Asp Ala Gly Ala Ser Glu Met Ile Ile Met His Leu Asn Gly Pro Val gct gac aag ctc cag tat gtc gtc aca cca ctg ttg ctt cct gac acc 451 Ala Asp Lys Leu Gln Tyr Val Val Thr Pro Leu Leu Pro Asp Thr 105 110 115

| | | | | tgg Trp | | | | | | | | | | | 499 |
|-----|------|---|---|-------------------|---|---|---|---|------|-------|------|------|------|----|------|
| | | | | atc Ile | | | | | | | | | | | 547 |
| | | | | cta Leu 155 | | | | | | | | | | | 595 |
| _ | _ | _ | _ | tgg Trp | | _ | | | _ | | | | | _ | 643 |
| - | | _ | - | cac His | | | | - | - | | | | | | 691 |
| _ | | - | _ | ggc Gly | - | | _ | | _ | _ | _ | _ | | | 739 |
| - | | | _ | aaa Lys | | | | | - | | | | _ | _ | 787 |
| | | | | gat Asp 235 | | | | | | | | | | | 835 |
| | | | | cgc Arg | | | | | | | | | | | 883 |
| | | | | cag Gln | | | | | | | | | | | 931 |
| | | | | ggt Gly | | | | | | | | | | | 979 |
| | | | | gat Asp | | | | | | | | | | | 1027 |
| | | | | aag Lys 315 | | | | | taaç | ıgaga | aa t | acaa | cact | :a | 1077 |
| tgg | | | | | | | | | | | | | | | 1080 |

<210> 80

- <211> 319
- <212> PRT
- <213> Corynebacterium glutamicum

<400> 80

- Met Ile Phe Glu Leu Pro Asp Thr Thr Gln Gln Ile Ser Lys Thr 1 5 10 15
- Leu Thr Arg Leu Arg Glu Ser Gly Thr Gln Val Thr Thr Gly Arg Val
 20 25 30
- Leu Thr Leu Ile Val Val Thr Asp Ser Glu Ser Asp Val Ala Ala Val
 35 40 45
- Thr Glu Ser Thr Asn Glu Ala Ser Arg Glu His Pro Ser Arg Val Ile 50 55 60
- Ile Leu Val Val Gly Asp Lys Thr Ala Glu Asn Lys Val Asp Ala Glu 65 70 75 80
- Val Arg Ile Gly Gly Asp Ala Gly Ala Ser Glu Met Ile Ile Met His 85 90 95
- Leu Asn Gly Pro Val Ala Asp Lys Leu Gln Tyr Val Val Thr Pro Leu 100 105 110
- Leu Leu Pro Asp Thr Pro Ile Val Ala Trp Trp Pro Gly Glu Ser Pro
 115 120 125
- Lys Asn Pro Ser Gln Asp Pro Ile Gly Arg Ile Ala Gln Arg Arg Ile 130 135 140
- Thr Asp Ala Leu Tyr Asp Arg Asp Asp Ala Leu Glu Asp Arg Val Glu 145 150 155 160
- Asn Tyr His Pro Gly Asp Thr Asp Met Thr Trp Ala Arg Leu Thr Gln 165 170 175
- Trp Arg Gly Leu Val Ala Ser Ser Leu Asp His Pro Pro His Ser Glu 180 185 190
- Ile Thr Ser Val Arg Leu Thr Gly Ala Ser Gly Ser Thr Ser Val Asp 195 200 205
- Leu Ala Ala Gly Trp Leu Ala Arg Arg Leu Lys Val Pro Val Ile Arg 210 215 220
- Glu Val Thr Asp Ala Pro Thr Val Pro Thr Asp Glu Phe Gly Thr Pro 225 230 235 240
- Leu Leu Ala Ile Gln Arg Leu Glu Ile Val Arg Thr Thr Gly Ser Ile 245 250 255
- Ile Ile Thr Ile Tyr Asp Ala His Thr Leu Gln Val Glu Met Pro Glu 260 265 270
- Ser Gly Asn Ala Pro Ser Leu Val Ala Ile Gly Arg Arg Ser Glu Ser

285 280 275 Asp Cys Leu Ser Glu Glu Leu Arg His Met Asp Pro Asp Leu Gly Tyr 295 Gln His Ala Leu Ser Gly Leu Ser Ser Val Lys Leu Glu Thr Val 310 <210> 81 <211> 331 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(301) <223> RXS03217 <400> 81 tctgtgaagg tagatggttt gacgaggagt tccaacgact cggacgctgg tgaatcatgc 60 tggcgaacgt agcatcacct gattaggaaa aggtacaaat atg gca cag ggt act Met Ala Gln Gly Thr 1 gtg aaa tgg ttc aac ggc gaa aag gga ttt ggt ttc atc gct ccc aac 163 Val Lys Trp Phe Asn Gly Glu Lys Gly Phe Gly Phe Ile Ala Pro Asn 10 gat ggc tcc gca gat ctc ttc gtc cac tac tct gag att cag ggc tcc 211 Asp Gly Ser Ala Asp Leu Phe Val His Tyr Ser Glu Ile Gln Gly Ser 25 ggt ttc cgt aat ctt gag gaa aac cag cca gtt gaa ttt gag gtc ggc Gly Phe Arg Asn Leu Glu Glu Asn Gln Pro Val Glu Phe Glu Val Gly gag ggc gcc aag ggc cca cag gct cag cag gtt cgt gct ctc 301 Glu Gly Ala Lys Gly Pro Gln Ala Gln Gln Val Arg Ala Leu 55 60 331 taagctctaa ctgctagcta aaaattccgc

<210> 82 <211> 67 <212> PRT <213> Corynebacterium glutamicum

Met Ala Gln Gly Thr Val Lys Trp Phe Asn Gly Glu Lys Gly Phe Gly
1 5 10 15

Phe Ile Ala Pro Asn Asp Gly Ser Ala Asp Leu Phe Val His Tyr Ser 20 25 30

Glu Ile Gln Gly Ser Gly Phe Arg Asn Leu Glu Glu Asn Gln Pro Val Glu Phe Glu Val Gly Glu Gly Ala Lys Gly Pro Gln Ala Gln Gln Val Arg Ala Leu 65 <210> 83 <211> 324 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(301) <223> FRXA01917 <400> 83 tctgtgaagg tagatggttt gacgaggagt tccaacgact cggacgctgg tgaatcatgc 60 tggcqaacgt agcatcacct gattaggaaa aggtacaaat atg gca cag ggt act Met Ala Gln Gly Thr gtg aaa tgg ttc aac ggc gaa aag gga ttt ggt ttc atc gct ccc aac 163 Val Lys Trp Phe Asn Gly Glu Lys Gly Phe Gly Phe Ile Ala Pro Asn gat ggc tcc gca gat ctc ttc gtc cac tac tct gag att cag ggc tcc 211 Asp Gly Ser Ala Asp Leu Phe Val His Tyr Ser Glu Ile Gln Gly Ser ggt ttc cgt aat ctt gag gaa aac cag cca gtt gaa ttt gag gtc ggc Gly Phe Arg Asn Leu Glu Glu Asn Gln Pro Val Glu Phe Glu Val Gly 301 gag ggc gcc aag ggc cca cag gct cag cag gtt cgt gct ctc Glu Gly Ala Lys Gly Pro Gln Ala Gln Gln Val Arg Ala Leu 60 324 taagctctaa ctgctagcta aaa <210> 84 <211> 67 <212> PRT <213> Corynebacterium glutamicum <400> 84 Met Ala Gln Gly Thr Val Lys Trp Phe Asn Gly Glu Lys Gly Phe Gly Phe Ile Ala Pro Asn Asp Gly Ser Ala Asp Leu Phe Val His Tyr Ser

Glu Ile Gln Gly Ser Gly Phe Arg Asn Leu Glu Glu Asn Gln Pro Val 35 Glu Phe Glu Val Gly Glu Gly Ala Lys Gly Pro Gln Ala Gln Gln Val Arg Ala Leu 65 <210> 85 <211> 504 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(481) <223> RXA02184 <400> 85 tttaccgcga tgcttgcggt gtataataat ttcttctggt caaaaatagt tgatcaattt 60 gaatcagcat atgaattagg aatgaaagtg gtgaggacaa gtg cct gtc gga aca Val Pro Val Gly Thr 1 gtg aag tgg tac gac gcg gag cgt ggt ttc ggc ttt gtc tcc aat cca 163 Val Lys Trp Tyr Asp Ala Glu Arg Gly Phe Gly Phe Val Ser Asn Pro ggt ggt gaa gat tgc ttc gta ggt aag caa gta ctt ccc aag gga gtc Gly Gly Glu Asp Cys Phe Val Gly Lys Gln Val Leu Pro Lys Gly Val 30 acc gaa ttg cac aag gga cag cga atc gat ttt gac ttc gcc gca ggc 259 Thr Glu Leu His Lys Gly Gln Arg Ile Asp Phe Asp Phe Ala Ala Gly cgt aag ggc cct caa gca ctt cga ata aag att ctt gaa act cca cgc 307 Arg Lys Gly Pro Gln Ala Leu Arg Ile Lys Ile Leu Glu Thr Pro Arg agg cgt cca cag cac aaa tac aag cca gaa gag ctc aac gga atg atc 355 Arg Arg Pro Gln His Lys Tyr Lys Pro Glu Glu Leu Asn Gly Met Ile tct gac ctc atc acg ctt cta gaa agt gga gtg caa cca ggc ctt gcc 403 Ser Asp Leu Ile Thr Leu Leu Glu Ser Gly Val Gln Pro Gly Leu Ala aaa ggg caa tac ccg gag cac aaa gct gga gcg cag gta gca gaa att 451 Lys Gly Gln Tyr Pro Glu His Lys Ala Gly Ala Gln Val Ala Glu Ile 105 ctt cgc gtt gtt gcg aag gag ctt gag tct taaaacaata aggagaggat 501

Leu Arg Val Val Ala Lys Glu Leu Glu Ser 120 125

ccg 504

<210> 86

<211> 127

<212> PRT

<213> Corynebacterium glutamicum

<400> 86

Val Pro Val Gly Thr Val Lys Trp Tyr Asp Ala Glu Arg Gly Phe Gly
1 5 10 15

Phe Val Ser Asn Pro Gly Gly Glu Asp Cys Phe Val Gly Lys Gln Val
20 25 30

Leu Pro Lys Gly Val Thr Glu Leu His Lys Gly Gln Arg Ile Asp Phe 35 40 45

Asp Phe Ala Ala Gly Arg Lys Gly Pro Gln Ala Leu Arg Ile Lys Ile 50 55 60

Leu Glu Thr Pro Arg Arg Pro Gln His Lys Tyr Lys Pro Glu Glu 65 70 75 80

Leu Asn Gly Met Ile Ser Asp Leu Ile Thr Leu Leu Glu Ser Gly Val 85 90 95

Gln Pro Gly Leu Ala Lys Gly Gln Tyr Pro Glu His Lys Ala Gly Ala 100 105 110

Gln Val Ala Glu Ile Leu Arg Val Val Ala Lys Glu Leu Glu Ser 115 120 125

<210> 87

<211> 324

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(301)

<223> RXA00810

<400> 87

teggegtteg tteaagaaac ggeeagatgt tgetgttega geteatgeaa gagtggaaca 60

tcgaacccgg tagtaattcc aatcagtaaa ggtaagacaa atg gca cag ggc act 115

Met Ala Gln Gly Thr

1 5

gtt aag tgg ttc aac cca gag aag ggc ttc ggc ttc atc gct cct tcc 163 Val Lys Trp Phe Asn Pro Glu Lys Gly Phe Gly Phe Ile Ala Pro Ser 10 15 20

gac gga tee get gac gtt tte gte cae tae tee gag ate gag gge aac 211 Asp Gly Ser Ala Asp Val Phe Val His Tyr Ser Glu Ile Glu Gly Asn gge tte egt ace ete gag gag aac eag ete gte gag tte gaa ate gge 259 Gly Phe Arg Thr Leu Glu Glu Asn Gln Leu Val Glu Phe Glu Ile Gly 301 gag ggc gct aag ggc ctt cag gct cag gct gtt cgt gca atc Glu Gly Ala Lys Gly Leu Gln Ala Gln Ala Val Arg Ala Ile 324 taattgcatc tgagttcgaa acc <210> 88 <211> 67 <212> PRT <213> Corynebacterium glutamicum <400> 88 Met Ala Gln Gly Thr Val Lys Trp Phe Asn Pro Glu Lys Gly Phe Gly Phe Ile Ala Pro Ser Asp Gly Ser Ala Asp Val Phe Val His Tyr Ser Glu Ile Glu Gly Asn Gly Phe Arg Thr Leu Glu Glu Asn Gln Leu Val Glu Phe Glu Ile Gly Glu Gly Ala Lys Gly Leu Gln Ala Gln Ala Val 50 Arg Ala Ile <210> 89 <211> 1017 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(994) <223> RXA01674 <400> 89 eggegtegat tecagaaggt ttgtagacat getteaaggt tgegetaatt gaaaagaaeg 60 cggtagacgg tactttcata tccacccata taatgttgat atg gat aat ggg tgg 115 Met Asp Asn Gly Trp ccg aac ctg caa act ctc gca ctc ttt gtg gcg att gtg gaa gag ggg 163 Pro Asn Leu Gln Thr Leu Ala Leu Phe Val Ala Ile Val Glu Glu Gly

10 15 20

| | | | | Gly | gct Ala | | | | Gly | | | | | 211 |
|---|-----|-----|-----|-----|-------------------|---|-----|---|-----|-----|---|---|---|-----|
| | | | Ile | | ı gag ı Glu | | | | | | | | | 259 |
| | | His | | | gga Gly | | His | | | | | | | 307 |
| _ | Glu | | _ | _ | gat Asp 75 | _ | | | | _ | - | | _ | 355 |
| | | | | | cga Arg | | | _ | - | Leu | _ | - | | 403 |
| | | | | | gcc Ala | | | | | | | | | 451 |
| | | | | | cct Pro | | | | | | | | | 499 |
| | | | | | gaa Glu | | | | | | | | | 547 |
| | | | | | cat His 155 | | | | | | | | | 595 |
| | | | | | att Ile | | | | | | | | | 643 |
| | | Thr | | | atc Ile | | Leu | | | | | | | 691 |
| | | | | | ggc Gly | | | | | | | | | 739 |
| | | | | | atg Met | | | | | | | | | 787 |
| | | | | | gtt Val 235 | | | | | | | | | 835 |

| ggt Gly | gaa Glu | tta Leu | gcc Ala | ttg Leu 250 | cgt Arg | gat Asp | cat His | ctt Leu | gcg Ala 255 | ctc Leu | ggc Gly | agg Arg | ctg Leu | ttg Leu 260 | agt Ser | 883 |
|------------|----------------------------------|-------------------|------------|-------------------|------------|------------|-------------------|------------|-------------------|------------|------------|-------------------|------------|-------------------|------------|------|
| | | | | | | | | | | | ctt Leu | | | | | 931 |
| agt Ser | gga Gly | ccc Pro 280 | cgc Arg | aga Arg | ttg Leu | ccg Pro | att Ile 285 | cta Leu | gcg Ala | gga Gly | gaa Glu | tta Leu 290 | gtg Val | tcc Ser | atc Ile | 979 |
| _ | _ | | cac His | | _ | tttt | gag | ccct | ggcta | aa c | gg | | | | | 1017 |
| <21 <21 | 0> 90 1> 20 2> P1 3> C0 | 98 RT | ebact | teri | um gi | lutar | nicu | m | | | | | | | | |
| | 0> 90 Asp | - | Gly | Trp | Pro | Asn | Leu | Gln | Thr | Leu | Ala | Leu | Phe | | Ala | |
| 1 | | | | 5 | | | | | 10 | | | | | 15 | | |
| Ile | Val | Glu | Glu 20 | Gly | Ser | Leu | Gly | Ala 25 | Gly | Ala | Arg | Lys | Val 30 | Gly | Met | |
| Ala | Gln | Pro 35 | Asn | Ala | Ser | Arg | Ala 40 | Ile | Ala | Glu | Leu | Glu 45 | Ala | Asp | Met | |
| Lys | Ala 50 | Glu | Leu | Leu | Val | Arg 55 | His | Pro | Arg | Gly | Ser 60 | His | Pro · | Thr | Ala | |
| Ala 65 | Gly | Leu | Ala | Leu | Val 70 | Glu | His | Ser | Arg | Asp 75 | Leu | Leu | Gln | Ser | Val 80 | |
| Gln | Glu | Phe | Thr | Glu 85 | Trp | Val | Thr | Glu | Gly 90 | Arg | Thr | Glu | Gln | Pro 95 | Leu | |
| Lys | Leu | His | Val 100 | Gly | Ala | Ser | Met | Thr 105 | Ile | Ala | Glu | Ala | Leu 110 | Leu | Pro | |
| Ala | Trp | Val 115 | Ala | Asp | Met | Arg | Thr 120 | Arg | Phe | Pro | Ala | Cys 125 | Arg | Val | Asp | |
| Val | Ser 130 | Val | Met | Asn | Ser | Ser 135 | Gln | Val | Ile | Glu | Ala 140 | Val | Gln | Lys | Gly | |
| His 145 | Leu | Gln | Leu | Gly | Phe 150 | Ile | Glu | Thr | Pro | His 155 | Val | Pro | Val | Arg | Leu 160 | |
| His | Ala | Arg | Val | Val 165 | Gln | Glu | Asp | Lys | Leu 170 | Ile | Val | Val | Ile | Ser 175 | Pro | |

Asn His Glu Trp Ala Asn Arg Thr Gly Arg Ile Ser Leu Arg Glu Leu 185 Ser Glu Thr Pro Leu Ile Val Arg Glu Val Gly Ser Gly Thr Arg Glu Ala Leu Gln Glu Leu Leu Ala Asp Tyr Asp Met Ala Glu Pro Ile Gln Val Leu Asn Ser Asn Ala Ala Val Arg Val Val Val Glu Ala Gly Ala 230 Gly Pro Ala Val Leu Gly Glu Leu Ala Leu Arg Asp His Leu Ala Leu Gly Arg Leu Leu Ser Val Pro Phe Glu Gly Ser Gly Val Thr Arg Pro 260 Leu Thr Ala Val Trp Ser Gly Pro Arg Arg Leu Pro Ile Leu Ala Gly .Glu Leu Val Ser Ile Ala Ser Asn His Ile 290 295 <210> 91 <211> 1214 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (1)..(1191) <223> RXA02431 <400> 91 gtg gtg gtg aca ccc cgt cat atc gtt tac tcc gca gcc tcg cgc cgg Val Val Val Thr Pro Arg His Ile Val Tyr Ser Ala Ala Ser Arg Arg gtg ttc caa atc gtg gaa aaa cgc gcc gga att gtc gaa cgc ctc agc 96 Val Phe Gln Ile Val Glu Lys Arg Ala Gly Ile Val Glu Arg Leu Ser 20 25 atc gat gaa ggc ttc atg gaa cca gag gct ctc gtt gga gcc acc cca Ile Asp Glu Gly Phe Met Glu Pro Glu Ala Leu Val Gly Ala Thr Pro 35 40 gaa gag gtg aaa cag tgg gcg gaa gaa tta cgc gcg gaa att aaa gaa 192 Glu Glu Val Lys Gln Trp Ala Glu Glu Leu Arg Ala Glu Ile Lys Glu

gtt act ggc tta ccc tcc tcg gtt ggt gct ggc tcc ggt aag cag atc

Val Thr Gly Leu Pro Ser Ser Val Gly Ala Gly Ser Gly Lys Gln Ile

gcc aaa att ggt tca ggc gaa gca aag cca gat ggt gtg ttt gtc gtg

70

240

| Ala | Lys | Ile | Gly | Ser 85 | | Glu | Ala | Lys | Pro 90 | _ | Gly | Val | Phe | Val 95 | Val | |
|-----|-----|-----|-----|-----------|---|-----|-------------------|-----|-----------|---|-----|-----|-----|-----------|-----|-----|
| | _ | _ | _ | Gln | | _ | ttg Leu | | Asp | | | | | | _ | 336 |
| | | | Val | | | | aca Thr 120 | Gly | | | | | Ser | | | 384 |
| | | | | | | | gca Ala | | | | | | | | | 432 |
| | | | | | | Ile | gga Gly | | | | | | | | | 480 |
| | | | | | | | gaa Glu | | | | | | | | | 528 |
| | | | | | | - | aaa Lys | _ | | | | | | | _ | 576 |
| | | | | | | | gcc Ala 200 | | | | | | | | | 624 |
| | - | | _ | | _ | _ | act Thr | _ | _ | | | _ | | _ | _ | 672 |
| | | | | | | | tcc Ser | | | | | | | | | 720 |
| - | | _ | | | | _ | aca Thr | - | | _ | | _ | _ | | | 768 |
| | | | | | | | ctt Leu | | | | | | | | | 816 |
| | | | | | | | ctc Leu 280 | | | | | | | | | 864 |
| | | | | | | | acc Thr | | | | | | | | | 912 |
| | | | | | | | caa Gln | | | | | | | | | 960 |

| 305 | 310 | 315 | 320 |
|--|--|---|--|
| Leu Ser Met Trp C | | gat gtc tac cac cca Asp Val Tyr His Pro 330 | |
| | | cac ggt gtt gta tca His Gly Val Val Ser 345 | • |
| | | cga act aaa agt ttt Arg Thr Lys Ser Phe 365 | |
| | | cct cta gat agt ttg Pro Leu Asp Ser Leu 380 | |
| | | acg ggg gat gac gaa Thr Gly Asp Asp Glu 395 | tagggtttca 1201 |
| tcgggtttcg ggg | | | 1214 |
| <210> 92 <211> 397 | | | |
| <212> PRT <213> Corynebacte: <400> 92 Val Val Val Thr P: | • | | Ser Arg Arg |
| <213> Corynebacte: | • | Val Tyr Ser Ala Ala 10 | Ser Arg Arg 15 |
| <213> Corynebacte: <400> 92 Val Val Val Thr P: 1 | ro Arg His Ile 5 | Val Tyr Ser Ala Ala | 15 |
| <213> Corynebacte: <400> 92 Val Val Val Thr P: 1 Val Phe Gln Ile Va | ro Arg His Ile 5 al Glu Lys Arg | Val Tyr Ser Ala Ala 10 Ala Gly Ile Val Glu | 15 Arg Leu Ser 30 |
| <213> Corynebacte: <400> 92 Val Val Val Thr P: 1 Val Phe Gln Ile Va 20 Ile Asp Glu Gly Ph 35 | ro Arg His Ile 5 al Glu Lys Arg he Met Glu Pro 40 | Val Tyr Ser Ala Ala 10 Ala Gly Ile Val Glu 25 Glu Ala Leu Val Gly | 15 Arg Leu Ser 30 Ala Thr Pro |
| <213> Corynebacte: <400> 92 Val Val Val Thr P: 1 Val Phe Gln Ile Va 20 Ile Asp Glu Gly Ph 35 Glu Glu Val Lys Gl 50 | ro Arg His Ile 5 al Glu Lys Arg he Met Glu Pro 40 In Trp Ala Glu 55 | Val Tyr Ser Ala Ala 10 Ala Gly Ile Val Glu 25 Glu Ala Leu Val Gly 45 Glu Leu Arg Ala Glu | Arg Leu Ser 30 Ala Thr Pro |
| <pre><213> Corynebacte: <400> 92 Val Val Val Thr Pr 1 Val Phe Gln Ile Va 20 Ile Asp Glu Gly Pr 35 Glu Glu Val Lys Gl 50 Val Thr Gly Leu Pr 65</pre> Ala Lys Ile Gly Se | ro Arg His Ile 5 al Glu Lys Arg he Met Glu Pro 40 In Trp Ala Glu 55 co Ser Ser Val | Val Tyr Ser Ala Ala 10 Ala Gly Ile Val Glu 25 Glu Ala Leu Val Gly 45 Glu Leu Arg Ala Glu 60 Gly Ala Gly Ser Gly | Arg Leu Ser 30 Ala Thr Pro Ile Lys Glu Lys Gln Ile 80 |
| <pre><213> Corynebacte: <400> 92 Val Val Val Thr P: 1 Val Phe Gln Ile Va 20 Ile Asp Glu Gly Ph 35 Glu Glu Val Lys Gl 50 Val Thr Gly Leu Pr 65 Ala Lys Ile Gly Se 8</pre> | ro Arg His Ile 5 al Glu Lys Arg he Met Glu Pro 40 In Trp Ala Glu 55 co Ser Ser Val 70 er Gly Glu Ala | Val Tyr Ser Ala Ala 10 Ala Gly Ile Val Glu 25 Glu Ala Leu Val Gly 45 Glu Leu Arg Ala Glu 60 Gly Ala Gly Ser Gly 75 Lys Pro Asp Gly Val | Arg Leu Ser 30 Ala Thr Pro Ile Lys Glu Lys Gln Ile 80 Phe Val Val 95 |
| <pre><213> Corynebacte: <400> 92 Val Val Val Thr P: 1 Val Phe Gln Ile Va 20 Ile Asp Glu Gly Ph 35 Glu Glu Val Lys Gl 50 Val Thr Gly Leu Pr 65 Ala Lys Ile Gly Se Pro Val Asp Lys Gl 100</pre> | ro Arg His Ile 5 al Glu Lys Arg he Met Glu Pro 40 In Trp Ala Glu 55 co Ser Ser Val 70 er Gly Glu Ala | Val Tyr Ser Ala Ala 10 Ala Gly Ile Val Glu 25 Glu Ala Leu Val Gly 45 Glu Leu Arg Ala Glu 60 Gly Ala Gly Ser Gly 75 Lys Pro Asp Gly Val 90 Leu Asp Pro Leu Pro | Arg Leu Ser 30 Ala Thr Pro Ile Lys Glu Lys Gln Ile 80 Phe Val Val 95 Val Gly Ala |

Ile Ser Leu Gly Ala Thr Ile Gly Ile Ser Leu Trp Asn Leu Ala Arg Gly Ile Asp Asp Arg Pro Val Glu Pro Arg Ala Glu Ala Lys Gln Ile Ser Gln Glu His Thr Tyr Glu Lys Asp Leu Leu Thr Arg Gln Gln Val Asp Ala Ala Ile Ile Arg Ser Ala Glu Gly Ala His Arg Arg Leu Leu Lys Asp Gly Arg Gly Ala Arg Thr Val Ser Val Lys Leu Arg Met Ala 215 Asp Phe Arg Ile Glu Ser Arg Ser Tyr Thr Leu Ser Tyr Ala Thr Asp 230 Asp Tyr Ala Thr Leu Glu Ala Thr Ala Phe Arg Leu Ala Arg Tyr Pro Gly Glu Val Gly Pro Ile Arg Leu Val Gly Val Ser Phe Ser Gly Leu Glu Glu Ser Arg Gln Asp Ile Leu Phe Pro Glu Leu Asp Gln Gln Ile 280 285 Ile Val Pro Pro Ala Pro Asp Thr Asp Tyr Glu Val Gly Val Gln Ser Ser Ser Ser Glu Ser Thr Gln Val Glu Ala Pro Gln Asp Val Ala Leu Ser Met Trp Cys Ala Thr Gln Asp Val Tyr His Pro Glu Tyr Gly 330 His Gly Trp Val Gln Gly Ala Gly His Gly Val Val Ser Val Arg Phe Glu Thr Arg Ser Thr Thr Lys Gly Arg Thr Lys Ser Phe Ser Met Asp

Asp Pro Asp Leu Thr Pro Ala Asp Pro Leu Asp Ser Leu Asp Trp Ala

Asp Trp Phe Ala Glu Asn Gly Glu Thr Gly Asp Asp Glu 385 390 395

<210> 93

<211> 558

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(535) <223> RXA02446

<400> 93 caggaaatct tgctgtctaa tgcacaacgg aaaactgctc acggacgaac tagttgtagc 60 gagcgtattc tttgtgttct ctcacgacag gaatactgct atg gcg atc gag tcc Met Ala Ile Glu Ser atc gcg tac acc agt gaa gca ctc tca acc ggc agt ggc cgg ctg ggg 163 Ile Ala Tyr Thr Ser Glu Ala Leu Ser Thr Gly Ser Gly Arg Leu Gly cat gtg cgc tcc aca gat ggt gcg ctc gaa ttt gaa atg aca ccg cca 211 His Val Arg Ser Thr Asp Gly Ala Leu Glu Phe Glu Met Thr Pro Pro 30 aag get ttg gge gga tee ggt gaa gge ace aat eea gaa eag etg tte 259 Lys Ala Leu Gly Gly Ser Gly Glu Gly Thr Asn Pro Glu Gln Leu Phe 40 45 gcg gta ggt tac gca gcc tgt ttc cac tct gcc atg cac tct gtc gca 307 Ala Val Gly Tyr Ala Ala Cys Phe His Ser Ala Met His Ser Val Ala 60 cgc agc cgc aag atc act ctt gaa gac aca gcg gtt ggt gcc cga gtt 355 Arg Ser Arg Lys Ile Thr Leu Glu Asp Thr Ala Val Gly Ala Arg Val 70 75 age ate ggg cea aae gge get ggt gga ttt gag att gee gta gaa ete 403 Ser Ile Gly Pro Asn Gly Ala Gly Gly Phe Glu Ile Ala Val Glu Leu 100 gaa gta tcg att cct caa ttg cca caa gca gaa gcc cag gaa ctt gct 451 Glu Val Ser Ile Pro Gln Leu Pro Gln Ala Glu Ala Gln Glu Leu Ala 105 gat gcc gcg cac cag gtg tgc ccg tat tcc aac gcc aca cga ggc aat 499 Asp Ala Ala His Gln Val Cys Pro Tyr Ser Asn Ala Thr Arg Gly Asn 120 125 545 atc tcg gta act gtg tca gtc atc gac gaa gag gct taaaaccaca Ile Ser Val Thr Val Ser Val Ile Asp Glu Glu Ala 135 558 ggattaacaa aac

<210> 94

<211> 145

<212> PRT

<213> Corynebacterium glutamicum

<400> 94

Met Ala Ile Glu Ser Ile Ala Tyr Thr Ser Glu Ala Leu Ser Thr Gly
1 10 15

Ser Gly Arg Leu Gly His Val Arg Ser Thr Asp Gly Ala Leu Glu Phe 20 Glu Met Thr Pro Pro Lys Ala Leu Gly Gly Ser Gly Glu Gly Thr Asn Pro Glu Gln Leu Phe Ala Val Gly Tyr Ala Ala Cys Phe His Ser Ala 50 Met His Ser Val Ala Arg Ser Arg Lys Ile Thr Leu Glu Asp Thr Ala Val Gly Ala Arg Val Ser Ile Gly Pro Asn Gly Ala Gly Gly Phe Glu 85 90 Ile Ala Val Glu Leu Glu Val Ser Ile Pro Gln Leu Pro Gln Ala Glu 105 Ala Gln Glu Leu Ala Asp Ala Ala His Gln Val Cys Pro Tyr Ser Asn 120 125 Ala Thr Arg Gly Asn Ile Ser Val Thr Val Ser Val Ile Asp Glu Glu Ala 145 <210> 95 <211> 1206 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1183) <223> RXA02861 <400> 95 ccctcgatta ttacaatccg gctacttcgg aagcgtttgt ggccggattt ttctatcctg 60 gaaggtatta atacttcttt aagggtcgga ggattttcgt atg tct act aga aca Met Ser Thr Arg Thr acg cca caa gac cgt tat acc gac gaa tac ggc atc gaa cgc gtc aac 163 Thr Pro Gln Asp Arg Tyr Thr Asp Glu Tyr Gly Ile Glu Arg Val Asn aag gat gaa ccc ggc ctg gtg gac aaa ctc cgg gac aag cac gac tgg 211 Lys Asp Glu Pro Gly Leu Val Asp Lys Leu Arg Asp Lys His Asp Trp 30 ttt gat cat ctc atg cgc atg aat gaa cgt ttc ggc gca aaa ggt ggc 259 Phe Asp His Leu Met Arg Met Asn Glu Arg Phe Gly Ala Lys Gly Gly 45

| | | Leu | | | | att Ile 60 | Thr | | | | | | | | | 307 |
|------------|------------|------------|-------------------|-----|------------|-------------------|------------|-------------------|------------|------------|------------|------------|-------------------|------------|------------|-------|
| | Ile | | | | | ttc Phe | | | | | Val | | | | | 355 |
| | | | | | Thr | gat Asp | | | | Arg | | | | | | 403 |
| gaa Glu | ggc Gly | gag Glu | atc Ile 105 | Gly | aac Asn | acc Thr | gtc Val | aac Asn 110 | ggc Gly | atc Ile | att Ile | gat Asp | tcc Ser 115 | gcg Ala | att Ile | 451 |
| | | | | | | ttg Leu | | | | | | | | | | 499 |
| | | _ | | | - | gcg Ala 140 | | | _ | | | - | | - | - | 547 |
| | - | | _ | | | gaa Glu | | | | | | _ | _ | | | 595 |
| | | | | | | gtc Val | | | | | | | | | | 643 |
| | | | | | | gct Ala | | | | | | | | | | 691 |
| | | | | | | att Ile | | | | | | | | | | 739 |
| | | | | | | gtc Val 220 | | | | | | | | | | ·787· |
| | | | | | | cgt Arg | | | | | | | | | | 835 |
| | | | | | | gca Ala | | | | | | | | | | 883 |
| | _ | - | _ | - | | aat Asn | - | - | - | | | | | - | - | 931 |

| | | | atc Ile | | | | | | | | | | | | 979 |
|------|------|-------------------|-------------------|------|------|------|------|------|------|------------|---|---|---|-------|------|
| | | _ | tat Tyr | _ | | | | - | - | | _ | - | _ | _ | 1027 |
| | | | act Thr | | | | | | | | | | | | 1075 |
| | _ | | gat Asp | | | _ | _ | _ | | | | - | - | | 1123 |
| | | | gtg Val 345 | | | | | | | | | | | | 1171 |
| - | - | aaa Lys 360 | aaa Lys | tagt | tttt | at t | aagg | gcat | t cc | : c | | | | | 1206 |
| <210 | > 96 | ; | | | | | | | | | | | | | |

<210> 96

<211> 361

<212> PRT

<213> Corynebacterium glutamicum

<400> 96

Met Ser Thr Arg Thr Thr Pro Gln Asp Arg Tyr Thr Asp Glu Tyr Gly
1 5 10 15

Ile Glu Arg Val Asn Lys Asp Glu Pro Gly Leu Val Asp Lys Leu Arg
20 25 30

Asp Lys His Asp Trp Phe Asp His Leu Met Arg Met Asn Glu Arg Phe
35 40 45

Gly Ala Lys Gly Gly Asn Gln Leu Ser Ala Gly Ile Thr Tyr Phe Ser 50 60

Val Leu Ser Ile Phe Pro Ile Ala Met Leu Val Phe Gly Ile Ala Gly 65 70 75 80

Val Ile Leu Ala Gly Asn Pro Glu Val Leu Thr Asp Ile Gln Asn Arg 85 90 95

Ile Asn Asp Ala Leu Glu Gly Glu Ile Gly Asn Thr Val Asn Gly Ile
100 105 110

Ile Asp Ser Ala Ile Ala Gln Arg Gly Ala Val Leu Gly Ile Gly Gly

Val Thr Ala Leu Trp Ser Gly Leu Gly Trp Met Ala Asn Leu Arg Phe 130 135 140

Gln Lys Lys Leu Thr Asp Leu Val Ala Leu Ile Val Leu Leu Ala Met Gly Val Ala Phe Gly Ile Thr Ala Leu Gly Ala Ser Gly Leu Thr Lys Asn Leu Leu Asp Phe Val Gly Leu Gly Glu Ile Pro Gly Ile Ser Tyr Ile Thr Trp Val Val Ala Ala Leu Val Gly Val Leu Ala Asn Phe 215 Leu Val Phe Met Trp Leu Ile Phe Ser Leu Pro Arg Thr Lys Val Pro Met Lys Pro Gly Leu Gln Ala Ala Leu Leu Gly Ala Ile Gly Phe Glu Val Val Lys Gln Val Gly Ser Leu Leu Ala Ser Asn Ala Leu Ser Asn 265 Pro Ala Gly Ala Ala Phe Gly Pro Ile Ile Gly Ile Met Val Val Leu 275 280 285 Tyr Leu Ile Trp Arg Ile Leu Met Tyr Cys Ser Ala Trp Ala Ala Thr Ser Glu Glu Ala Leu Arg Leu Ala Thr Val Pro Ala Pro Glu Pro Ala Ile Ile Arg Val Arg His Glu Ile Asp Pro Gly Glu Glu Val Ser Gln 330 Ser Ala Arg Lys Val Gly Ile Gly Val Ala Val Gly Ala Ala Thr Ala Gly Ala Phe Ala Leu Leu Arg Lys Lys 355 <210> 97 <211> 753 <212> DNA <213> Corynebacterium glutamicum <220>

Gly Val Ser Arg Met Trp Ala Ile Asp Pro Thr Glu Gly Asn Phe Ile

<400> 97
aaccaatggc tgggtactga tgtggtgatc agtgcccagt ttcttctttc tactagtgtc 60

<221> CDS

<222> (101)..(730) <223> RXA00981

| gga | taga | agt | acco | eccag | gtc c | agaa | tgaa | g gt | cacc | acca | | Ser | | aat Asn | | 115 |
|------------------|------------|------------|-------------------|------------------|-------------------|------------|------------|-------------------|------------------|------------------|------------|------------|-------------------|-------------------|------------------|-------------|
| cca | gcg Ala | rcc Pro | gaç Glu | aat Asn 10 | ctc Leu | ctg Leu | gac Asp | gcc Ala | gag Glu 15 | Arg | att | cag Gln | atg Met | atc Ile 20 | aag Lys | 163 |
| aac Asn | ttc Phe | cgc Arg | aac Asn 25 | Glu | tta Leu | acg Thr | Gly | ttc Phe 30 | Met | ctc Leu | aac Asn | tac Tyr | caa Gln 35 | ttt Phe | ggc | 211 |
| | | | Ile | | acc Thr | | | | | | | | | | | 259 |
| | | His | | | gca Ala | | | | | | | | | | | 307 |
| aca Thr 70 | Pro | gaa Glu | agc Ser | atc | gtc Val 75 | aaa Lys | aag Lys | gtc Val | atc Ile | cga Arg 80 | aaa Lys | gga Gly | gac Asp | gag Glu | ctc Leu 85 | 355 |
| tcc Ser | ctc Leu | gca Ala | gct Ala | atc Ile 90 | aaa Lys | gac Asp | aca Thr | gtg Val | ttt Phe 95 | gat Asp | atc Ile | gca Ala | ggc Gly | att Ile 100 | cga Arg | 403 |
| atc Ile | gtc Val | tgc Cys | agt Ser 105 | ttc Phe | ctc Leu | aaa Lys | gat Asp | gcc Ala 110 | tac Tyr | gca Ala | atc Ile | gcc Ala | gat Asp 115 | atg Met | ctg Leu | 451 |
| | Asn | | | | gtc Val | | | | | | | | | | | 499 |
| | | | | | ggc Gly | | | | | | | | | | | 547 |
| | | | | | aac Asn 155 | | | | | | | | | | | 595 |
| | | | | | atg Met | | | | | | | | | | | 643 |
| | | | | | caa Gln | | Val | | | | | | | | | 691 |
| | | | | | aat Asn | Pro | | | | | | | taaa | cctc | ca | 740 |
| gttg | aaac | ca c | tg | | | | | | | | | | | | | 75 3 |

.

<210> 98

<211> 210

<212> PRT

<213> Corynebacterium glutamicum

<400> 98

Met Ser Glu Asn Leu Pro Ala Pro Glu Asn Leu Leu Asp Ala Glu Arg

1 5 10 15

Ile Gln Met Ile Lys Asn Phe Arg Asn Glu Leu Thr Gly Phe Met Leu 20 25 30

Asn Tyr Gln Phe Gly Ile Asp Glu Ile Leu Thr Lys Ile Asn Ile Leu 35 40 45

Lys Thr Glu Phe Ser Gln Leu His Glu Tyr Ala Pro Ile Glu His Val 50 55 60

Ser Ser Arg Leu Lys Thr Pro Glu Ser Ile Val Lys Lys Val Ile Arg 65 70 75 80

Lys Gly Asp Glu Leu Ser Leu Ala Ala Ile Lys Asp Thr Val Phe Asp 85 90 95

Ile Ala Gly Ile Arg Ile Val Cys Ser Phe Leu Lys Asp Ala Tyr Ala
100 105 110

Ile Ala Asp Met Leu Thr Asn Gln Lys Asp Val Thr Val Ile Glu Ala 115 120 125

Lys Asp Tyr Ile Ala Asn Pro Lys Pro Asn Gly Tyr Lys Ser Leu His 130 135 140

Leu Ile Leu Gln Val Pro Val Phe Leu Ser Asn Ser Val Glu Lys Val 145 150 155 160

Asn Val Glu Val Gln Ile Arg Thr Ile Ala Met Asp Phe Trp Ala Ser 165 170 175

Leu Glu His Lys Ile Tyr Tyr Lys Phe Glu Gln Glu Val Pro Gln Ser 180 185 190

Ile Leu Asp Glu Leu Ser Glu Asp Gly Lys Asn Pro Arg Gly Ser Glu 195 200 205

Val Thr 210

<210> 99

<211> 1098

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS <222> (101)..(1075)

<223> RXN00786

~-- **--**

<400> 99 tecttettee accagetaaa agtgaattae eeegeetttg teggggtggt tgeatteeea 60 gtctaggtgt ttagcctcaa cgttggatac gctgggaggc atg agc tca cct gtt Met Ser Ser Pro Val atc agc ccc gaa acc aaa acc gga aag aag atc ctg ctt gca gcc cct 163 Ile Ser Pro Glu Thr Lys Thr Gly Lys Lys Ile Leu Leu Ala Ala Pro cgc gga tac tgt gcc ggc gta gac cgt gca gtg gaa acc gtc gag cgc 211 Arg Gly Tyr Cys Ala Gly Val Asp Arg Ala Val Glu Thr Val Glu Arg gcg ctc gag gaa tac ggc gcc cca att tat gtc cgt aaa gaa atc gtg Ala Leu Glu Glu Tyr Gly Ala Pro Ile Tyr Val Arg Lys Glu Ile Val 45 307 cac aac cgt tac gtt gtg gac acc ctg gca gaa aag ggc gcg att ttt His Asn Arg Tyr Val Val Asp Thr Leu Ala Glu Lys Gly Ala Ile Phe 60 gtc aac gaa gca tct gaa gca cca gaa ggt gcc aac atg gtg ttc tct Val Asn Glu Ala Ser Glu Ala Pro Glu Gly Ala Asn Met Val Phe Ser gca cac ggc gtg agc cca atg gtc cac gaa gaa gct gca gct aaa aac 403 Ala His Gly Val Ser Pro Met Val His Glu Glu Ala Ala Ala Lys Asn 95 451 atc aag gct att gac gcg gcc tgc ccg ctg gtc acc aaa gtg cac aag Ile Lys Ala Ile Asp Ala Ala Cys Pro Leu Val Thr Lys Val His Lys gaa qtc caq cqc ttt gat aag cag gga ttc cac att ctc ttc atc ggt 499 Glu Val Gln Arg Phe Asp Lys Gln Gly Phe His Ile Leu Phe Ile Gly 125 547 cac gaa ggc cat gaa gaa gta gag ggc acc atg ggt cat tcc gtt gag His Glu Gly His Glu Glu Val Glu Gly Thr Met Gly His Ser Val Glu 140 aaa acc cac ctg gtt gac ggc gtt gct ggc att gcc acc ctg cct gaa Lys Thr His Leu Val Asp Gly Val Ala Gly Ile Ala Thr Leu Pro Glu ttc tta aac gat gaa cca aac ctg atc tgg ctg tct cag acc acg ctt 643

tct gtg gac gag acc atg gag atc gtc cgc gag ctg aag gtg aag ttc 69 Ser Val Asp Glu Thr Met Glu Ile Val Arg Glu Leu Lys Val Lys Phe

Phe Leu Asn Asp Glu Pro Asn Leu Ile Trp Leu Ser Gln Thr Thr Leu

185 190 195

| | _ | _ | cag Gln | _ | | _ | | - | - | | _ | | - | _ | _ | 739 |
|------|------|------|-------------------|------|------|----|---|---|---|---|---|---|---|---|---|------|
| | | | gtt Val | | | | | | | | | | | | | 787 |
| | | _ | ggt Gly | | _ | | | | | - | - | - | _ | _ | | 835 |
| _ | - | - | caa Gln | | | - | - | | - | | _ | | _ | | - | 883 |
| _ | _ | | gac Asp 265 | | - | | | _ | | _ | | | | | | 931 |
| | | | gct Ala | | | | | | | - | • | | - | | | 979 |
| _ | - | - | gag Glu | | | | - | - | _ | | - | _ | | | - | 1027 |
| | | | att Ile | | | | | | | | | | | | | 1075 |
| taat | tgca | ag a | atga | aaaa | t cc | :C | | | | | | | | | | 1098 |

<210> 100

<211> 325

<212> PRT

<213> Corynebacterium glutamicum

<400> 100

Met Ser Ser Pro Val Ile Ser Pro Glu Thr Lys Thr Gly Lys Lys Ile 1 5 10 15

Leu Leu Ala Ala Pro Arg Gly Tyr Cys Ala Gly Val Asp Arg Ala Val

Glu Thr Val Glu Arg Ala Leu Glu Glu Tyr Gly Ala Pro Ile Tyr Val

Arg Lys Glu Ile Val His Asn Arg Tyr Val Val Asp Thr Leu Ala Glu 50 55 60

Lys Gly Ala Ile Phe Val Asn Glu Ala Ser Glu Ala Pro Glu Gly Ala 65 70 75 80

Asn Met Val Phe Ser Ala His Gly Val Ser Pro Met Val His Glu Glu 85 90 95

Ala Ala Ala Lys Asn Ile Lys Ala Ile Asp Ala Ala Cys Pro Leu Val 100 105 110

Thr Lys Val His Lys Glu Val Gln Arg Phe Asp Lys Gln Gly Phe His 115 120 125

Ile Leu Phe Ile Gly His Glu Gly His Glu Glu Val Glu Gly Thr Met 130 135 140

Gly His Ser Val Glu Lys Thr His Leu Val Asp Gly Val Ala Gly Ile 145 150 155 160

Ala Thr Leu Pro Glu Phe Leu Asn Asp Glu Pro Asn Leu Ile Trp Leu 165 170 175

Ser Gln Thr Thr Leu Ser Val Asp Glu Thr Met Glu Ile Val Arg Glu
180 185 190

Leu Lys Val Lys Phe Pro Gln Leu Gln Asp Pro Pro Ser Asp Asp Ile 195 200 205

Cys Tyr Ala Thr Gln Asn Arg Gln Val Ala Val Lys Ala Ile Ala Glu 210 215 220

Arg Cys Glu Leu Met Ile Val Val Gly Ser Arg Asn Ser Ser Asn Ser 225 230 235 240

Val Arg Leu Val Glu Val Ala Lys Gln Asn Gly Ala Asp Asn Ala Tyr 245 250 255

Leu Val Asp Tyr Ala Arg Glu Ile Asp Pro Ala Trp Phe Glu Gly Val 260 265 270

Glu Thr Ile Gly Ile Ser Ser Gly Ala Ser Val Pro Glu Ile Leu Val 275 280 285

Gln Gly Val Ile Glu Arg Leu Ala Glu Phe Gly Tyr Asp Asp Val Glu 290 295 300

Glu Val Thr Ser Ala Ala Glu Lys Ile Val Phe Ala Leu Pro Arg Val 305 310 315 320

Leu Arg His Lys Asn 325

<210> 101

<211> 1131

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1108) <223> RXS01027 <400> 101 aataqatgga aqtagttttt cattcactta tgtgcgcgtt tttaatctgg tttctaccaa 60 gaactgtgtg caccacaacg cggaaggtga atcgcaccca atg gca aat aag aac 115 Met Ala Asn Lys Asn aat aag cct cat gag gtg gac aaa gac caa gat tca gcc atg ctg atc 163 Asn Lys Pro His Glu Val Asp Lys Asp Gln Asp Ser Ala Met Leu Ile 10 aac ggt cgc ctg caa cag atc ccg gcg cgt ccc act gag gaa ttc acc 211 Asn Gly Arg Leu Gln Gln Ile Pro Ala Arg Pro Thr Glu Glu Phe Thr 25 cgc cca act ctt gca gca ggt gca gta ctg tgg cgc ggc gac atc acc 259 Arg Pro Thr Leu Ala Ala Gly Ala Val Leu Trp Arg Gly Asp Ile Thr 40 45 307 aac ccg gac agc atc gag gtc gct gtc atc cac cgc ccg cac tat gat Asn Pro Asp Ser Ile Glu Val Ala Val Ile His Arg Pro His Tyr Asp gac tgg tcc ctg gcc aag ggc aaa gtc gat ccc ggc gag tct att ccg 355 Asp Trp Ser Leu Ala Lys Gly Lys Val Asp Pro Gly Glu Ser Ile Pro aca acc gcg gcc cgt gaa atc ctt gaa gaa act ggc tac gac atc cgt 403 Thr Thr Ala Ala Arg Glu Ile Leu Glu Glu Thr Gly Tyr Asp Ile Arg ctg ggc aag ctg atc ggc aag gtt act tac cct gtg ctc gac cga acc 451 Leu Gly Lys Leu Ile Gly Lys Val Thr Tyr Pro Val Leu Asp Arg Thr 105 110 aaa gtg gtc tac tac tgg act gcc cag gtt ctt ggt gga gag ttt gtc 499 Lys Val Val Tyr Tyr Trp Thr Ala Gln Val Leu Gly Gly Glu Phe Val 120 125 ccc aac gat gaa gtt gat gaa atc cgt tgg ctg tct gtt gat gaa gca 547 Pro Asn Asp Glu Val Asp Glu Ile Arg Trp Leu Ser Val Asp Glu Ala

tgc gag ttg ctc agc tac caa gta gat acc gaa gtt ctg gcc aag gca 595 Cys Glu Leu Leu Ser Tyr Gln Val Asp Thr Glu Val Leu Ala Lys Ala 150 165

135

gca aag cgt ttc cgc act cct tcc acc act cgg gtg ctg tat gtt cgc 643 Ala Lys Arg Phe Arg Thr Pro Ser Thr Thr Arg Val Leu Tyr Val Arg 170 175 180

| | ca ttg Pro Leu 200 | Asp | | | | | | | | | | | | 739 |
|-------|--------------------------|-----|-------|---|---|---|---|---|------|------|-------|------|--------|------|
| Met L | tg ttg eu Leu !15 | | | | | | | | | | | | | 787 |
| | gc caa Cys Gln | | | | | | | | | | | | | 835 |
| | cc gtc er Val | | | | | | | | | | | | | 883 |
| | cc tgc la Cys | | | | | | | | | | | | | 931 |
| | tg atc let Ile 280 | | | | | | | | | | | | | 979 |
| Phe S | cc gag er Glu 95 | | | | | | | | | | | | | 1027 |
| | gc agc ly Ser | | | - | _ | | | - | | | | | | 1075 |
| | at tac sp Tyr | _ | - | | _ | _ | - | | tagg | agco | ıcg t | ttaa | iggcct | 1128 |
| cca | | | | | | | | | | | | | | 1131 |

<210> 102

<211> 336

<212> PRT

<213> Corynebacterium glutamicum

<400> 102

Met Ala Asn Lys Asn Asn Lys Pro His Glu Val Asp Lys Asp Gln Asp 1 5 10 15

Ser Ala Met Leu Ile Asn Gly Arg Leu Gln Gln Ile Pro Ala Arg Pro

Thr Glu Glu Phe Thr Arg Pro Thr Leu Ala Ala Gly Ala Val Leu Trp

Arg Gly Asp Ile Thr Asn Pro Asp Ser Ile Glu Val Ala Val Ile His 50 55 60

| Arg 65 | | His | Tyr | Asp | Asp 70 | | Ser | Leu | Ala | Lys 75 | | Lys | Val | Asp | Pro 80 |
|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Gly | Glu | Ser | Ile | Pro 85 | Thr | Thr | Ala | Ala | Arg 90 | | Ile | Leu | Glu | Glu 95 | Thr |
| Gly | Tyr | Asp | Ile 100 | | Leu | Gly | Lys | Leu 105 | Ile | Gly | Lys | Val | Thr 110 | Tyr | Pro |
| Val | Leu | Asp 115 | | Thr | Lys | Val | Val 120 | | Tyr | Trp | Thr | Ala 125 | Gln | Val | Leu |
| Gly | Gly 130 | Glu | Phe | Val | Pro | Asn 135 | Asp | Glu | Val | Asp | Glu 140 | Ile | Arg | Trp | Leu |
| Ser 145 | Val | Asp | Glu | Ala | Cys 150 | Glu | Leu | Leu | Ser | Tyr 155 | Gln | Val | Asp | Thr | Glu 160 |
| Val | Leu | Ala | Lys | Ala 165 | Ala | Lys | Arg | Phe | Arg 170 | Thr | Pro | Ser | Thr | Thr 175 | Arg |
| | | | 180 | | His | | | 185 | | | | | 190 | | |
| Gly | Asp | Asp 195 | Asn | Lys | Arg | Pro | Leu 200 | Asp | Lys | Lys | Gly | Arg 205 | Arg | Gln | Ala |
| | 210 | | | | Met | 215 | | | | _ | 220 | | | | |
| 225 | | | | | Arg 230 | | | | | 235 | | | | | 240 |
| | | | | 245 | Val | | | | 250 | | | | _ | 255 | |
| • | | | 260 | | Glu | | - | 265 | | | | | 270 | | |
| | | 275 | _ | | Pro | | 280. | | _ | | _ | 285 | | | |
| | 290 | | | | Phe | 295 | | | | | 300 | | | | |
| 305 | | _ | | | 110 | | | | | 315 | | | | | 320 |
| Gly | Val | Phe | Thr | Gly 325 | Ala | Asp | Tyr | Leu | Ala 330 | Ser | Ser | Leu | Pro | Val 335 | Lys |

<210> 103

<211> 651 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(628) <223> RXS01528 <400> 103 cacccaaacc caaacctctc agtcgaataa gcagaagtct caggacaacc gcaggggtaa 60 gggtcgtagg tctccaacca ggaggcgttc caacacgagg gtg aat cag gcg tgg Val Asn Gln Ala Trp 1 cag cag tee egt ttg gtt act tet gat gag act tee gea ggt ggt ete 163 Gln Gln Ser Arg Leu Val Thr Ser Asp Glu Thr Ser Ala Gly Gly Leu 20 10 15 gtg gtg tca ggt ttg gct gag gcg gtc aac gct aac aat gag gtt gat 211 Val Val Ser Gly Leu Ala Glu Ala Val Asn Ala Asn Asn Glu Val Asp 25 ctg tcg aag att tat gtt gcg ttg att ggt cgc ctt gat cgt cgt ggt Leu Ser Lys Ile Tyr Val Ala Leu Ile Gly Arg Leu Asp Arg Arg Gly 40 cgt ttg ttg tgg tcg atg ccg aag ggc cat gtt gag cct ggt gag gat 307 Arg Leu Leu Trp Ser Met Pro Lys Gly His Val Glu Pro Gly Glu Asp aag get geg act get gag egt gag gtg tgg gag gag ace gge ate cae 355 Lys Ala Ala Thr Ala Glu Arg Glu Val Trp Glu Glu Thr Gly Ile His 80 ggt gag gtg ttc act gag ttg ggt gtg att gat tat tgg ttc gtt tcg 403 Gly Glu Val Phe Thr Glu Leu Gly Val Ile Asp Tyr Trp Phe Val Ser 90 gaa ggg aag cgg atc cat aag acg gtg cat cat cat ttg ttg cgt tat 451 Glu Gly Lys Arg Ile His Lys Thr Val His His His Leu Leu Arg Tyr 110 105 qtt gat qqc gat ttg aat gat gag gat cca gaa gtc act gag gtg gcg 499 Val Asp Gly Asp Leu Asn Asp Glu Asp Pro Glu Val Thr Glu Val Ala 120 547 tgg att ccg gcg aat cag ttg att gag cat ttg gct ttt gcg gat gag Trp Ile Pro Ala Asn Gln Leu Ile Glu His Leu Ala Phe Ala Asp Glu 135 140 595 cgg aag ttg gct agg cag gcg cat gat ttg ttg cct gag ttt gct ttg Arg Lys Leu Ala Arg Gln Ala His Asp Leu Leu Pro Glu Phe Ala Leu 150 155 160

aaq qaa aaq qcq gag gga agg tcc acc cca agg tgattccgaa ccccaacccg 648

with the part of the second of the second

Lys Glu Lys Ala Glu Gly Arg Ser Thr Pro Arg 170 175

aac 651

<210> 104

<211> 176

<212> PRT

<213> Corynebacterium glutamicum

<400> 104

Val Asn Gln Ala Trp Gln Gln Ser Arg Leu Val Thr Ser Asp Glu Thr 1 5 10 15

Ser Ala Gly Gly Leu Val Val Ser Gly Leu Ala Glu Ala Val Asn Ala 20 25 30

Asn Asn Glu Val Asp Leu Ser Lys Ile Tyr Val Ala Leu Ile Gly Arg 35 40 45

Leu Asp Arg Gly Arg Leu Leu Trp Ser Met Pro Lys Gly His Val
50 60

Glu Pro Gly Glu Asp Lys Ala Ala Thr Ala Glu Arg Glu Val Trp Glu 65 70 75 80

Glu Thr Gly Ile His Gly Glu Val Phe Thr Glu Leu Gly Val Ile Asp 85 90 95

Tyr Trp Phe Val Ser Glu Gly Lys Arg Ile His Lys Thr Val His His 100 105 110

His Leu Leu Arg Tyr Val Asp Gly Asp Leu Asn Asp Glu Asp Pro Glu 115 120 125

Val Thr Glu Val Ala Trp Ile Pro Ala Asn Gln Leu Ile Glu His Leu 130 135 140

Ala Phe Ala Asp Glu Arg Lys Leu Ala Arg Gln Ala His Asp Leu Leu 145 150 155 160

Pro Glu Phe Ala Leu Lys Glu Lys Ala Glu Gly Arg Ser Thr Pro Arg 165 170 175

<210> 105

<211> 509

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (1)..(486)

....

<223> RXS01716

<400> 105 gaa gtc act cct gag gga ttc aaa gag atc acc cgt gaa aac acc atc 48 Glu Val Thr Pro Glu Gly Phe Lys Glu Ile Thr Arg Glu Asn Thr Ile 96 gtt cgc ctg ggc aaa ggc gtc gac gcc acc ggt cag cta gac ccc gag Val Arg Leu Gly Lys Gly Val Asp Ala Thr Gly Gln Leu Asp Pro Glu gca atc gag cgc act cgt gtc gct ttg gaa aac tac gtt gaa ctc atg 144 Ala Ile Glu Arg Thr Arg Val Ala Leu Glu Asn Tyr Val Glu Leu Met 192 gaa acc cat ggg gta gag gcc gta cga atg gtt gcc acc tcc gca acc Glu Thr His Gly Val Glu Ala Val Arg Met Val Ala Thr Ser Ala Thr cgc gat gcg tcc aac cgc gat gaa ttc ttt tcg atg acc cgc cag ctt 240 Arg Asp Ala Ser Asn Arg Asp Glu Phe Phe Ser Met Thr Arg Gln Leu 288 ctg tcc aag atc cgt cct gga tac caa gct gaa gta att tcc ggc gaa Leu Ser Lys Ile Arg Pro Gly Tyr Gln Ala Glu Val Ile Ser Gly Glu 336 gag gaa get etg etg tee tte ega ggt gea ate gtt gae etg eet gaa Glu Glu Ala Leu Leu Ser Phe Arg Gly Ala Ile Val Asp Leu Pro Glu 105 384 gac caa ggt cct ttc tgt gtt atc gac ctt ggc ggt gga tcc act gag Asp Gln Gly Pro Phe Cys Val Ile Asp Leu Gly Gly Gly Ser Thr Glu 120 ttc atc gtt ggc acc tac gac ggt gaa atc cta ggc tcc cac tca acc 432 Phe Ile Val Gly Thr Tyr Asp Gly Glu Ile Leu Gly Ser His Ser Thr 135 480 caa atg gga tgc gtg cgc ctg acc gaa cga atc atg cgc agc gac cca Gln Met Gly Cys Val Arg Leu Thr Glu Arg Ile Met Arg Ser Asp Pro 150 155 509 ccc gac tgaaaccgaa gtggaaatcg ccc Pro Asp

<210> 106

<211> 162

<212> PRT

<213> Corynebacterium glutamicum

<400> 106

Glu Val Thr Pro Glu Gly Phe Lys Glu Ile Thr Arg Glu Asn Thr Ile 1 5 10 15

Val Arg Leu Gly Lys Gly Val Asp Ala Thr Gly Gln Leu Asp Pro Glu Ala Ile Glu Arg Thr Arg Val Ala Leu Glu Asn Tyr Val Glu Leu Met Glu Thr His Gly Val Glu Ala Val Arg Met Val Ala Thr Ser Ala Thr Arg Asp Ala Ser Asn Arg Asp Glu Phe Phe Ser Met Thr Arg Gln Leu Leu Ser Lys Ile Arg Pro Gly Tyr Gln Ala Glu Val Ile Ser Gly Glu Glu Glu Ala Leu Leu Ser Phe Arg Gly Ala Ile Val Asp Leu Pro Glu 100 Asp Gln Gly Pro Phe Cys Val Ile Asp Leu Gly Gly Gly Ser Thr Glu 125 120 Phe Ile Val Gly Thr Tyr Asp Gly Glu Ile Leu Gly Ser His Ser Thr 135 Gln Met Gly Cys Val Arg Leu Thr Glu Arg Ile Met Arg Ser Asp Pro Pro Asp <210> 107 <211> 654 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(631) <223> RXS01835 <400> 107 tcaacatcta ttcctcctgc gatttgcatg ggatatatat taaaaaattct agccgaaagt 60 tteetgegtg aatacaettt eecegegeet tegeaaaget atg aat act gee geg Met Asn Thr Ala Ala tgg gca cac cgc cac cac gta cgc aaa ggc ggt gga att ccg tat gtc 163 Trp Ala His Arg His His Val Arg Lys Gly Gly Gly Ile Pro Tyr Val 10 age cat ett tat tea gtg atg tae ttg etg gee age gte aet aat gat 211 Ser His Leu Tyr Ser Val Met Tyr Leu Leu Ala Ser Val Thr Asn Asp gaa gat gtg ctc atc gcc ggg ctg ctc cac gac acc ctc gaa gac gta 259

| Glu | Asp | Val 40 | | Ile | Ala | Gly | Leu 45 | | His | Asp | Thir | Leu 50 | | Asp | Val | |
|-------------------|----------------------------------|------------|------------|------------|-------------------|-------------------|------------|------------|------------|-------------------|-------------------|------------|------------|-------------------|-------------------|-----|
| | | | | | | | Gln | | | | | Phe | | ccg Pro | | 307 |
| | | | | | | | | | | | Pro | | | agc Ser | | 355 |
| | | | | | | | | | | Leu | | | | gcc Ala 100 | | 403 |
| | | | | | | | | | | | | | | ctc Leu | | 451 |
| | | | | | | | | | | | | | | caa Gln | | 499 |
| ttt Phe | aac Asn 135 | gct Ala | ggc Gly | aaa Lys | gag Glu | cag Gln 140 | caa Gln | atc Ile | tgg Trp | tgg Trp | tat Tyr 145 | agc Ser | gag Glu | gtt Val | tat Tyr | 547 |
| cag Gln 150 | ata Ile | tct Ser | ctc Leu | cag Gln | cgc Arg 155 | tta Leu | Gly ggg | ttc Phe | aat Asn | gag Glu 160 | ttg Leu | aat Asn | aaa Lys | caa Gln | ctg Leu 165 | 595 |
| | _ | _ | - | - | aag Lys | | | - | | _ | gcc Ala | tag | gcgc | tcg | | 641 |
| gcgg | gcgtc | ga t | aa | | | | | | | | | | | | | 654 |
| <211 <212 |)> 10 .> 17 !> PR !> Co | 7 lT | bact | eriu | ım gl | .utam | icum | ı | | | | | | | | |
| | > 10 Asn | | Ala | Ala | Trp | Ala | His | Arg | His | His | Val | Arg | Lys | Gly. | Gly | |
| 1 | | | | 5 | | | | | 10 | | | | | 15 | | |
| Gly | Ile | Pro | Tyr 20 | Val | Ser | His | Leu | Tyr 25 | Ser | Val | Met | Tyr | Leu 30 | Leu | Ala | |
| Ser | Val | Thr 35 | Asn | Asp | Glu | Asp | Val 40 | Leu | Ile | Ala | Gly | Leu 45 | Leu | His | Asp | |
| Thr | Leu 50 | Glu | Asp | Val | Pro | Glu 55 | Glu | Tyr | Asn | Ser | Ala 60 | Gln | Leu | Glu | Ala | |
| | | | | | | | | | | | | | | | | |

Asp Phe Gly Pro Arg Val Arg Glu Leu Val Glu Glu Leu Thr Lys Gln

65 70 75 Pro Leu Lys Ser Trp Lys Ala Arg Ala Asp Ala Tyr Leu Leu His Leu Ser Ala Gly Ala Ser Leu Glu Ala Val Leu Ile Ser Thr Ala Asp Lys Leu His Asn Leu Met Ser Ile Leu Asp Asp Leu Glu Ile His Gly Glu Asp Leu Trp Gln Arg Phe Asn Ala Gly Lys Glu Gln Gln Ile Trp Trp Tyr Ser Glu Val Tyr Gln Ile Ser Leu Gln Arg Leu Gly Phe Asn Glu Leu Asn Lys Gln Leu Gly Leu Cys Val Glu Lys Leu Leu Lys Gln Ser 170 Ala <210> 109 <211> 1050 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1027) <223> RXS02497 <400> 109 tegatgeege egetggegaa gaetegggga aacetaaaaa tacegaagaa gaatttgace 60 gattcacact ttgccaccct agaccgtcta acctttaggt gtg aga tta ggt gta 115 Val Arg Leu Gly Val tta gat gtg ggc agc aat act gtc cac cta gtt gca gta gac gcg cgt 163 Leu Asp Val Gly Ser Asn Thr Val His Leu Val Ala Val Asp Ala Arg 10 15 ccc ggt gga cac ccc acc ccg atg agc aat tgg cgt acc cca ctg cgc 211 Pro Gly Gly His Pro Thr Pro Met Ser Asn Trp Arg Thr Pro Leu Arg 30 ctt gtt gag ctt ctt gat gac tcc ggg gcg atc tcc gaa aag ggc atc 259 Leu Val Glu Leu Leu Asp Asp Ser Gly Ala Ile Ser Glu Lys Gly Ile 45

307

aac aaa ctc acc tca gca gtc ggg gaa gca gca gac cta gcg aaa acg

Asn Lys Leu Thr Ser Ala Val Gly Glu Ala Ala Asp Leu Ala Lys Thr

| | Gly | | | | | Met | | | | aca Thr 80 | Ser | | | | | 355 |
|-------------------|------------|-------------------|------------|-------------------|-------------------|------------|-------------------|------------|-------------------|-------------------|------------|-------------------|------------|-------------------|-------------------|------|
| | | | | | Ala | | | | | gtg Val | | | | | | 403 |
| | | | | Ile | | | | | Asp | gaa Glu | | | | | | 451 |
| | | | Arg | | | | | | | gca Ala | | | | | | 499 |
| | | Ile | | | | | Leu | | | tcc Ser | | | | | | 547 |
| tcc Ser 150 | Pro | gac Asp | ctc Leu | gcg Ala | ttc Phe 155 | tca Ser | ctg Leu | gat Asp | ctg Leu | ggt Gly 160 | gcg Ala | ggc Gly | cgc Arg | ttg Leu | acc Thr 165 | 595 |
| cac His | aac Asn | tgg Trp | ttc Phe | gac Asp 170 | acc Thr | gat Asp | cca Pro | ccg Pro | gca Ala 175 | cgt Arg | aag Lys | aaa Lys | atc Ile | aac Asn 180 | ctc Leu | 643 |
| | | | | | | | | | | gaa Glu | | | | | | 691 |
| cgc Arg | acc Thr | cta Leu 200 | ggg Gly | ccc Pro | gcg Ala | cgc Arg | ctg Leu 205 | gca Ala | gtg Val | gga Gly | aca Thr | tcc Ser 210 | aaa Lys | act Thr | ttc Phe | 739 |
| | | | | | | | | | | ccc Pro | | | | | | 787 |
| | | | | | | | | | | ctg Leu 240 | | | | | | 835 |
| | | | | | | | | | | gct Ala | | | | | | 883 |
| | | | | | | | | | | ggt Gly | | | | | | 931 |
| | | | | | | | | | | gta Val | | | | | | 979 |
| gca | ctt | cgt | gaa | ggt | gtg | atc | ctc | acc | agg | atc | gac | aaa | gga | ctc | gag | 1027 |

Ala Leu Arg Glu Gly Val Ile Leu Thr Arg Ile Asp Lys Gly Leu Glu 295 300 305

taacatttac ccggaaagga gtt

1050

<210> 110

<211> 309

<212> PRT

<213> Corynebacterium glutamicum

<400> 110

Val Arg Leu Gly Val Leu Asp Val Gly Ser Asn Thr Val His Leu Val 1 5 10 15

Ala Val Asp Ala Arg Pro Gly Gly His Pro Thr Pro Met Ser Asn Trp 20 25 30

Arg Thr Pro Leu Arg Leu Val Glu Leu Leu Asp Asp Ser Gly Ala Ile 35 40 45

Ser Glu Lys Gly Ile Asn Lys Leu Thr Ser Ala Val Gly Glu Ala Ala 50 60

Asp Leu Ala Lys Thr Leu Gly Cys Ala Glu Leu Met Pro Phe Ala Thr 65 70 75 80

Ser Ala Val Arg Ser Ala Thr Asn Ser Glu Ala Val Leu Asp His Val 85 90 95

Glu Lys Glu Thr Gly Val Arg Leu Ser Ile Leu Ser Gly Glu Asp Glu 100 105 110

Ala Arg Gln Thr Phe Leu Ala Val Arg Arg Trp Tyr Gly Trp Ser Ala 115 120 125

Gly Arg Ile Thr Asn Leu Asp Ile Gly Gly Gly Ser Leu Glu Leu Ser 130 135 140

Ser Gly Thr Asp Glu Ser Pro Asp Leu Ala Phe Ser Leu Asp Leu Gly 145 150 155 160

Ala Gly Arg Leu Thr His Asn Trp Phe Asp Thr Asp Pro Pro Ala Arg 165 170 175

Lys Lys Ile Asn Leu Leu Arg Asp Tyr Ile Asp Ala Glu Leu Ala Glu 180 185 190

Pro Ala Arg Gln Met Arg Thr Leu Gly Pro Ala Arg Leu Ala Val Gly 195 200 205

Thr Ser Lys Thr Phe Arg Thr Leu Ala Arg Leu Thr Gly Ala Ala Pro 210 215 220

Ser Ser Ala Gly Pro His Val Thr Arg Thr Leu Thr Ala Pro Gly Leu 225 230 235 240

Arg Gln Leu Ile Ala Phe Ile Ser Arg Met Thr Ala Ala Asp Arg Ala 250 Glu Leu Glu Gly Ile Ser Ser Asp Arg Ser His Gln Ile Val Ala Gly 265 Ala Leu Val Ala Glu Ala Ala Met Arg Ala Leu Asp Ile Asp Lys Val 280 Glu Ile Cys Pro Trp Ala Leu Arg Glu Gly Val Ile Leu Thr Arg Ile 295 Asp Lys Gly Leu Glu 305 <210> 111 <211> 534 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(511) <223> RXS02972 <400> 111 acctacgacg gtgaaatcct aggctcccac tcaacccaaa tgggatgcgt gcgcctgacc 60 gaacgaatca tgcgcagcga cccacccgac tgaaaccgaa gtg gaa atc gcc cgc Val Glu Ile Ala Arg gac tac gtt gca gaa cgc atc cag gaa gta aaa gcc atc gtc cca att Asp Tyr Val Ala Glu Arg Ile Gln Glu Val Lys Ala Ile Val Pro Ile tca aag gca aaa acc ttt gtg gga tgc gca ggc acc ttc acc aca atc 211 Ser Lys Ala Lys Thr Phe Val Gly Cys Ala Gly Thr Phe Thr Thr Ile tcc gcc tgg gtg caa ggc cta gaa agc tac gac cgc gac gcg atc cac Ser Ala Trp Val Gln Gly Leu Glu Ser Tyr Asp Arg Asp Ala Ile His 45 307 ctc tct gca ctc aac ttc gat gca ctg cga gtt gtc acc gat gag atc Leu Ser Ala Leu Asn Phe Asp Ala Leu Arg Val Val Thr Asp Glu Ile 355 att tca gaa tca tca tca cag cgc gcc agc aac cca gtt gtt gat cca Ile Ser Glu Ser Ser Ser Gln Arg Ala Ser Asn Pro Val Val Asp Pro ggt cgc gcc gac gtc atc ggt ggc gga tcc gtt gtt gtc caa gca gcg 403 Gly Arg Ala Asp Val Ile Gly Gly Gly Ser Val Val Val Gln Ala Ala 95

atc gac tta gcc tcc aaa gaa gcc ggt gta gac tac atc att att tcc Ile Asp Leu Ala Ser Lys Glu Ala Gly Val Asp Tyr Ile Ile Ile Ser 105 gaa aaa gac atc ctc gac ggc ctc atc ctt ggc ctg gta gaa gcc gac Glu Lys Asp Ile Leu Asp Gly Leu Ile Leu Gly Leu Val Glu Ala Asp 534 tct ttg aag aaa taggacccta gttttaaacc act Ser Leu Lys Lys 135 <210> 112 <211> 137 <212> PRT <213> Corynebacterium glutamicum <400> 112 Val Glu Ile Ala Arg Asp Tyr Val Ala Glu Arg Ile Gln Glu Val Lys Ala Ile Val Pro Ile Ser Lys Ala Lys Thr Phe Val Gly Cys Ala Gly Thr Phe Thr Thr Ile Ser Ala Trp Val Gln Gly Leu Glu Ser Tyr Asp Arg Asp Ala Ile His Leu Ser Ala Leu Asn Phe Asp Ala Leu Arg Val Val Thr Asp Glu Ile Ile Ser Glu Ser Ser Ser Gln Arg Ala Ser Asn Pro Val Val Asp Pro Gly Arg Ala Asp Val Ile Gly Gly Ser Val Val Val Gln Ala Ala Ile Asp Leu Ala Ser Lys Glu Ala Gly Val Asp Tyr Ile Ile Ile Ser Glu Lys Asp Ile Leu Asp Gly Leu Ile Leu Gly Leu Val Glu Ala Asp Ser Leu Lys Lys 130 <210> 113 <211> 636 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(613) <223> RXA02159

<400> 113 tgatggacca gcgtccaaag ttttcgatga agcagaaaac cgcctccacg ctcagaaagc 60 actgctggtg tggctgctgg ccaaccagcc gaggtaagac atg tcc ctt ggc tca Met Ser Leu Gly Ser acc ccg tca aca ccg gaa aac tta aat ccc gtg act cgc act gca cgc 163 Thr Pro Ser Thr Pro Glu Asn Leu Asn Pro Val Thr Arg Thr Ala Arg caa gct ctc att ttg cag att ttg gac aaa caa aaa gtc acc agc cag 211 Gln Ala Leu Ile Leu Gln Ile Leu Asp Lys Gln Lys Val Thr Ser Gln 259 gta caa ctg tct gaa ttg ctg ctg gat gaa ggc atc gat atc acc cag Val Gln Leu Ser Glu Leu Leu Leu Asp Glu Gly Ile Asp Ile Thr Gln 45 307 gcc acc ttg tcc cga gat ctc gat gaa ctc ggt gca cgc aag gtt cgc Ala Thr Leu Ser Arg Asp Leu Asp Glu Leu Gly Ala Arg Lys Val Arg ccc gat ggg gga cgc gcc tac tac gcg gtc ggc cca gta gat agc atc 355 Pro Asp Gly Gly Arg Ala Tyr Tyr Ala Val Gly Pro Val Asp Ser Ile 80 403 gcc cgc gaa gat ctc cgg ggt ccg tcg gag aag ctg cgc cgc atg ctt Ala Arg Glu Asp Leu Arg Gly Pro Ser Glu Lys Leu Arg Arg Met Leu 95 gat gaa ctg ctg gtt tct aca gat cat tcc ggc aac atc gcg atg ctg 451 Asp Glu Leu Leu Val Ser Thr Asp His Ser Gly Asn Ile Ala Met Leu 499 cgc acc ccg ccg gga gct gcc cag tac ctg gca agt ttc atc gat agg Arg Thr Pro Pro Gly Ala Ala Gln Tyr Leu Ala Ser Phe Ile Asp Arg 125 547 gtg ggg ctg aaa gaa gtc gtt ggc acc atc gct ggt gat gac acc gtt Val Gly Leu Lys Glu Val Val Gly Thr Ile Ala Gly Asp Asp Thr Val 595 ttc gtt ctc gcc cgt gat ccg ctc aca ggt aaa gaa cta ggt gaa tta Phe Val Leu Ala Arg Asp Pro Leu Thr Gly Lys Glu Leu Gly Glu Leu 155 160 636 ctc agc ggg cgc acc act taaagcgccc ctagttcaag gct Leu Ser Gly Arg Thr Thr 170

<210> 114

<211> 171

<212> PRT

<213> Corynebacterium glutamicum

<400> 114 Met Ser Leu Gly Ser Thr Pro Ser Thr Pro Glu Asn Leu Asn Pro Val Thr Arg Thr Ala Arg Gln Ala Leu Ile Leu Gln Ile Leu Asp Lys Gln Lys Val Thr Ser Gln Val Gln Leu Ser Glu Leu Leu Asp Glu Gly Ile Asp Ile Thr Gln Ala Thr Leu Ser Arg Asp Leu Asp Glu Leu Gly Ala Arg Lys Val Arg Pro Asp Gly Gly Arg Ala Tyr Tyr Ala Val Gly Pro Val Asp Ser Ile Ala Arg Glu Asp Leu Arg Gly Pro Ser Glu Lys Leu Arg Arg Met Leu Asp Glu Leu Leu Val Ser Thr Asp His Ser Gly Asn Ile Ala Met Leu Arg Thr Pro Pro Gly Ala Ala Gln Tyr Leu Ala Ser Phe Ile Asp Arg Val Gly Leu Lys Glu Val Val Gly Thr Ile Ala 135 Gly Asp Asp Thr Val Phe Val Leu Ala Arg Asp Pro Leu Thr Gly Lys 150 Glu Leu Gly Glu Leu Leu Ser Gly Arg Thr Thr <210> 115 <211> 486 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(463) <223> RXA02201 <400> 115 tctaccagcc aaatcatcaa ctcatagcga aggaatcaac ttcatgaata atcaaccatc 60 agtacttttc gtttgcgtcg gcaatggtgg aaaatctcaa atg gcc gca gcg cta Met Ala Ala Leu 1 163 gcc aaa aaa cat gcc ggg gac gct ctc aaa gtt tat tca gct ggc aca Ala Lys Lys His Ala Gly Asp Ala Leu Lys Val Tyr Ser Ala Gly Thr 10

211

aag cca ggt acg aaa tta aat caa cag tcc ctt gat tcc att gct gaa

| | Pro | Gly | Thr 25 | Lys | Leu | Asn | Gln | Gln 30 | Ser | Leu | Asp | Ser | Ile 35 | Ala | Glu | |
|--|---|--|--|---|---------------------------------------|---------------------------------------|--------------------------------|--------------------------------|---|--------------------------------|---------------------------------------|--------------------------------|--------------------------------|---|---------------------------------------|-----|
| gtt Val | ggc Gly | gca Ala 40 | gat Asp | atg Met | tct Ser | caa Gln | ggg Gly 45 | ttt Phe | cca Pro | aag Lys | ggc Gly | att Ile 50 | gac Asp | cag Gln | gag Glu | 259 |
| | | | | | gac Asp | | | | | | | | | | | 307 |
| | Glu | | | | gat Asp 75 | | | | | | | | | | | 355 |
| | | | | | cgt Arg | | | | | | | | | | | 403 |
| | | | | | gac Asp | | | | | | | | | | | 451 |
| | | aac Asn 120 | _ | tag | cagti | tt (| ctaai | tctca | ac a | ca | | | | | | 486 |
| | | | | | | | | | | | | | | | | |
| <21 <21 | 0> 1: 1> 1: 2> PI 3> Co | 21 RT | ebact | eri | um gl | Lutar | nicum | n | | | | | | | | |
| <21 <21 <21 <40 | 1> 1: 2> PI 3> Co | 21 RT Oryne | | | um gi | | | | Ala 10 | Gly | Asp | Ala | Leu | Lys 15 | Val | |
| <21 <21 <21 <40 Met | 1> 1: 2> PI 3> Co 0> 1: Ala | 21 RT oryne 16 Ala | Ala | Leu 5 | | Lys | Lys | His | 10 | | | | | 15 | | |
| <21 <21 <21 <40 Met 1 | 1> 12 2> P1 3> Cd 0> 11 Ala | 21 RT Oryne 16 Ala Ala | Ala Gly 20 | Leu 5 Thr | Ala | Lys Pro | Lys Gly | His Thr 25 | 10 Lys | Leu | Asn | Gln | Gln 30 | 15 Ser | Leu | |
| <21 <21 <40 Met 1 Tyr | 1> 1: 2> P1 3> Co 0> 1: Ala Ser | 21 RT Oryne 16 Ala Ala Ile 35 | Ala Gly 20 Ala | Leu 5 Thr Glu | Ala Lys | Lys Pro Gly | Lys Gly Ala 40 | His Thr 25 Asp | 10 Lys Met | Leu | Asn Gln | Gln Gly 45 | Gln 30 Phe | 15 Ser Pro | Leu Lys | |
| <21 <21 <21 <40 Met 1 Tyr Asp | 1> 1: 2> P1 3> Cc 0> 1: Ala Ser Ser Ile 50 | 21 RT Dryne 16 Ala Ala Ile 35 | Ala Gly 20 Ala Gln | Leu 5 Thr Glu Glu | Ala Lys Val | Lys Pro Gly Ile 55 | Lys Gly Ala 40 Lys | His Thr 25 Asp | 10 Lys Met Val | Leu Ser Asp | Asn Gln Arg 60 | Gln Gly 45 Val | Gln 30 Phe Val | 15 Ser Pro | Leu Lys Leu | |
| <21 <21 <40 Met 1 Tyr Asp Gly 65 | 1> 1: 2> P1 3> Cc 0> 1: Ala Ser Ser Ile 50 | 21 RT oryne 16 Ala Ala Ile 35 Asp | Ala Gly 20 Ala Gln Ala | Leu 5 Thr Glu Glu | Ala Lys Val Leu | Lys Pro Gly Ile 55 Glu | Lys Gly Ala 40 Lys Met | His Thr 25 Asp Arg | 10 Lys Met Val | Leu Ser Asp Asp | Asn Gln Arg 60 Ala | Gln Gly 45 Val Asn | Gln 30 Phe Val Gly | 15 Ser Pro Ile | Leu Lys Leu Leu 80 | |
| <21 <21 <40 Met 1 Tyr Asp Gly Gly 65 | 1> 1: 2> PI 3> Co 0> 1: Ala Ser Ser Ile 50 Ala | 21 RT Dryne 16 Ala Ala Ile 35 Asp Glu | Ala Gly 20 Ala Gln Ala Val | Leu 5 Thr Glu Glu Gln Thr 85 | Ala Lys Val Leu Leu 70 | Lys Pro Gly Ile 55 Glu Glu | Lys Gly Ala 40 Lys Met | His Thr 25 Asp Arg Pro | 10 Lys Met Val Ile Glu 90 | Leu Ser Asp Asp 75 | Asn Gln Arg 60 Ala Gly | Gln Gly 45 Val Asn | Gln 30 Phe Val Gly | 15 Ser Pro Ile Ile Gly 95 | Leu Lys Leu Leu 80 Met | |

| <21 <21 | 0> 1 1> 5 2> D 3> C | 10 NA | ebac | teri | um g | luta | micu | m | | | | | | | | |
|------------|------------------------------|----------|-----------|------|------------------|------|------|------|------|------|-----|------|------------|-------|--------|-----|
| <22 | 1> C 2> (| | (4 599 | 87) | | | | | | | | | | | | |
| | 0> 1 cgat | | ccct | ttga | tt g | aagt | ccca | g ta | ttag | tcgg | att | ggtt | tat (| gtcai | tgttgt | 60 |
| ggc | ttgg | acc | aaaa | atct | tt a | aaaa | ggag | a at | gcag | gatc | | | tca Ser | | | 115 |
| | | _ | _ | | aat Asn | | | | | _ | _ | | | | - | 163 |
| | | | | | tca Ser | | | | | | | | | | | 211 |
| | | | | | cta Leu | | | | | | | | | | | 259 |
| | | | | | tcg Ser | | | | | | | | | | | 307 |
| | | | | | gat Asp 75 | | | | | | | | | | | 355 |
| | | | | | tct Ser | | | | | | | | | | | 403 |
| | | | | | caa Gln | | Met | | Arg | | | | | Arg | | 451 |
| | | | | | gtc Val | | | | | | | taaq | geged | ega | | 497 |
| aaaa | gggg | gca t | gt | | | | | | | | | | | | | 510 |
| <211 | > 11 > 12 > PF | 9 | | | | | | | | | | | | | | |

157

<213> Corynebacterium glutamicum

<400> 118

Met Lys Ser Val Leu Phe Val Cys Val Gly Asn Gly Gly Lys Ser Gln 1 5 10 15

Met Ala Ala Leu Ala Gln Lys Tyr Ala Ser Asp Ser Val Glu Ile 20 25 30

His Ser Ala Gly Thr Lys Pro Ala Gln Gly Leu Asn Gln Leu Ser Val 35 40 45

Glu Ser Ile Ala Glu Val Gly Ala Asp Met Ser Gln Gly Ile Pro Lys
50 55 60

Ala Ile Asp Pro Glu Leu Leu Arg Thr Val Asp Arg Val Val Ile Leu 65 70 75 80

Gly Asp Asp Ala Gln Val Asp Met Pro Glu Ser Ala Gln Gly Ala Leu 85 90 95

Glu Arg Trp Ser Ile Glu Glu Pro Asp Ala Gln Gly Met Glu Arg Met
100 105 110

Arg Ile Val Arg Asp Gln Ile Asp Asn Arg Val Gln Ala Leu Leu Ala 115 120 125

Gly

<210> 119

<211> 1221

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1198)

<223> RXA00600

<400> 119

cggagttaat gagcggtagg tggatgggtg cggtcatgtc cgtcattata tattgacgca 60

catcgatatt gaaggtattt ttatatcggc aaacatcaat atg att gaa ggc tgg 115
Met Ile Glu Gly Trp
1

ctc atg acc ctt act aaa gag cat tcg aca cct cga gcg gct ggc tca $\,$ 163 Leu Met Thr Leu Thr Lys Glu His Ser Thr Pro Arg Ala Ala Gly Ser $\,$ 10 $\,$ 15 $\,$ 20

atg tcg ttt ctt gac cgc tgg tta gct gcc tgg att ttc ttg gct atg $\,$ 211 Met Ser Phe Leu Asp Arg Trp Leu Ala Ala Trp Ile Phe Leu Ala Met $\,$ 25 $\,$ 30 $\,$ 35

get get ggg ttg tta atc ggc aag gtc ttt cca gga att ggg gcg ctt 259

| Ala | Ala | Gly 40 | Leu | Leu | Ile | Gly | Lys 45 | | Phe | Pro | Gly | Ile 50 | Gly | Ala | Leu | |
|-----|-----|-----------|-----|-----|-----|-----|-----------|---|-----|-----|-------------------|-----------|-----|-----|-----|-----|
| | | | | | | | Gly | | | | cca Pro 65 | | | | | 307 |
| | | | | | | | | | | | gtg Val | | | | | 355 |
| | | - | | _ | | - | - | _ | | _ | gtg Val | | _ | | _ | 403 |
| _ | | | | - | | | - | | - | | agc Ser | _ | | | _ | 451 |
| | | | _ | | | | | _ | | | cta Leu | | | | | 499 |
| | | | | | | | | | | | agt Ser 145 | | | | | 547 |
| | - | | - | _ | | _ | | _ | _ | _ | atc Ile | | _ | | | 595 |
| | | | | | | | | | | | tac Tyr | | | | | 643 |
| | | | | | | | | | | | act Thr | | | | | 691 |
| | | | | | - | | - | | _ | | ata Ile | | | - | _ | 739 |
| | | | | | | | | | | | aag Lys 225 | | | | | 787 |
| | | | | | | | | | | | ttg Leu | | | | | 835 |
| | | | | | | | | | | | cag Gln | | | | | 883 |
| | | | | | | | | | | | ttg Leu | | | | | 931 |

265 270 275

tac ttt gtg ggc atg ttt ttc att tcc ctg gtg gta tcc aaa ctg tcc 979 Tyr Phe Val Gly Met Phe Phe Ile Ser Leu Val Val Ser Lys Leu Ser 280 285 ggg tta act tat gag cga gct gct tcc gtg tct ttt act gca gca gga 1027 Gly Leu Thr Tyr Glu Arg Ala Ala Ser Val Ser Phe Thr Ala Ala Gly 300 aac aac ttt gaa tta geg att geg gta teg ate gga ace ttt ggt geg 1075 Asn Asn Phe Glu Leu Ala Ile Ala Val Ser Ile Gly Thr Phe Gly Ala aca tca ccg cag gca tta gct gga acg atc ggc cct ttg att gaa gtc 1123 Thr Ser Pro Gln Ala Leu Ala Gly Thr Ile Gly Pro Leu Ile Glu Val cca gta tta gtc gga ttg gtt tat gtc atg ttg tgg ctt gga cca aaa 1171 Pro Val Leu Val Gly Leu Val Tyr Val Met Leu Trp Leu Gly Pro Lys atc ttt aaa aag gag aat gca gga tca tgaaatcagt tttgtttgtg 1218 Ile Phe Lys Lys Glu Asn Ala Gly Ser 360

1221

<210> 120

<211> 366

<212> PRT

<213> Corynebacterium glutamicum

<400> 120

Met Ile Glu Gly Trp Leu Met Thr Leu Thr Lys Glu His Ser Thr Pro 1 5 10

Arg Ala Ala Gly Ser Met Ser Phe Leu Asp Arg Trp Leu Ala Ala Trp 20 25 30

Ile Phe Leu Ala Met Ala Ala Gly Leu Leu Ile Gly Lys Val Phe Pro 35 40 45

Gly Ile Gly Ala Leu Leu Ser Ala Val Glu Ile Gly Gly Ile Ser Ile 50 55 60

Pro Ile Ala Ile Gly Leu Ile Val Met Met Tyr Pro Pro Leu Ala Lys 65 70 75 80

Val Arg Tyr Asp Lys Thr Lys Glu Ile Ser Thr Asp Arg Ala Leu Met 85 90 95

Val Val Ser Ile Met Leu Asn Trp Ile Val Gly Pro Ala Leu Met Phe 100 105 110

Ser Leu Ala Trp Leu Phe Leu Pro Asp Gln Pro Glu Leu Arg Thr Gly

115 120 125

Leu Ile Ile Val Gly Leu Ala Arg Cys Ile Ala Met Val Leu Val Trp 130 135 140

Ser Asp Leu Ala Cys Gly Asp Arg Glu Ala Thr Ala Val Leu Val Ala 145 150 155 160

Ile Asn Ser Val Phe Gln Ile Leu Met Phe Gly Val Leu Gly Trp Phe 165 170 175

Tyr Leu Gln Ile Leu Pro Ser Trp Leu Gly Leu Asp Thr Thr Ser Val 180 185 190

Thr Phe Ser Val Val Ser Ile Val Thr Ser Val Leu Val Phe Leu Gly 195 200 205

Ile Pro Leu Val Ala Gly Val Leu Ser Arg Val Ile Gly Glu Lys Thr 210 215 220

Lys Gly Arg Arg Trp Tyr Glu Asp Thr Phe Leu Pro Lys Ile Ser Pro 225 230 235 240

Leu Ala Leu Ile Gly Leu Leu Tyr Thr Ile Val Leu Leu Phe Ser Leu 245 250 255

Gln Gly Asp Glu Ile Thr Ala Gln Pro Trp Thr Val Ala Arg Leu Ala 260 265 270

Leu Pro Leu Leu Met Tyr Phe Val Gly Met Phe Phe Ile Ser Leu Val 275 280 285

Val Ser Lys Leu Ser Gly Leu Thr Tyr Glu Arg Ala Ala Ser Val Ser 290 295 300

Phe Thr Ala Ala Gly Asn Asn Phe Glu Leu Ala Ile Ala Val Ser Ile 305 310 315 320

Gly Thr Phe Gly Ala Thr Ser Pro Gln Ala Leu Ala Gly Thr Ile Gly 325 330 335

Pro Leu Ile Glu Val Pro Val Leu Val Gly Leu Val Tyr Val Met Leu 340 345 350

Trp Leu Gly Pro Lys Ile Phe Lys Lys Glu Asn Ala Gly Ser 355 360 365

<210> 121

<211> 1233

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1210)

<223> RXA02200

--- ------

<400> 121 attqtqtqqa qaqtqqtcat aaatccacta tatattqacq aatqtcqata ttqaaaqtat 60 tttgaatatc gacaggtatc aatataccga aaggtgtcgc atg aca aac tca act Met Thr Asn Ser Thr 1 cag acg cgg gcc aag cca gcc cga atc tca ttt ctt gat aaa tac att 163 Gln Thr Arg Ala Lys Pro Ala Arg Ile Ser Phe Leu Asp Lys Tyr Ile 10 cca ctt tgg att att ttg gcg atg gcg ttt ggg cta ttt tta ggc cgg 211 Pro Leu Trp Ile Ile Leu Ala Met Ala Phe Gly Leu Phe Leu Gly Arg 25 age gtt teg gga ete tea gge ttt eta gge gea atg gaa gte gga ggg 259 Ser Val Ser Gly Leu Ser Gly Phe Leu Gly Ala Met Glu Val Gly Gly 40 307 atc tcc ttg cca atc gct tta ggc ctc ctt gta atg atg tac cca ccg Ile Ser Leu Pro Ile Ala Leu Gly Leu Leu Val Met Met Tyr Pro Pro 55 60 ttg gcc aaa gtt cgg tat gac aaa act aaa caa att gcc act gat aag 355 Leu Ala Lys Val Arg Tyr Asp Lys Thr Lys Gln Ile Ala Thr Asp Lys 70 cat ttg atg ggc gtg tca ctc att ctc aat tgg gtg gtg ggt cct gcc 403 His Leu Met Gly Val Ser Leu Ile Leu Asn Trp Val Val Gly Pro Ala 90 tta atg ttc gcg cta gct tgg ttg ttc ctc cca gac caa ccg gaa tta 451 Leu Met Phe Ala Leu Ala Trp Leu Phe Leu Pro Asp Gln Pro Glu Leu 105 110 cga acc ggc ctg att att gta gga ctc gca cga tgt att gcg atg gtc 499 Arg Thr Gly Leu Ile Ile Val Gly Leu Ala Arg Cys Ile Ala Met Val 120 ttg gtt tgg tct gat atg tcc tgt gga gac cgc gag gct aca gca gtt 547 Leu Val Trp Ser Asp Met Ser Cys Gly Asp Arg Glu Ala Thr Ala Val 135 140 145 ctc gta gcc att aat tca gtt ttt caa gtc gca atg ttt ggt gca ctt 595 Leu Val Ala Ile Asn Ser Val Phe Gln Val Ala Met Phe Gly Ala Leu 150 160 155 ggc tgg ttc tat ctg caa gtt tta cca tcc tgg cta gga tta cca act 643 Gly Trp Phe Tyr Leu Gln Val Leu Pro Ser Trp Leu Gly Leu Pro Thr 170 175 acc acc gct caa ttc tct ttc tgg tca att gtg act tcg gtt ttg gtg 691 Thr Thr Ala Gln Phe Ser Phe Trp Ser Ile Val Thr Ser Val Leu Val 185 190 ttc ctc qqa ata cct cta ctt qct qqa qtt ttc tcq cqa att att ggc 739

| Phe | Leu | Gly 200 | Ile | Pro | Leu | Leu | Ala 205 | Gly | Val | Phe | Ser | Arg 210 | Ile | Ile | Gly | |
|------------|------|------------|-----|-----|-------------------|-----|------------|-----|-----|-----|-----|------------|------|------|-----|------|
| | | | | | cgt Arg | | | | | | | | | | | 787 |
| | | | | - | cta Leu 235 | | | _ | | | _ | | - | _ | _ | 835 |
| | | | | | gat Asp | | | | | | | | | | | 883 |
| | | | | | ttg Leu | | | | | | | | | | | 931 |
| | | | | | aaa Lys | | | | | | | | | | | 979 |
| | | | | | gca Ala | | | | | | | | | | | 1027 |
| | | | | | ttt Phe 315 | | | | | | | | | | | 1075 |
| | | | | | att Ile | | | | | | | | | | | 1123 |
| gcc Ala | | | | | ggc Gly | | | | | | | | | | | 1171 |
| | | | | | tct Ser | | | | | | | | tago | gaag | ıga | 1220 |
| atca | actt | ca t | ga | | | | | | | | | | | | | 1233 |

<210> 122

<211> 370

<212> PRT

<213> Corynebacterium glutamicum

<400> 122

Met Thr Asn Ser Thr Gln Thr Arg Ala Lys Pro Ala Arg Ile Ser Phe $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

Leu Asp Lys Tyr Ile Pro Leu Trp Ile Ile Leu Ala Met Ala Phe Gly 20 25 30

- --

Leu Phe Leu Gly Arg Ser Val Ser Gly Leu Ser Gly Phe Leu Gly Ala Met Glu Val Gly Gly Ile Ser Leu Pro Ile Ala Leu Gly Leu Leu Val 55 Met Met Tyr Pro Pro Leu Ala Lys Val Arg Tyr Asp Lys Thr Lys Gln Ile Ala Thr Asp Lys His Leu Met Gly Val Ser Leu Ile Leu Asn Trp Val Val Gly Pro Ala Leu Met Phe Ala Leu Ala Trp Leu Phe Leu Pro 105 Asp Gln Pro Glu Leu Arg Thr Gly Leu Ile Ile Val Gly Leu Ala Arg Cys Ile Ala Met Val Leu Val Trp Ser Asp Met Ser Cys Gly Asp Arg Glu Ala Thr Ala Val Leu Val Ala Ile Asn Ser Val Phe Gln Val Ala 150 Met Phe Gly Ala Leu Gly Trp Phe Tyr Leu Gln Val Leu Pro Ser Trp Leu Gly Leu Pro Thr Thr Ala Gln Phe Ser Phe Trp Ser Ile Val Thr Ser Val Leu Val Phe Leu Gly Ile Pro Leu Leu Ala Gly Val Phe 200 Ser Arg Ile Ile Gly Glu Lys Ile Lys Gly Arg Glu Trp Tyr Glu Gln Lys Phe Leu Pro Ala Ile Ser Pro Phe Ala Leu Ile Gly Leu Leu Tyr Thr Ile Val Leu Leu Phe Ser Leu Gln Gly Asp Gln Ile Val Ser Gln 245 250 Pro Trp Ala Val Val Arg Leu Ala Ile Pro Leu Val Ile Tyr Phe Val Gly Met Phe Phe Ile Ser Leu Ile Ala Ser Lys Leu Ser Gly Met Asn 280 Tyr Ala Lys Ser Ala Ser Val Ser Phe Thr Ala Ala Gly Asn Asn Phe Glu Leu Ala Ile Ala Val Ser Ile Gly Thr Phe Gly Ala Thr Ser Ala 310 315 Gln Ala Met Ala Gly Thr Ile Gly Pro Leu Ile Glu Ile Pro Val Leu 325 330

Val Gly Leu Val Tyr Ala Met Leu Trp Leu Gly Pro Lys Leu Phe Pro Asn Asp Pro Thr Leu Pro Ser Ser Ala Arg Ser Thr Ser Gln Ile Ile 360 Asn Ser 370 <210> 123 <211> 762 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(739) <223> RXA02202 <400> 123 cgctgaacta acccaaaacg catagcagtt ttctaatctc acacatcttc aacaccgtta 60 aatctattgg tttccccgta aaatcttcga aaggaagaac atg acc ggg caa gct Met Thr Gly Gln Ala 1 gca cca aac ttg cat acc aat att ttg aac cgt atc gca aat gaa ctg 163 Ala Pro Asn Leu His Thr Asn Ile Leu Asn Arg Ile Ala Asn Glu Leu gcg ttg acc tat caa gga gtt ttc tct gca gag act atc aac cgc tat Ala Leu Thr Tyr Gln Gly Val Phe Ser Ala Glu Thr Ile Asn Arg Tyr 25 att ttt gaa tcg tat gtg tcg ttg gcg aga aca gca aaa atc cat acg 259 Ile Phe Glu Ser Tyr Val Ser Leu Ala Arg Thr Ala Lys Ile His Thr 40 cac ctg cca att ttg gca gaa ggt ttt gct aaa gac cgg ctg cac gca His Leu Pro Ile Leu Ala Glu Gly Phe Ala Lys Asp Arg Leu His Ala 55 60 ctt gcg gta gct gaa ggt aag gtg gct tca cct gtg cct cag gtc cta 355 Leu Ala Val Ala Glu Gly Lys Val Ala Ser Pro Val Pro Gln Val Leu 70 80 ttt att tgc gtc cac aac gca ggt cgt tca caa att gct tcg gcg ttg 403 Phe Ile Cys Val His Asn Ala Gly Arg Ser Gln Ile Ala Ser Ala Leu 90 95 100 ttg tct cac tat gcc ggt agt tct gta gag gta cgt tct gca ggt tct Leu Ser His Tyr Ala Gly Ser Ser Val Glu Val Arg Ser Ala Gly Ser 105 110 tta cct gct tct gaa att cac cca ctg gtg ttg gaa att ttg tca gag

| Leu | Pro | Ala 120 | Ser | Glu | Ile | His | Pro 125 | Leu | Val | Leu | Glu | Ile 130 | Leu | Ser | Glu | |
|----------------------|----------------------------------|------------------|------|----------|-------------------|-------|------------|-----|-----------|-----|-----|------------|-----|-----------|-----|-----|
| | | | | | tct Ser | | | | | | | | | | | 547 |
| - | | - | | | gac Asp 155 | | _ | | | • | | | | | | 595 |
| | | | | | gga Gly | | | | | | | | | | | 643 |
| | | | | | gag Glu | | | | | | | | | | | 691 |
| - | | - | | - | gag Glu | | | | - | | | | _ | | | 739 |
| tagg | cagt | ca a | aggt | ctg | jc ac | cc | | | | | | | | | | 762 |
| <211 <212 <213 |)> 12 .> 21 !> PR !> Co | .3 T oryne | bact | eriu | ım gl | .utam | nicum | ı | | | | | | | | |
| | | - | Gln | Ala 5 | Ala | Pro | Asn | Leu | His 10 | Thr | Asn | Ile | Leu | Asn 15 | Arg | |

Ile Ala Asn Glu Leu Ala Leu Thr Tyr Gln Gly Val Phe Ser Ala Glu

Thr Ile Asn Arg Tyr Ile Phe Glu Ser Tyr Val Ser Leu Ala Arg Thr

Ala Lys Ile His Thr His Leu Pro Ile Leu Ala Glu Gly Phe Ala Lys

Asp Arg Leu His Ala Leu Ala Val Ala Glu Gly Lys Val Ala Ser Pro

Val Pro Gln Val Leu Phe Ile Cys Val His Asn Ala Gly Arg Ser Gln 85

Ile Ala Ser Ala Leu Leu Ser His Tyr Ala Gly Ser Ser Val Glu Val

Arg Ser Ala Gly Ser Leu Pro Ala Ser Glu Ile His Pro Leu Val Leu 115

Glu Ile Leu Ser Glu Arg Gly Val Asn Ile Ser Asp Ala Phe Pro Lys

135 140 130 Pro Leu Thr Asp Asp Val Ile Arg Ala Ser Asp Tyr Val Ile Thr Met 150 145 155 Gly Cys Gly Asp Val Cys Pro Met Tyr Pro Gly Lys His Tyr Leu Asp 165 170 Trp Glu Leu Ala Asp Pro Ser Asp Glu Gly Glu Asp Lys Ile Gln Glu Ile Ile Glu Glu Ile Asp Gly Arg Ile Arg Glu Leu Trp Lys Ser Ile 200 Gln Leu Ser Gln Asn 210 <210> 125 <211> 1002 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(979) <223> RXA02205 <400> 125 gcccaaaccg agcctggata cccgcaaacc acttgaaccg accattcgct gtttcacgcc 60 caccacacta ctgaggtcat aaggtagtac ggtagatcgg gtg aat gaa gag ata Val Asn Glu Glu Ile 163 acc ctc cta gcc gca gca gca gat cct gcc gca act gaa aat att ggc Thr Leu Leu Ala Ala Ala Asp Pro Ala Ala Thr Glu Asn Ile Gly tgg gta caa acc att gtg ctc tcc atc gtt caa ggc ctc aca gag ttc 211 Trp Val Gln Thr Ile Val Leu Ser Ile Val Gln Gly Leu Thr Glu Phe 30 259 ctg ccg atc agc tcc agc gga cac ctc cga atc atc tct gag ctg ttc Leu Pro Ile Ser Ser Ser Gly His Leu Arg Ile Ile Ser Glu Leu Phe 45 307 tgg ggt gcc gat gcc ggc gcg tcc ttt acc gcc gtg gtt cag ctt ggt Trp Gly Ala Asp Ala Gly Ala Ser Phe Thr Ala Val Val Gln Leu Gly 355 acc gaa gcc gca gtg ctg gtg ttt ttt gcc aag gaa atc tgg caa atc Thr Glu Ala Ala Val Leu Val Phe Phe Ala Lys Glu Ile Trp Gln Ile 75 ate aca ggt tgg tte get gge gta tte aat aag gaa ege ege gga ttt 403 Ile Thr Gly Trp Phe Ala Gly Val Phe Asn Lys Glu Arg Arg Gly Phe

| | | | | 90 | | | | | 95 | | | | | 100 | | |
|------------|------------|------------|-------------------|------------|-------------------|------------|------------|-------------------|------------|------------|------------|------------|-------------------|------------|------------|------|
| • | | - | | Gly | tgg Trp | _ | | | _ | _ | | | | _ | | 451 |
| | | | Val | | ggc Gly | | | | | | | | | | | 499 |
| | | | | | tcc Ser | | | | | | | | | | | 547 |
| _ | - | | _ | _ | ggc Gly 155 | _ | _ | - | _ | _ | | _ | | - | | 595 |
| | | | | | atc Ile | | | | | | | | | | | 643 |
| | | | | | tcc Ser | | | | | | | | | | | 691 |
| | | _ | _ | | gta Val | _ | | - | | | | _ | _ | _ | | 739 |
| | _ | | | | tcc Ser | | _ | | | _ | | _ | _ | | | 787 |
| | - | | | | gct Ala 235 | • | | | | _ | | | | | | 835 |
| _ | - | - | | - | gtt Val | | | | | | | | _ | - | • | 883 |
| ttc Phe | gtg Val | gca Ala | aac Asn 265 | cac His | tcc Ser | ttc Phe | agc Ser | tgg Trp 270 | ttt Phe | gct Ala | gca Ala | tac Tyr | cgt Arg 275 | att Ile | cct Pro | 931 |
| | | | | | atg Met | Leu | | | | | | | | | | 979 |
| taaa | atto | ct g | taca | tctt | a aa | a | | | | | | | | | | 1002 |

<210> 126

<211> 293

<212> PRT

<213> Corynebacterium glutamicum

<400> 126 Val Asn Glu Glu Ile Thr Leu Leu Ala Ala Ala Ala Asp Pro Ala Ala 10 Thr Glu Asn Ile Gly Trp Val Gln Thr Ile Val Leu Ser Ile Val Gln Gly Leu Thr Glu Phe Leu Pro Ile Ser Ser Ser Gly His Leu Arg Ile Ile Ser Glu Leu Phe Trp Gly Ala Asp Ala Gly Ala Ser Phe Thr Ala Val Val Gln Leu Gly Thr Glu Ala Ala Val Leu Val Phe Phe Ala Lys Glu Ile Trp Gln Ile Ile Thr Gly Trp Phe Ala Gly Val Phe Asn Lys Glu Arg Arg Gly Phe Glu Tyr Arg Met Gly Trp Met Ile Ile Val Ala Thr Ile Pro Val Val Ile Leu Gly Val Leu Gly Lys Asp Leu Ile Arg Glu Ala Leu Arg Asn Met Trp Ile Thr Ala Ser Val Leu Ile Leu Phe Ser Leu Val Phe Ile Leu Ala Glu Lys Met Gly Lys Lys Glu Arg Asp 155 Tyr Asp Lys Leu Thr Met Lys Asp Ala Ile Ile Met Gly Leu Ala Gln 170 Cys Leu Ala Leu Ile Pro Gly Val Ser Arg Ser Gly Gly Thr Ile Ser Ala Gly Leu Phe Leu Gly Leu Lys Arg Glu Val Ala Thr Lys Phe Ser Phe Leu Leu Ala Ile Pro Ala Val Leu Gly Ser Gly Leu Tyr Ser Leu Pro Asp Ala Phe Ala Pro Ser Ser Gly Gln Ala Ala Ser Gly Leu Gln 230

Leu Thr Val Gly Thr Leu Val Ala Phe Val Val Gly Tyr Ile Ser Ile 245

Ala Trp Leu Met Lys Phe Val Ala Asn His Ser Phe Ser Trp Phe Ala 265

Ala Tyr Arg Ile Pro Ala Gly Leu Leu Val Met Leu Leu Leu Ala Leu

Gly Met Leu Asn Pro

290

| <21 <21 | .0> 1 .1> 9 .2> 1 .3> 0 | 975 DNA | nebad | cter | ium q | gluta | amicu | ım | | | | | | | | |
|------------------|----------------------------------|-------------------|-----------------------|------------------|------------------|-------------------|-------------------|-------------------|------------------|------------------|-------------------|-------------------|-------------------|-------------------|------------------|-----|
| <22 | 2> (2> (| |) (<u>9</u>) 900 | 952) | | | | | | | | | | | | |
| _ | 0> 1 cggt | - | tgcç | gctg | gte <u>c</u> | gctaç | ıtgtg | ıg tg | tgcg | geget | ggc | gccg | itcg | ataa | gcgtat | 60 |
| tag | tgat | cgc | acgo | ectge | jtg c | aggg | gctt | g gc | ggcg | gtgc | | Arg | | | gcg Ala 5 | 115 |
| cgc Arg | gcg Ala | ato Ile | gtg Val | p cca Pro | Asp | ctt Leu | gaa Glu | cgc Arg | gga Gly 15 | Gl n | aag Lys | gct Ala | gcg Ala | cac His 20 | gcc | 163 |
| ttt Phe | gca Ala | ctg Leu | ctg Leu 25 | Met | att | att Ile | cag Gln | gga Gly 30 | Ile | gct Ala | ccc Pro | gtg Val | gta Val 35 | Ala | ccg Pro | 211 |
| ctc Leu | att Ile | ggt Gly 40 | Gly | gtg Val | ctg Leu | gtc Val | 999 Gly 45 | cct Pro | ttt Phe | ggc Gly | tgg Trp | cgg Arg 50 | gga Gly | att Ile | ttc Phe | 259 |
| tgg Trp | gca Ala 55 | Leu | gca Ala | ctg Leu | gtg Val | aat Asn 60 | ttt Phe | gcg Ala | cag Gln | ctg Leu | ctt Leu 65 | gtt Val | gct Ala | ttg Leu | ctg Leu | 307 |
| cag Gln 70 | att Ile | aag Lys | gag Glu | tcg Ser | aag Lys 75 | cca Pro | gtt Val | gaa Glu | gag Glu | cgt Arg 80 | acc Thr | gca Ala | gca Ala | gga Gly | ctt Leu 85 | 355 |
| ggc Gly | gga Gly | atg Met | ctg Leu | tcc Ser 90 | aac Asn | tat Tyr | gtc Val | ttt Phe | gtg Val 95 | ctg Leu | aag Lys | aat Asn | cct Pro | caa Gln 100 | ttt Phe | 403 |
| ttg Leu | gca Ala | tat Tyr | gta Val 105 | ttc Phe | aca Thr | ttg Leu | ggg Gly | ctg Leu 110 | Ser | Phe | Gly ggg | Ala | atg Met 115 | ttc Phe | tcc Ser | 451 |
| tac Tyr | att Ile | tcg Ser 120 | gcg Ala | tcg Ser | ccg Pro | ttc Phe | gtg Val 125 | ctg Leu | cag Gln | aat Asn | caa Gln | atg Met 130 | ggc Gly | att Ile | ccg Pro | 499 |
| gta Val | ctg Leu 135 | ctg Leu | tat Tyr | tcc Ser | att Ile | att Ile 140 | ttc Phe | gga Gly | gtg Val | aat Asn | gct Ala 145 | ttt Phe | ggt Gly | ttg Leu | att Ile | 547 |
| gtg | ggc | gga | atg | gtc | aat | agg | cga | ctt | ctg | cag | cgg | att | cat | cca | cac | 595 |

| Val 150 | - | Gly | Met | Val | Asn 155 | Arg | Arg | Leu | Leu | Gln 160 | Arg | Ile | His | Pro | His 165 | |
|--------------|------------------------------|------------|-------------|------------|-------------------|-------------------|------------|------------|------------|------------|-------------------|------------|------------|------------|------------|-----|
| | | | | | gtg Val | | | | | | | | | | | 643 |
| | | | | | ctg Leu | | | | | | | | | | | 691 |
| | | | | | gtt Val | | | | | | | | | | | 739 |
| aca Thr | gct Ala 215 | ctg Leu | gga Gly | act Thr | gaa Glu | gtg Val 220 | gtg Val | cga Arg | agc Ser | agg Arg | gcg Ala 225 | gga Gly | tcg Ser | ggt Gly | tct Ser | 787 |
| | | | | | gtg Val 235 | | | | | | | | | | | 835 |
| | | | | | tct Ser | | | | | | | | | | | 883 |
| | | | | | ctg Leu | | | | | | | | | | | 931 |
| | | | | | atg Met | | tago | tcta | gg t | ggcg | ,ttt | a ag | 3 3 | | | 975 |
| <211 <212 | > 12 > 28 > PR > Co | 4 .T | bact | eriu | m gl | utam | icum | | | | | | | | | |
| | > 12 Arg | | Ile . | Ala 5 | Arg . | Ala | Ile | Val | Pro 10 | Asp | Leu | Glu | Arg | Gly 15 | Gln | |
| _ | Ala | Ala | His . 20 | Ala | Phe i | Ala : | Leu | Leu 25 | | Ile | Ile | Gln | Gly 30 | Ile | Ala | |

Pro Val Val Ala Pro Leu Ile Gly Gly Val Leu Val Gly Pro Phe Gly 35 40 45

Trp Arg Gly Ile Phe Trp Ala Leu Ala Leu Val Asn Phe Ala Gln Leu 50 60

Leu Val Ala Leu Leu Gln Ile Lys Glu Ser Lys Pro Val Glu Glu Arg 65 70 . 75 80

Thr Ala Ala Gly Leu Gly Gly Met Leu Ser Asn Tyr Val Phe Val Leu Lys Asn Pro Gln Phe Leu Ala Tyr Val Phe Thr Leu Gly Leu Ser Phe Gly Ala Met Phe Ser Tyr Ile Ser Ala Ser Pro Phe Val Leu Gln Asn Gln Met Gly Ile Pro Val Leu Leu Tyr Ser Ile Ile Phe Gly Val Asn Ala Phe Gly Leu Ile Val Gly Gly Met Val Asn Arg Arg Leu Leu Gln Arg Ile His Pro His Arg Ile Met Gln Thr Val Leu Ala Ser Phe Thr 170 Val Leu Cys Ala Leu Leu Leu Ile Glu Val Leu Phe Ile Asn Trp Ile Pro Leu Phe Leu Leu Leu Phe Leu Ile Val Ser His Ile Pro Met 195 200 Val Met Ala Asn Ala Thr Ala Leu Gly Thr Glu Val Val Arg Ser Arg Ala Gly Ser Gly Ser Ala Ile Leu Gly Phe Val Gln Phe Thr Met Gly Ala Leu Val Ser Ser Leu Val Gly Leu Gly Ser Asp Lys Ala Leu Thr Met Gly Ile Ala Met Thr Ala Cys Ala Leu Leu Ala Cys Gly Cys Ala 270 Tyr Leu Ala Gly Arg Lys Gly Ile Pro Glu Met Lys 280 <210> 129 <211> 537 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(514) <223> RXN00901

<400> 129 ttttaagtat tggtgctatc ttccggtgct gatggtacct gaatgaaaat ttctaattaa 60

aaataccccc aaatcttcga tatagataca cgagacagtg atg cag aaa aaa caa 115 Met Gln Lys Lys Gln 1 5

| | | | | | ctg Leu | | | | | | | | | | | 163 |
|--------------|----------------------------------|-----------|-----------|------|------------------|-----------|-----------|-----------|-------|------|-----------|-----------|-----------|-----|-----|-----|
| | | | | | gat Asp | | | | | | | | | | | 211 |
| _ | _ | _ | | | act Thr | _ | _ | _ | | - | | | | | | 259 |
| | | | | | gcg Ala | | | | | | | | | | | 307 |
| | | | | | aaa Lys 75 | | | | | | | | | | | 355 |
| | | | | | gtg Val | | | | | | | | | | | 403 |
| | | | | | gtg Val | | | | | | | | | | | 451 |
| | | | | | tgc Cys | | | | | | | | | | | 499 |
| - | cct Pro 135 | - | | _ | tgat | gatt | at t | cag | ggaat | t go | et | | | | | 537 |
| <211 <212 | 0> 13 l> 13 2> PF 3> Co | 88 RT | ebact | eri. | ım gl | .utan | nicum | n | | | | | | | | |
| |)> 13 Gln | | Lvs | Gln | Gln | Leu | Ser | Thr | Ala | Leu | Ile | Met | Glv | Leu | Ala | |
| 1 | 01 | 2,0 | 2,2 | 5 | | | 002 | | 10 | 200 | | | , | 15 | | |
| Leu | Leu | Ser | Ala 20 | Ser | Ser | Ala | Leu | Ala 25 | Thr | Asp | Met | Tyr | Leu 30 | Pro | Ala | |
| Met | Pro | Gly 35 | Ile | Ala | Glu | Asp | Leu 40 | Gly | Thr | Thr | Ala | Pro 45 | Met | Val | Gln | |
| Leu | Thr 50 | Leu | Ser | Ser | Phe | Met 55 | Ala | Gly | Met | Ala | Ile 60 | Gly | Gln | Leu | Ile | |

Ile Gly Pro Leu Ser Asp Gln Leu Gly Arg Lys Gly Leu Leu Val Ala 65 70 75 80

Gly Ala Val Ala Ala Leu Val Ala Ser Val Val Cys Ala Leu Ala Pro Ser Ile Ser Val Leu Val Ile Ala Arg Leu Val Gln Gly Leu Gly Gly Gly Ala Cys Val Val Leu Arg Ala Arg Ser Cys Gln Thr Leu Asn Ala Asp Lys Arg Leu Arg Thr Pro Leu His Cys <210> 131 <211> 501 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(478) <223> FRXA00901 <400> 131 acctgaatga aaatttctaa ttaaaaatac ccccaaatct tcgatataga tacacgagac 60 agtgatgcag aaaaaacaac agctgagcac cgccctgatt atg gga ttg gca tta Met Gly Leu Ala Leu ttg tca gcc agc tcc gcg cta gcg act gat atg tat ttg ccg gca atg 163 Leu Ser Ala Ser Ser Ala Leu Ala Thr Asp Met Tyr Leu Pro Ala Met cct ggt att gcg gaa gat ttg ggg aca act gca ccg atg gtg cag tta 211 Pro Gly Ile Ala Glu Asp Leu Gly Thr Thr Ala Pro Met Val Gln Leu 30 259 act ctt tct tcc ttt atg gct gga atg gcg att ggc caa ttg atc att Thr Leu Ser Ser Phe Met Ala Gly Met Ala Ile Gly Gln Leu Ile Ile ggt cct ttg tcg gat caa ttg gga agg aaa ggc ctg ctc gtt gca ggt 307 Gly Pro Leu Ser Asp Gln Leu Gly Arg Lys Gly Leu Leu Val Ala Gly 60 geg gtg get geg etg gte get agt gtg gtg tge geg etg geg eeg teg 355 Ala Val Ala Ala Leu Val Ala Ser Val Val Cys Ala Leu Ala Pro Ser 75 80 403 ata age gta tta gtg ate gea ege etg gtg eag ggg ett gge gge ggt Ile Ser Val Leu Val Ile Ala Arg Leu Val Gln Gly Leu Gly Gly 95 geg tgc gtg gta ttg cgc gcg cga tcg tgc cag acc ttg aac gcg gac 451 Ala Cys Val Val Leu Arg Ala Arg Ser Cys Gln Thr Leu Asn Ala Asp

factoria care a construction

| WO 01/00804 | PCT/IB00/00922 | | | | | | | | | | | | |
|---|----------------|--|--|--|--|--|--|--|--|--|--|--|--|
| 105 110 115 | | | | | | | | | | | | | |
| aaa agg ctg cgc acg cct ttg cac tgc tgatgattat tcagggaatt Lys Arg Leu Arg Thr Pro Leu His Cys 120 125 | 498 | | | | | | | | | | | | |
| gct | 501 | | | | | | | | | | | | |
| <210> 132 <211> 126 <212> PRT <213> Corynebacterium glutamicum | | | | | | | | | | | | | |
| <pre><400> 132 Met Gly Leu Ala Leu Leu Ser Ala Ser Ser Ala Leu Ala Thr Asp Met</pre> | | | | | | | | | | | | | |
| Tyr Leu Pro Ala Met Pro Gly Ile Ala Glu Asp Leu Gly Thr Thr Ala 20 25 30 | | | | | | | | | | | | | |
| Pro Met Val Gln Leu Thr Leu Ser Ser Phe Met Ala Gly Met Ala Ile 35 40 45 | | | | | | | | | | | | | |
| Gly Gln Leu Ile Ile Gly Pro Leu Ser Asp Gln Leu Gly Arg Lys Gly 50 55 60 | | | | | | | | | | | | | |
| Leu Leu Val Ala Gly Ala Val Ala Ala Leu Val Ala Ser Val Val Cys 65 70 75 80 | | | | | | | | | | | | | |
| Ala Leu Ala Pro Ser Ile Ser Val Leu Val Ile Ala Arg Leu Val Gln 85 90 95 | | | | | | | | | | | | | |
| Gly Leu Gly Gly Gly Ala Cys Val Val Leu Arg Ala Arg Ser Cys Gln 100 105 110 | | | | | | | | | | | | | |
| Thr Leu Asn Ala Asp Lys Arg Leu Arg Thr Pro Leu His Cys 115 120 125 | | | | | | | | | | | | | |
| <210> 133 <211> 1299 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)(1276) | | | | | | | | | | | | | |
| <223> RXA00289 <400> 133 | | | | | | | | | | | | | |
| cetececata agtteactea ageaagttet eeegaacaga tteaceegag aagtegacag 60 | | | | | | | | | | | | | |
| accccattaa acagcccgat tcaagaaagg cttcgcagcc atg agc acc acc Met Ser Thr Thr Thr 1 5 | 115 | | | | | | | | | | | | |

| | ccc Pro | | | | | | | | | | | | | | | 163 |
|-------------------|-------------------|------------|-------------------|------------|-------------------|-------------------|------------|-------------------|------------|-------------------|-------------------|------------|-------------------|------------|-------------------|-----|
| gcg Ala | gca Ala | ttt Phe | gtt Val 25 | tat Tyr | gtc Val | acg Thr | ttc Phe | gag Glu 30 | atg Met | ttt Phe | gca Ala | gtt Val | ggc Gly 35 | ctc Leu | atc Ile | 211 |
| | ccg Pro | | | | | | | | | | | | | | | 259 |
| | atg Met 55 | | | | | | | | | | | | | | | 307 |
| | ttg Leu | | | | | | | | | | | | | | | 355 |
| | gca Ala | | | | | | | | | | | | | | | 403 |
| tat Tyr | gga Gly | atg Met | cta Leu 105 | gcc Ala | atc Ile | ggc Gly | cgc Arg | act Thr 110 | atc Ile | gca Ala | gca Ala | ttg Leu | act Thr 115 | cac His | ĠĮÀ āāā | 451 |
| | ttt Phe | | | | | | | | | | | | | | | 499 |
| cac His | act Thr 135 | ggt Gly | cgt Arg | gca Ala | gta Val | ggc Gly 140 | gtt Val | gtg Val | tcg Ser | att Ile | gga Gly 145 | tca Ser | acc Thr | atg Met | gcg Ala | 547 |
| ctg Leu 150 | gtc Val | gtt Val | ggt Gly | tct Ser | ccg Pro 155 | ctg Leu | gca Ala | aca Thr | tgg Trp | atc Ile 160 | ggt Gly | gaa Glu | ctc Leu | atc Ile | gga Gly 165 | 595 |
| | cgt Arg | | | | | | | | | | | | | | | 643 |
| | gta Val | | | | | | | | | | | | | | | 691 |
| | tca Ser | | | | | | | | | | | | | | | 739 |
| | gtc Val 215 | | | | | | | | | | | | | | | 787 |
| acc | tac | ctt | ggc | ctc | atc | atc | gct | gaa | aca | gca | ggg | gac | agc | ttc | gtg | 835 |

| | Thr 230 | Tyr | Leu | Gly | Leu | Ile 235 | Ile | Ala | Glu | Thr | Ala 240 | Gly | Asp | Ser | Phe | Val 245 | |
|--|-------------------|------------|-------------------|------------|------------|-------------------|-------------------|-------------------|------------|------------|-------------------|------------|-------------------|------------|------------|-------------------|------|
| | tcc | | | | | | ttc Phe | | | | gga | | | | | | 883 |
| | | | | | | | gat Asp | | | | | | | | | | 931 |
| | | | | - | | - | att Ile | - | - | | | | _ | | - | | 979 |
| | | | | | | | gcc Ala 300 | | | | | | | | | | 1027 |
| , | gtg Val 310 | ttt Phe | ggt Gly | gga Gly | gca Ala | tac Tyr 315 | ggc Gly | gct Ala | ctc Leu | cca Pro | acc Thr 320 | ctg Leu | gga Gly | acc Thr | acc Thr | atc Ile 325 | 1075 |
| | | | | | | | gac Asp | | | | | | | | | | 1123 |
| | | | | | | | ggt Gly | | | | | | | | | | 1171 |
| ì | atg Met | gct Ala | gtg Val 360 | gat Asp | gcc Ala | gat Asp | tgg Trp | gtt Val 365 | gct Ala | ggc Gly | act Thr | ttg Leu | tgg Trp 370 | atc Ile | atg Met | gct Ala | 1219 |
| | | | | | | | acg Thr 380 | | | | | | | | | | 1267 |
| cta ctg aag tagcagccca aattcagccc act Leu Leu Lys 390 | | | | | | | | | | | | | | 1299 | | | |
| <210> 134 <211> 392 <212> PRT <213> Corvnebacterium glutamicum | | | | | | | | | | | | | | | | | |

<213> Corynebacterium glutamicum

<400> 134

Met Ser Thr Thr Thr Ala Pro Glu Ala Arg Phe Pro Val Val Pro Leu 1 5 10 15

Thr Ala Met Ser Phe Ala Ala Phe Val Tyr Val Thr Phe Glu Met Phe 20 25 30

Ala Val Gly Leu Ile Lys Pro Met Ala Ser Asp Leu Gly Val Ser Glu

35 40 45

Ser Ser Ile Gly Leu Leu Met Thr Val Tyr Ala Thr Val Val Ala Val 50 55 60

Val Thr Ile Pro Ala Met Leu Trp Val Ser Arg Phe Asn Lys Arg Thr 65 70 75 80

Val Phe Leu Ile Thr Leu Ala Phe Leu Ala Thr Gly Ile Val Val Gln 85 90 95

Ala Leu Thr Val Asn Tyr Gly Met Leu Ala Ile Gly Arg Thr Ile Ala 100 105 110

Ala Leu Thr His Gly Val Phe Trp Ala Leu Val Gly Pro Met Ala Ala 115 120 125

Arg Met Ser Pro Gly His Thr Gly Arg Ala Val Gly Val Val Ser Ile 130 135 140

Gly Ser Thr Met Ala Leu Val Val Gly Ser Pro Leu Ala Thr Trp Ile 145 150 155 160

Gly Glu Leu Ile Gly Trp Arg Pro Ala Thr Trp Ile Leu Gly Ala Leu 165 170 175

Thr Ile Ala Ala Val Ala Val Leu Ile Pro Thr Val Pro Ser Leu Pro 180 185 190

Pro Leu Pro Asp Thr Glu Ser Glu Ser Lys Glu Lys Lys Ser Leu Pro 195 200 205

Trp Gly Leu Ile Ser Leu Val Ile Phe Leu Leu Ala Val Thr Gly 210 215 220

Val Phe Ala Ala Tyr Thr Tyr Leu Gly Leu Ile Ile Ala Glu Thr Ala 225 230 235 240

Gly Asp Ser Phe Val Ser Ile Gly Leu Phe Ala Phe Gly Ala Leu Gly
245 250 255

Leu Ile Gly Val Thr Val Ala Thr Arg Thr Val Asp Gln Arg Met Leu 260 265 270

Arg Gly Ser Val His Thr Thr Leu Phe Val Ile Ala Ala Ile Leu 275 280 285

Gly Gln Ile Ala Phe Gly Leu Glu Gly Thr Leu Ala Val Val Ala Ile 290 295 300

Phe Leu Ala Val Thr Val Phe Gly Gly Ala Tyr Gly Ala Leu Pro Thr 305 310 315 320

Leu Gly Thr Thr Ile Phe Leu His Ala Gly Arg Asp His Pro Asp Thr 325 330 335

Ala Ser Ser Ile Tyr Val Val Thr Tyr Gln Val Gly Ile Ala Ser Gly

340 345 350 Ala Ala Leu Gly Ala Met Ala Val Asp Ala Asp Trp Val Ala Gly Thr 360 Leu Trp Ile Met Ala Gly Leu Ser Leu Ala Ser Thr Leu Ala Leu Ala 370 375 Leu Trp Ser Arg Pro Leu Leu Lys 390 <210> 135 <211> 420 <212> DNA <213> Corynebacterium glutamicum <221> CDS <222> (101)..(397) <223> RXN01984 <400> 135 aggaaatgtc tcacgtcaca accttttgaa aggtggctaa gtacgcacat ttgttgtctg 60 caatagtgcc ggtgagggag ctgtccgata ttgtgcttac atg cac gaa tct gga 115 Met His Glu Ser Gly aaa aat cct gtc aag gtt gtc gac tcg cag gca cca caa gga cgc ggt 163 Lys Asn Pro Val Lys Val Val Asp Ser Gln Ala Pro Gln Gly Arg Gly 10 ggg cat atc ggc gga cat atc aaa cgc cgc ccg att cct agg caa acg 211 Gly His Ile Gly Gly His Ile Lys Arg Arg Pro Ile Pro Arg Gln Thr gaa att tcc gag gtt cgt cga tat atc gtc atg act gcc ctc gca ctc 259 Glu Ile Ser Glu Val Arg Arg Tyr Ile Val Met Thr Ala Leu Ala Leu 307 ggt ggc ttc gcc atc ggt gtg acg gaa ttt gtc tcc atg ggt ctg ctc Gly Gly Phe Ala Ile Gly Val Thr Glu Phe Val Ser Met Gly Leu Leu age geg ate gee tee gae tit gag ate tee gaa gae caa gee gga cae 355 Ser Ala Ile Ala Ser Asp Phe Glu Ile Ser Glu Asp Gln Ala Gly His 397 atc atc acc atc tac gcc ctc gcg tgg ttg tgg gtg ccc cgc

Ile Ile Thr Ile Tyr Ala Leu Ala Trp Leu Trp Val Pro Arg

90

tgatcacage gtttacegge aaa

<210> 136

· · · · · · - -

<211> 99 <212> PRT <213> Corynebacterium glutamicum <400> 136 Met His Glu Ser Gly Lys Asn Pro Val Lys Val Val Asp Ser Gln Ala Pro Gln Gly Arg Gly Gly His Ile Gly Gly His Ile Lys Arg Pro Ile Pro Arg Gln Thr Glu Ile Ser Glu Val Arg Arg Tyr Ile Val Met Thr Ala Leu Ala Leu Gly Gly Phe Ala Ile Gly Val Thr Glu Phe Val Ser Met Gly Leu Leu Ser Ala Ile Ala Ser Asp Phe Glu Ile Ser Glu Asp Gln Ala Gly His Ile Ile Thr Ile Tyr Ala Leu Ala Trp Leu Trp Val Pro Arg <210> 137 <211> 379 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101) .. (379) <223> FRXA01984 <400> 137 aggaaatqtc tcacqtcaca accttttgaa aggtggctaa gtacqcacat ttgttgtctg 60 caatagtgcc ggtgagggag ctgtccgata ttgtgcttac atg cac gaa tct gga Met His Glu Ser Gly aaa aat cct gtc aag gtt gtc gac tcg cag gca cca caa gga cgc ggt 163 Lys Asn Pro Val Lys Val Val Asp Ser Gln Ala Pro Gln Gly Arg Gly ggg cat atc ggc gga cat atc aaa cgc cgc ccg att cct agg caa acg 211 Gly His Ile Gly Gly His Ile Lys Arg Arg Pro Ile Pro Arg Gln Thr gaa att tcc gag gtt cgt cga tat atc gtc atg act gcc ctc gca ctc 259 Glu Ile Ser Glu Val Arg Arg Tyr Ile Val Met Thr Ala Leu Ala Leu

ggt ggc ttc gcc atc ggt gtg acg gaa ttt gtc tcc atg ggt ctg ctc

307

Gly Gly Phe Ala Ile Gly Val Thr Glu Phe Val Ser Met Gly Leu Leu 60 age geg ate gee tee gae tit gag ate tee gaa gae caa gee gga cae 355 Ser Ala Ile Ala Ser Asp Phe Glu Ile Ser Glu Asp Gln Ala Gly His 80 379 atc atc acc atc tac gcc ctc gcg Ile Ile Thr Ile Tyr Ala Leu Ala 90 <210> 138 <211> 93 <212> PRT <213> Corynebacterium glutamicum <400> 138 Met His Glu Ser Gly Lys Asn Pro Val Lys Val Val Asp Ser Gln Ala Pro Gln Gly Arg Gly Gly His Ile Gly Gly His Ile Lys Arg Arg Pro Ile Pro Arg Gln Thr Glu Ile Ser Glu Val Arg Arg Tyr Ile Val Met Thr Ala Leu Ala Leu Gly Gly Phe Ala Ile Gly Val Thr Glu Phe Val 50 55 Ser Met Gly Leu Leu Ser Ala Ile Ala Ser Asp Phe Glu Ile Ser Glu Asp Gln Ala Gly His Ile Ile Thr Ile Tyr Ala Leu Ala <210> 139 <211> 735 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(712) <223> RXA00109 <400> 139 aagtggggga agatttcgac aactaaccgg gcgcaaagat gaaactaatg cgtccgacca 60 cggcgaaaag gaagtttcgc ccatctatga gaggttgaat gtg gct tca gag aag Val Ala Ser Glu Lys 1 aat cta aaa ttg cgt acc ttg gcg gca gct gct ggg gtg ttg ggc gtt Asn Leu Lys Leu Arg Thr Leu Ala Ala Ala Ala Gly Val Leu Gly Val

15

| ggc Gly | gcg Ala | atg Met | tcg Ser 25 | Met | ctc Leu | gtg Val | gct Ala | ccg Pro 30 | Gln | gct Ala | gct Ala | gcc Ala | cat His 35 | gat Asp | gtg Val | 211 |
|-------------------|-------------------|-------------------|-------------------|------------------|-------------------|-------------------|-------------------|-------------------|------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-----|
| gtg Val | gtg Val | gat Asp 40 | Ser | aat Asn | cct Pro | gaa Glu | aat Asn 45 | Gly | agt Ser | gtc Val | gtt Val | gat Asp 50 | gag Glu | ttc Phe | ccg Pro | 259 |
| gag Glu | acc Thr 55 | Ile | gag Glu | ttg Leu | gag Glu | ttt Phe 60 | tcc Ser | ggt | att Ile | cct Pro | cag Gln 65 | gat Asp | ctg Leu | ttc Phe | aca Thr | 307 |
| aca Thr 70 | Val | gca Ala | ttg Leu | agc Ser | aat Asn 75 | gcg Ala | gat Asp | tcc Ser | gga Gly | gag Glu 80 | gtg Val | tta Leu | act Thr | tct Ser | gga Gly 85 | 355 |
| act Thr | cct Pro | cag Gln | ctt Leu | gag Glu 90 | ggg Gly | cag Gln | cac | ttg Leu | agc Ser 95 | tat Tyr | gaa Glu | gtg Val | cca Pro | tct Ser 100 | gat Asp | 403 |
| gtg Val | cag Gln | acg Thr | gga Gly 105 | gct Ala | ggt Gly | aac Asn | Tyr | att Ile 110 | ttg Leu | ggt Gly | ttc Phe | cag Gln | atc Ile 115 | act Thr | tct Ser | 451 |
| tct Ser | gat Asp | ggt Gly 120 | cac His | gct Ala | act Thr | aaa Lys | ggt Gly 125 | tca Ser | atc Ile | tct Ser | ttt Phe | gag Glu 130 | gtg Val | aca Thr | ggc Gly | 499 |
| tct Ser | gct Ala 135 | gaa Glu | acg Thr | aca Thr | aca Thr | gag Glu 140 | aca Thr | aca Thr | gca Ala | gag Glu | acg Thr 145 | aca Thr | act Thr | gag Glu | tca Ser | 547 |
| gca Ala 150 | gca Ala | acc Thr | act Thr | gac Asp | acc Thr 155 | tca Ser | gag Glu | acc Thr | acc Thr | gaa Glu 160 | gca Ala | gag Glu | aca Thr | act Thr | gaa Glu 165 | 595 |
| | | | | | tct Ser | | | | | | | | | | | 643 |
| agc Ser | atc Ile | gtg Val | gcg Ala 185 | gtg Val | ctt Leu | gtt Val | gtt Val | gca Ala 190 | agt Ser | gcc Ala | atc Ile | gtc Val | atg Met 195 | atg Met | att Ile | 691 |
| | | | | | cag Gln | | taag | aggg | tt t | atto | acca | t ga | a | | | 735 |

<210> 140

<211> 204

<212> PRT

<213> Corynebacterium glutamicum

<400> 140

Val Ala Ser Glu Lys Asn Leu Lys Leu Arg Thr Leu Ala Ala Ala

| 1 | | | | 5 | 5 | | | | 10 | | | | | 15 | | |
|--------------|------------------------------|------------|--------------|------------|------------|------------|------------|------------|------------|------------|----------------|------------|------------|------------|------------|-----|
| Gly | Val | Leu | Gly 20 | | . Gly | Ala | Met | Ser 25 | | Leu | Val | Ala | Pro 30 | | Ala | |
| Ala | Ala | His 35 | Asp | Val | Val | Val | Asp 40 | | Asn | Pro | Glu | Asn 45 | Gly | Ser | Val | |
| Val | Asp 50 | | Phe | Pro | Glu | Thr 55 | | Glu | Leu | Glu | Phe 60 | Ser | Gly | Ile | Pro | |
| Gln 65 | Asp | Leu | Phe | Thr | Thr 70 | Val | Ala | Leu | Ser | Asn 75 | Ala | Asp | Ser | Gly | Glu 80 | |
| Val | Leu | Thr | Ser | Gly 85 | Thr | Pro | Gln | Leu | Glu 90 | Gly | Gln | His | Leu | Ser 95 | Tyr | |
| Glu | Val | Pro | Ser 100 | Asp | Val | Gln | Thr | Gly 105 | Ala | Gly | Asn | Tyr | Ile 110 | Leu | Gly | |
| Phe | Gln | Ile 115 | Thr | Ser | Ser | Asp | Gly 120 | His | Ala | Thr | Lys | Gly 125 | Ser | Ile | Ser | |
| Phe | Glu 130 | Val | Thr | Gly | Ser | Ala 135 | Glu | Thr | Ţhr | Thr | Glu 140 | Thr | Thr | Ala | Glu | |
| Thr 145 | Thr | Thr | Glu | | Ala 150 | Ala | Thr | Thr | Asp | Thr 155 | Ser | Glu | Thr | Thr | Glu 160 | |
| Ala | Glu | Thr | Thr | Glu 165 | Thr | Ala | Asp | Glu | Thr 170 | Ser | Gly | Ile | Pro | Ala 175 | Pro | |
| Trp | Asn | Trp | Val 180 | Leu | Ser | Ile | | Ala 185 | Val | Leu | Val | Val | Ala 190 | Ser | Ala | |
| Ile | Val | Met 195 | Met | Ile | Ala | _ | Asn 200 | Arg | Asn | Gln | Lys | | | | | |
| <211 <212 | > 14 > 73 > DN > Co | 5 A | bacto | eriu | m gl: | utam | icum | | | | | | | | | |
| (222 | > CD > (1 | | . (712 09 | 2) | | | | | | | | | | | | |
| | > 14 | _ | gattt | cga | c aac | ctaad | ccgg | gcg | caaa | gat (| gaaa | ctaa | tg c | gtcc | gacca | 60 |
| ggc | gaaa | ag ga | aagtt | tego | cca | tcta | atga | gag | gttga | | gtg d Val 1 | - | | | _ | 115 |
| at d | rta a | aa t | ta c | at a | icc t | ta c | וכמ מ | ica c | act c | rct c | יממ נ | rta i | tta i | aac | att | 163 |

| Asn | Leu | Lys | Leu | Arg 10 | Thr | Leu | Ala | Ala | Ala 15 | Ala | Gly | Val | Leu | Gly 20 | Val | |
|-----|-----|-----|-----|-----------|-------------------|-----|------|------|-----------|------|------|-------|-----|-----------|-------|-----|
| | | - | _ | _ | ctc Leu | | _ | _ | - | - | _ | - | | _ | - , - | 211 |
| | | | | | cct Pro | | | | | | | | | | | 259 |
| | | | | | gag Glu | | | | | | | | | | | 307 |
| | | | | | aat Asn 75 | | | | | | | | | | | 355 |
| | | | | | ggg Gly | | | | | | | | | | | 403 |
| | | | | | ggt Gly | | | | | | | | | | | 451 |
| | _ | | | - | act Thr | | | | | | | | | | | 499 |
| | - | _ | _ | | aca Thr | | | | _ | | _ | | | - | | 547 |
| - | - | | | - | acc Thr 155 | | | | | - | - | | | | _ | 595 |
| | | | | | tct Ser | | | | | | | | | | | 643 |
| | | | | | ctt Leu | | | | | | | | | | | 691 |
| - | _ | | _ | | cag Gln | | taag | aggg | tt t | atto | acca | ıt ga | ıa | | | 735 |

<210> 142

<211> 204

<212> PRT

<213> Corynebacterium glutamicum

<400> 142 Val Ala Ser Glu Lys Asn Leu Lys Leu Arg Thr Leu Ala Ala Ala Ala Gly Val Leu Gly Val Gly Ala Met Ser Met Leu Val Ala Pro Gln Ala Ala Ala His Asp Val Val Val Asp Ser Asn Pro Glu Asn Gly Ser Val Val Asp Glu Phe Pro Glu Thr Ile Glu Leu Glu Phe Ser Gly Ile Pro Gln Asp Leu Phe Thr Thr Val Ala Leu Ser Asn Ala Asp Ser Gly Glu Val Leu Thr Ser Gly Thr Pro Gln Leu Glu Gly Gln His Leu Ser Tyr Glu Val Pro Ser Asp Val Gln Thr Gly Ala Gly Asn Tyr Ile Leu Gly Phe Gln Ile Thr Ser Ser Asp Gly His Ala Thr Lys Gly Ser Ile Ser Phe Glu Val Thr Gly Ser Ala Glu Thr Thr Thr Glu Thr Thr Ala Glu 130 Thr Thr Glu Ser Ala Ala Thr Thr Asp Thr Ser Glu Thr Thr Glu 155 Ala Glu Thr Thr Glu Thr Ala Asp Glu Thr Ser Gly Ile Pro Ala Pro Trp Asn Trp Val Leu Ser Ile Val Ala Val Leu Val Val Ala Ser Ala Ile Val Met Met Ile Ala Lys Asn Arg Asn Gln Lys 200 <210> 143

<211> 864

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(841)

<223> RXA00996

<400> 143

atcttaagcc ttttgtccaa ggctctgagt tcttagtggc ggtatttacc aagaagtaac 60

acetetatet tgeacetgat etggegtaga eteataagtt atg age ace gta acg Met Ser Thr Val Thr 1

| gca Ala | gtg Val | cag Gln | gtc Val | aac Asn 10 | Gly | cta Leu | aaa Lys | gtt Val | tcc Ser 15 | ata Ile | tcg Ser | tcc Ser | ggt Gly | ttt Phe 20 | tca Ser | 163 |
|------------|------------|------------------|------------------|------------------|------------|-------------------|------------------|------------------|------------------|------------|------------|------------------|------------------|------------------|------------|-----|
| cgc Arg | aag Lys | aaa Lys | aca Thr 25 | Lys | acg Thr | atc Ile | ttg Leu | cat His 30 | Asp | ctc Leu | gat Asp | ttc Phe | acc Thr 35 | gta Val | gag Glu | 211 |
| acc Thr | gga Gly | aag Lys 40 | atc Ile | acg Thr | gga Gly | ttg Leu | ctg Leu 45 | ggg Gly | cca Pro | tcg Ser | ggc Gly | agc Ser 50 | ggc Gly | aag Lys | aca Thr | 259 |
| | | | | | | gtg Val 60 | | | | | | | | | | 307 |
| | Val | | | | | gca Ala | | | | | | | | | | 355 |
| | | | | | | gcc Ala | | | | | | | | | | 403 |
| | | | | | | ggg Gly | | | | | | | | | | 451 |
| | | | | | | ctg Leu | | | | | | | | | | 499 |
| | | | | | | cta Leu 140 | | | | | | | | | | 547 |
| | | | | | | gcc Ala | | | | | | | | | | 595 |
| | | | | | | ccc Pro | | | | | | | | | | 643 |
| | | | | | | gca Ala | | | | | | | | | | 691 |
| | - | | - | _ | | cgg Arg | _ | - | | | | _ | _ | _ | _ | 739 |
| | | | | | Arg | gga Gly 220 | | | | - | | | _ | _ | | 787 |

864

ggc aaa agc tca tac gaa gat gct ttc ttg gct gcc att gac ggg gta 835 Gly Lys Ser Ser Tyr Glu Asp Ala Phe Leu Ala Ala Ile Asp Gly Val 235 240 245

agg tca tgaaccctca ctatctgctt gcc Arg Ser

<210> 144

<211> 247

<212> PRT

<213> Corynebacterium glutamicum

<400> 144

Met Ser Thr Val Thr Ala Val Gln Val Asn Gly Leu Lys Val Ser Ile
1 5 10 15

Ser Ser Gly Phe Ser Arg Lys Lys Thr Lys Thr Ile Leu His Asp Leu 20 · 25 30

Asp Phe Thr Val Glu Thr Gly Lys Ile Thr Gly Leu Leu Gly Pro Ser 35 40 45

Gly Ser Gly Lys Thr Thr Leu Met Arg Ala Ile Val Gly Val Gln Asn 50 55 60

Phe Asp Gly Thr Leu Glu Val Phe Asp Gln Pro Ala Gly Ala Ala Ser 65 70 75 80

Leu Arg Gly Lys Ile Gly Tyr Val Thr Gln Asn Ala Ser Val Tyr His 85 90 95

Asp Leu Ser Val Ile Glu Asn Leu Lys Tyr Phe Gly Ala Leu Ala Lys 100 105 110

Gly Thr Ser Thr Pro Arg Thr Pro Glu Lys Ile Leu Glu Val Leu Asp 115 120 125

Ile Ala Asp Leu Ala Gln Arg Gln Val Ser Thr Leu Ser Gly Gln 130 140

Arg Gly Arg Val Ser Leu Gly Cys Ala Leu Ile Ala Ser Pro Glu Leu 145 150 155 160

Leu Val Met Asp Glu Pro Thr Val Gly Leu Asp Pro Ile Thr Arg Gln
165 170 175

Ala Leu Trp Glu Glu Phe Thr Thr Ile Ala Lys Ala Gly Ala Gly Val 180 185 190

Val Ile Ser Ser His Val Leu Glu Glu Ala Ala Arg Cys Asp Asn Leu 195 200 205

Ile Leu Leu Arg Asp Gly Arg Ile Ile Trp Arg Gly Thr Pro Thr Arg 210 215 220

Leu Leu Glu Asp Thr Gly Lys Ser Ser Tyr Glu Asp Ala Phe Leu Ala 225 230 235 240

Ala Ile Asp Gly Val Arg Ser 245

<210> 145

<211> 2463

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(2440)

<223> RXN00829

<400> 145

tgttttagcc atggacccca tactagggag agttttgttt tggtgctaga aaaggttcac 60

caagcgcgaa caggcctatg caaacggtac gatatgacac atg caa aaa gct gat 115 Met Gln Lys Ala Asp 1 5

tcc cat gat tgg att tcg gtc cac ggt gcg aat gaa aac aac ctc aaa $\,$ 163 Ser His Asp Trp Ile Ser Val His Gly Ala Asn Glu Asn Asn Leu Lys $\,$ 10 $\,$ 15 $\,$ 20

aat gtg tcg gtg cgc atc cct aaa agg cgt ctc acc gtg ttc acg ggt 211 Asn Val Ser Val Arg Ile Pro Lys Arg Arg Leu Thr Val Phe Thr Gly 25 30 35

gtg tcg gga tct ggc aag tcc tcg ctg gtg ttc ggc aca att gct gcg 259 Val Ser Gly Ser Gly Lys Ser Ser Leu Val Phe Gly Thr Ile Ala Ala 40 45 50

gaa tca cgc cgg ttg atc aac gaa acc tat agc act ttt gtg caa ggt 307 Glu Ser Arg Arg Leu Ile Asn Glu Thr Tyr Ser Thr Phe Val Gln Gly 55 60 65

ttc atg ccg tcg atg gca agg ccc gat gtt gac cat ttg gaa ggc atc 355
Phe Met Pro Ser Met Ala Arg Pro Asp Val Asp His Leu Glu Gly Ile
70 75 80 85

acc acg gcg atc atc gtc gat cag gag cag atg ggc gca aac cca cgg 403 Thr Thr Ala Ile Ile Val Asp Gln Glu Gln Met Gly Ala Asn Pro Arg 90 95 100

tct acg gtg ggt acc gca act gat gcc acc gcg atg ttg cgc att ttg 451 Ser Thr Val Gly Thr Ala Thr Asp Ala Thr Ala Met Leu Arg Ile Leu 105 110 115

ttt tcc cga atc gcg gaa cct aac gcg ggt ggc ccg gga gct tat tcc 499 Phe Ser Arg Ile Ala Glu Pro Asn Ala Gly Gly Pro Gly Ala Tyr Ser 120 125 130

tto aac gto coo tot gtt too goa too ggo goo ato acg gtg gaa aag 547

| Phe | Asn 135 | Val | Pro | Ser | Val | Ser 140 | | Ser | Gly | Ala | Ile 145 | Thr | Val | Glu | Lys | |
|------------|------------|------------|------------|------------|------------|------------|------------|-------------------|------------|------------|------------|------------|------------|------------|------------|------|
| | | | | | | | | gct Ala | | | | | | | | 595 |
| | | | | | Glu | | | ggc | | | | | | | | 643 |
| | | | | | | | | tcc Ser 190 | | | | | | | | 691 |
| | | | | | | | | tgg Trp | | | | | | | | 739 |
| | | | | | | | | ccg Pro | | | | | | | | 787 |
| _ | _ | | | | | | | gag Glu | | | _ | _ | _ | | _ | 835 |
| | | | _ | | | | | ctt Leu | | | _ | | - | | | 883 |
| | | | | | | | | atg Met 270 | | | | | | | | 931 |
| | | | | | | | | cct Pro | | | | | | | | 979 |
| - | | | | | _ | _ | | tcc Ser | - | | | | | | | 1027 |
| | | | | | | | | cgt Arg | | | | | | | | 1075 |
| | | | | | | | | ccc Pro | | | | | | | | 1123 |
| | | | | | | | | ggt Gly 350 | | | | | | | | 1171 |
| cgc Arg | ccc Pro | gct Ala | ggc Gly | acg Thr | ttg Leu | tct Ser | ggt Gly | ggt Gly | gag Glu | gca Ala | cag Gln | cgc Arg | acc Thr | aag Lys | atg Met | 1219 |

360 365 370

| | | His | | | | | Leu | | | | | Tyr | gtt Val | | | 1267 |
|-------------------|------------|------------|-------------------|-------------------|-------------------|------------|------------|-------------------|-------------------|-------------------|------------|------------|-------------------|-------------------|-------------------|------|
| gaa Glu 390 | Pro | acc Thr | gcc | ggt Gly | ttg Leu 395 | His | gcc Ala | tac Tyr | gac Asp | att Ile 400 | Glu | cgc Arg | atg Met | aac Asn | aag Lys 405 | 1315 |
| ttg Leu | ctg Leu | ctc Leu | gat Asp | Ctt Leu 410 | Arg | gat Asp | aaa Lys | ggc Gly | aat Asn 415 | Thr | gtt Val | tta Leu | gtc Val | gtg Val 420 | gag Glu | 1363 |
| cac His | aag Lys | ccg Pro | gaa Glu 425 | Thr | atc Ile | gcc Ala | att Ile | gca Ala 430 | gat Asp | cat His | gtg Val | gtg Val | gac Asp 435 | ctt Leu | ggg Gly | 1411 |
| | | | | | | | | | | | | | ggg Gly | | | 1459 |
| | | | | | | | | | | | | | ttt Phe | | | 1507 |
| | | | | | | | | | | | | | gcc Ala | | | 1555 |
| | | | | | | | | | | | | | gtc Val | | | 1603 |
| | | | | | | | | | | | | | tcg Ser 515 | | | 1651 |
| | _ | - | | | | | - | - | - | - | _ | _ | gtg Val | | - | 1699 |
| | | Thr | Ala | Ile | His | | Ser | Asn | Arg | Ser | Asn | Pro | gcg Ala | | | 1747 |
| | | | | | | | | | | | | | gcc Ala | | | 1795 |
| | | | | | | | | | | | | | tgc Cys | | | 1843 |
| | | | | | | | Tyr | | | | | | atg Met 595 | | | 1891 |

| | | | | | | | | | | aag Lys | | | | | | 1939 |
|---|---|---|---|------------|---|---|------|------|------|-------------------|------|------|----|---|---|------|
| | - | - | | | | | | - | - | atc Ile | - | - | | _ | | 1987 |
| | | | | | | | | | | gcg Ala 640 | | | | | | 2035 |
| | | | | | | | | | | ctt Leu | | | | | | 2083 |
| | | | | Leu | | | | | | acg Thr | | | | | | 2131 |
| _ | - | - | _ | _ | | _ | | | _ | gca Ala | - | _ | - | | | 2179 |
| | | - | | | | | | | _ | cac His | | - | - | - | | 2227 |
| | | | | | | | | | | gat Asp 720 | | | | | | 2275 |
| | - | | - | | | | | | | gct Ala | | - | _ | | | 2323 |
| | | | | | | | | | | ggt Gly | | | | | | 2371 |
| | | - | | | - | | | | | gat Asp | | | | | - | 2419 |
| | | | - | tat Tyr | - | | tagt | ttct | ta t | ggaa | aacc | c to | ıg | | | 2463 |

<210> 146

Met Gln Lys Ala Asp Ser His Asp Trp Ile Ser Val His Gly Ala Asn

<211> 780

<212> PRT

<213> Corynebacterium glutamicum

<400> 146

| 1 | | | | 5 | | | | | 10 | | | | | 15 | |
|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Glu | Asn | Asn | Leu 20 | Lys | Asn | Val | Ser | Val 25 | Arg | Ile | Pro | Lys | Arg 30 | Arg | Leu |
| Thr | Val | Phe 35 | Thr | Gly | Val | Ser | Gly 40 | Ser | Gly | Lys | Ser | Ser 45 | Leu | Val | Phe |
| Gly | Thr 50 | Ile | Ala | Ala | Glu | Ser 55 | Arg | Arg | Leu | Ile | Asn 60 | Glu | Thr | Tyr | Sei |
| Thr 65 | Phe | Val | Gln | Gly | Phe 70 | Met | Pro | Ser | Met | Ala 75 | Arg | Pro | Asp | Val | Asp 80 |
| His | Leu | Glu | Gly | Ile 85 | Thr | Thr | Ala | Ile | Ile 90 | Val | Asp | Gln | Glu | Gln 95 | Met |
| Gly | Ala | Asn | Pro 100 | Arg | Ser | Thr | Val | Gly 105 | Thr | Ala | Thr | Asp | Ala 110 | Thr | Ala |
| Met | Leu | Arg 115 | Ile | Leu | Phe | Ser | Arg 120 | Ile | Ala | Glu | Pro | Asn 125 | Ala | Gly | Gly |
| Pro | Gly 130 | Ala | Tyr | Ser | Phe | Asn 135 | Val | Pro | Ser | Val | Ser 140 | Ala | Ser | Gly | Ala |
| Ile 145 | Thr | Val | Glu | Lys | Gly 150 | Gly | Asn | Thr | Lys | Arg 155 | Glu | Lys | Ala | Thr | Phe 160 |
| Lys | Arg | Thr | Gly | Gly 165 | Met | Cys | Pro | Ala | Cys 170 | Glu | Gly | Met | Gly | Arg 175 | Ala |
| Ser | Asp | Ile | Asp 180 | Leu | Lys | Glu | Leu | Phe 185 | Asp | Ala | Ser | Leu | Ser 190 | Leu | Ası |
| Asp | Gly | Ala 195 | Leu | Thr | Ile | Pro | Gly 200 | Tyr | Thr | Pro | Gly | Gly 205 | Trp | Ser | Ту |
| Arg | Met 210 | Tyr | Ser | Glu | Ser | Gly 215 | Leu | Phe | Asp | Ala | Ala 220 | Lys | Pro | Ile | Lys |
| Asp 225 | Phe | Thr | Glu | Glu | Glu 230 | Arg | His | Asn | Phe | Leu 235 | Tyr | Leu | Glu | Pro | Th: 240 |
| Lys | Met | Lys | Ile | Ala 245 | Gly | Ile | Asn | Met | Thr 250 | Tyr | Glu | Gly | Leu | 11e 255 | Pro |
| Arg | Ile | Gln | Lys 260 | Ser | Met | Leu | Ser | Lys 265 | Asp | Arg | Glu | Gly | Met 270 | Gln | Lys |
| His | Ile | Arg 275 | Ala | Phe | Val | Asp | Arg 280 | Ala | Val | Thr | Phe | Ile 285 | Pro | Cys | Pro |
| Ala | Cys 290 | Gly | Gly | Thr | Arg | Leu 295 | Ala | Pro | His | Ala | Leu 300 | Glu | Ser | Lys | Ile |
| Asn | Gly | Lys | Asn | Ile | Ala | Glu | Leu | Cys | Ala | Met | Glu | Val | Arg | Asp | Let |

| 305 | | | | | 310 | | | | | 315 | | | | | 320 |
|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-------------|------------|
| Ala | Lys | Trp | Ile | Lys 325 | | Val | Glu | Ala | Pro 330 | | Val | Ala | Pro | Leu 335 | Let |
| Thr | Ala | Leu | Thr 340 | | Thr | Leu | Asp | Asn 345 | | Val | Glu | Ile | Gly 350 | Leu | Gly |
| Tyr | Ile | Gln 355 | | . Asp | Arg | Pro | Ala 360 | _ | Thr | Leu | Ser | Gly 365 | Gly | Glu | Ala |
| Gln | Arg 370 | | Lys | Met | Ile | Arg 375 | | Leu | Gly | Ser | Ala 380 | | Thr | Asp | Va] |
| Thr 385 | Tyr | Val | Phe | Asp | Glu 390 | Pro | Thr | Ala | Gly | Leu 395 | | Ala | Tyr | Asp | 11e |
| Glu | Arg | Met | Asn | Lys 405 | | Leu | Leu | Asp | Leu 410 | Arg | Asp | Lys | Gly | Asn 415 | Thi |
| Val | Leu | Val | Val 420 | | His | Lys | Pro | Glu 425 | Thr | Ile | Ala | Ile | Ala 430 | Asp | His |
| Val | Val | Asp 435 | Leu | Gly | Pro | Gly | Ala 440 | Gly | Ala | Gly | Gly | Gly 445 | Glu | Ile | Arg |
| Phe | Glu 450 | Gly | Ser | Val | Asp | Lys 455 | | Lys | Asp | Ser | Asp 460 | Thr | Val | Thr | Gly |
| Leu 465 | His | Phe | Asn | Asp | Arg 470 | Ala | Ser | Leu | Lys | Glu 475 | Ser | Val | Arg | Ala | Pro 480 |
| His | Gly | Ala | Leu | Glu 485 | Ile | Arg | Gly | Ala | Asp 490 | Arg | Asn | Asn | Leu | Asn 495 | Asr |
| | | | 500 | | | | | 505 | | | | | Ser 510 | | |
| | - | 515 | _ | _ | | | 520 | | | | | 525 | Arg | | |
| | 530 | | | | | 535 | | | | | 540 | | Asn | | |
| Asn 545 | Pro | Ala | Thr | Tyr | Thr 550 | Gly | Met | Leu | Asp | Ser 555 | Ile | Arg | Lys | Ala | Phe 560 |
| | | | | 565 | | | | | 570 | | | | Asn | 5 75 | |
| Gly | Ala | Cys | Pro 580 | Asn | Cys | Lys | Gly | Ala 585 | Gly | Ser | Val | Tyr | Val 590 | Asp | Leu |
| | | 595 | | _ | | | 600 | | - | | | 605 | Glu | | |
| Arg | Phe | Asp | Glu | Ser | Val | Leu | Asp | Tyr | His | Phe | Gly | Gly | Lys | Asp | Ile |

610 615 620

Ala Asp Val Leu Gly Leu Ser Ala Ala Asn Ala Tyr Glu Phe Phe Ala 625 630 635 640

Ala Lys Asp Ser Lys Ile Leu Pro Ala Ala Lys Ile Ala Lys Arg Leu 645 650 655

Val Asp Val Gly Leu Gly Tyr Ile Thr Leu Gly Gln Pro Leu Thr Thr
660 665 670

Leu Ser Gly Gly Glu Arg Gln Arg Leu Lys Leu Ala Thr His Met Ala 675 680 685

Asp Lys Ala Thr Thr Phe Ile Leu Asp Glu Pro Thr Thr Gly Leu His 690 695 700

Leu Ala Asp Val Lys Thr Leu Leu Asp Leu Phe Asp Gln Leu Val Asp 705 710 715 720

Asp Gly Lys Ser Val Ile Val Ile Glu His His Leu Gly Val Leu Ala
725 730 735

His Ala Asp His Ile Ile Asp Val Gly Pro Gly Ala Gly Ser Asp Gly 740 745 750

Gly Ser Ile Val Phe Glu Gly Ser Pro Ala Glu Leu Ile Lys Thr Asp 755 760 765

Thr Pro Thr Gly Arg His Leu Lys Ala Tyr Val Asp 770 775 780

<210> 147

<211> 278

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (1)..(255)

<223> FRXA00829

<400> 147

ttg gat gag ccc acc aca ggc ctg cac ctc gct gat gtg aaa acc ttg 48 Leu Asp Glu Pro Thr Thr Gly Leu His Leu Ala Asp Val Lys Thr Leu 1 5 10

ctg gat ctt ttt gat caa ctg gtt gat gac ggc aag tct gtc atc gtc 96 Leu Asp Leu Phe Asp Gln Leu Val Asp Asp Gly Lys Ser Val Ile Val 20 25 30

atc gaa cac cac ctc ggc gtg ctc gct cac gct gac cac atc att gat 144 Ile Glu His His Leu Gly Val Leu Ala His Ala Asp His Ile Ile Asp 35 40 45

gtc ggc cct ggt gca ggt tct gat ggt ggc tcg att gta ttc gag ggc 192

Val Gly Pro Gly Ala Gly Ser Asp Gly Gly Ser Ile Val Phe Glu Gly 55 240 age ece geg gaa ete ate aaa aet gat aet eea aea gga ege eae ett Ser Pro Ala Glu Leu Ile Lys Thr Asp Thr Pro Thr Gly Arg His Leu 70 75 278 aaa gct tat gta gat tagtttctta tggaaaaccc tgg Lys Ala Tyr Val Asp <210> 148 <211> 85 <212> PRT <213> Corynebacterium glutamicum Leu Asp Glu Pro Thr Thr Gly Leu His Leu Ala Asp Val Lys Thr Leu Leu Asp Leu Phe Asp Gln Leu Val Asp Asp Gly Lys Ser Val Ile Val Ile Glu His His Leu Gly Val Leu Ala His Ala Asp His Ile Ile Asp Val Gly Pro Gly Ala Gly Ser Asp Gly Gly Ser Ile Val Phe Glu Gly Ser Pro Ala Glu Leu Ile Lys Thr Asp Thr Pro Thr Gly Arg His Leu 75 Lys Ala Tyr Val Asp <210> 149 <211> 1663 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1663) <223> FRXA00834 <400> 149 tgttttagcc atggacccca tactagggag agttttgttt tggtgctaga aaaggttcac 60 caagegegaa caggeetatg caaaeggtae gatatgaeae atg caa aaa get gat Met Gln Lys Ala Asp 1 163 tcc cat gat tgg att tcg gtc cac ggt gcg aat gaa aac aac ctc aaa Ser His Asp Trp Ile Ser Val His Gly Ala Asn Glu Asn Asn Leu Lys 10 15

| | | | Arg | atc | | | | | | | | | 211 |
|-----|---|-----|-----|-------------------|---|---|-------|---|---|---|---|---|-----|
| | | Ser | | aag Lys | | | | | | | | | 259 |
| | | | | atc Ile | | | | | | | | | 307 |
| | | | | gca Ala 75 | | | | | | | | | 355 |
| | | | | gtc Val | | | | | | | | | 403 |
| | | | | gca Ala | - | - | | - | - | _ | | _ | 451 |
| | | | | gaa Glu | | | | | | | | | 499 |
| | _ | | | gtt Val | - | | - | | _ | | _ | _ | 547 |
| | | | | cgg Arg 155 | | | | | | | | | 595 |
| | | | | gag Glu | | | | | | | | | 643 |
| , , | | | - | gcc Ala | | | | _ | | - | _ | | 691 |
| | | | | cca Pro | | | | | | | | | 739 |
| | | | | gct Ala | | | | | | | | | 787 |
| | | | | ctt Leu 235 | | | | | | | | | 835 |

| ggc | ato | aac | atg | acc | tat | gag | ggt | ctt | ato | ccc | cgc | att | cag | aaa | tcc | 883 |
|------------|------------|-------------------|------------|------------|-------------------|------------|-------------------|------------|------------|------------|------------|-------------------|------------|------------|------------|------|
| | | | | | Tyr | | | | | Pro | | | | | | |
| | | | | Asp | cgc Arg | | | | Gln | | | | | | | 931 |
| gtg Val | gat Asp | cga Arg 280 | Ala | gtt Val | acc | ttc Phe | Ile 285 | Pro | tgc Cys | Pro | gcg Ala | tgt Cys 290 | ggt Gly | gga Gly | act Thr | 979 |
| | | Ala | | | gcc Ala | | Glu | | | | | | | | | 1027 |
| | Glu | | | | atg Met 315 | | | | | | | | | | | 1075 |
| | | | | | tcg Ser | | | | | | | | | | | 1123 |
| | | | | | gtg Val | | | | | | | | | | | 1171 |
| cgc Arg | ccc Pro | gct Ala 360 | ggc Gly | acg Thr | ttg Leu | tct Ser | ggt Gly 365 | ggt Gly | gag Glu | gca Ala | cag Gln | cgc Arg 370 | acc Thr | aag Lys | atg Met | 1219 |
| | | | | | tct Ser | | | | | | | | | | | 1267 |
| | | | | | ttg Leu 395 | | | | | | | | | | | 1315 |
| _ | _ | | - | | cgc Arg | - | | | | | • | | _ | _ | - | 1363 |
| | | | | | atc Ile | | | | | | | | | | | 1411 |
| | | | | | ggt Gly | | | | | | | | | | | 1459 |
| - | - | | | - | agc Ser | - | | | | | | | | | _ | 1507 |
| cgg | gcg | tca | ttg | aag | gaa | tcc | gtg | cgt | gcg | ccg | cat | ggc | gcc | ctg | gag | 1555 |

Arg Ala Ser Leu Lys Glu Ser Val Arg Ala Pro His Gly Ala Leu Glu 470 475 480 485

atc cgc ggg gcc gat cga aat aat ttg aac aat gtg gat gtc gat att 1603 Ile Arg Gly Ala Asp Arg Asn Asn Leu Asn Asn Val Asp Val Asp Ile 490 495 500

ccg ctc ggc gtg ttc acg gcg att tcc ggc gtt gca ggt tcg ggt aag 1651 Pro Leu Gly Val Phe Thr Ala Ile Ser Gly Val Ala Gly Ser Gly Lys 505 510

tcc tcg ttg att
Ser Ser Leu Ile
520

<210> 150

<211> 521

<212> PRT

<213> Corynebacterium glutamicum

<400> 150

Met Gln Lys Ala Asp Ser His Asp Trp Ile Ser Val His Gly Ala Asn 1 5 10 15

Glu Asn Asn Leu Lys Asn Val Ser Val Arg Ile Pro Lys Arg Arg Leu 20 25 30

Thr Val Phe Thr Gly Val Ser Gly Ser Gly Lys Ser Ser Leu Val Phe 35 40 45

Gly Thr Ile Ala Ala Glu Ser Arg Arg Leu Ile Asn Glu Thr Tyr Ser 50 60

Thr Phe Val Gln Gly Phe Met Pro Ser Met Ala Arg Pro Asp Val Asp 65 70 75 80

His Leu Glu Gly Ile Thr Thr Ala Ile Ile Val Asp Gln Glu Gln Met

Gly Ala Asn Pro Arg Ser Thr Val Gly Thr Ala Thr Asp Ala Thr Ala
100 105 110

Met Leu Arg Ile Leu Phe Ser Arg Ile Ala Glu Pro Asn Ala Gly Gly 115 120 125

Pro Gly Ala Tyr Ser Phe Asn Val Pro Ser Val Ser Ala Ser Gly Ala 130 135 140

Ile Thr Val Glu Lys Gly Gly Asn Thr Lys Arg Glu Lys Ala Thr Phe 145 150 155 160

Lys Arg Thr Gly Gly Met Cys Pro Ala Cys Glu Gly Met Gly Arg Ala 165 170 175

Ser Asp Ile Asp Leu Lys Glu Leu Phe Asp Ala Ser Leu Ser Leu Asn 180 185 190

Asp Gly Ala Leu Thr Ile Pro Gly Tyr Thr Pro Gly Gly Trp Ser Tyr Arg Met Tyr Ser Glu Ser Gly Leu Phe Asp Ala Ala Lys Pro Ile Lys Asp Phe Thr Glu Glu Glu Arg His Asn Phe Leu Tyr Leu Glu Pro Thr Lys Met Lys Ile Ala Gly Ile Asn Met Thr Tyr Glu Gly Leu Ile Pro Arg Ile Gln Lys Ser Met Leu Ser Lys Asp Arg Glu Gly Met Gln Lys His Ile Arg Ala Phe Val Asp Arg Ala Val Thr Phe Ile Pro Cys Pro Ala Cys Gly Gly Thr Arg Leu Ala Pro His Ala Leu Glu Ser Lys Ile Asn Gly Lys Asn Ile Ala Glu Leu Cys Ala Met Glu Val Arg Asp Leu Ala Lys Trp Ile Lys Thr Val Glu Ala Pro Ser Val Ala Pro Leu Leu Thr Ala Leu Thr Glu Thr Leu Asp Asn Phe Val Glu Ile Gly Leu Gly 345 Tyr Ile Gln Leu Asp Arg Pro Ala Gly Thr Leu Ser Gly Gly Glu Ala 360 Gln Arg Thr Lys Met Ile Arg His Leu Gly Ser Ala Leu Thr Asp Val Thr Tyr Val Phe Asp Glu Pro Thr Ala Gly Leu His Ala Tyr Asp Ile 390 Glu Arg Met Asn Lys Leu Leu Leu Asp Leu Arg Asp Lys Gly Asn Thr 410 Val Leu Val Val Glu His Lys Pro Glu Thr Ile Ala Ile Ala Asp His Val Val Asp Leu Gly Pro Gly Ala Gly Ala Gly Gly Glu Ile Arg Phe Glu Gly Ser Val Asp Lys Leu Lys Asp Ser Asp Thr Val Thr Gly Leu His Phe Asn Asp Arg Ala Ser Leu Lys Glu Ser Val Arg Ala Pro 470 475

His Gly Ala Leu Glu Ile Arg Gly Ala Asp Arg Asn Asn Leu Asn Asn

490

Val Asp Val Asp Ile Pro Leu Gly Val Phe Thr Ala Ile Ser Gly Val

500 505 Ala Gly Ser Gly Lys Ser Ser Leu Ile <210> 151 <211> 864 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(841) <223> RXA00995 <400> 151 gtcggatcat ctggagggga acacccacac gccttctaga agatacaggc aaaagctcat 60 acgaagatge tttcttggct gccattgacg gggtaaggte atg aac cet cac tat Met Asn Pro His Tyr ctg ctt gcc acg gtc aaa cga gtc ctg ctg cag ctg aaa gcc gat aaa 163 Leu Leu Ala Thr Val Lys Arg Val Leu Leu Gln Leu Lys Ala Asp Lys 10 egt tee ate geg etg att ett eta gea eee gtg geg ttg atg teg etg 211 Arg Ser Ile Ala Leu Ile Leu Leu Ala Pro Val Ala Leu Met Ser Leu 30 ttt tat tac atg tat tcc tcc aca ccg gca ggc acc cag ctg ttt aag 259 Phe Tyr Tyr Met Tyr Ser Ser Thr Pro Ala Gly Thr Gln Leu Phe Lys acc att tcc acg gtc atg atc gca gtg ttc ccc ttg atg ctc atg ttt 307 Thr Ile Ser Thr Val Met Ile Ala Val Phe Pro Leu Met Leu Met Phe 60 ttg atg acg tcg gtg acg atg caa aga gaa cgc aac gct gga acg ctc 355 Leu Met Thr Ser Val Thr Met Gln Arg Glu Arg Asn Ala Gly Thr Leu gag cgc ttg tgg acc acg aac att cac cgc gtt gat ttg atc ggt ggc 403 Glu Arg Leu Trp Thr Thr Asn Ile His Arg Val Asp Leu Ile Gly Gly tac ggg gtg gcc ttc ggc atc atg gcg gtg gcg caa tct ttg ctc atg Tyr Gly Val Ala Phe Gly Ile Met Ala Val Ala Gln Ser Leu Leu Met 110 gtg ctc acc ctt cgg tat ctc ctg ggt gtg gaa acc gaa tcg gag tgg Val Leu Thr Leu Arg Tyr Leu Leu Gly Val Glu Thr Glu Ser Glu Trp 120 125

| | | | acg Thr | | | _ | | | | | | | | | | 547 |
|------------|---|------|-------------------|------|------|------|------|---|---|-----|---|---|---|---|---|-----|
| | | _ | ttg Leu | _ | | | | _ | - | | | | | _ | | 595 |
| | - | - | ccg Pro | _ | | | - | | _ | Phe | | _ | _ | | _ | 643 |
| • | | | cgg Arg 185 | _ | - | _ | _ | _ | | - | _ | | _ | | | 691 |
| | _ | _ | ctg Leu | | | - | _ | - | _ | | | | - | | | 739 |
| | | | gga Gly | | | | | | | | | | | | | 787 |
| | | | agc Ser | Phe | | | | | | | | | | | | 835 |
| acc Thr | _ | taga | ttac | tc t | tcca | gcga | g gt | g | | | | | | | | 864 |
| | | | | | | | | | | | | | | | | |

<210> 152

<211> 247

<212> PRT

<213> Corynebacterium glutamicum

<400> 152

Met Asn Pro His Tyr Leu Leu Ala Thr Val Lys Arg Val Leu Leu Gln 1 5 10

Leu Lys Ala Asp Lys Arg Ser Ile Ala Leu Ile Leu Leu Ala Pro Val 20 25 30

Ala Leu Met Ser Leu Phe Tyr Tyr Met Tyr Ser Ser Thr Pro Ala Gly
35 40 45

Thr Gln Leu Phe Lys Thr Ile Ser Thr Val Met Ile Ala Val Phe Pro 50 60

Leu Met Leu Met Phe Leu Met Thr Ser Val Thr Met Gln Arg Glu Arg 65 70 75 80

Asn Ala Gly Thr Leu Glu Arg Leu Trp Thr Thr Asn Ile His Arg Val 85 90 95

Asp Leu Ile Gly Gly Tyr Gly Val Ala Phe Gly Ile Met Ala Val Ala Gln Ser Leu Leu Met Val Leu Thr Leu Arg Tyr Leu Leu Gly Val Glu 120 Thr Glu Ser Glu Trp Trp Ile Ser Thr Leu Ile Ala Ala Ile Thr Gly Leu Ile Gly Val Ser Leu Gly Leu Leu Ser Ser Ala Phe Ala Ser Thr Glu Phe Gln Ala Ile Gln Thr Leu Pro Leu Leu Ile Leu Pro Gln Phe 170 Leu Leu Cys Gly Leu Leu Ile Pro Arg Asp Asp Leu Pro Asp Val Leu 180 Arg Trp Val Ser Asn Val Leu Pro Leu Ser Tyr Ala Val Asp Ala Ala 200 Leu Glu Ala Ser Arg Thr Gly Ile Gly Gln Gln Val Val Val Asn Ile 210 215 Ala Ile Cys Ala Ala Phe Ala Val Ser Phe Leu Leu Val Ala Ala Leu 230 235 Ser Met Pro Arg Met Thr Arg 245 <210> 153 <211> 1353 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1330) <223> RXN00803 <400> 153 tcatccttcc ttagctcgcg tgagcttccc aagcgtaagc acccccgtgt gagggcataa 60 eggeegttet gttaaagatt ggtetggeea ttteeteeat atg ggg gtg tee geg Met Gly Val Ser Ala ctt aac atg tct gac atg gtg gcg aac aaa cgg gca cag cgt aaa gtc 163 Leu Asn Met Ser Asp Met Val Ala Asn Lys Arg Ala Gln Arg Lys Val 10 tgg cta gcg gta gct tta tcg gtc ttt acg gtc gcg tgg ggt ggc aat 211 Trp Leu Ala Val Ala Leu Ser Val Phe Thr Val Ala Trp Gly Gly Asn 25 qaa ttc act ccc ttq ctq gtg ttt tac cga ggt gaa ggg ttc ttt agc 259

the form the contract and the second
Glu Phe Thr Pro Leu Leu Val Phe Tyr Arg Gly Glu Gly Phe Phe Ser aac ctg ttc atc gac ctt ttg ctg gtg ttt tat gcc atc gga gta gcg 307 Asn Leu Phe Ile Asp Leu Leu Leu Val Phe Tyr Ala Ile Gly Val Ala gta ggt ttg ctg gca gct ggt cct tta tct gac cgc tat ggc cga cgt 355 Val Gly Leu Leu Ala Ala Gly Pro Leu Ser Asp Arg Tyr Gly Arg Arg 80 gcc gtc atg ttg cct gcg cca ttg atc gcg atc ttg ggt tcc gcg ttg 403 Ala Val Met Leu Pro Ala Pro Leu Ile Ala Ile Leu Gly Ser Ala Leu 95 att gcc tcg ggt gaa gaa acc gcc atc ctg att gcc att ggt cga gtg 451 Ile Ala Ser Gly Glu Glu Thr Ala Ile Leu Ile Ala Ile Gly Arg Val 105 110 ctg tcg gga att tcg gtg ggc atg gtg atg aca gcg gga ggt tcc tgg 499 Leu Ser Gly Ile Ser Val Gly Met Val Met Thr Ala Gly Gly Ser Trp att aag gag ctt tca tcg tcg cgg ttt gag cca ggg gtg aaa acc agt 547 Ile Lys Glu Leu Ser Ser Ser Arg Phe Glu Pro Gly Val Lys Thr Ser 140 gct ggt gca aaa cgc gca tcg atg tct ttg acc ggt ggt ttt gcg ctc 595 Ala Gly Ala Lys Arg Ala Ser Met Ser Leu Thr Gly Gly Phe Ala Leu 155 ggc cca gcg ctt gct ggt gtg atg gca cag tgg ctg cca cta cct gga 643 Gly Pro Ala Leu Ala Gly Val Met Ala Gln Trp Leu Pro Leu Pro Gly 170 175 cag ttg gca tat gtt ttg cac att att ctc act ctg att ttg ttc ccg 691 Gln Leu Ala Tyr Val Leu His Ile Ile Leu Thr Leu Ile Leu Phe Pro 190 ttg ctt att aca gcg ccg gaa act cgt caa tca gcg cac ctg aaa act 739 Leu Leu Ile Thr Ala Pro Glu Thr Arg Gln Ser Ala His Leu Lys Thr 200 aag gga tca ttc tgg tca gat gtg ctt gtg cca tct gca cta gac aag 787 Lys Gly Ser Phe Trp Ser Asp Val Leu Val Pro Ser Ala Leu Asp Lys 215 220 cga ttc ttg ttt gtg gtt gct cca att gga ccg tgg gtt ttc ggt gcg 835 Arg Phe Leu Phe Val Val Ala Pro Ile Gly Pro Trp Val Phe Gly Ala 230 gcc ttc act gcc tac gca gtt ttg ccg tcg cag ctg cgt gac atg gtt 883 Ala Phe Thr Ala Tyr Ala Val Leu Pro Ser Gln Leu Arg Asp Met Val 250 tot goa coo gtt gog tat tot gog etg atc got ttg gtt acc tta ggt 931 Ser Ala Pro Val Ala Tyr Ser Ala Leu Ile Ala Leu Val Thr Leu Gly

| 26 | 55 | 270 | | 275 | • | | | | | | | |
|--|--------------------------------------|---------------------------------------|--|-----------------------------------|------|--|--|--|--|--|--|--|
| tct gga ttt gg Ser Gly Phe Gl 280 | gt atc caa ca ly Ile Gln G | aa ttc ggt co ln Phe Gly Pr 285 | ct caa atc atg ro Gln Ile Met 290 | ggc acc tct Gly Thr Ser | 979 | | | | | | | |
| aaa act cgc gg Lys Thr Arg Gl 295 | ly Pro Ile L | tg gcc atg tt eu Ala Met Ph 00 | tc gtc aca gtc ne Val Thr Val 305 | atc ggc atg Ile Gly Met | 1027 | | | | | | | |
| atc ggc gcg gt Ile Gly Ala Va 310 | eg atc gtg g al Ile Val Va 315 | tg atg aac co al Met Asn Pr | ct cat cca tgg ro His Pro Trp 320 | tgg gcg cta Trp Ala Leu 325 | 1075 | | | | | | | |
| gtt ggc tgc at Val Gly Cys Me | g gcc ctc g t Ala Leu G 330 | gc ctg tct ta ly Leu Ser Ty 33 | at ggc ctg tgt yr Gly Leu Cys 1 35 | atg ttc atg Met Phe Met 340 | 1123 | | | | | | | |
| ggg ttg gcg ga Gly Leu Ala Gl 34 | u Thr Gln A | ac att gct co sn Ile Ala Pr 350 | ca cct att gat co Pro Ile Asp | atg gca ggc Met Ala Gly 355 | 1171 | | | | | | | |
| ctg acg ggt at Leu Thr Gly Il 360 | et ttc tac to e Phe Tyr Cy | gc ctg acg ta ys Leu Thr Ty 365 | ac gta ggt atg yr Val Gly Met 370 | gtc ttt cca Val Phe Pro | 1219 | | | | | | | |
| gcc ttg atg ac Ala Leu Met Th 375 | r Trp Leu As | at caa tgg ct sn Gln Trp Le 30 | cc agt tac ccg eu Ser Tyr Pro 385 | ttc atg ctg Phe Met Leu | 1267 | | | | | | | |
| ggc ttt ggt gc Gly Phe Gly Al 390 | g gtg atg go a Val Met Al 395 | ca act att tg la Thr Ile Cy | gt ctg atc att ys Leu Ile Ile 400 | gtg agt ttt Val Ser Phe 405 | 1315 | | | | | | | |
| agt gca cgc cg Ser Ala Arg Ar | | aacaa ctaaagt | gag cca | · | 1353 | | | | | | | |
| <210> 154 <211> 410 <212> PRT <213> Corynebacterium glutamicum | | | | | | | | | | | | |
| <400> 154 Met Gly Val Se | er Ala Leu As | | sp Met Val Ala | | | | | | | | | |
| 1 Ala Gln Arg Ly | 5 s Val Trp Le | eu Ala Val Al | lO La Leu Ser Val | | | | | | | | | |
| | O Aca Glu Ph | 25 | on Lon Val Dhe | 30 Tur Ara Gly | | | | | | | | |
| Ala Trp Gly Gl 35 | y Asii Giu Pr | 40 | eu Leu Val Phe ' 45 | I'll WIA OTA | | | | | | | | |

Glu Gly Phe Phe Ser Asn Leu Phe Ile Asp Leu Leu Leu Val Phe Tyr 50 55 60

| Ala 65 | Ile | Gly | Val | Ala | Val 70 | Gly | Leu | Leu | Ala | Ala 75 | Gly | Pro | Leu | Ser | Asp 80 |
|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Arg | Tyr | Gly | Arg | Arg 85 | | Val | Met | Leu | Pro 90 | | Pro | Leu | Ile | Ala 95 | Ile |
| Leu | Gly | Ser | Ala 100 | | Ile | Ala | Ser | Gly 105 | Glu | Glu | Thr | Ala | 11e 110 | Leu | Ile |
| Ala | Ile | Gly 115 | Arg | Val | Leu | Ser | Gly 120 | Ile | Ser | Val | Gly | Met 125 | Val | Met | Thr |
| Ala | Gly 130 | | Ser | Trp | Ile | Lys 135 | Glu | Leu | Ser | Ser | Ser 140 | Arg | Phe | Glu | Pro |
| Gly 145 | Val | Lys | Thr | Ser | Ala 150 | Gly | Ala | Lys | Arg | Ala 155 | Ser | Met | Ser | Leu | Thr 160 |
| Gly | Gly | Phe | Ala | Leu 165 | Gly | Pro | Ala | Leu | Ala 170 | Gly | Val | Met | Ala | Gln 175 | Trp |
| Leu | Pro | Leu | Pro 180 | Gly | Gln | Leu | Ala | Tyr 185 | Val | Leu | His | Ile | Ile 190 | Leu | Thr |
| Leu | Ile | Leu 195 | Phe | Pro | Leu | Leu | 11e 200 | Thr | Ala | Pro | Glu | Thr 205 | Arg | Gln | Ser |
| | 210 | | | | | 215 | | | | | 220 | | Leu | | |
| 225 | | | | - | 230 | | | | • | 235 | | | Ile | | 240 |
| _ | | | | 245 | | | | | 250 | | | | Pro | 255 | |
| | | _ | 260 | | | | | 265 | | | | | Leu 270 | | |
| | | 275 | | | | | 280 | | | | | 285 | Gly | | |
| | 290 | _ | | | | 295 | | _ | | | 300 | | Met | | |
| 305 | | | | | 310 | | | | | 315 | | | Asn | | 320 |
| | | | | 325 | | | | | 330 | | | | Ser | 335 | |
| | _ | | 340 | | | | | 345 | | | | | Ala 350 | | |
| Ile | Asp | Met 355 | Ala | Gly | Leu | Thr | Gly 360 | Ile | Phe | Tyr | Cys | Leu 365 | Thr | Tyr | Val |

Gly Met Val Phe Pro Ala Leu Met Thr Trp Leu Asn Gln Trp Leu Ser 370 380

Tyr Pro Phe Met Leu Gly Phe Gly Ala Val Met Ala Thr Ile Cys Leu 385 390 395 400

Ile Ile Val Ser Phe Ser Ala Arg Arg Phe 405 410

<210> 155

<211> 703

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(703)

<223> FRXA00803

<400> 155

tcatccttcc ttagctcgcg tgagcttccc aagcgtaagc acccccgtgt gagggcataa 60

cggccgttct gttaaagatt ggtctggcca tttcctccat atg ggg gtg tcc gcg 115 Met Gly Val Ser Ala 1

ctt aac atg tct gac atg gtg gcg aac aaa cgg gca cag cgt aaa gtc 163 Leu Asn Met Ser Asp Met Val Ala Asn Lys Arg Ala Gln Arg Lys Val

tgg cta gcg gta gct tta tcg gtc ttt acg gtc gcg tgg ggt ggc aat 211
Trp Leu Ala Val Ala Leu Ser Val Phe Thr Val Ala Trp Gly Gly Asn

gaa ttc act ccc ttg ctg gtg ttt tac cga ggt gaa ggg ttc ttt agc 259 Glu Phe Thr Pro Leu Leu Val Phe Tyr Arg Gly Glu Gly Phe Phe Ser 40 45 50

aac ctg ttc atc gac ctt ttg ctg gtg ttt tat gcc atc gga gta gcg 307 Asn Leu Phe Ile Asp Leu Leu Leu Val Phe Tyr Ala Ile Gly Val Ala 55 60 65

gta ggt ttg ctg gca gct ggt cct tta tct gac cgc tat ggc cga cgt 355
Val Gly Leu Leu Ala Ala Gly Pro Leu Ser Asp Arg Tyr Gly Arg Arg
70 75 80 85

gcc gtc atg ttg cct gcg cca ttg atc gcg atc ttg ggt tcc gcg ttg 403 Ala Val Met Leu Pro Ala Pro Leu Ile Ala Ile Leu Gly Ser Ala Leu

att gcc tcg ggt gaa gaa acc gcc atc ctg att gcc att ggt cga gtg 451 Ile Ala Ser Gly Glu Glu Thr Ala Ile Leu Ile Ala Ile Gly Arg Val 105 110 115

ctg tcg gga att tcg gtg ggc atg gtg atg aca gcg gga ggt tcc tgg 499 Leu Ser Gly Ile Ser Val Gly Met Val Met Thr Ala Gly Gly Ser Trp

| 120 | | | | PC 1/1B00/00922 |
|---|--|--|--|-----------------|
| 120 | 12 | 25 | 130 | |
| att aag gag ctt to Ile Lys Glu Leu So 135 | ca tog tog og er Ser Ser An 140 | gg ttt gag cca ggg rg Phe Glu Pro Gly 145 | gtg aaa acc agt Val Lys Thr Ser | 547 · |
| gct ggt gca aaa co Ala Gly Ala Lys A 150 | gc gca tcg at rg Ala Ser Me 155 | etg tct ttg acc ggt let Ser Leu Thr Gly 160 | ggt ttt gcg ctc Gly Phe Ala Leu 165 | 595 |
| Gly Pro Ala Leu A | ct ggt gtg a1 la Gly Val Me 70 | tg gca cag tgg ctg let Ala Gln Trp Leu 175 | cca caa cct gga Pro Gln Pro Gly 180 | 643 |
| | | tt att ctc act ctg le Ile Leu Thr Leu 190 | | 691 |
| ttg ctt att aca Leu Leu Ile Thr 200 | | | | 703 |
| <210> 156 <211> 201 <212> PRT <213> Corynebacter | rium glutamio | cum | | |
| <400> 156 | | | | |
| Met Gly Val Ser Al | La Leu Asn Me 5 | et Ser Asp Met Val 10 | Ala Asn Lys Arg 15 | |
| | al Trp Leu Al | la Val Ala Leu Ser | Val Phe Thr Val | |
| 20 | | 25 | 30 | |
| | | hr Pro Leu Leu Val 40 | 30 | |
| Ala Trp Gly Gly As | 4 | hr Pro Leu Leu Val | 30 Phe Tyr Arg Gly 45 | |
| Ala Trp Gly Gly As 35 Glu Gly Phe Phe Se 50 | er Asn Leu Ph 55 | hr Pro Leu Leu Val 40 he Ile Asp Leu Leu | 30 Phe Tyr Arg Gly 45 Leu Val Phe Tyr | |
| Ala Trp Gly Gly As 35 Glu Gly Phe Phe Se 50 Ala Ile Gly Val Al 65 Arg Tyr Gly Arg Ar | er Asn Leu Pr 55 la Val Gly Le 70 | hr Pro Leu Leu Val 40 he Ile Asp Leu Leu 60 eu Leu Ala Ala Gly | 30 Phe Tyr Arg Gly 45 Leu Val Phe Tyr Pro Leu Ser Asp 80 | |
| Ala Trp Gly Gly As 35 Glu Gly Phe Phe Se 50 Ala Ile Gly Val Al 65 Arg Tyr Gly Arg Ar | er Asn Leu Pr 55 La Val Gly Le 70 rg Ala Val Me | hr Pro Leu Leu Val 40 he Ile Asp Leu Leu 60 eu Leu Ala Ala Gly 75 et Leu Pro Ala Pro | 30 Phe Tyr Arg Gly 45 Leu Val Phe Tyr Pro Leu Ser Asp 80 Leu Ile Ala Ile 95 | |
| Ala Trp Gly Gly As 35 Glu Gly Phe Phe Se 50 Ala Ile Gly Val Al 65 Arg Tyr Gly Arg Arg E 65 Leu Gly Ser Ala Le 100 | er Asn Leu Pr 55 La Val Gly Le 70 Eg Ala Val Me 85 eu Ile Ala Se | hr Pro Leu Leu Val 40 he Ile Asp Leu Leu 60 eu Leu Ala Ala Gly 75 et Leu Pro Ala Pro 90 er Gly Glu Glu Thr | 30 Phe Tyr Arg Gly 45 Leu Val Phe Tyr Pro Leu Ser Asp 80 Leu Ile Ala Ile 95 Ala Ile Leu Ile 110 | |

Gly Val Lys Thr Ser Ala Gly Ala Lys Arg Ala Ser Met Ser Leu Thr

155

160

150

145

Gly Gly Phe Ala Leu Gly Pro Ala Leu Ala Gly Val Met Ala Gln Trp Leu Pro Gln Pro Gly Gln Leu Ala Tyr Val Leu His Ile Ile Leu Thr 185 Leu Ile Leu Phe Pro Leu Leu Ile Thr <210> 157 <211> 1014 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(991) <223> RXA01407 <400> 157 atccggggaa cggatcccaa agatctcctt gatgccatcg cgtttttaac ctggccagct 60 ctggttgccc cagtgatcgc cccacttctg ggaggtcttc ttg caa gat acc att Leu Gln Asp Thr Ile ggt tgc cga tgg atc ttc ctc ctc aac gtg ccc tta gga atc atc gcg 163 Gly Cys Arg Trp Ile Phe Leu Leu Asn Val Pro Leu Gly Ile Ile Ala 15 atc atg gct gga cta ttc atc cag ccc aag aac acg gcc gtg aat gtg 211 Ile Met Ala Gly Leu Phe Ile Gln Pro Lys Asn Thr Ala Val Asn Val 30 259 aag cga ttt gat cgg cca ggt ttc ctc ggc gca atg ctg gtg atg gtg Lys Arg Phe Asp Arg Pro Gly Phe Leu Gly Ala Met Leu Val Met Val gcg caa gcc gtg att gcg gag tta att tgc agc aga agt ccg gcc gca 307 Ala Gln Ala Val Ile Ala Glu Leu Ile Cys Ser Arg Ser Pro Ala Ala 60 ctt act atc tgt gca tgc ctc gtc tta agt gct gcg gtg gta tgc ggt 355 Leu Thr Ile Cys Ala Cys Leu Val Leu Ser Ala Ala Val Val Cys Gly 75 ttt gta gtg cgc tgg ctg cga gtt cca ggc cga ctt ttt gat ctc agc 403 Phe Val Val Arg Trp Leu Arg Val Pro Gly Arg Leu Phe Asp Leu Ser 451 atc atg cgc atc cca ggt ttc cga gtg ggt aat tcc tcc gga agt atc Ile Met Arg Ile Pro Gly Phe Arg Val Gly Asn Ser Ser Gly Ser Ile 110 105

| WO 01/00804 | PCT/IB00/00922 |
|-------------|----------------|
| | |

| | | | | | acc Thr | | | | | | | | | | | 499 |
|---|---|------------|---|------|-------------------|------|------|------|-------|---|---|---|---|---|---|------|
| | | | | | tgg Trp | | _ | | | | | _ | _ | | _ | 547 |
| | | | | | aac Asn 155 | | | | | | | | | | | 595 |
| | | | | | ttc Phe | | | | | | | | | | | 643 |
| | | | | | gca Ala | | | | | | | | | | | 691 |
| - | - | | | | ctg Leu | - | | | • | • | | - | | | | 739 |
| | | | | | tac Tyr | | | | | | | | | | | 787 |
| _ | | | - | | gcc Ala 235 | | | | | - | | - | | | | 835 |
| | - | | _ | | att Ile | | - | - | _ | | _ | _ | | | _ | 883 |
| | | _ | | | gca Ala | | | _ | - | - | | - | | | | 931 |
| | | | | - | cta Leu | | _ | | _ | - | | | - | - | • | 979 |
| | | tcc Ser | | taga | aacc | ca c | ttct | gaaa | ig gt | a | | | | | | 1014 |

<210> 158

<211> 297

<212> PRT

<213> Corynebacterium glutamicum

<400> 158

Leu Gln Asp Thr Ile Gly Cys Arg Trp Ile Phe Leu Leu Asn Val Pro 1 5 10 15

Leu Gly Ile Ile Ala Ile Met Ala Gly Leu Phe Ile Gln Pro Lys Asn 20 25 30

Thr Ala Val Asn Val Lys Arg Phe Asp Arg Pro Gly Phe Leu Gly Ala 35 40 45

Met Leu Val Met Val Ala Gln Ala Val Ile Ala Glu Leu Ile Cys Ser 50 55 60

Arg Ser Pro Ala Ala Leu Thr Ile Cys Ala Cys Leu Val Leu Ser Ala 65 70 75 80

Ala Val Val Cys Gly Phe Val Val Arg Trp Leu Arg Val Pro Gly Arg 85 90 95

Leu Phe Asp Leu Ser Ile Met Arg Ile Pro Gly Phe Arg Val Gly Asn 100 105 110

Ser Ser Gly Ser Ile Tyr Arg Leu Val Ile Thr Ala Ala Pro Phe Met 115 120 125

Phe Thr Leu Leu Phe Gln Val Ala Phe Gly Trp Ser Ala Thr Leu Ala 130 135 140

Gly Ala Met Val Val Ala Leu Phe Ala Gly Asn Val Ala Ile Lys Pro 145 150 155 160

Phe Thr Thr Pro Ile Ile Lys Arg Trp Asn Phe Lys Pro Val Leu Val 165 170 175

Phe Ser Asn Ala Ala Gly Ala Leu Val Leu Ala Thr Phe Leu Phe Val 180 185 190

Arg Ala Asp Thr Pro Leu Val Leu Ile Val Leu Leu Phe Val Ser 195 200 205

Gly Ala Leu Arg Ser Leu Gly Phe Ser Ala Tyr Asn Thr Leu Gln Phe 210 215 220

Val Asp Ile Ser Pro Glu Gln Thr Ser Asn Ala Asn Val Leu Ser Ala 225 230 235 240

Thr Leu His Gln Leu Gly Met Ser Leu Gly Ile Ala Val Ala Val Ile ' 245 250 255

Ala Met Ser Leu Ala Pro Thr Ala Asn Trp Ala Phe Pro Leu Ala Ala 260 265 270

Ala Leu Phe Leu Ile Pro Leu Ile Gly Ala Leu Ser Leu Pro Arg Asp 275 280 285

Gly Gly Ala Arg Ala Phe Ser Ser Ser 290 295

<210> 159

| | 1> 3 | | | | | | | | | | | | | | | |
|---|----------------------------------|-----------|-----------|----------|-------|-----------|-----------|-----------|-----------|------------|-----------|-----------|-----------|------------------|-----|-----|
| <212> DNA <213> Corynebacterium glutamicum | | | | | | | | | | | | | | | | |
| <220> <221> CDS <222> (101)(301) <223> RXA01408 | | | | | | | | | | | | | | | | |
| <400> 159 | | | | | | | | | | | | | | | | |
| cgcatagagt tatctcgaaa ctaccaagac ggtttctttt ctttagatct aaggaggaga (| | | | | | | | | | | | | 60 | | | |
| gaccgtcttt caccctttca tctgattgga catcgacgcc atg cgc aat gat cgg Met Arg Asn Asp Arg 1 5 | | | | | | | | | | | | 115 | | | | |
| | | | | | Ile | | | | | | | | | ttt Phe 20 | | 163 |
| | | | | | | | | | | | | | | att Ile | | 211 |
| | | | | | | | | | | | | | | gtt Val | | 259 |
| | | | | | | | | | | ctg Leu | | | | | | 301 |
| tago | eggat | cg a | attt | ggtgi | tg cg | jc | | | | | | | | | | 324 |
| <211 <212 | 0> 16 l> 67 2> PF 3> Co | ? RT | ebact | eri | ım gl | utan | nicur | n | | | | | | | | |
| |)> 16 Arg | | Asp | Arg 5 | Ser | Phe | Ser | Val | Pro 10 | Ile | Ala | Leu | Leu | Ala 15 | Ala | |
| Gly | Ala | Leu | Phe 20 | Leu | Glu | Ile | Leu | Asp 25 | Gly | Thr | Ile | Leu | Thr 30 | Thr | Ala | |
| Val | Pro | Ala 35 | Ile | Ala | Arg | Asp | Phe 40 | Gly | Ile | Asp | Ala | Val 45 | Asp | Val | Ser | |
| Ile | Ala 50 | Leu | Val | Ala | Tyr | Leu 55 | Ala | Ala | Ala | Ala | Ala 60 | Gly | Ile | Pro | Leu | |

Gln Gly Gly 65

<210> 161 <211> 1275 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1252) <223> RXN01922 <400> 161 acacteettt ggteacetgg tttggttgag ggaaacagae egeecaagaa cecaagaaat 60 cccaagaaaa catgctgctt atgaattaaa gtgagcaccc atg aga tca gga aac Met Arg Ser Gly Asn gcc aat cgc gtc ttc ata ggt gtt acc atc ctg ctg ttt act gca gga 163 Ala Asn Arg Val Phe Ile Gly Val Thr Ile Leu Leu Phe Thr Ala Gly 15 tgg gca gcc aat cat ttc gcg tca gtg ttg gtg ttg atc cgt gaa caa 211 Trp Ala Ala Asn His Phe Ala Ser Val Leu Val Leu Ile Arg Glu Gln tta gac gta tca agc gtg ctg gtc aac ggc gct ttt ggt att tat gca 259 Leu Asp Val Ser Ser Val Leu Val Asn Gly Ala Phe Gly Ile Tyr Ala ctg gga ctt ctt cca agt ttg ctc gca ggc ggt gtg ctt gcc gac cgt 307 Leu Gly Leu Leu Pro Ser Leu Leu Ala Gly Gly Val Leu Ala Asp Arg 355 ttt ggt gcc cgc atg gtg gta ctc acc gga ggt gta ctt tct gcg ctt Phe Gly Ala Arg Met Val Val Leu Thr Gly Gly Val Leu Ser Ala Leu 75 gga aac ctt tct ctt tta gcg ttt cat gat ggt cct tcc ctc ctg gta 403 Gly Asn Leu Ser Leu Leu Ala Phe His Asp Gly Pro Ser Leu Leu Val 90 95 451 gga cga ttc atc gtt ggt ctg ggc gtt gga tta gtc gtc agc gcg ggc Gly Arg Phe Ile Val Gly Leu Gly Val Gly Leu Val Val Ser Ala Gly 499 acc gca tgg gcg ggc aga ttg cgc gga gca agc ggc gtg aca ttg gcc Thr Ala Trp Ala Gly Arg Leu Arg Gly Ala Ser Gly Val Thr Leu Ala ggc att att ctg acc gcc ggt ttc atg atg ggg ccg att gtg aca agt 547 Gly Ile Ile Leu Thr Ala Gly Phe Met Met Gly Pro Ile Val Thr Ser ggg ttq qgg atg gcg tcg aca agc att att acg ccc ttt gcc ata agc 595 Gly Leu Gly Met Ala Ser Thr Ser Ile Ile Thr Pro Phe Ala Ile Ser

| gtt Val | gcc Ala | ctc | tcg Ser | Leu 170 | Ile | gcg Ala | gtg Val | gtt Val | gtg Val 175 | Gly | ttt Phe | gcg Ala | ctt Leu | ggc Gly 180 | gat Asp | 643 |
|------------|------------|-------------------|-------------------|------------|------------|-------------------|-------------------|-------------------|-------------------|------------|------------|-------------------|-------------------|-------------------|------------|------|
| gcc Ala | cgc Arg | agc Ser | acc Thr 185 | Pro | agc Ser | gca Ala | ctt Leu | ggc Gly 190 | Ala | tcc Ser | agc Ser | gga Gly | atc Ile 195 | aaa Lys | cac His | 691 |
| gaa Glu | cga Arg | agc Ser 200 | Met | aaa Lys | aag Lys | gcc Ala | ctc Leu 205 | Ala | gtg Val | tcc Ser | ttg Leu | ccg Pro 210 | atg Met | gca Ala | att Ile | 739 |
| | | | | | | acc Thr 220 | | | | | | | | | | 787 |
| | | | | | | aac Asn | | | | | | | | | | 835 |
| | | | | | | ggc Gly | | | | | | | | | | 883 |
| | | | | | | tcc Ser | | | | | | | | | | 931 |
| | | | | | | gct Ala | | | | | | | | | | 979 |
| | | | | | | atc Ile 300 | | | | | | | | | | 1027 |
| _ | - | _ | | | | agc Ser | | - | | | - | | | | - | 1075 |
| | | | | | | atc Ile | | | | | | | | | | 1123 |
| | | | | | | gac Asp | | | | | | | | | | 1171 |
| | | | | | | gcg Ala | | | | | | | | | | 1219 |
| | | | | | | cgc Arg 380 | | | | | taga | tttc | ta c | ctac | gacct | 1272 |
| gaa | | | | | | | | | | | | | | | | 1275 |

<210> 162

<211> 384

<212> PRT

<213> Corynebacterium glutamicum

<400> 162

Met Arg Ser Gly Asn Ala Asn Arg Val Phe Ile Gly Val Thr Ile Leu
1 5 10 15

Leu Phe Thr Ala Gly Trp Ala Ala Asn His Phe Ala Ser Val Leu Val
20 25 30

Leu Ile Arg Glu Gln Leu Asp Val Ser Ser Val Leu Val Asn Gly Ala 35 40 45

Phe Gly Ile Tyr Ala Leu Gly Leu Leu Pro Ser Leu Leu Ala Gly Gly 50 55 60

Val Leu Ala Asp Arg Phe Gly Ala Arg Met Val Val Leu Thr Gly Gly 65 70 75 80

Val Leu Ser Ala Leu Gly Asn Leu Ser Leu Leu Ala Phe His Asp Gly 85 90 95

Pro Ser Leu Leu Val Gly Arg Phe Ile Val Gly Leu Gly Val Gly Leu
100 105 110

Val Val Ser Ala Gly Thr Ala Trp Ala Gly Arg Leu Arg Gly Ala Ser 115 120 125

Gly Val Thr Leu Ala Gly Ile Ile Leu Thr Ala Gly Phe Met Met Gly 130 140

Pro Ile Val Thr Ser Gly Leu Gly Met Ala Ser Thr Ser Ile Ile Thr 145 150 155 160

Pro Phe Ala Ile Ser Val Ala Leu Ser Leu Ile Ala Val Val Gly
165 170 175

Phe Ala Leu Gly Asp Ala Arg Ser Thr Pro Ser Ala Leu Gly Ala Ser 180 185 190

Ser Gly Ile Lys His Glu Arg Ser Met Lys Lys Ala Leu Ala Val Ser 195 200 205

Leu Pro Met Ala Ile Trp Val Phe Ser Cys Ile Thr Thr Ser Leu Ile 210 215 220

Val Met Ser Ala Arg Ile Asp Ser Thr Phe Gly Asn Ala Ile Leu Leu 225 230 235 240

Pro Gly Ile Gly Ala Ala Ile Ala Phe Ser Ala Gly Leu Ile Ala Gln 245 250 255

Phe Leu Gly Arg Lys Phe Ala Trp Gly Arg Gly Ser Gly Ile Val Gly

260 265 270

Ala Leu Cys Ala Leu Ala Gly Phe Ala Leu Ala Ala Phe Gly Gly Asp 275 280 285

Ser Ile Pro Val Trp Leu Phe Val Ile Ala Ser Ile Leu Phe Gly Thr 290 295 300

Ala Tyr Gly Leu Cys Leu Arg Glu Gly Leu Leu Ser Ile Glu Thr Tyr 305 310 315 320

Thr Pro Leu Asn Arg Arg Gly Thr Gly Ile Gly Ile Tyr Tyr Val Phe 325 330 335

Thr Tyr Leu Gly Phe Gly Leu Pro Val Leu Leu Asp Ala Leu Leu Pro 340 345 350

His Leu Gly Ala Ser Ile Pro Leu Tyr Ala Leu Ala Ala Leu Ala Leu 355 360 365

Gly Ser Ala Val Ile Arg Gly Val Gln Ile Lys Arg Gly Tyr Val Val 370 380

<210> 163

<211> 1130

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (1)..(1107)

<223> FRXA01922

<400> 163

ctg ctg ttt act gca gga tgg gca gcc aat cat ttc gcg tca gtg ttg 48 Leu Leu Phe Thr Ala Gly Trp Ala Ala Asn His Phe Ala Ser Val Leu 1 5 10

gtg ttg atc cgt gaa caa tta gac gta tca agc gtg ctg gtc aac ggc 96 Val Leu Ile Arg Glu Gln Leu Asp Val Ser Ser Val Leu Val Asn Gly 20 25 30

gct ttt ggt att tat gca ctg gga ctt ctt cca agt ttg ctc gca ggc 144
Ala Phe Gly Ile Tyr Ala Leu Gly Leu Leu Pro Ser Leu Leu Ala Gly
35 40 45

ggt gtg ctt gcc gac cgt ttt ggt gcc cgc atg gtg gta ctc acc gga 192 Gly Val Leu Ala Asp Arg Phe Gly Ala Arg Met Val Val Leu Thr Gly 50 55 60

ggt gta ctt tct gcg ctt gga aac ctt tct ctt tta gcg ttt cat gat 240 Gly Val Leu Ser Ala Leu Gly Asn Leu Ser Leu Leu Ala Phe His Asp 65 70 75 80

| | | | Val | | | | Val | ggt Gly | | | gga Gly | 288 |
|-----|-----|-----|-----|-----|-----|-----|-----|-------------------|-----|-----|------------|-----|
| | | Ala | | | | Ala | | aga Arg | | Gly | | 336 |
| | | | | | Ile | | | gcc Ala | | | | 384 |
| | Ile | | | | | | | tcg Ser 140 | Thr | | | 432 |
| Pro | | | | | | | | atc Ile | | | | 480 |
| | | | | | | | | agc Ser | | | | 528 |
| | | | | | | | | aag Lys | | | | 576 |
| | | | | | | | | atc Ile | | | | 624 |
| | | | | | | | | ggc Gly 220 | | | | 672 |
| | | | | | | | | gca Ala | | | | 720 |
| | | | | | | | | ggc Gly | | | | 768 |
| | | | | | | | | gca Ala | | | | 816 |
| | | | | Leu | | | | tcg Ser | | | | 864 |
| | | | Cys | | | | | ctc Leu 300 | | | | 912 |

tac acg cca ctc aac cga cgt ggc acc ggc atc ggc atc tat tat qtq 960 Tyr Thr Pro Leu Asn Arg Arg Gly Thr Gly Ile Gly Ile Tyr Tyr Val 305 310 ttc acg tat ttg gga ttc ggg ctg cca gtg ctt ctc gac gcc ctc ctc Phe Thr Tyr Leu Gly Phe Gly Leu Pro Val Leu Leu Asp Ala Leu Leu 325 330 eeg cac ctt ggc gcc tec att eeg etg tae geg etg geg ete gee 1056 Pro His Leu Gly Ala Ser Ile Pro Leu Tyr Ala Leu Ala Ala Leu Ala 340 345 350 ctt ggc tcc gca gta atc cgc ggc gta caa atc aag cgc ggg tat gtg 1104 Leu Gly Ser Ala Val Ile Arg Gly Val Gln Ile Lys Arg Gly Tyr Val 360 gtt tagatttcta cctacgacct gaa 1130 <210> 164 <211> 369 <212> PRT <213> Corynebacterium glutamicum <400> 164 Leu Leu Phe Thr Ala Gly Trp Ala Ala Asn His Phe Ala Ser Val Leu Val Leu Ile Arg Glu Gln Leu Asp Val Ser Ser Val Leu Val Asn Gly

Ala Phe Gly Ile Tyr Ala Leu Gly Leu Leu Pro Ser Leu Leu Ala Gly

35 40 45

Gly Val Leu Ala Asp Arg Phe Gly Ala Arg Met Val Val Leu Thr Gly
50 55 60

Gly Val Leu Ser Ala Leu Gly Asn Leu Ser Leu Leu Ala Phe His Asp
65 70 75 80

Gly Pro Ser Leu Leu Val Gly Arg Phe Ile Val Gly Leu Gly Val Gly 85 90 95

Leu Val Val Ser Ala Gly Thr Ala Trp Ala Gly Arg Leu Arg Gly Ala
100 105 110

Ser Gly Val Thr Leu Ala Gly Ile Ile Leu Thr Ala Gly Phe Met Met 115 120 125

Gly Pro Ile Val Thr Ser Gly Leu Gly Met Ala Ser Thr Ser Ile Ile 130 135 140

Thr Pro Phe Ala Ile Ser Val Ala Leu Ser Leu Ile Ala Val Val 145 150 155 160

Gly Phe Ala Leu Gly Asp Ala Arg Ser Thr Pro Ser Ala Leu Gly Ala 165 170 175

Ser Ser Gly Ile Lys His Glu Arg Ser Met Lys Lys Ala Leu Ala Val 180 185 190

Ser Leu Pro Met Ala Ile Trp Val Phe Ser Cys Ile Thr Thr Ser Leu 195 200 205

Ile Val Met Ser Ala Arg Ile Asp Ser Thr Phe Gly Asn Ala Ile Leu 210 215 220

Leu Pro Gly Ile Gly Ala Ala Ile Ala Phe Ser Ala Gly Leu Ile Ala 225 230 235 240

Gln Phe Leu Gly Arg Lys Phe Ala Trp Gly Arg Gly Ser Gly Ile Val 245 250 255

Gly Ala Leu Cys Ala Leu Ala Gly Phe Ala Leu Ala Ala Phe Gly Gly 260 265 270

Asp Ser Ile Pro Val Trp Leu Phe Val Ile Ala Ser Ile Leu Phe Gly 275 280 285

Thr Ala Tyr Gly Leu Cys Leu Arg Glu Gly Leu Leu Ser Ile Glu Thr 290 295 300

Tyr Thr Pro Leu Asn Arg Gly Thr Gly Ile Gly Ile Tyr Tyr Val 305 310 315 320

Phe Thr Tyr Leu Gly Phe Gly Leu Pro Val Leu Leu Asp Ala Leu Leu 325 330 335

Pro His Leu Gly Ala Ser Ile Pro Leu Tyr Ala Leu Ala Ala Leu Ala 340 345 350

Leu Gly Ser Ala Val Ile Arg Gly Val Gln Ile Lys Arg Gly Tyr Val 355 360 365

Val

<210> 165

<211> 362

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (1)..(339)

<223> RXA02060

<400> 165

gaa ttt gcc cgc att ttg aag cca aag gga cag gtc atc gtg ctt acc 48
Glu Phe Ala Arg Ile Leu Lys Pro Lys Gly Gln Val Ile Val Leu Thr
1 5 10

| | | | | | | | | | | | ctg Leu | | | | 96 |
|------------|------|-------|------|------|------|-------|---|---|---|-------|------------------|---|---|---|-----|
| - | | | _ | | | - | _ | _ | _ | - | caa Gln 45 | | _ | | 144 |
| | | | | | | | | | | | ttt Phe | | | | 192 |
| _ | _ | | | | | - | | _ | | - | agc Ser | | | _ | 240 |
| | | | | | | | | | | | gcc Ala | | | | 288 |
| - | | _ | _ | _ | | - | | - | _ | | agg Arg | _ | _ | _ | 336 |
| atc Ile | taac | etctt | at c | tcac | tggg | jc ct | t | | | | | | | | 362 |

<210> 166

<211> 113

<212> PRT

<213> Corynebacterium glutamicum

<400> 166

Glu Phe Ala Arg Ile Leu Lys Pro Lys Gly Gln Val Ile Val Leu Thr 1 5 10 15

Ala Asp Thr Gly His Leu Ala Glu Leu Arg Glu Pro Leu Gly Ile Ile

Asp Val Glu Ala Gly Lys Val Asp Arg Met Ile Glu Gln Ala Ala Gly

His Leu Lys Pro Val Gly Glu Arg Asp Leu Val Glu Phe Glu Met Leu 50 55 60

Leu Asp Gln Lys Ser Ile Ala Ser Gln Ile Gly Met Ser Pro Ser Ala 65 70 75 80

Arg His Ile Lys Pro Glu Ala Leu Ala Glu Arg Ile Ala Ala Leu Pro 85 90 95

Glu Gln Met Lys Val Thr Ala Arg Ala Lys Ile Thr Arg Leu Glu Arg 100 105 110

219

Ile

| <21 <21 | 0> 1 1> 1 2> D 3> C | 395 NA | ebac | teri | .um g | luta | ımicu | ım | | | | | | | | |
|------------|------------------------------|--------------------|------|------|-------|------|-------|------|------|------------------|-----|------|------------|------|--------|-----|
| <22 | 1> C 2> (| DS 101) XN01 | | 372) | | | | | | | | | | | | |
| | 0> 1 cggt | | acca | cago | cg t | tgtc | agcg | g cg | cttg | gtct | gtg | gagg | atc | gccg | aggtta | 60 |
| cta | acaa | ata | ggcc | caac | aa a | gagg | tcta | a gc | tcta | cctg | | - | ttc Phe | - | • | 115 |
| | | | | | Arg | | | | | ccg Pro | | | | | | 163 |
| | | | | | | | | | Gly | gcc Ala | | | | | | 211 |
| | | | | | | | | | | G] À | | | | | | 259 |
| | | | | | | | Leu | | | ttg Leu | | | | | | 307 |
| | | | | | | | | | | aaa Lys 80 | | | | | | 355 |
| | | | | | | | | | | gcc Ala | | | | | | 403 |
| Thr | Ile | Leu | Gly | Asn | Glu | Asn | Ile | Trp | Leu | ctg Leu | Leu | Ile | Asn | Phe | | 451 |
| | | | | | | | | | | ccc Pro | | | | | | 499 |
| Leu | | Ser | | | Pro | | Asp | | | gcg Ala | | | | | | 547 |

| WO 01/00804 PC | T/IB00/00922 |
|----------------|--------------|
|----------------|--------------|

| | Met | | | | Gln 155 | | | | | | Gly | | | | | 595 |
|------------|------------|------------|-------------------|-------------------|-------------------|------------|------------|-------------------|-------------------|------------|------------|------------|-------------------|-------------------|------------|------|
| | | | | | ctg Leu | | | | | Trp | | | | | | 643 |
| | | | | Ile | ccc Pro | | | | | | | | | | | 691 |
| | | | Ser | | aag Lys | | | | | | | | | | | 739 |
| | | | | | ttg Leu | | | | | | | | | | | 787 |
| | | | | | gcc Ala 235 | | | | | | | | | | | 835 |
| ccc Pro | gag Glu | atc Ile | gca Ala | gaa Glu 250 | gtg Val | aac Asn | ttc Phe | ggt Gly | ggg Gly 255 | ggt Gly | gac Asp | gcc Ala | ggt Gly | gca Ala 260 | acg Thr | 883 |
| | | | | | tac Tyr | | | | | | | | | | | 931 |
| | | | | | tgg Trp | | | | | | | | | | | 979 |
| | | | | | atc Ile | | | | | | | | | | | 1027 |
| | | | | | agc Ser 315 | | | | | | | | | | | 1075 |
| | | | | | gtc Val | | | | | | | | | | | 1123 |
| gca Ala | gtt Val | cga Arg | aac Asn 345 | gct Ala | att Ile | ttg Leu | cag Gln | cag Gln 350 | tct Ser | gct Ala | gcg Ala | gaa Glu | cat His 355 | gtg Val | cag Gln | 1171 |
| | | | | | gtg Val | | | | | | | | | | | 1219 |
| tta | gct | gac | gtc | ctt | cac | ggt | tgg | gcc | gct | gag | ccc | ctc | ggc | gca | ggt | 1267 |

Leu Ala Asp Val Leu His Gly Trp Ala Ala Glu Pro Leu Gly Ala Gly 375 380 385

tgg acg gta tta tgg ggc gga gta gcg gtg gtt gta ctc act gca att 1315 Trp Thr Val Leu Trp Gly Gly Val Ala Val Val Val Leu Thr Ala Ile 390 395 400 405

tgt atg gtg gtg gtg cct aaa ttc tgg aaa tac gag aaa cca aaa att 1363 Cys Met Val Ala Val Pro Lys Phe Trp Lys Tyr Glu Lys Pro Lys Ile 410 415 420

acc ggc atc taaatactta tccatgccca ttt 1395
Thr Gly Ile

<210> 168

<211> 424

<212> PRT

<213> Corynebacterium glutamicum

<400> 168

Val Ser Phe Arg Asp Ile Phe Ala Asp Thr Arg Pro Leu Lys Glu Pro 1 5 10 15

Ala Phe Lys Arg Leu Trp Leu Gly Asn Val Ala Thr Val Ile Gly Ala
20 25 30

Gln Leu Thr Val Val Ala Val Pro Val Gln Ile Tyr Gln Met Thr Gly 35 40 45

Ser Ser Gly Tyr Val Gly Leu Thr Gly Leu Phe Gly Leu Ile Pro Leu 50 55 60

Val Ile Phe Gly Leu Tyr Gly Gly Ser Ile Ala Asp Ala Phe Asp Lys 65 70 75 80

Arg Ile Val Leu Ile Cys Thr Thr Ile Gly Met Cys Val Thr Thr Ala 85 90 95

Gly Phe Trp Val Leu Thr Ile Leu Gly Asn Glu Asn Ile Trp Leu Leu 100 105 110

Leu Ile Asn Phe Ser Leu Gln Gln Ala Phe Phe Ala Val Asn Gln Pro 115 120 125

Thr Arg Thr Ala Ile Leu Arg Ser Ile Leu Pro Ile Asp Gln Leu Ala 130 135 140

Ser Ala Thr Ser Leu Asn Met Leu Leu Met Gln Thr Gly Ala Ile Val 145 150 155 160

Gly Pro Leu Ile Ala Gly Ala Leu Ile Pro Leu Ile Gly Phe Gly Trp 165 170 175

Leu Tyr Phe Leu Asp Val Val Ser Ile Ile Pro Thr Leu Trp Ala Val
180 185 190

222

Trp Ser Leu Pro Ser Ile Lys Pro Ser Gly Lys Val Met Lys Ala Gly 195 200 205

Phe Ala Ser Val Val Asp Gly Leu Lys Tyr Leu Ala Gly Gln Pro Val 210 215 220

Leu Leu Met Val Met Val Leu Asp Leu Ile Ala Met Ile Phe Gly Met 225 230 235 240

Pro Arg Ala Leu Tyr Pro Glu Ile Ala Glu Val Asn Phe Gly Gly Gly 245 250 255

Asp Ala Gly Ala Thr Met Leu Ala Phe Met Tyr Ser Ser Met Ala Val 260 265 270

Gly Ala Val Leu Gly Gly Val Leu Ser Gly Trp Val Ala Arg Ile Ser 275 280 285

Arg Gln Gly Val Ala Val Tyr Trp Cys Ile Ile Ala Trp Gly Ala Ala 290 295 300

Val Ala Leu Gly Gly Val Ala Ile Val Val Ser Pro Gly Ala Val Thr 305 310 315 320

Ala Trp Ala Trp Met Phe Ile Ile Met Met Val Ile Gly Gly Met Ala 325 330 335

Asp Met Phe Ser Ser Ala Val Arg Asn Ala Ile Leu Gln Gln Ser Ala 340 345 350

Ala Glu His Val Gln Gly Arg Ile Gln Gly Val Trp Ile Ile Val Val 355. 360 365

Val Gly Gly Pro Arg Leu Ala Asp Val Leu His Gly Trp Ala Ala Glu 370 375 380

Pro Leu Gly Ala Gly Trp Thr Val Leu Trp Gly Gly Val Ala Val Val 385 390 395 400

Val Leu Thr Ala Ile Cys Met Val Ala Val Pro Lys Phe Trp Lys Tyr 405 410 415

Glu Lys Pro Lys Ile Thr Gly Ile 420

<210> 169

<211> 945

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(922)

<223> FRXA01936

<400> 169 tttacagcag gcatttttcg cggtgaatca acccacccga acggcgatcc ttcgaagtat 60 115 tttgccqatt qatcaataag cgtcggcaac atcactgaat atg ctg ctc atg cag Met Leu Leu Met Gln 163 acc ggc gca atc gtt ggc ccg ctg atc gca ggt gcg ttg att ccg ctg Thr Gly Ala Ile Val Gly Pro Leu Ile Ala Gly Ala Leu Ile Pro Leu atc ggt ttc ggg tgg ctg tat ttc ctt gat gtt gtc tcc atc atc ccc 211 Ile Gly Phe Gly Trp Leu Tyr Phe Leu Asp Val Val Ser Ile Ile Pro aca ctg tgg gct gta tgg tca ctg cct tcg atc aag cca tcc ggc aag 259 Thr Leu Trp Ala Val Trp Ser Leu Pro Ser Ile Lys Pro Ser Gly Lys 307 gtg atg aag gct ggt ttc gcc agt gtg gtg gat ggc ctg aag tat ttg Val Met Lys Ala Gly Phe Ala Ser Val Val Asp Gly Leu Lys Tyr Leu 60 355 gct ggc caa ccc gtg ttg ttg atg gtg atg gtg ctg gat ctt atc gcc Ala Gly Gln Pro Val Leu Leu Met Val Met Val Leu Asp Leu Ile Ala atg att ttc ggc atg cca cgt gcg ctt tac ccc gag atc gca gaa gtg 403 Met Ile Phe Gly Met Pro Arg Ala Leu Tyr Pro Glu Ile Ala Glu Val 95 451 aac ttc qqt qqq ggt gac gcc ggt gca acg atg ctg gcg ttc atg tac Asn Phe Gly Gly Asp Ala Gly Ala Thr Met Leu Ala Phe Met Tyr 110 tca tcc atg gct gtt ggc gca gtt ctt ggc ggc gtg ctg tct ggt tgg 499 Ser Ser Met Ala Val Gly Ala Val Leu Gly Gly Val Leu Ser Gly Trp 547 gtg gcc cgg att agc cgc cag ggt gtt gca gtt tat tgg tgc atc atc Val Ala Arg Ile Ser Arg Gln Gly Val Ala Val Tyr Trp Cys Ile Ile 140 595 gcc tgg ggc gca gcc gtt gct ttg ggt ggt gtg gca att gtt gtc agc Ala Trp Gly Ala Ala Val Ala Leu Gly Gly Val Ala Ile Val Val Ser 155 ccc ggc gcg gtg act gcg tgg gcg tgg atg ttc atc atc atg atg gtc 643 Pro Gly Ala Val Thr Ala Trp Ala Trp Met Phe Ile Ile Met Met Val att ggt ggc atg gct gac atg ttc agc tcg gca gtt cga aac gct att 691 Ile Gly Gly Met Ala Asp Met Phe Ser Ser Ala Val Arg Asn Ala Ile ttg cag cag tct gct gcg gaa cat gtg cag ggc cga atc caa ggt gtg 739 Leu Gln Gln Ser Ala Ala Glu His Val Gln Gly Arg Ile Gln Gly Val

200 205 210

tgg atc atc gtc gtg gtg ggt gga cct cgt tta gct gac gtc ctt cac 787 Trp Ile Ile Val Val Gly Gly Pro Arg Leu Ala Asp Val Leu His 215 220 ggt tgg gcc gct gag ccc ctc ggc gca ggt tgg acg gta tta tgg ggc 835 Gly Trp Ala Ala Glu Pro Leu Gly Ala Gly Trp Thr Val Leu Trp Gly gga gta gcg gtg gtt gta ctc act gca att tgt atg gtg gcg gtg cct 883 Gly Val Ala Val Val Leu Thr Ala Ile Cys Met Val Ala Val Pro 250 aaa ttc tgg aaa tac gag aaa cca aaa att acc ggc atc taaatactta 932 Lys Phe Trp Lys Tyr Glu Lys Pro Lys Ile Thr Gly Ile 265

tccatgccca ttt 945

<210> 170

<211> 274

<212> PRT

<213> Corynebacterium glutamicum

<400> 170

Met Leu Leu Met Gln Thr Gly Ala Ile Val Gly Pro Leu Ile Ala Gly 1 5 10 15

Ala Leu Ile Pro Leu Ile Gly Phe Gly Trp Leu Tyr Phe Leu Asp Val 20 25 30

Val Ser Ile Ile Pro Thr Leu Trp Ala Val Trp Ser Leu Pro Ser Ile 35 40 45

Lys Pro Ser Gly Lys Val Met Lys Ala Gly Phe Ala Ser Val Val Asp 50 55 60

Gly Leu Lys Tyr Leu Ala Gly Gln Pro Val Leu Leu Met Val Met Val 65 70 75 80

Leu Asp Leu Ile Ala Met Ile Phe Gly Met Pro Arg Ala Leu Tyr Pro 85 90 95

Glu Ile Ala Glu Val Asn Phe Gly Gly Gly Asp Ala Gly Ala Thr Met
100 105 110

Leu Ala Phe Met Tyr Ser Ser Met Ala Val Gly Ala Val Leu Gly Gly
115 120 125

Val Leu Ser Gly Trp Val Ala Arg Ile Ser Arg Gln Gly Val Ala Val 130 135 140

Tyr Trp Cys Ile Ile Ala Trp Gly Ala Ala Val Ala Leu Gly Gly Val 145 150 155 160

Ala Ile Val Val Ser Pro Gly Ala Val Thr Ala Trp Ala Trp Met Phe 170 Ile Ile Met Met Val Ile Gly Gly Met Ala Asp Met Phe Ser Ser Ala Val Arg Asn Ala Ile Leu Gln Gln Ser Ala Ala Glu His Val Gln Gly Arg Ile Gln Gly Val Trp Ile Ile Val Val Gly Gly Pro Arg Leu Ala Asp Val Leu His Gly Trp Ala Ala Glu Pro Leu Gly Ala Gly Trp Thr Val Leu Trp Gly Gly Val Ala Val Val Leu Thr Ala Ile Cys Met Val Ala Val Pro Lys Phe Trp Lys Tyr Glu Lys Pro Lys Ile Thr 265 Gly Ile <210> 171 <211> 549 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(526) <223> FRXA01937 <400> 171 gcgcggtgac accacagecg ttgtcagegg egettggtet gtggaggate geegaggtta 60 ctaacaaata ggcccaacaa agaggtctaa gctctacctg gtg agt ttc cga gat 115 Val Ser Phe Arg Asp att ttc gct gac acc aga ccg ctg aaa gaa ccg gcc ttc aaa cgc ctc 163 Ile Phe Ala Asp Thr Arg Pro Leu Lys Glu Pro Ala Phe Lys Arg Leu 10 tgg ctt ggc aat gtt gcc acc gtc att ggt gcc caa tta act gtt gtt 211 Trp Leu Gly Asn Val Ala Thr Val Ile Gly Ala Gln Leu Thr Val Val 259 gcc gtt ccg gtg cag att tac caa atg act ggg tcc tcc ggc tat gtg Ala Val Pro Val Gln Ile Tyr Gln Met Thr Gly Ser Ser Gly Tyr Val 40 ggc ttg acc ggg ctt ttt ggc ctt att cct ttg gtt att ttt ggc ctt 307 Gly Leu Thr Gly Leu Phe Gly Leu Ile Pro Leu Val Ile Phe Gly Leu 60

| | Gly | | | | | | | | | | | | gtg Val | | | 355 |
|---|--|--------------------------------|---|---|--------------------------------|---------------------------------------|-------------------------|---|---|---------------------------------------|------------------------|--------------------------------|---------------------------------------|--|--------------------------------|-----|
| | | | | | | | | | | | | | tgg Trp | | | 403 |
| | | | | | | | | | | | | | aac Asn 115 | | | 451 |
| | | | | | | | | | | | | | acg Thr | | | 499 |
| | | | | | ccg Pro | | | | taa | gcgt | egg (| caac | atcad | ct | | 546 |
| gaa | | | | | | | | | • | | | | | | | 549 |
| <21: | 0> 1' 1> 1 ² 2> Pl 3> Co | 42 RT | ebact | ceri | um gi | lutar | nicum | n | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | 0> 1° Ser | | Arg | Asp 5 | Ile | Phe | Ala | Asp | Thr 10 | Arg | Pro | Leu | Lys | Glu 15 | Pro | |
| Val 1 | Ser | Phe | | 5 | | | | | 10 | | | | Lys Ile 30 | 15 | | |
| Val 1 Ala | Ser | Phe Lys | Arg 20 | 5 Leu | Trp | Leu | Gly | Asn 25 | 10 Val | Ala | Thr | Val | Ile | 15 Gly | Ala | |
| Val 1 Ala Gln | Ser Phe Leu | Phe Lys Thr 35 | Arg 20 Val | 5 Leu Val | Trp Ala | Leu Val | Gly Pro 40 | Asn 25 Val | 10 Val Gln | Ala | Thr Tyr | Val Gln 45 | Ile 30 | 15 Gly Thr | Ala Gly | |
| Val 1 Ala Gln Ser | Ser Phe Leu Ser 50 | Phe Lys Thr 35 Gly | Arg 20 Val Tyr | 5 Leu Val | Trp Ala Gly | Leu Val Leu 55 Gly | Gly Pro 40 Thr | Asn 25 Val Gly | 10 Val Gln Leu Ile | Ala Ile Phe | Thr Tyr Gly 60 Asp | Val Gln 45 Leu | Ile 30 Met | 15 Gly Thr Pro | Ala Gly Leu | |
| Val 1 Ala Gln Ser Val 65 | Phe Leu Ser 50 | Phe Lys Thr 35 Gly Phe | Arg 20 Val Tyr | 5 Leu Val Val | Trp Ala Gly Tyr 70 | Leu Val Leu 55 Gly | Gly Pro 40 Thr | Asn 25 Val Gly Ser | 10 Val Gln Leu Ile | Ala The Phe Ala 75 | Thr Tyr Gly 60 Asp | Val Gln 45 Leu Ala | Ile 30 Met Ile | 15 Gly Thr Pro | Ala Gly Leu Lys 80 | |
| Val 1 Ala Gln Ser Val 65 Arg | Phe Leu Ser 50 Ile | Phe Lys Thr 35 Gly Phe Val | Arg 20 Val Tyr Gly Leu | 5 Leu Val Val Leu Ile 85 | Trp Ala Gly Tyr 70 Cys | Leu Val Leu 55 Gly | Gly Pro 40 Thr Gly | Asn 25 Val Gly Ser Ile | 10 Val Gln Leu Ile Gly 90 | Ala Ile Phe Ala 75 Met | Thr Tyr Gly 60 Asp Cys | Val Gln 45 Leu Ala Val | Ile 30 Met Ile Phe | 15 Gly Thr Pro Asp Thr 95 | Ala Gly Leu Lys 80 Ala | |
| Val 1 Ala Gln Ser Val 65 Arg | Phe Leu Ser 50 Ile Ile Phe | Phe Lys Thr 35 Gly Phe Val | Arg 20 Val Tyr Gly Leu Val 100 | 5 Leu Val Val Leu Ile 85 Leu | Trp Ala Gly Tyr 70 Cys | Leu Val Leu 55 Gly Thr | Gly Pro 40 Thr Gly Thr | Asn 25 Val Gly Ser Ile Gly 105 | 10 Val Gln Leu Ile Gly 90 Asn | Ala Ile Phe Ala 75 Met Glu | Thr Tyr Gly 60 Asp Cys | Val Gln 45 Leu Ala Val | Ile 30 Met Ile Phe Thr | 15 Gly Thr Pro Asp Thr 95 Leu | Ala Gly Leu Lys 80 Ala | |

| <2: | 10> 1 11> 1 12> 1 13> (| 1242 DNA | neba | cter. | ium (| gluta | amicu | mı | | | | | | | | |
|------------------|----------------------------------|-------------------|-------------------|------------------|-------------------|-------------------|-------------------|-------------------|------------------|------------------|-------------------|-------------------|-------------------|-------------------|------------------|-----|
| <2; <2; | 20> 21> (22> (23> f | (101) |)(: 1010 | 1219 |) | | | | | | | | | | | |
| |)0> 1 gccaa | | gttt | cct | gta a | aacq | gcata | a co | ccga | atac | ccc | ctgt | ttc | caga | tccaaa | 60 |
| aaa | agat | ctg | gcag | 99999 | gtt t | aggo | catag | ja tt | agga | actt | | Lys | | | caa Gln 5 | 115 |
| atç Met | ceg Pro | g gcc Ala | att Ile | tto Lev | g gto 1 Val | gga Gly | ggc Gly | ttt Phe | gtg Val | Gly | ccg Pro | ttt Phe | act Thr | ggc Gly 20 | Gln | 163 |
| gct Ala | cta Leu | tca Ser | gtg Val 25 | Val | ttg Leu | ccg Pro | gaa Glu | ttt Phe 30 | Ala | gac Asp | acc Thr | ttt Phe | gat Asp 35 | Ile | agt Ser | 211 |
| gto Val | agc Ser | cag Gln 40 | Ala | gcg Ala | ctg Leu | acc Thr | atg Met 45 | Thr | gca Ala | tac Tyr | ttg Leu | ttg Leu 50 | Pro | ttt Phe | gcc Ala | 259 |
| acc Thr | atg Met 55 | Met | ttg Leu | ttt Phe | tcg Ser | 60 G1y | Arg | atc Ile | acc Thr | aga Arg | aag Lys 65 | atc Ile | cat His | ccg Pro | cat His | 307 |
| aag Lys 70 | Val | gtg Val | cag Gln | gcg Ala | gct Ala 75 | tat Tyr | att Ile | gtc Val | aca Thr | ctg Leu 80 | cca Pro | ctt Leu | gcg Ala | ctg Leu | ttg Leu 85 | 355 |
| ctc Leu | cta Leu | gtt Val | aca Thr | cca Pro 90 | tcg Ser | tgg Trp | ggg Gly | ctg Leu | ttt Phe 95 | atg Met | gct Ala | gcg Ala | tat Tyr | gcc Ala 100 | acg Thr | 403 |
| att Ile | ggt Gly | atc Ile | gct Ala 105 | aat Asn | gca Ala | ttt Phe | acc Thr | act Thr 110 | ccg Pro | gtg Val | ctg Leu | caa Gln | att Ile 115 | atg Met | ttg Leu | 451 |
| cgt Arg | gag Glu | ctt Leu 120 | gtt Val | ccg Pro | ccg Pro | cgt Arg | tct Ser 125 | ttg Leu | ggt Gly | aag Lys | gca Ala | ttg Leu 130 | ggc Gly | acc Thr | tat Tyr | 499 |
| gct Ala | gcg Ala 135 | atg Met | caa Gln | tca Ser | ctc Leu | ggc Gly 140 | atg Met | ttg Leu | tcg Ser | gcg Ala | cca Pro 145 | ctg Leu | atc Ile | gca Ala | ggt Gly | 547 |
| | | | | | tcg Ser 155 | | | | | | | | | | | 595 |

| gcg Ala | tca Ser | ctg Leu | ttt Phe | att Ile 170 | Leu | gtg Val | gcg Ala | cga Arg | ctc Leu 175 | Pro | gtt Val | gtt Val | cca Pro | cca Pro 180 | cca Pro | 643 |
|------------|-------------------|-------------------|-------------------|-------------------|------------|-------------------|-------------------|-------------------|-------------------|------------|-------------------|-------------------|-------------------|-------------------|------------|------|
| tca Ser | gca Ala | tcg Ser | aag Lys 185 | Gln | aac Asn | gtt Val | agt Ser | ggc Gly 190 | Lys | gtg Val | cag Gln | tgg Trp | gga Gly 195 | ccg Pro | acc Thr | 691 |
| atc Ile | ato | cac His 200 | atg Met | gtt Val | tcc Ser | ggc Gly | ttt Phe 205 | gtg Val | gtg Val | ggc Gly | atc Ile | ggc Gly 210 | atc Ile | atc Ile | ggc Gly | 739 |
| att Ile | gga Gly 215 | ttc Phe | atg Met | aca Thr | tcg Ser | ctg Leu 220 | cac His | gtt Val | ggc Gly | gag Glu | caa Gln 225 | ttc Phe | gga Gly | ctt Leu | gat Asp | 787 |
| | | gcg Ala | | | | | | | | | | | | | | 835 |
| | | tcc Ser | | | | | | | | | | | | | | 883 |
| | | ctc Leu | | _ | - | - | _ | | | | | - | | - | - | 931 |
| ctg Leu | ccg Pro | atc Ile 280 | gca Ala | ccg Pro | tgg Trp | atc Ile | att Ile 285 | gtg Val | gtg Val | gcc Ala | gta Val | ctg Leu 290 | tgg Trp | gcc Ala | ttc Phe | 979 |
| | | gca Ala | | | | | | | | | | | | | | 1027 |
| | | agc Ser | | | | | | | | | | | | | | 1075 |
| | | ttc Phe | | | | | | Pro | Val | | Phe | Leu | | | | 1123 |
| | | atc Ile | | | | | | | | | | | | | | 1171 |
| | | gcc Ala 360 | | | | | | | | | | | | | | 1219 |
| tgag | ggag | ac g | tcga | gaag | c gt | С | | | | | | | | | | 1242 |

<210> 174

.

- <211> 373
- <212> PRT
- <213> Corynebacterium glutamicum
- <400> 174
- Met Lys Lys Leu Gln Met Pro Ala Ile Leu Val Gly Gly Phe Val Gly 1 5 15
- Pro Phe Thr Gly Gln Ala Leu Ser Val Val Leu Pro Glu Phe Ala Asp 20 25 30
- Thr Phe Asp Ile Ser Val Ser Gln Ala Ala Leu Thr Met Thr Ala Tyr 35 40 45
- Leu Leu Pro Phe Ala Thr Met Met Leu Phe Ser Gly Arg Ile Thr Arg
 50 55 60
- Lys Ile His Pro His Lys Val Val Gln Ala Ala Tyr Ile Val Thr Leu 65 70 75 80
- Pro Leu Ala Leu Leu Leu Val Thr Pro Ser Trp Gly Leu Phe Met 85 90 95
- Ala Ala Tyr Ala Thr Ile Gly Ile Ala Asn Ala Phe Thr Thr Pro Val 100 105 110
- Leu Gln Ile Met Leu Arg Glu Leu Val Pro Pro Arg Ser Leu Gly Lys 115 120 125
- Ala Leu Gly Thr Tyr Ala Ala Met Gln Ser Leu Gly Met Leu Ser Ala 130 135 140
- Pro Leu Ile Ala Gly Val Ser Ser Val Val Ser Trp Arg Leu Thr Phe 145 150 155 160
- Leu Val Thr Ala Ala Ala Ser Leu Phe Ile Leu Val Ala Arg Leu Pro 165 170 175
- Val Val Pro Pro Pro Ser Ala Ser Lys Gln Asn Val Ser Gly Lys Val 180 185 190
- Gln Trp Gly Pro Thr Ile Ile His Met Val Ser Gly Phe Val Val Gly 195 200 205
- Ile Gly Ile Gly Ile Gly Phe Met Thr Ser Leu His Val Gly Glu 210 215 . 220
- Gln Phe Gly Leu Asp Ala Ala Arg Gly Leu Val Wat Cys Gly 225 230 235 240
- Gly Leu Ala Ala Phe Phe Ala Ser Arg Lys Ile Gly Asp Leu Ala Asp 245 250 255
- Lys Phe Gly Val Arg Ala Val Leu Ile Val Ser Ala Val Ile Gly Thr 260 265 270
- Ile Ala Leu Ala Leu Leu Pro Ile Ala Pro Trp Ile Ile Val Val Ala

275 280 285

Val Leu Trp Ala Phe Ala Val Ala Ala Gln Gly Ile Gln Ala Thr 290 295 300

Val Asn Leu Ala Val Ile Gly Ser Pro Gly Gly Ser Ser Leu Leu Ser 305 310 315 320

Thr Val Gln Ala Phe Arg Phe Phe Gly Ser Ala Ala Ala Pro Val Thr 325 330 335

Phe Leu Pro Ile Tyr Met Gly Ile Gly Ser Gly Ala Phe Trp Val Ser 340 345 350

Ala Val Ala Leu Phe Phe Val Ala Ile Ala Gln Trp Leu Asn Pro Gln 355 360 365

Arg Val Glu Arg Gly 370

<210> 175

<211> 871

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(871)

<223> FRXA01010

<400> 175

gtgccaaagc gtttcctgta aaacgcataa ccccgaatac cccctgtttc cagatccaaa 60

aaaagatctg gcagggggtt taggcataga ttaggaactt atg aag aaa ctg caa 115
Met Lys Lys Leu Gln

atg ccg gcc att ttg gtc gga ggc ttt gtg ggg ccg ttt act ggc caa 163 Met Pro Ala Ile Leu Val Gly Gly Phe Val Gly Pro Phe Thr Gly Gln

gct cta tca gtg gtc ttg ccg gaa ttt gca gac acc ttt gat atc agt 211
Ala Leu Ser Val Val Leu Pro Glu Phe Ala Asp Thr Phe Asp Ile Ser

gtc agc cag gca gcg ctg acc atg acc gca tac ttg ttg ccc ttt gcc 259 Val Ser Gln Ala Ala Leu Thr Met Thr Ala Tyr Leu Leu Pro Phe Ala 40 45 50

acc atg atg ttg ttt tcg ggg cgc atc acc aga aag atc cat ccg cat 307 Thr Met Met Leu Phe Ser Gly Arg Ile Thr Arg Lys Ile His Pro His 55 60 65

aag gtg gtg cag gcg gct tat att gtc aca ctg cca ctt gcg ctg ttg 355 Lys Val Val Gln Ala Ala Tyr Ile Val Thr Leu Pro Leu Ala Leu Leu 70 75 80 85

| | | | | | Ser | tgg Trp | | | | | | | | | | 403 |
|------------|------------|-------------------|------------|------------|------------|-------------------|-------------------|------------|------------|------------|------------|-------------------|------------|------------|------------|-----|
| | | | | Asn | | ttt Phe | | | | | | | | | | 451 |
| | | | Val | | | cgt Arg | | | | | | | | | | 499 |
| - | | - | | | | ggc Gly 140 | - | - | - | | | _ | | _ | | 547 |
| | | | | | | tgg Trp | | | | | | | | | | 595 |
| | | | | | | gtg Val | | | | | | | | | | 643 |
| | | | | | | gtt Val | | | | | | | | | | 691 |
| atc Ile | atc Ile | cac His 200 | atg Met | gtt Val | tcc Ser | Gly | ttt Phe 205 | gtg Val | gtg Val | ggc Gly | atc Ile | ggc Gly 210 | atc Ile | atc Ile | ggc Gly | 739 |
| | | | | | | ctg Leu 220 | | | | | | | | | | 787 |
| | | | | | | gtg Val | | | | | | | | | | 835 |
| | | | | | | ggc Gly | | | | | | | | | | |

<210> 176

<211> 257

<212> PRT

<213> Corynebacterium glutamicum

<400> 176

Met Lys Lys Leu Gln Met Pro Ala Ile Leu Val Gly Gly Phe Val Gly
1 5 10 15

Pro Phe Thr Gly Gln Ala Leu Ser Val Val Leu Pro Glu Phe Ala Asp 20 25 30

Thr Phe Asp Ile Ser Val Ser Gln Ala Ala Leu Thr Met Thr Ala Tyr 35 40 45

Leu Leu Pro Phe Ala Thr Met Met Leu Phe Ser Gly Arg Ile Thr Arg 50 55 60

Lys Ile His Pro His Lys Val Val Gln Ala Ala Tyr Ile Val Thr Leu 65 70 75 80

Pro Leu Ala Leu Leu Leu Val Thr Pro Ser Trp Gly Leu Phe Met 85 90 95

Ala Ala Tyr Ala Thr Ile Gly Ile Ala Asn Ala Phe Thr Thr Pro Val 100 105 110

Leu Gln Ile Met Leu Arg Glu Leu Val Pro Pro Arg Ser Leu Gly Lys 115 120 125

Ala Leu Gly Thr Tyr Ala Ala Met Gln Ser Leu Gly Met Leu Ser Ala 130 135 140

Leu Val Thr Ala Ala Ala Ser Leu Phe Ile Leu Val Ala Arg Leu Pro 165 170 175

Val Val Pro Pro Pro Ser Ala Leu Lys Gln Asn Val Ser Gly Lys Val 180 185 190

Gin Trp Gly Pro Thr Ile Ile His Met Val Ser Gly Phe Val Val Gly 195 200 205

Ile Gly Ile Ile Gly Ile Gly Phe Met Thr Ser Leu His Val Gly Glu 210 215 220

Gln Phe Gly Leu Asn Thr Ala Ala Arg Gly Leu Val Val Met Cys Gly 225 230 235 240

Gly Arg Ala Ala Phe Phe Ala Ser Arg Lys Ile Gly Asp Leu Ala Asp 245 250 255

Lys

<210> 177

<211> 1266

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1243)

<223> RXN03142

<400> 177

gcaatttggc caatcaacaa cataggagga ctgcgtggcg gtcaccgcaa gaacggacat 60

- aaaaccacac ccatcgcaac caacggcact gttcactcca gtg ttt att ttg ggc 115 Val Phe Ile Leu Gly 1
- tgg ctc gtc aac ttg acc cag tac ttg agc ttc tac ttc ctg atc aca
 Trp Leu Val Asn Leu Thr Gln Tyr Leu Ser Phe Tyr Phe Leu Ile Thr
 10 15 20
- gtc atg gcg ctg tat gcg atg gaa agc ttc gcc gtt tca gag gcc gct 211 Val Met Ala Leu Tyr Ala Met Glu Ser Phe Ala Val Ser Glu Ala Ala 25
- gtc gga ttt gcg gcc agc tcc ttt gtt atc ggc gca acc gtg gct cgt 259 Val Gly Phe Ala Ala Ser Ser Phe Val Ile Gly Ala Thr Val Ala Arg 40 45 50
- gtg ttc gcg gga tgg acg tcc gac cgt ttt ggt aaa aaa cag atc ctg 307 Val Phe Ala Gly Trp Thr Ser Asp Arg Phe Gly Lys Lys Gln Ile Leu 55 60 65
- ctc atc ttt gtc ggc ttg gaa gcg gta gca tca cta ttc tat att cca 355 Leu Ile Phe Val Gly Leu Glu Ala Val Ala Ser Leu Phe Tyr Ile Pro 70 75 80 85
- gct gcc tca cta cca gcg ctg gtt gct gtg cgt ttt gtt cac ggt ttt 403 Ala Ala Ser Leu Pro Ala Leu Val Ala Val Arg Phe Val His Gly Phe 90 95 100
- tct tat tct ctt gct tcc acc gct gtg atg gca ctt gtg cag tcc gtg 451 Ser Tyr Ser Leu Ala Ser Thr Ala Val Met Ala Leu Val Gln Ser Val 105 116
- att cct gca agc cgt agg gca gag ggc acc ggc tac ttc gcg ctc gga 499

 Ile Pro Ala Ser Arg Arg Ala Glu Gly Thr Gly Tyr Phe Ala Leu Gly

 120
- tcc aca ctg gct aca gct ttc ggc cca gca att gcg ctg ttt gtt atc 547 Ser Thr Leu Ala Thr Ala Phe Gly Pro Ala Ile Ala Leu Phe Val Ile 135 140 145
- gat gac ttc aac tac aac acc ctg ttc tgg att acc act gcg acc agt 595 Asp Asp Phe Asn Tyr Asn Thr Leu Phe Trp Ile Thr Thr Ala Thr Ser 150 165
- gtt ttc ggc ctg atc ctc acc gtt ttg atc cgc aag ccg gag ttc att 643 Val Phe Gly Leu Ile Leu Thr Val Leu Ile Arg Lys Pro Glu Phe Ile 170 175
- aag aat gcg gaa cac ggc aga gta aag cca gtc tgg tct atc aag act 691 Lys Asn Ala Glu His Gly Arg Val Lys Pro Val Trp Ser Ile Lys Thr 185 190 195
- gtt gtg cac cca tcg gtc atg ctc att gga ttc ttc atg ctc gct gtc 739 Val Val His Pro Ser Val Met Leu Ile Gly Phe Phe Met Leu Ala Val

| | | 200 | | | | 205 | | | | | 210 | | | | |
|---|---|-----|---|-------------------|---|-----|------|------|------|------|------|------|----|---|------|
| | | | | ggc | | | | | | | | | | | 787 |
| | | | | gcc Ala 235 | | | | | | | | | | | 835 |
| | | | | atg Met | | | | | | | | | | | 883 |
| | | | | gtt Val | | | | | | | | | | | 931 |
| | - | | _ | gct Ala | _ | | | - | _ | | | | _ | | 979 |
| - | | - | | ggt Gly | - | | | | | | _ | _ | - | - | 1027 |
| | | | | gat Asp 315 | | | | | | | | | | | 1075 |
| | | | | ctg Leu | | | | | | | | | | | 1123 |
| | | | | ttg Leu | | | | | | | | | | | 1171 |
| | | | | gtg Val | | | | | | | | | | | 1219 |
| | | | | gct Ala | | | taag | ttag | ag c | attt | tatt | g ag | ic | | 1266 |

<210> 178

<211> 381

<212> PRT

<213> Corynebacterium glutamicum

<400> 178

Val Phe Ile Leu Gly Trp Leu Val Asn Leu Thr Gln Tyr Leu Ser Phe 1 5 10 15

Tyr Phe Leu Ile Thr Val Met Ala Leu Tyr Ala Met Glu Ser Phe Ala

20 25 30

Val Ser Glu Ala Ala Val Gly Phe Ala Ala Ser Ser Phe Val Ile Gly 35 40 45

Ala Thr Val Ala Arg Val Phe Ala Gly Trp Thr Ser Asp Arg Phe Gly 50 55 60

Lys Lys Gln Ile Leu Leu Ile Phe Val Gly Leu Glu Ala Val Ala Ser 65 70 75 80

Leu Phe Tyr Ile Pro Ala Ala Ser Leu Pro Ala Leu Val Ala Val Arg 85 90 95

Phe Val His Gly Phe Ser Tyr Ser Leu Ala Ser Thr Ala Val Met Ala 100 105 110

Leu Val Gln Ser Val Ile Pro Ala Ser Arg Arg Ala Glu Gly Thr Gly 115 120 125

Tyr Phe Ala Leu Gly Ser Thr Leu Ala Thr Ala Phe Gly Pro Ala Ile 130 135 140

Ala Leu Phe Val Ile Asp Asp Phe Asn Tyr Asn Thr Leu Phe Trp Ile 145 150 155 160

Thr Thr Ala Thr Ser Val Phe Gly Leu Ile Leu Thr Val Leu Ile Arg 165 170 175

Lys Pro Glu Phe Ile Lys Asn Ala Glu His Gly Arg Val Lys Pro Val 180 185 190

Trp Ser Ile Lys Thr Val Val His Pro Ser Val Met Leu Ile Gly Phe 195 200 205

Phe Met Leu Ala Val Gly Leu Ala Tyr Ala Gly Val Ile Thr Phe Leu 210 215 220

Asn Gly Phe Ala Gln Asp Thr Gly Leu Thr Ala Gly Ala Gly Leu Phe 225 230 240

Phe Ile Ala Tyr Ala Val Ala Met Leu Val Met Arg Phe Phe Leu Gly 245 250 255

Arg Ile Gln Asp Lys His Gly Asp Asn Pro Val Ile Tyr Phe Gly Leu 260 265 270

Ile Ser Phe Ala Leu Ala Leu Gly Leu Met Ala Leu Ala Thr Glu Asp 275 280 285

Trp His Ile Val Leu Ala Gly Ala Leu Thr Gly Leu Gly Tyr Gly Thr 290 300

Ile Met Pro Ala Ala Gln Ala Ile Ala Val Asp Ser Val Pro Ser Thr 305 310 315 320

Gln Val Gly Ser Gly Ile Ser Thr Leu Phe Leu Phe Thr Asp Ile Gly

325 330 335

Ile Gly Leu Gly Pro Ile Leu Leu Gly Gly Leu Val Ala Ala Thr Gly 340 345 350

Tyr Asn Val Met Tyr Ala Ala Leu Ala Ala Val Ile Val Val Ala Gly 355 360 365

Val Leu Tyr Leu Val Ala Leu Gly Arg Lys Ala Ser His 370 375 . 380

<210> 179

<211> 914

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (1)..(891)

<223> FRXA01150

<400> 179

.

cca gct gcc tca cta cca gcg ctg gtt gct gtg cgt ttt gtt cac ggt 48
Pro Ala Ala Ser Leu Pro Ala Leu Val Ala Val Arg Phe Val His Gly
1 5 10 15

ttt tct tat tct ctt gct tcc acc gct gtg atg gca ctt gtg cag tcc 96
Phe Ser Tyr Ser Leu Ala Ser Thr Ala Val Met Ala Leu Val Gln Ser
20 25 30

gtg att cct gca agc cgt agg gca gag ggc acc ggc tac ttc gcg ctc 144
Val Ile Pro Ala Ser Arg Arg Ala Glu Gly Thr Gly Tyr Phe Ala Leu

35

gga tcc aca ctg gct aca gct ttc ggc cca gca att gcg ctg ttt gtt 192 Gly Ser Thr Leu Ala Thr Ala Phe Gly Pro Ala Ile Ala Leu Phe Val 50 55 60

atc gat gac ttc aac tac aac acc ctg ttc tgg att acc act gcg acc

Ile Asp Asp Phe Asn Tyr Asn Thr Leu Phe Trp Ile Thr Thr Ala Thr

65 70 75 80

agt gtt ttc ggc ctg atc ctc acc gtt ttg atc cgc aag ccg gag ttc 288 Ser Val Phe Gly Leu Ile Leu Thr Val Leu Ile Arg Lys Pro Glu Phe 85 90 95

att aag aat gcg gaa cac ggc aga gta aag cca gtc tgg tct atc aag 336 Ile Lys Asn Ala Glu His Gly Arg Val Lys Pro Val Trp Ser Ile Lys 100 105 110

act gtt gtg cac cca tcg gtc atg ctc att gga ttc ttc atg ctc gct 384
Thr Val Val His Pro Ser Val Met Leu Ile Gly Phe Phe Met Leu Ala
115 120 125

gtc gga ctg gct tac gca ggc gtg atc acc ttc ctc aac ggc ttc gcg 432 Val Gly Leu Ala Tyr Ala Gly Val Ile Thr Phe Leu Asn Gly Phe Ala

| | | | | | | | | | | | | | | • | | |
|--------------|-------------|--------|------|----------|-------------------|------|------|-----|-----------|-------|-------|------|------|-----------|-----|-----|
| | 130 | | | | | 135 | | | | | 140 | | | | | |
| | | | | | acc Thr 150 | | | | | | | | | | | 480 |
| | | | | | gtc Val | | | | | | | | | | | 528 |
| | | | | | ccg Pro | | | | | | | | | | | 576 |
| | | | | | atg Met | | | | | | | | | | | 624 |
| | | | | | acc Thr | | | | | | | | | | | 672 |
| - | | _ | | - | gtc Val 230 | - | | _ | | _ | | _ | - | | | 720 |
| | | | | | ttc Phe | | | | | | | | | | | 768 |
| | | Leu | | | gga Gly | | | | | | | | | | | 816 |
| | - | - | _ | _ | gca Ala | | | - | | | | | | | _ | 864 |
| | | | | | aaa Lys | | | | taag | gttag | gag o | attt | tatt | :g | | 911 |
| agc | | | | | | | | | | | | | | | | 914 |
| <211 <212 | | 7 T | bact | eriu | m gl | utam | icum | ı | | | | | | | | |
| | > 18 Ala | | Ser | Leu 5 | Pro | Ala | Leu | Val | Ala 10 | Val | Arg | Phe | Val | His 15 | Gly | |

Phe Ser Tyr Ser Leu Ala Ser Thr Ala Val Met Ala Leu Val Gln Ser 20 25 30

Val Ile Pro Ala Ser Arg Arg Ala Glu Gly Thr Gly Tyr Phe Ala Leu 35 40 45

Gly Ser Thr Leu Ala Thr Ala Phe Gly Pro Ala Ile Ala Leu Phe Val 50 55 60

Ile Asp Asp Phe Asn Tyr Asn Thr Leu Phe Trp Ile Thr Thr Ala Thr 65 70 75 80

Ser Val Phe Gly Leu Ile Leu Thr Val Leu Ile Arg Lys Pro Glu Phe 85 90 95

Ile Lys Asn Ala Glu His Gly Arg Val Lys Pro Val Trp Ser Ile Lys
100 105 110

Thr Val Val His Pro Ser Val Met Leu Ile Gly Phe Phe Met Leu Ala 115 120 125

Val Gly Leu Ala Tyr Ala Gly Val Ile Thr Phe Leu Asn Gly Phe Ala 130 135 140

Gln Asp Thr Gly Leu Thr Ala Gly Ala Gly Leu Phe Phe Ile Ala Tyr 145 150 155 160

Ala Val Ala Met Leu Val Met Arg Phe Phe Leu Gly Arg Ile Gln Asp 165 170 175

Lys His Gly Asp Asn Pro Val Ile Tyr Phe Gly Leu Ile Ser Phe Ala 180 185 190

Leu Ala Leu Gly Leu Met Ala Leu Ala Thr Glu Asp Trp His Ile Val 195 200 205

Leu Ala Gly Ala Leu Thr Gly Leu Gly Tyr Gly Thr Ile Met Pro Ala 210 215 220

Ala Gln Ala Ile Ala Val Asp Ser Val Pro Ser Thr Gln Val Gly Ser 225 230 235 240

Gly Ile Ser Thr Leu Phe Leu Phe Thr Asp Ile Gly Ile Gly Leu Gly 245 250 255

Pro Ile Leu Leu Gly Gly Leu Val Ala Ala Thr Gly Tyr Asn Val Met 260 265 270

Tyr Ala Ala Leu Ala Ala Val Ile Val Val Ala Gly Val Leu Tyr Leu 275 280 285

Val Ala Leu Gly Arg Lys Ala Ser His 290 295

<210> 181

<211> 1341

<212> DNA

<213> Corynebacterium glutamicum

<220> <221> CDS <222> (101)..(1318) <223> RXN02964 <400> 181 ttttatatcc tagcaagggt gttgcatgat gcaataaacg tggtagtttg tgttcataac 60 aaaattgcat gatgcaataa tttcgattta aaggagaaca gtg tcc gta gct gaa 115 Val Ser Val Ala Glu gaa ggg aaa ctt ttt aca cca acg ttt gtc atg gga tgg ttt gcc aac 163 Glu Gly Lys Leu Phe Thr Pro Thr Phe Val Met Gly Trp Phe Ala Asn 10 ctt ttc cag ttc ctg gtg ttc tac ttc ctc atc acc acc atg gct ttg 211 Leu Phe Gln Phe Leu Val Phe Tyr Phe Leu Ile Thr Thr Met Ala Leu 25 tac gcc atc aag gaa ttt caa gcc tct gaa gta gaa gct ggc ttc gca 259 Tyr Ala Ile Lys Glu Phe Gln Ala Ser Glu Val Glu Ala Gly Phe Ala 40 tcc agc tca att gtt atc ggc gca gtc ttt tcc agg ttt ttc tcc ggc 307 Ser Ser Ser Ile Val Ile Gly Ala Val Phe Ser Arg Phe Phe Ser Gly 55 60 tat att att gac cgt ttt ggt cga cgc aag att gtg ctc atc tca gtc 355 Tyr Ile Ile Asp Arg Phe Gly Arg Arg Lys Ile Val Leu Ile Ser Val 70 cta gtc act acc att gcg tgt gcc ttg tac ctt ccc atc gaa tca ttg 403 Leu Val Thr Thr Ile Ala Cys Ala Leu Tyr Leu Pro Ile Glu Ser Leu cca ttg cta tac gca aac agg ttc ctc cac ggt gtt gga tac gct ttt 451 Pro Leu Leu Tyr Ala Asn Arg Phe Leu His Gly Val Gly Tyr Ala Phe 105 gct gcc acc gcg atc atg gca atg gtc cag gag ctc att cca gcg tca 499 Ala Ala Thr Ala Ile Met Ala Met Val Gln Glu Leu Ile Pro Ala Ser 120 125 130 cga cgt tcc gaa ggt act ggt tac ctg gca ttg ggc act acc gtt tct 547 Arg Arg Ser Glu Gly Thr Gly Tyr Leu Ala Leu Gly Thr Thr Val Ser 140 135 145 595 gca gca ctt gga cca gcc cta gca ctt ttt gtc cta gga aca ttt gat Ala Ala Leu Gly Pro Ala Leu Ala Leu Phe Val Leu Gly Thr Phe Asp 150 155 160

tac gac atg ctg ttt atc gtg gtc ttg gca acc tcg gtc atc tct ttg Tyr Asp Met Leu Phe Ile Val Val Leu Ala Thr Ser Val Ile Ser Leu

atc gcc gtc gtg ttc atg tac ttt aag acc agc gac cct gag cct tct

170

| Ile | Ala | Val | Val 185 | Phe | Met | Tyr | Phe | Lys 190 | Thr | Ser | Asp | Pro | Glu 195 | Pro | Ser | |
|------------|------|------|------------|------|------|-------------------|-----|------------|-----|-----|-----|-----|------------|-----|-----|--------|
| | | | | | | agc Ser | | | | | | | Pro | | | 739 |
| | | | | | | atc Ile 220 | _ | | | - | | _ | | | | 787 |
| _ | Ile | - | | | | gca Ala | | _ | - | _ | - | _ | _ | | • | 835 |
| | _ | | - | | | att Ile | - | | - | - | | _ | | | - | 883 |
| | _ | | | | | ctg Leu | - | - | _ | - | | - | | _ | - | 931 |
| | | | | _ | | ttc Phe | | - | | | _ | • | | _ | | 979 |
| | _ | | | | | cac His 300 | _ | | _ | | | _ | | - | | 1027 |
| _ | | | | | _ | atg Met | | _ | | _ | | | - | _ | | 1075 . |
| | | | | | | ttc Phe | | | | | | | | | | 1123 |
| | | | | | | ggc Gly | | | | | | | | | | 1171 |
| | | | | | | gga Gly | | | | | | | | | | 1219 |
| | | | | | | ttc Phe 380 | | | | | | | | | | 1267 |
| | | | | Gly | | gtt Val | | | | | | | | | | 1315 |
| agc Ser | tagt | tctt | tc a | gctt | tecc | t cc | С | | | | | | | | | 1341 |

<210> 182

<211> 406

<212> PRT

<213> Corynebacterium glutamicum

<400> 182

Val Ser Val Ala Glu Glu Gly Lys Leu Phe Thr Pro Thr Phe Val Met
1 5 10 15

Gly Trp Phe Ala Asn Leu Phe Gln Phe Leu Val Phe Tyr Phe Leu Ile 20 25 30

Thr Thr Met Ala Leu Tyr Ala Ile Lys Glu Phe Gln Ala Ser Glu Val 35 40 45

Glu Ala Gly Phe Ala Ser Ser Ser Ile Val Ile Gly Ala Val Phe Ser 50 55 60

Arg Phe Phe Ser Gly Tyr Ile Ile Asp Arg Phe Gly Arg Arg Lys Ile
65 70 75 80

Val Leu Ile Ser Val Leu Val Thr Thr Ile Ala Cys Ala Leu Tyr Leu 85 90 95

Pro Ile Glu Ser Leu Pro Leu Leu Tyr Ala Asn Arg Phe Leu His Gly 100 105 110

Val Gly Tyr Ala Phe Ala Ala Thr Ala Ile Met Ala Met Val Gln Glu 115 120 125

Leu Ile Pro Ala Ser Arg Arg Ser Glu Gly Thr Gly Tyr Leu Ala Leu 130 135 140 .

Gly Thr Thr Val Ser Ala Ala Leu Gly Pro Ala Leu Ala Leu Phe Val 145 150 155 160

Leu Gly Thr Phe Asp Tyr Asp Met Leu Phe Ile Val Val Leu Ala Thr
165 170 175

Ser Val Ile Ser Leu Ile Ala Val Val Phe Met Tyr Phe Lys Thr Ser 180 185 190

Asp Pro Glu Pro Ser Gly Glu Pro Ala Lys Phe Ser Phe Lys Ser Ile 195 200 205

Met Asn Pro Lys Ile Ile Pro Ile Gly Ile Phe Ile Leu Leu Ile Cys 210 215 220

Phe Ala Tyr Ser Gly Val Ile Ala Tyr Ile Asn Ala Phe Ala Glu Glu 225 230 240

Arg Asp Leu Ile Thr Gly Ala Gly Leu Phe Phe Ile Ala Tyr Ala Val 245 250 255

Ser Met Phe Val Met Arg Ser Phe Leu Gly Lys Leu Gln Asp Arg Arg Gly Asp Asn Val Val Ile Tyr Phe Gly Leu Phe Phe Val Ile Ser 280 Leu Thr Ile Leu Ser Phe Ala Thr Ser Asn Trp His Val Val Leu Ser Gly Val Ile Ala Gly Leu Gly Tyr Gly Thr Leu Met Pro Ala Val Gln Ser Ile Ala Val Gly Val Val Asp Lys Thr Glu Phe Gly Thr Ala Phe 330 Ser Thr Leu Phe Leu Phe Val Asp Leu Gly Phe Gly Phe Gly Pro Ile Ile Leu Gly Ala Val Ser Ala Ala Ile Gly Phe Gly Pro Met Tyr Ala Ala Leu Ala Gly Val Gly Val Ile Ala Gly Ile Phe Tyr Leu Phe Thr 375 370 His Ala Arg Thr Asp Arg Ala Lys Asn Gly Phe Val Lys His Pro Glu Pro Val Ala Leu Val Ser 405 <210> 183 <211> 1006 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1006) <223> FRXA02116 <400> 183 ttttatatcc tagcaagggt gttgcatgat gcaataaacg tggtagtttg tgttcataac 60 aaaattgcat gatgcaataa tttcgattta aaggagaaca gtg tcc gta gct gaa Val Ser Val Ala Glu gaa qqq aaa ctt ttt aca cca acg ttt gtc atg gga tgg ttt gcc aac 163 Glu Gly Lys Leu Phe Thr Pro Thr Phe Val Met Gly Trp Phe Ala Asn 10 15 211 ctt ttc cag ttc ctg gtg ttc tac ttc ctc atc acc acc atg gct ttg Leu Phe Gln Phe Leu Val Phe Tyr Phe Leu Ile Thr Thr Met Ala Leu 25 259 tac gcc atc aag gaa ttt caa gcc tct gaa gta gaa gct ggc ttc gca

| Tyr | Ala | Ile 40 | | Glu | Phe | Gln | Ala 45 | | Glu | Val | Glu | Ala 50 | _ | Phe | Ala | |
|------------------|------------------|------------|------------|------------|-------------------|------------------|------------|------------|------------|------------------|------------------|------------|------------|------------|------------------|-----|
| tcc Ser | agc Ser 55 | Ser | att Ile | gtt Val | atc Ile | ggc Gly 60 | gca Ala | gtc Val | ttt Phe | tcc Ser | agg Arg 65 | ttt Phe | ttc Phe | tcc Ser | ggc Gly | 307 |
| tat Tyr 70 | Ile | att Ile | gac Asp | cgt Arg | ttt Phe 75 | ggt Gly | cga Arg | cgc Arg | aag Lys | att Ile 80 | Val | ctc Leu | atc Ile | tca Ser | gtc Val 85 | 355 |
| | | | | | gcg Ala | | | | | | | | | | | 403 |
| | _ | | | | aac Asn | | | | | | - | | | _ | | 451 |
| - | _ | | | | atg Met | _ | _ | _ | - | | | | | | | 499 |
| | | | | | act Thr | | | | | | | | | | | 547 |
| _ | - | | | | gcc Ala 155 | | _ | | | - | | | | | _ | 595 |
| | | | | | atc Ile | | | | | | | | | | | 643 |
| | - | - | | | atg Met | | | - | | - | - | | | | | 691 |
| | - | | - | _ | ttc Phe | _ | | | | | _ | | | - | | 739 |
| | | | | | ttt Phe | | | | | | | | | | | 787 |
| | | | | | aac Asn 235 | | | | | | | | | | | 835 |
| | | | | | ttc Phe | | | | | | | | | | | 883 |
| | | | | | aaa Lys | | | | | | | | | | | 931 |

265 270 275

att tac ttt gga ttg ttc ttc ttc gtt att tcc ttg acg att ttg tcc 979

Ile Tyr Phe Gly Leu Phe Phe Phe Val Ile Ser Leu Thr Ile Leu Ser
280 285 290

ttt gcc act tcc aac tgg cac gtt gtg Phe Ala Thr Ser Asn Trp His Val Val 1006

<210> 184

<211> 302

<212> PRT

<213> Corynebacterium glutamicum

<400> 184

Val Ser Val Ala Glu Glu Gly Lys Leu Phe Thr Pro Thr Phe Val Met

1 5 10 15

Gly Trp Phe Ala Asn Leu Phe Gln Phe Leu Val Phe Tyr Phe Leu Ile 20 25 30

Thr Thr Met Ala Leu Tyr Ala Ile Lys Glu Phe Gln Ala Ser Glu Val
35 40 45

Glu Ala Gly Phe Ala Ser Ser Ser Ile Val Ile Gly Ala Val Phe Ser
50 55 60

Arg Phe Phe Ser Gly Tyr Ile Ile Asp Arg Phe Gly Arg Arg Lys Ile 65 70 75 80

Val Leu Ile Ser Val Leu Val Thr Thr Ile Ala Cys Ala Leu Tyr Leu 85 90 95

Pro Ile Glu Ser Leu Pro Leu Leu Tyr Ala Asn Arg Phe Leu His Gly 100 105 110

Val Gly Tyr Ala Phe Ala Ala Thr Ala Ile Met Ala Met Val Gln Glu 115 120 125

Leu Ile Pro Ala Ser Arg Arg Ser Glu Gly Thr Gly Tyr Leu Ala Leu 130 135 140

Gly Thr Thr Val Ser Ala Ala Leu Gly Pro Ala Leu Ala Leu Phe Val 145 150 155 160

Leu Gly Thr Phe Asp Tyr Asp Met Leu Phe Ile Val Val Leu Ala Thr 165 170 175

Ser Val Ile Ser Leu Ile Ala Val Val Phe Met Tyr Phe Lys Thr Ser 180 185 190

Asp Pro Glu Pro Ser Gly Glu Pro Ala Lys Phe Ser Phe Lys Ser Ile 195 200 205

Met Asn Pro Lys Ile Ile Pro Ile Gly Ile Phe Ile Leu Leu Ile Cys

210 215 220 Phe Ala Tyr Ser Gly Val Ile Ala Tyr Ile Asn Ala Phe Ala Glu Glu Arg Asp Leu Ile Thr Gly Ala Gly Leu Phe Phe Ile Ala Tyr Ala Val Ser Met Phe Val Met Arg Ser Phe Leu Gly Lys Leu Gln Asp Arg Arg Gly Asp Asn Val Val Ile Tyr Phe Gly Leu Phe Phe Phe Val Ile Ser Leu Thr Ile Leu Ser Phe Ala Thr Ser Asn Trp His Val Val 295 <210> 185 <211> 568 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(568) <223> RXA00858 <400> 185 ttttgttttt cagatgcatg ttagatgcgt tgagggacaa gggtggggga gacctccggt 60 tettaaattg tetaaccaag aaccggaggt tetttttgte atg gaa gta aac tta Met Glu Val Asn Leu gcc aca tgg cta atc act atc gca gtg att gct ggc ttc ttc att ttc 163 Ala Thr Trp Leu Ile Thr Ile Ala Val Ile Ala Gly Phe Phe Ile Phe gat tto tat tcc cac gtc cgc acc cca cac gag ccc act atc aaa gaa 211 Asp Phe Tyr Ser His Val Arg Thr Pro His Glu Pro Thr Ile Lys Glu 259 tcc gca tgg tgg agc ctc ttc tac gta gcc ctc gcc tgt gtt ttc ggc Ser Ala Trp Trp Ser Leu Phe Tyr Val Ala Leu Ala Cys Val Phe Gly 4.5 gtg ttc ctc tgg ttt gct tgg ggc gag cca ggt aac cca cac cag cac 307 Val Phe Leu Trp Phe Ala Trp Gly Glu Pro Gly Asn Pro His Gln His ggc att gag ttc ttc acc ggt tac gtg aca gag aag gcg ttg agt gtt 355 Gly Ile Glu Phe Phe Thr Gly Tyr Val Thr Glu Lys Ala Leu Ser Val

403

gat aac ctc ttc atc ttc gcg ctg atc atg ggt tct ttc aag att cct

Asp Asn Leu Phe Ile Phe Ala Leu Ile Met Gly Ser Phe Lys Ile Pro

the state of the s

90 95 100

cgc aag tac cag cag aag gtt ctg ctc atc ggt atc gcg ctg gca ctg
Arg Lys Tyr Gln Gln Lys Val Leu Leu Ile Gly Ile Ala Leu Ala Leu
105 110 115

gtc ttc cgc ctg gca ttc atc ctc gca ggt gct gca gtt atc gaa gcc 499
Val Phe Arg Leu Ala Phe Ile Leu Ala Gly Ala Ala Val Ile Glu Ala
120 125 130

tgg tcc gat gtc ttc tac atc ttc tcc atc tgg ctg atc tac acc gct
Trp Ser Asp Val Phe Tyr Ile Phe Ser Ile Trp Leu Ile Tyr Thr Ala
135
140
145

gtg aag gct cct gtg cac gag 568 Val Lys Ala Pro Val His Glu 150 155

<210> 186

<211> 156

<212> PRT

<213> Corynebacterium glutamicum

<400> 186

Met Glu Val Asn Leu Ala Thr Trp Leu Ile Thr Ile Ala Val Ile Ala 1 5 10 15

Gly Phe Phe Ile Phe Asp Phe Tyr Ser His Val Arg Thr Pro His Glu 20 25 30

Pro Thr Ile Lys Glu Ser Ala Trp Trp Ser Leu Phe Tyr Val Ala Leu 35 40 45

Ala Cys Val Phe Gly Val Phe Leu Trp Phe Ala Trp Gly Glu Pro Gly
50 60

Asn Pro His Gln His Gly Ile Glu Phe Phe Thr Gly Tyr Val Thr Glu 65 70 75 80

Lys Ala Leu Ser Val Asp Asn Leu Phe Ile Phe Ala Leu Ile Met Gly 85 90 95

Ser Phe Lys Ile Pro Arg Lys Tyr Gln Gln Lys Val Leu Leu Ile Gly
100 105 110

Ile Ala Leu Ala Leu Val Phe Arg Leu Ala Phe Ile Leu Ala Gly Ala 115 120 125

Ala Val Ile Glu Ala Trp Ser Asp Val Phe Tyr Ile Phe Ser Ile Trp 130 135 140

Leu Ile Tyr Thr Ala Val Lys Ala Pro Val His Glu 145 150 155

<210> 187

<211> 975 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(952) <223> RXA02305 <400> 187 tatgcgcgca ggtgtctact ggtgacgcag ccgacgacga ttattttgac gaagccaccg 60 caaacgatga cttcgatccc gaaaagtgga ggaacatgta atg cca gcc ttt gag Met Pro Ala Phe Glu 1 gca atg cca gga atg ccg tat tgg atc gac ctg tcc acc tcg gac att 163 Ala Met Pro Gly Met Pro Tyr Trp Ile Asp Leu Ser Thr Ser Asp Ile 15 20 gca aaa tct gca cac ttc tac gaa aac gtt ctc ggc tgg gaa att gaa 211 Ala Lys Ser Ala His Phe Tyr Glu Asn Val Leu Gly Trp Glu Ile Glu gaa gtc aac gat ggc tac cgc atg gct cgt ctg cag gga cta ccc gtg 259 Glu Val Asn Asp Gly Tyr Arg Met Ala Arg Leu Gln Gly Leu Pro Val 45 gca ggg ctg atc gat cag cgc ggt gaa tca agc atc ccg gat acc tgg 307 Ala Gly Leu Ile Asp Gln Arg Gly Glu Ser Ser Ile Pro Asp Thr Trp 55 att acc tac ttc ctc tcc tac gat ctg gat gcc act gca aag aag atc 355 Ile Thr Tyr Phe Leu Ser Tyr Asp Leu Asp Ala Thr Ala Lys Lys Ile 70 75 80 gca gaa ctg ggt gga cga att ctg gcc gag cca act gac gtg cac ttg 403 Ala Glu Leu Gly Gly Arg Ile Leu Ala Glu Pro Thr Asp Val His Leu 95 gga cgc atg atc cta gct gtt gat act gcc ggc gca ctg ttc ggc gtt 451 Gly Arg Met Ile Leu Ala Val Asp Thr Ala Gly Ala Leu Phe Gly Val 105 att gag cca ggc agc gag gaa tca ttc gtc gct gct ggt gaa cca ggc 499 Ile Glu Pro Gly Ser Glu Glu Ser Phe Val Ala Ala Gly Glu Pro Gly 120 125 aca tcc gtg tgg cat gaa ctc acc act gtc tcc aaa tat tcc gaa gct 547 Thr Ser Val Trp His Glu Leu Thr Thr Val Ser Lys Tyr Ser Glu Ala 140 atc gat ttc tac ggt gag ctg ttc act tgg aca acc tct gaa atg gct 595 Ile Asp Phe Tyr Gly Glu Leu Phe Thr Trp Thr Thr Ser Glu Met Ala agt gct gaa gac gat agt ttc cgc tac acc acc gca ttg gct gac ggt

| Ser | Ala | Glu | Asp | Asp 170 | Ser | Phe | Arg | Tyr | Thr 175 | Thr | Ala | Leu | Ala | Asp 180 | Gly | |
|---|-------------------|-------------------|-------------------|-------------------|------------|-------------------|-------------------|-------------------|-------------------|------------|--------------------|-------------------|-------------------|-------------------|------------|-----|
| tcc Ser | gcc Ala | ttt Phe | gct Ala 185 | gga Gly | att Ile | ttt Phe | gat Asp | gcc Ala 190 | aaa Lys | ggc Gly | cac His | ttc Phe | cca Pro 195 | cct Pro | cag Gln | 691 |
| gtt Val | cca Pro | agc Ser 200 | ttc Phe | tgg Trp | cag Gln | tcc Ser | tac Tyr 205 | ctt Leu | ggc Gly | gtg Val | ctc Leu | aac Asn 210 | gcc Ala | gat Asp | gat Asp | 739 |
| gct Ala | gca Ala 215 | gcg Ala | aag Lys | gcc Ala | aag Lys | gaa Glu 220 | ttt Phe | ggt Gly | ggc Gly | gat Asp | gtt Val 225 | att Ile | cgt Arg | aag Lys | cca Pro | 787 |
| | | | | | | | | | | | | | | act Thr | | 835 |
| gcc Ala | aca Thr | att Ile | acc Thr | ttg Leu 250 | tgt Cys | gaa Glu | gta Val | gag Glu | gaa Glu 255 | tac Tyr | gtc Va <u>l</u> | gag Glu | gaa Glu | gca Ala 260 | gca Ala | 883 |
| | | | | | | | | | | | | | | gag Glu | | 931 |
| | | | caa Gln | | | | taat | ccta | ica g | icacc | atgg | ja gç | _l a | | | 975 |
| <210> 188 <211> 284 <212> PRT <213> Corynebacterium glutamicum | | | | | | | | | | | | | | | | |
| <400 Met | | - | Phe | Glu | Ala | Met | Pro | Gly | Met | Pro | Tyr | Trp | Ile | Asp | Leu | |
| 1 | | | | 5 | | | | | | | | | | 15 | | |

Ser Thr Ser Asp Ile Ala Lys Ser Ala His Phe Tyr Glu Asn Val Leu

Gly Trp Glu Ile Glu Glu Val Asn Asp Gly Tyr Arg Met Ala Arg Leu

Gln Gly Leu Pro Val Ala Gly Leu Ile Asp Gln Arg Gly Glu Ser Ser 50 55 60

Ile Pro Asp Thr Trp Ile Thr Tyr Phe Leu Ser Tyr Asp Leu Asp Ala

Thr Ala Lys Lys Ile Ala Glu Leu Gly Gly Arg Ile Leu Ala Glu Pro

Thr Asp Val His Leu Gly Arg Met Ile Leu Ala Val Asp Thr Ala Gly

249

100 105 110

Ala Leu Phe Gly Val Ile Glu Pro Gly Ser Glu Glu Ser Phe Val Ala 115 120 125

Ala Gly Glu Pro Gly Thr Ser Val Trp His Glu Leu Thr Thr Val Ser 130 135 140

Lys Tyr Ser Glu Ala Ile Asp Phe Tyr Gly Glu Leu Phe Thr Trp Thr 145 150 155 160

Thr Ser Glu Met Ala Ser Ala Glu Asp Asp Ser Phe Arg Tyr Thr Thr 165 170 175

Ala Leu Ala Asp Gly Ser Ala Phe Ala Gly Ile Phe Asp Ala Lys Gly
180 185 190

His Phe Pro Pro Gln Val Pro Ser Phe Trp Gln Ser Tyr Leu Gly Val 195 200 205

Leu Asn Ala Asp Asp Ala Ala Ala Lys Ala Lys Glu Phe Gly Gly Asp 210 215 220

Val Ile Arg Lys Pro Trp Asp Ser Glu Phe Gly Arg Met Val Leu Ile 225 230 235 240

Ser Asp Ser Thr Gly Ala Thr Ile Thr Leu Cys Glu Val Glu Glu Tyr 245 250 255

Val Glu Glu Ala Ala Glu Gly Asp Asp Leu Phe Asp Ile Asp Leu Ser 260 265 270

Ala Phe Glu Glu Gln Phe Arg Lys Gln Glu Gly Gln 275 280

<210> 189

<211> 948

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(925)

<223> RXA00084

<400> 189

teaceettgt egataceage taetgggtat etggegtegg teeacttgge ggeageaaag 60 .

tcttggaaga catcgatgcc ttcctcgacg cacagcaata atg tcc aca gct ctc $\,$ 115 Met Ser Thr Ala Leu $\,$ 1 \cdot $\,$ 5

ccc gat cag ctc aag tgg gaa tac agt gcc ttc ccc gtg cag atc tcg 163
Pro Asp Gln Leu Lys Trp Glu Tyr Ser Ala Phe Pro Val Gln Ile Ser
10 15 20

| cag Gln | aag Lys | caa Gln | cgg Arg 25 | ctt Leu | agt Ser | ccc Pro | ggc | ttc Phe 30 | Met | cgg Arg | atc Ile | acc Thr | gtc Val 35 | act Thr | ggt Gly | 211 |
|------------|------------------|------------------|------------------|-------------------|------------|------------------|------------------|------------------|------------|------------|------------------|------------------|------------------|------------|------------|-----|
| gac Asp | aag Lys | ctc Leu 40 | Arg | ttc Phe | ttt Phe | Gly | cag Gln 45 | tgg Trp | ggt Gly | ttg Leu | gac Asp | caa Gln 50 | cgc Arg | atc Ile | aaa Lys | 259 |
| ctg Leu | atc Ile 55 | Ile | cca Pro | agc Ser | ccg Pro | gct Ala 60 | Gly | aac Asn | atc Ile | cca Pro | gat Asp 65 | ttc Phe | gga Gly | att Ile | ctc Leu | 307 |
| | | | | ccc Pro | | | | | | | | | | | | 355 |
| | | | _ | caa Gln 90 | _ | _ | | _ | _ | | | | | | | 403 |
| | | | | cta Leu | | | | | | | | | | | | 451 |
| | _ | | | gta Val | | _ | | - | _ | | _ | _ | _ | _ | _ | 499 |
| | | | | acc Thr | | | | | | | | | | | | 547 |
| | | | | cat His | _ | | | | | _ | _ | | - | | | 595 |
| | | | | tca Ser 170 | | | | | | | | | | | | 643 |
| | | | | acg Thr | | Phe | Leu | His | Val | Asp | Ser | Leu | | | | 691 |
| | | | | gat Asp | | | | | | | | | | | | 739 |
| | | | | aag Lys | | | | | | | | | | | | 787 |
| | | | | ttc Phe | | | | | | | | | | | | 835 |
| att | cgc | aaa | gaa | cta | atc | aac | agc | tac | cga | gtt | gat | tcc | tca | cga | atc | 883 |

Ile Arg Lys Glu Leu Ile Asn Ser Tyr Arg Val Asp Ser Ser Arg Ile 250 255 260

act ttc ctc ggc tac tgg aaa tac ggc cga cga acc gta gac 925
Thr Phe Leu Gly Tyr Trp Lys Tyr Gly Arg Arg Thr Val Asp
265 270 275

tagctttcag attcagaccc cag

948

<210> 190

<211> 275

<212> PRT

<213> Corynebacterium glutamicum

<400> 190

Met Ser Thr Ala Leu Pro Asp Gln Leu Lys Trp Glu Tyr Ser Ala Phe 1 5 10 15

Pro Val Gln Ile Ser Gln Lys Gln Arg Leu Ser Pro Gly Phe Met Arg
20 25 30

Ile Thr Val Thr Gly Asp Lys Leu Arg Phe Phe Gly Gln Trp Gly Leu 35 40 45

Asp Gln Arg Ile Lys Leu Ile Ile Pro Ser Pro Ala Gly Asn Ile Pro 50 55 60

Asp Phe Gly Ile Leu Asp Glu Pro Thr Pro Pro Pro Thr Thr Trp Leu 65 70 75 80

Pro Arg Ala Lys Ser Phe Pro Ala Asp Gln Arg Pro Ile Leu Arg Thr 85 90 95

Tyr Thr Pro Ser Ala Val Arg Pro Glu Leu Cys Glu Val Asp Ile Asp 100 105 110

Ile Tyr Leu His Asn Pro Ser Gly Pro Val Ser Arg Trp Ala Lys Asn 115 120 125

Cys Ser Val Asp Asp Glu Leu Ile Ile Thr Gly Pro Asp Val Arg Ala 130 135 140

Gly Glu Thr Gly Tyr Gly Ile Thr Tyr His Pro Thr Ser Ala Ile Asp 145 150 155 160

Arg Leu Cys Leu Ile Gly Asp Cys Ala Ser Ala Pro Ala Ile Ala Asn 165 170 175

Ile Val Asn Gln Ser Lys Val Pro Thr Thr Val Phe Leu His Val Asp 180 185 190

Ser Leu Glu Asp Asp Val Leu Ile Ala Asp Ser Ser Thr Lys Leu Thr 195 200 205

Phe Glu Asp Ile Asp Ala Tyr Lys Ala Lys Val Phe Gln Trp Ala Ser 210 215 220

| Ala 225 | | Ala | a Ala | a Asp | 230 | | · Val | l His | Phe | 235 | | Ala | Gly | Glu | Thr 240 | |
|------------|------------------------------|--------------|-----------|---------|------|------|-------|------------|------|------|-----|------|------------|-------------------|------------|-----|
| Ser | Met | : Val | Arg | Phe 245 | | Arg | l Lys | s Glu | 250 | | Asn | Ser | Tyr | Arg 255 | Val | |
| Asp | Ser | Ser | 260 | | Thr | Phe | e Leu | 265 | | Trp | Lys | Tyr | Gly 270 | Arg | Arg | |
| Thr | Val | . Asp 275 | | | | | | | | | | | | | | |
| <21 <21 | 0> 1 1> 4 2> D 3> C | 68 NA | ebac | teri | um g | luta | micu | ım | | | | | | | | |
| <22 | 1> C 2> (| | (4 843 | 45) | | | | | | | | | | | | |
| | 0> 1 ctga | | gaaa | ccgg | cg c | caac | aatg | a tg | ccga | cgaa | ggc | aaat | gcc . | actc | ttagga | 60 |
| ttt | gaat | aat | catg | gaac | aa a | cctt | agta | g gc | tcaa | cgtt | _ | | - | acg Thr | | 115 |
| | | | | | | | | | | | | | | tac Tyr 20 | | 163 |
| | | | | | | | | | | | | | | gac Asp | | 211 |
| | | | | | | | | | | | | | | att Ile | | 259 |
| | | | | | | | | | | | | | | ctg Leu | | 307 |
| | | | | | | | | | | | | | | gtt Val | | 355 |
| | | | | | | | | | | | | | | ggc Gly 100 | | 403 |
| | | | | | | | | gtc Val | | | | | | | | 445 |

105 110 115

tgacaacatt ttgtagagca acc

468

<210> 192

<211> 115

<212> PRT

<213> Corynebacterium glutamicum

<400> 192

Met Lys Val Thr Ile Phe His Asn Pro Arg Cys Ser Thr Ser Arg Asn 1 5 10 15

Thr Leu Ala Tyr Leu Arg Asp Lys Asp Ile Glu Pro Glu Ile Val Gln
20 25 30

Tyr Leu Lys Asp Thr Pro Thr Ala Ser Glu Leu Lys Glu Leu Phe Asn 35 40 . 45

Thr Leu Gly Ile Pro Val His Asp Gly Ile Arg Thr Arg Glu Ala Glu 50 55 60

Tyr Thr Glu Leu Gly Leu Ser Pro Glu Thr Pro Glu Thr Glu Leu Ile
65 70 75 80

Asp Ala Ile Val Ala His Pro Arg Leu Leu Gln Arg Pro Ile Val Val 85 90 95

Thr Ala Lys Gly Ala Arg Ile Ala Arg Pro Lys Ile Asp Val Ile Asp 100 105 110

Ser Ile Leu 115

<210> 193

<211> 432

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(409)

<223> RXA01052

<400> 193

tatggccaac cctaggggga tggcctgtgt gttcactgtt aggtttcctc aaaatcttta 60

acgaacaacg aagagcttgc ccgagagtat cttgggtcgc atg gac aca aaa tta 115 Met Asp Thr Lys Leu

ggc gct gaa ttg ggt act gaa ttt gat ctc att gtt ggt ggt ttc ggc 163 Gly Ala Glu Leu Gly Thr Glu Phe Asp Leu Ile Val Val Gly Phe Gly 10 15 20

| WO 01/00804 | PCT/IB00/00922 |
|---------------|-----------------|
| W (J 01/00004 | PC 1/1B00/00922 |

| | | | aag Lys 25 | | | | | | | | | | | | | 211 |
|------------|---|------|------------------|------|-------|------|------|----|---|---|---|---|---|---|------------|------|
| | | | atc Ile | | | | | | | | | | | | | 259 |
| | _ | | tgc Cys | | | - | _ | _ | - | - | | | | _ | acg Thr | 307. |
| | _ | - | ttc Phe | - | - | | - | | | • | - | _ | - | | | 355 |
| _ | _ | | gcc Ala | _ | | | | _ | _ | | _ | _ | | - | | 403 |
| cgt Arg | | tgat | ggaa | aa g | gctac | gttt | a ca | ıg | | | | | | | | 432 |

<210> 194

<211> 103

<212> PRT

<213> Corynebacterium glutamicum

<400> 194

Met Asp Thr Lys Leu Gly Ala Glu Leu Gly Thr Glu Phe Asp Leu Ile 1 5 10 15

Val Val Gly Phe Gly Lys Ala Gly Lys Thr Ile Ala Met Lys Arg Ser 20 25 30

Ala Ala Gly Asp Lys Val Ala Leu Ile Glu Gln Ser Pro Gln Met Tyr 35 40 45

Gly Gly Thr Cys Ile Asn Val Gly Cys Ile Pro Thr Lys Lys Leu Leu 50 55 60

Phe Glu Thr Ala Thr Gly Lys Asp Phe Pro Asp Ala Val Val Ala Arg 65 70 75 80

Asp Gln Leu Ile Gly Lys Leu Asn Ala Lys Asn Leu Ala Met Ala Thr 85 90 95

Asp Lys Gly Val Thr Arg His 100

<210> 195

<211> 543

<212> DNA

<213> Corynebacterium glutamicum

<220> <221> CDS <222> (101)..(520) <223> RXA01053 <400> 195 ttgcgatggc cacagacaag ggtgtcaccc gtcattgatg gaaaagctac gtttacagct 60 agccacgaaa tcacaagtaa cttcaggtag tgacactctt gtg ctg tat gcg cca Val Leu Tyr Ala Pro acg att gtg atc aac acg ggc tcc acg ccg gtc atc ccc aat gtc cca 163 Thr Ile Val Ile Asn Thr Gly Ser Thr Pro Val Ile Pro Asn Val Pro ggc acc gac aat ccg cat gtt ttt gat tcc act ggc att cag cac att 211 Gly Thr Asp Asn Pro His Val Phe Asp Ser Thr Gly Ile Gln His Ile 30 teg eec etg eeg aag eac ete geg ate ate gge ggt gge eec ate ggt 259 Ser Pro Leu Pro Lys His Leu Ala Ile Ile Gly Gly Gly Pro Ile Gly 45 ttg gaa ttt gcc acg ctt ttc agt gga caa ggc tcc aaa gtc acc atc 307 Leu Glu Phe Ala Thr Leu Phe Ser Gly Gln Gly Ser Lys Val Thr Ile atc gac cgt ggt gaa ttg ccg ctg aaa aat ttc gac agg gaa gta gcg 355 Ile Asp Arg Gly Glu Leu Pro Leu Lys Asn Phe Asp Arg Glu Val Ala 75 403 gag ctg gcc aaa acc gac ctg gag gcc cgc gga atc acc ttc ctc aac Glu Leu Ala Lys Thr Asp Leu Glu Ala Arg Gly Ile Thr Phe Leu Asn 90 aac get gaa etc ace gga tte age ggt gae etc ace ate geg etc aaa 451 Asn Ala Glu Leu Thr Gly Phe Ser Gly Asp Leu Thr Ile Ala Leu Lys 105 110 gac cac gac ctc ctc gcc gac gcc gca ctt ttt gca tcg gcc gac gcc 499 Asp His Asp Leu Leu Ala Asp Ala Ala Leu Phe Ala Ser Ala Asp Ala 125 543 cgq cac cga cgg gct cgg cct tgaacaggcg ggcatcaaaa cag Arg His Arg Arg Ala Arg Pro <210> 196 <211> 140 <212> PRT

<213> Corynebacterium glutamicum

title since are seen a contract.

<400> 196

Val Leu Tyr Ala Pro Thr Ile Val Ile Asn Thr Gly Ser Thr Pro Val

1 5 10 15 Ile Pro Asn Val Pro Gly Thr Asp Asn Pro His Val Phe Asp Ser Thr 25 Gly Ile Gln His Ile Ser Pro Leu Pro Lys His Leu Ala Ile Ile Gly Gly Gly Pro Ile Gly Leu Glu Phe Ala Thr Leu Phe Ser Gly Gln Gly Ser Lys Val Thr Ile Ile Asp Arg Gly Glu Leu Pro Leu Lys Asn Phe Asp Arg Glu Val Ala Glu Leu Ala Lys Thr Asp Leu Glu Ala Arg Gly Ile Thr Phe Leu Asn Asn Ala Glu Leu Thr Gly Phe Ser Gly Asp Leu 100 110 Thr Ile Ala Leu Lys Asp His Asp Leu Leu Ala Asp Ala Ala Leu Phe 120 Ala Ser Ala Asp Ala Arg His Arg Arg Ala Arg Pro 130 135 <210> 197 <211> 612 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(589) <223> RXA01054 <400> 197 gaceteeteg eegacgeege actttttgca teggeegacg eeeggeaceg aegggetegg 60 ccttgaacag gcgggcatca aaacaggcac gcgtggggag gtg ctt gtc gac gcc Val Leu Val Asp Ala cac ctc cgg acc aac atc gac ggc atc ttc gct gta ggt gat gtc aat 163 His Leu Arg Thr Asn Ile Asp Gly Ile Phe Ala Val Gly Asp Val Asn 10 ggc ggc ccg cag ttt acc tac gtg tcc tac gat gac cac cgc att gtg 211 Gly Gly Pro Gln Phe Thr Tyr Val Ser Tyr Asp Asp His Arg Ile Val 259 ctg gat caa cta gcc gga aca ggt aag aaa tcc att gca cac cga ctg Leu Asp Gln Leu Ala Gly Thr Gly Lys Lys Ser Ile Ala His Arg Leu .40 45 307 ate ece ace acg tte ate gaa eeg eeg tta tee ace ate ggt gae

....

| Ile | Pro 55 | Thr | Thr | Thr | Phe | Ile 60 | Glu | Pro | Pro | Leu | Ser 65 | Thr | Ile | Gly | Asp | |
|--------------------|----------------------------------|-------------------------|-------------------------|-------------------------------|--------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|--------------------------------|-------------------------|--------------------------------|-------------------------|-------------------------|--------------------------------|-----|
| | Thr | gaa Glu | | | | | | | | | | | | | | 355 |
| | | atc Ile | | | | | | | | | | | | | | 403 |
| | | ttt Phe | | | | | | | | | | | | | | 451 |
| ttg Leu | tac Tyr | tgc Cys 120 | gcc Ala | gac Asp | tcc Ser | cag Gln | gag Glu 125 | ctc Leu | atc Ile | aac Asn | acc Thr | gtg Val 130 | gcg Ala | ctt Leu | gcc Ala | 499 |
| atg Met | cgg Arg 135 | cat His | ggc Gly | gtc Val | acc Thr | gcc Ala 140 | tcc Ser | gag Glu | ctt Leu | ggc Gly | gac Asp 145 | ggc Gly | atc Ile | tac Tyr | acc Thr | 547 |
| | | gcc Ala | | | | | | | | | | | | | | 589 |
| taad | cgca | gcg (| gatc | gaac | gg ct | :t | | | | | | | | | | 612 |
| <213 | 0> 19 1> 10 2> PI 3> Co | 63 | ebact | eri | ım gl | lutan | nicum | n | | | | | | | | |
| | 0> 19 | 98 | | | | | | | | | | | | | | |
| | Leu | Val | Asp | Ala | His | Leu | Arg | Thr | Asn | Ile | Asp | Gly | Ile | Phe | Ala | |
| 1 | | Val | - | 5 | | | | | 10 | | | | | 15 | | |
| | | | - | 5 | | | | | 10 | | | | | 15 | | |
| Val | Gly | Val | Val 20 | 5 Asn | Gly | Gly | Pro | Gln 25 | 10 Phe | Thr | туг | Val | Ser 30 | 15 Tyr | Asp | |
| Val Asp | Gly His | Val Asp Arg | Val 20 Ile | 5 Asn Val | Gly Leu | Gly Asp | Pro Gln 40 | Gln 25 Leu | 10 Phe Ala | Thr Gly | Tyr Thr | Val Gly 45 | Ser 30 Lys | 15 Tyr Lys | Asp Ser | |
| Val Asp Ile | Gly His Ala 50 | Val Asp Arg 35 | Val 20 Ile Arg | 5 Asn Val Leu | Gly Leu Ile | Gly Asp Pro 55 | Pro Gln 40 Thr | Gln 25 Leu Thr | 10 Phe Ala Thr | Thr Gly Phe | Tyr Thr Ile 60 | Val Gly 45 Glu | Ser 30 Lys Pro | 15 Tyr Lys Pro | Asp Ser Leu | |
| Val Asp Ile Ser 65 | Gly His Ala 50 | Val Asp Arg 35 | Val 20 Ile Arg | 5 Asn Val Leu Asp | Gly Leu Ile Asn 70 | Gly Asp Pro 55 | Pro Gln 40 Thr | Gln 25 Leu Thr | 10 Phe Ala Thr | Thr Gly Phe Asn 75 | Tyr Thr Ile 60 Val | Val Gly 45 Glu Val | Ser 30 Lys Pro | Tyr Lys Pro Lys | Asp Ser Leu Lys 80 | |

Leu Leu Gly Ala Thr Leu Tyr Cys Ala Asp Ser Gln Glu Leu Ile Asn Thr Val Ala Leu Ala Met Arg His Gly Val Thr Ala Ser Glu Leu Gly 135 Asp Gly Ile Tyr Thr His Pro Ala Thr Ser Glu Ile Phe Asn Gln Leu 150 155 Leu Gly Ser <210> 199 <211> 561 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(538) <223> RXN03123 <400> 199 agetetacea aegegeetae acettgacea aegtggatge egatgeeggt acetttgace 60 115 tggcttttgt gctgcacgag ccgctggggc ccgcctcggc gtg ggc gac gcg ctg Val Gly Asp Ala Leu cga ggc cgg gga aag cct gaa gtc atg cgc tac cca gga att ccg ttc 163 Arg Gly Arg Gly Lys Pro Glu Val Met Arg Tyr Pro Gly Ile Pro Phe 10 gcc atc cca gat cca gcg ccg cgt ggc ttc ctt ttc tta ggc gat ctc 211 Ala Ile Pro Asp Pro Ala Pro Arg Gly Phe Leu Phe Leu Gly Asp Leu acc tct tac cca gcg atc tgc tcg att ctg gag acc ttg gac ggt gaa 259 Thr Ser Tyr Pro Ala Ile Cys Ser Ile Leu Glu Thr Leu Asp Gly Glu 40 45 307

ttc gat ttt ccc cag ggc gag cac atc acc gcg cag tgg att tcc aac 355

Phe Asp Phe Pro Gln Gly Glu His Ile Thr Ala Gln Trp Ile Ser Asn 70 75 80 85

gaa caa tcc ttc att gat cac atc gct gac acg gat tac acc gat ttt 403

Glu Gln Ser Phe Ile Asp His Ile Ala Asp Thr Asp Tyr Thr Asp Phe

atc cct gcg acc gcg tat ctt atc gcc cac gat cca ctt gat tac acc Ile Pro Ala Thr Ala Tyr Leu Ile Ala His Asp Pro Leu Asp Tyr Thr

tat acc tgg atc ggc gcg gaa tcc tcc gaa acc cgt gcg gcc aag aag 451 Tyr Thr Trp Ile Gly Ala Glu Ser Ser Glu Thr Arg Ala Ala Lys Lys 105 110 115

499 cat ctg cag acc cac gcc ggc atg ccc aag acg cac atg aac gcg caa His Leu Gln Thr His Ala Gly Met Pro Lys Thr His Met Asn Ala Gln 125 548 ggt tat tgg aac aag ggc aga gcc atg ggt aaa agc aat taaaagattt Gly Tyr Trp Asn Lys Gly Arg Ala Met Gly Lys Ser Asn 140 561 ttgcttatcg acg <210> 200 <211> 146 <212> PRT <213> Corynebacterium glutamicum <400> 200 Val Gly Asp Ala Leu Arg Gly Arg Gly Lys Pro Glu Val Met Arg Tyr Pro Gly Ile Pro Phe Ala Ile Pro Asp Pro Ala Pro Arg Gly Phe Leu 25 30 Phe Leu Gly Asp Leu Thr Ser Tyr Pro Ala Ile Cys Ser Ile Leu Glu Thr Leu Asp Gly Glu Ile Pro Ala Thr Ala Tyr Leu Ile Ala His Asp Pro Leu Asp Tyr Thr Phe Asp Phe Pro Gln Gly Glu His Ile Thr Ala Gln Trp Ile Ser Asn Glu Gln Ser Phe Ile Asp His Ile Ala Asp Thr Asp Tyr Thr Asp Phe Tyr Thr Trp Ile Gly Ala Glu Ser Ser Glu Thr Arg Ala Ala Lys Lys His Leu Gln Thr His Ala Gly Met Pro Lys Thr 120 His Met Asn Ala Gln Gly Tyr Trp Asn Lys Gly Arg Ala Met Gly Lys 135 Ser Asn 145 <210> 201 <211> 736 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(736)

<223> FRXA00993

<400> 201 getgagetag tgettttgeg acacacetet tgegaatgtt gattaggtta ggeaageeat 60 atttacaggg tgttgtgaaa gcataaggga gcaaggaaac atg ggc aag gga ttt Met Gly Lys Gly Phe acc ggc gct att ttg acc gtc atg ggc gtg aaa tcg cat atc gcc acc 163 Thr Gly Ala Ile Leu Thr Val Met Gly Val Lys Ser His Ile Ala Thr acc acg gga aaa acc gtg atc aat gac cgc atg gtg acc att cat ttt 211 Thr Thr Gly Lys Thr Val Ile Asn Asp Arg Met Val Thr Ile His Phe 30 cat tcc gag acg ctg ctc aac acg gaa ggt gaa gtc ccc ggc gat tgg 259 His Ser Glu Thr Leu Leu Asn Thr Glu Gly Glu Val Pro Gly Asp Trp 45 ctg cgt ctg tgg ttc ccg cac gag agc cga cct gga aag ctc tac caa 307 Leu Arg Leu Trp Phe Pro His Glu Ser Arg Pro Gly Lys Leu Tyr Gln 60 cgc gcc tac acc ttg acc aac gtg gat gcc gat gcc ggt acc ttt gac 355 Arg Ala Tyr Thr Leu Thr Asn Val Asp Ala Asp Ala Gly Thr Phe Asp etg get ttt gtg etg eac gag eeg etg ggg eec gee teg geg tgg geg 403 Leu Ala Phe Val Leu His Glu Pro Leu Gly Pro Ala Ser Ala Trp Ala 95 acg cgc tgc gag gcc ggg gaa agc ctg gaa gtc atg cgc tac cca gga 451 Thr Arg Cys Glu Ala Gly Glu Ser Leu Glu Val Met Arg Tyr Pro Gly att ccg ttc gcc atc cca gat cca gcg ccg cgt ggc ttc ctt ttc cta 499 Ile Pro Phe Ala Ile Pro Asp Pro Ala Pro Arg Gly Phe Leu Phe Leu 125 ggc gat etc ace tet tac eea geg ate tge teg att etg gag ace ttg 547 Gly Asp Leu Thr Ser Tyr Pro Ala Ile Cys Ser Ile Leu Glu Thr Leu 140 gac ggt gaa atc cct gcg acc gcg tat ctt atc gcc cac gat cca ctt 595 Asp Gly Glu Ile Pro Ala Thr Ala Tyr Leu Ile Ala His Asp Pro Leu gat tac acc ttc gat ttt ccc cag ggc gag cac atc acc gcg cag tgg 643 Asp Tyr Thr Phe Asp Phe Pro Gln Gly Glu His Ile Thr Ala Gln Trp 175 att too aac gaa caa too tto att gat cac atc got gac acg gat tac Ile Ser Asn Glu Gln Ser Phe Ile Asp His Ile Ala Asp Thr Asp Tyr 185 190

acc gat ttt tat acc tgg atc ggc gcg gaa tcc tcc gaa acc cgt
Thr Asp Phe Tyr Thr Trp Ile Gly Ala Glu Ser Ser Glu Thr Arg

736

<210> 202

<211> 212

<212> PRT

<213> Corynebacterium glutamicum

<400> 202

Met Gly Lys Gly Phe Thr Gly Ala Ile Leu Thr Val Met Gly Val Lys 1 5 10 15

Ser His Ile Ala Thr Thr Thr Gly Lys Thr Val Ile Asn Asp Arg Met 20 25 30

Val Thr Ile His Phe His Ser Glu Thr Leu Leu Asn Thr Glu Gly Glu 35 40 45

Val Pro Gly Asp Trp Leu Arg Leu Trp Phe Pro His Glu Ser Arg Pro 50 55 60

Gly Lys Leu Tyr Gln Arg Ala Tyr Thr Leu Thr Asn Val Asp Ala Asp 65 70 75 80

Ala Gly Thr Phe Asp Leu Ala Phe Val Leu His Glu Pro Leu Gly Pro 85 90 95

Ala Ser Ala Trp Ala Thr Arg Cys Glu Ala Gly Glu Ser Leu Glu Val 100 105 110

Met Arg Tyr Pro Gly Ile Pro Phe Ala Ile Pro Asp Pro Ala Pro Arg 115 120 125

Gly Phe Leu Phe Leu Gly Asp Leu Thr Ser Tyr Pro Ala Ile Cys Ser 130 135 140

Ile Leu Glu Thr Leu Asp Gly Glu Ile Pro Ala Thr Ala Tyr Leu Ile 145 150 155 160

Ala His Asp Pro Leu Asp Tyr Thr Phe Asp Phe Pro Gln Gly Glu His
165 170 175

Ile Thr Ala Gln Trp Ile Ser Asn Glu Gln Ser Phe Ile Asp His Ile 180 185 . 190

Ala Asp Thr Asp Tyr Thr Asp Phe Tyr Thr Trp Ile Gly Ala Glu Ser 195 200 205

Ser Glu Thr Arg 210

<210> 203

<211> 732

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(709)

<223> RXA01051

<400> 203

tgcgacccaa gatactctcg ggcaagctct tcgttgttcg ttaaagattt tgaggaaacc 60 taacagtgaa cacacaggcc atccccctag ggttggccat atg tca acc att cac 115 Met Ser Thr Ile His 1 gcc tcc gga atc cag gct cca caa gtg cca cac ggt tcc cac cat gcc 163 Ala Ser Gly Ile Gln Ala Pro Gln Val Pro His Gly Ser His His Ala 10 ccg cca caa aag gac gaa tca gtg aag aag agc ttc aat gcc tct tct 211 Pro Pro Gln Lys Asp Glu Ser Val Lys Lys Ser Phe Asn Ala Ser Ser tta ctg ttc gcg ttt tcc ttc ggc gtg tac ctg gtg ctg ctt gtg atg 259 Leu Leu Phe Ala Phe Ser Phe Gly Val Tyr Leu Val Leu Leu Val Met 40 atg aca ctt ctt aaa agt cgc ctt tct tta ggc gga ctg tgg aac aca 307 Met Thr Leu Leu Lys Ser Arg Leu Ser Leu Gly Gly Leu Trp Asn Thr 55 60 gaa gca cac caa tac aga tcc atc gac tta gag ctt ttc aac ggc ttt 355 Glu Ala His Gln Tyr Arg Ser Ile Asp Leu Glu Leu Phe Asn Gly Phe 70 gct gat cca cca att tgg tgg ggg cct tgg acc aac act ttt ggc aac 403 Ala Asp Pro Pro Ile Trp Trp Gly Pro Trp Thr Asn Thr Phe Gly Asn atc gca ctg ttc atg cca ttt ggg ttt ttc ctg tac aaa atg ctc cgt 451 Ile Ala Leu Phe Met Pro Phe Gly Phe Phe Leu Tyr Lys Met Leu Arg 105 110 aga ttc aac cat cga ttc ccc ttc gta gaa acc atc ctg ttt gcc agc 499 Arg Phe Asn His Arg Phe Pro Phe Val Glu Thr Ile Leu Phe Ala Ser 130 120 125 547 gtc acc agc ctc agt atc gaa gtt ctg caa tgg gtg ttt gct att gga Val Thr Ser Leu Ser Ile Glu Val Leu Gln Trp Val Phe Ala Ile Gly 135 140 145 tat toa gat gtc gat gac ctg ttg ttt aat acg atc ggc gga ctc att 595 Tyr Ser Asp Val Asp Asp Leu Leu Phe Asn Thr Ile Gly Gly Leu Ile 150 155 160

gga gca tcc gta gca gcg ctt gtc tcg ctt aaa tcc tcc aag gta gtc Gly Ala Ser Val Ala Ala Leu Val Ser Leu Lys Ser Ser Lys Val Val

agc gga atc atc atg ggc ggt tca cta tct gtg atg gcg atg atg atg 691 Ser Gly Ile Ile Met Gly Gly Ser Leu Ser Val Met Ala Met Met Met 185 190

tat tca agt ttt atc gcc tagaaggttt cagcagttcc gct 732
Tyr Ser Ser Phe Ile Ala
200

<210> 204 <211> 203

<212> PRT

<213> Corynebacterium glutamicum

<400> 204

Met Ser Thr Ile His Ala Ser Gly Ile Gln Ala Pro Gln Val Pro His

1 10 15

Gly Ser His His Ala Pro Pro Gln Lys Asp Glu Ser Val Lys Lys Ser 20 25 30

Phe Asn Ala Ser Ser Leu Leu Phe Ala Phe Ser Phe Gly Val Tyr Leu 35 40 45

Val Leu Leu Val Met Met Thr Leu Leu Lys Ser Arg Leu Ser Leu Gly
50 55 60

Gly Leu Trp Asn Thr Glu Ala His Gln Tyr Arg Ser Ile Asp Leu Glu 65 70 75 80

Leu Phe Asn Gly Phe Ala Asp Pro Pro Ile Trp Trp Gly Pro Trp Thr 85 90 95

Asn Thr Phe Gly Asn Ile Ala Leu Phe Met Pro Phe Gly Phe Phe Leu 100 105 110

Tyr Lys Met Leu Arg Arg Phe Asn His Arg Phe Pro Phe Val Glu Thr 115 120 125

Ile Leu Phe Ala Ser Val Thr Ser Leu Ser Ile Glu Val Leu Gln Trp 130 135 140

Val Phe Ala Ile Gly Tyr Ser Asp Val Asp Asp Leu Leu Phe Asn Thr 145 150 155 160

Ile Gly Gly Leu Ile Gly Ala Ser Val Ala Ala Leu Val Ser Leu Lys 165 170 175

Ser Ser Lys Val Val Ser Gly Ile Ile Met Gly Gly Ser Leu Ser Val 180 185 190

Met Ala Met Met Tyr Ser Ser Phe Ile Ala 195 200

<210> 205

<211> 1359 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1336) <223> RXN01873 <400> 205 ccqtcqttqc ccatgqtcac agcctacatq cacaaaqtqa atcaaaaaca gctatttcta 60 acattttact aatatttgct gttggcgcat gatgaactcc atg agc caa gca ata Met Ser Gln Ala Ile gat agc aag gtc gag gca cac gaa ggc cac gaa ggc cac gaa ggc atc 163 Asp Ser Lys Val Glu Ala His Glu Gly His Glu Gly His Glu Gly Ile 10 gag cga gga aca cgc aat tac aag cgc gct gtg ttt gcg atg ctg gcc 211 Glu Arg Gly Thr Arg Asn Tyr Lys Arg Ala Val Phe Ala Met Leu Ala 25 30 gcc ggt ctt gct gct ttc aat ggt ctt tat tgc acg cag gca ttg ctt 259 Ala Gly Leu Ala Ala Phe Asn Gly Leu Tyr Cys Thr Gln Ala Leu Leu 40 ccc acc atg acg gaa gag ttg gga att acg ccc act gag tcc gcg ctg 307 Pro Thr Met Thr Glu Glu Leu Gly Ile Thr Pro Thr Glu Ser Ala Leu 55 acg gtg tcg gct acg act gga atg ttg gcg ctg tgt att gtt ccg gcg 355 Thr Val Ser Ala Thr Thr Gly Met Leu Ala Leu Cys Ile Val Pro Ala tcg ata ctt tcg gag aaa ttt ggt cgc ggt cgg gtg ctg aca att tca Ser Ile Leu Ser Glu Lys Phe Gly Arg Gly Arg Val Leu Thr Ile Ser 90 ctc acg ttg gcc atc atc gtg gga tta att ttg ccg ctt gtc ccc aat 451 Leu Thr Leu Ala Ile Ile Val Gly Leu Ile Leu Pro Leu Val Pro Asn 105 110 att act get etc atc etg etc aga ggt etc caa ggt geg etg ett get 499 Ile Thr Ala Leu Ile Leu Leu Arg Gly Leu Gln Gly Ala Leu Leu Ala 120 ggc act cca gcg gtg gcg atg acc tgg ttg tct gag gaa att cac ccc 547 Gly Thr Pro Ala Val Ala Met Thr Trp Leu Ser Glu Glu Ile His Pro 135 595 aag gat att ggg cat gcg atg gga att tac atc gcg gga aat act gtc Lys Asp Ile Gly His Ala Met Gly Ile Tyr Ile Ala Gly Asn Thr Val 150 155 ggc ggg ctc act gga cgt atg att ccg gcg gga cta ctt gaa gta act 643

265

| Gly | Gly | Leu | Thr | Gly 170 | _ | , Met | Ile | Pro | Ala 175 | - | Leu | Leu | Glu | Val 180 | Thr | |
|------------|-----|-----|-----|------------|---|-------|-----|-------------------|------------|---|-----|-----|-----|------------|-----|------|
| | | | | Ala | | | | agt Ser 190 | Ser | | | | | | | 691 |
| | | | Met | | | | | ccc Pro | | | | | Phe | | | 739 |
| | | | | | | | Glu | att Ile | | | | | | | | 787 |
| | | | _ | _ | | Leu | | ttt Phe | | | Ala | | _ | | - | 835 |
| | | | | | | | | tat Tyr | | | | | | | | 883 |
| _ | | | | | - | | _ | gtt Val 270 | | | | | | _ | | 931 |
| | | | | | | | | cag Gln | | | | | | | | 979 |
| | | | | | | | | ttc Phe | | | | | | | | 1027 |
| _ | _ | - | _ | _ | | | | aat Asn | _ | | - | - | - | - | - | 1075 |
| | | | | | | | | ttc Phe | | | | | | | | 1123 |
| | | | | | | | | aag Lys 350 | | | | | | | | 1171 |
| | | | | | | | | gga Gly | | | | | | | | 1219 |
| Ser | | | | | | | | ccg Pro | | | | | | | | 1267 |
| ttg Leu | | | | | | | | | | | | | | | | 1315 |

390 395 400 405

agg ctt gcc cgc aac gcc aat taatacgagt ttgtccgtgt tta 1359 Arg Leu Ala Arg Asn Ala Asn

<210> 206

<211> 412

<212> PRT

<213> Corynebacterium glutamicum

<400> 206

Met Ser Gln Ala Ile Asp Ser Lys Val Glu Ala His Glu Gly His Glu 1 5 10 15

Gly His Glu Gly Ile Glu Arg Gly Thr Arg Asn Tyr Lys Arg Ala Val 20 25 30

Phe Ala Met Leu Ala Ala Gly Leu Ala Ala Phe Asn Gly Leu Tyr Cys 35 40 45

Thr Gln Ala Leu Leu Pro Thr Met Thr Glu Glu Leu Gly Ile Thr Pro 50 55 60

Thr Glu Ser Ala Leu Thr Val Ser Ala Thr Thr Gly Met Leu Ala Leu 65 70 75 80

Cys Ile Val Pro Ala Ser Ile Leu Ser Glu Lys Phe Gly Arg Gly Arg 85 90 95

Val Leu Thr Ile Ser Leu Thr Leu Ala Ile Ile Val Gly Leu Ile Leu 100 105 110

Pro Leu Val Pro Asn Ile Thr Ala Leu Ile Leu Leu Arg Gly Leu Gln
115 120 125

Gly Ala Leu Leu Ala Gly Thr Pro Ala Val Ala Met Thr Trp Leu Ser 130 135 140

Glu Glu Ile His Pro Lys Asp Ile Gly His Ala Met Gly Ile Tyr Ile 145 150 155 160

Ala Gly Asn Thr Val Gly Gly Leu Thr Gly Arg Met Ile Pro Ala Gly 165 170 175

Leu Leu Glu Val Thr His Trp Gln Asn Ala Leu Leu Gly Ser Ser Ile 180 185 190

Ala Ala Leu Ile Phe Gly Val Ile Met Val Val Leu Leu Pro Lys Gln 195 200 205

Arg Lys Phe Gln Pro Lys Asn Ile Asn Leu Arg His Glu Ile Ser Ala 210 215 220

Met Ala Ala His Trp Arg Asn Pro Arg Leu Ala Leu Leu Phe Gly Thr 225 230 235 240

Ala Phe Leu Gly Met Gly Thr Phe Val Ser Leu Tyr Asn Tyr Leu Gly Phe Arg Met Ile Asp Gln Phe Gly Leu Ser Glu Val Leu Val Gly Ala Val Phe Ile Met Tyr Leu Ala Gly Thr Trp Ser Ser Thr Gln Ala Gly Ala Leu Arg Glu Lys Ile Gly Asn Gly Ser Thr Val Ile Phe Leu Ser Leu Thr Met Ile Ala Ser Met Ala Leu Met Gly Ile Asn Asn Leu Trp 305 310 315 Val Thr Leu Val Ala Leu Phe Val Phe Thr Ala Ala Phe Phe Ala Leu 330 His Ser Ser Ala Ser Gly Trp Ile Gly Ile Ile Ala Thr Lys Asp Arg 340 345 350 Ala Glu Ala Ser Ser Met Tyr Leu Phe Cys Tyr Tyr Val Gly Ser Ser Val Ile Gly Trp Val Ser Gly Phe Ala Phe Thr His Leu Pro Trp Leu Ala Phe Ile Gly Trp Leu Ile Leu Leu Cys Gly Val Leu Ala Ile 390 395 Cys Val Thr Leu Ala Arg Leu Ala Arg Asn Ala Asn <210> 207 <211> 1215 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1192) <223> FRXA01873 <400> 207 ccgtcgttgc ccatggtcac agcctacatg cacaaagtga atcaaaaaca gctatttcta 60 acattttact aatatttgct gttggcgcat gatgaactcc atg agc caa gca ata 115 Met Ser Gln Ala Ile gat agc aag gtc gag gca cac gaa ggc cac gaa ggc cac gaa ggc atc 163 Asp Ser Lys Val Glu Ala His Glu Gly His Glu Gly His Glu Gly Ile gag ega gga aca ege aat tac aag ege get gtg ttt geg atg etg gee 211

| Glu | Arg | Gly | Thr 25 | | Asn | Tyr | Lys | Arg 30 | Ala | Val | Phe | Ala | Met 35 | Leu | Ala | |
|------------|------------|------------|-------------------|------------|-------------------|------------|------------|-------------------|------------|------------|------------|------------|-------------------|------------|------------|-----|
| | | | | | ttc Phe | | | | | | | | | | | 259 |
| | | | | | gag Glu | | | | | | | | | | | 307 |
| | | | | | act Thr 75 | | | | | | | | | | | 355 |
| | | | | | aaa Lys | | | | | | | | | | | 403 |
| ctc Leu | acg Thr | ttg Leu | gcc Ala 105 | atc Ile | atc Ile | gtg Val | gga Gly | tta Leu 110 | att Ile | ttg Leu | ccg Pro | ctt Leu | gtc Val 115 | ccc Pro | aat Asn | 451 |
| | | | | | ctg Leu | | | | | | | | | | | 499 |
| | | | | | gcg Ala | | | | | | | | | | | 547 |
| | | | | | gcg Ala 155 | | | | | | | | | | | 595 |
| | | | | | cgt Arg | | | | | | | | | | | 643 |
| cat His | tgg Trp | caa Gln | aac Asn 185 | gca Ala | ctg Leu | ctg Leu | gga Gly | agt Ser 190 | tct Ser | atc Ile | gct Ala | gcg Ala | ctg Leu 195 | atc Ile | ttc Phe | 691 |
| | | | | | gtg Val | | | | | | | | | | | 739 |
| | | | | | cgc Arg | | | | | | | | | | | 787 |
| | | | | | gcg Ala 235 | | | | | | | | | | | 835 |
| | | | | | ctg Leu | | | | | | | | | | | 883 |

| | | | 250 | | | | 255 | | | | | 260 | | |
|---|---|-------------------|-----|---|------|-------|-------|-------|------|-------|----|-----|------------|------|
| | | ctg Leu 265 | | | | | | | | | | | | 931 |
| | | acc Thr | | | | | | | | | | | | 979 |
| | | ggg Gly | | | | | | | | | | | | 1027 |
| | | ctg Leu | | | | | | | | | | | | 1075 |
| | | ttt Phe | | | | | | | | | | | tcg Ser | 1123 |
| | | gga Gly 345 | | | | | | | | | | | | 1171 |
| _ | _ | ttc Phe | • | _ | tago | gated | etc (| ggtga | attg | gt to | aa | | | 1215 |

<210> 208

<211> 364

<212> PRT

<213> Corynebacterium glutamicum

<400> 208

Met Ser Gln Ala Ile Asp Ser Lys Val Glu Ala His Glu Gly His Glu 1 5 10 15

Gly His Glu Gly Ile Glu Arg Gly Thr Arg Asn Tyr Lys Arg Ala Val 20 25 30

Phe Ala Met Leu Ala Ala Gly Leu Ala Ala Phe Asn Gly Leu Tyr Cys 35 40 45

Thr Gln Ala Leu Leu Pro Thr Met Thr Glu Glu Leu Gly Ile Thr Pro 50 55 60

Thr Glu Ser Ala Leu Thr Val Ser Ala Thr Thr Gly Met Leu Ala Leu 65 70 75 80

Cys Ile Val Pro Ala Ser Ile Leu Ser Glu Lys Phe Gly Arg Gly Arg 85 90 95

Val Leu Thr Ile Ser Leu Thr Leu Ala Ile Ile Val Gly Leu Ile Leu 100 105 110

Pro Leu Val Pro Asn Ile Thr Ala Leu Ile Leu Leu Arg Gly Leu Gln
115 120 125

Gly Ala Leu Leu Ala Gly Thr Pro Ala Val Ala Met Thr Trp Leu Ser 130 135 140

Glu Glu Ile His Pro Lys Asp Ile Gly His Ala Met Gly Ile Tyr Ile 145 150 155 160

Ala Gly Asn Thr Val Gly Gly Leu Thr Gly Arg Met Ile Pro Ala Gly
165 170 175

Leu Leu Glu Val Thr His Trp Gln Asn Ala Leu Leu Gly Ser Ser Ile 180 185 190

Ala Ala Leu Ile Phe Gly Val Ile Met Val Val Leu Leu Pro Lys Gln 195 200 205

Arg Lys Phe Gln Pro Lys Asn Ile Asn Leu Arg His Glu Ile Ser Ala 210 215 220

Met Ala Ala His Trp Arg Asn Pro Arg Leu Ala Leu Leu Phe Gly Thr 225 230 235 240

Ala Phe Leu Gly Met Gly Thr Phe Val Ser Leu Tyr Asn Tyr Leu Gly
245 250 255

Phe Arg Met Ile Asp Gln Phe Gly Leu Ser Glu Val Leu Val Gly Ala 260 265 270

Val Phe Ile Met Tyr Leu Ala Gly Thr Trp Ser Ser Thr Gln Ala Gly 275 280 285

Ala Leu Arg Glu Lys Ile Gly Asn Gly Ser Thr Val Ile Phe Leu Ser 290 295 300

Leu Thr Met Ile Ala Ser Met Ala Leu Met Gly Ile Asn Asn Leu Trp 305 310 315 320

Val Thr Leu Val Ala Leu Phe Val Phe Thr Ala Ala Phe Phe Ala Leu 325 330 335

His Ser Ser Ala Ser Gly Trp Ile Gly Ile Ile Ala Thr Lys Asp Arg
340 345 350

Ala Glu Ala Ser Ser Met Tyr Leu Phe Cys Glu Tyr 355 360

<210> 209

<211> 1572

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1549) <223> RXN00034

<400> 209

taaattttgt ggcactcccc acatttctat caatctatag aaagtatgac ttaaagtcga 60

ttttgcaagt ttctatagat tgatagaaaa gggagtttag atg tct tac aca tct 115

Met Ser Tyr Thr Ser

1 5

ttt aaa ggc gat gat aaa gcc ctc atc ggc ata gtt tta tca gtt ctc 163 Phe Lys Gly Asp Asp Lys Ala Leu Ile Gly Ile Val Leu Ser Val Leu 10 15 20

aca ttt tgg ctt ttt gct cag tca acc cta aat atc ggc cca gat atg 211 Thr Phe Trp Leu Phe Ala Gln Ser Thr Leu Asn Ile Gly Pro Asp Met 25 30 35

gca act gat tta ggg atg agc gat ggc acc atg aac ata gct gtc gtg 259
Ala Thr Asp Leu Gly Met Ser Asp Gly Thr Met Asn Ile Ala Val Val
40 45 50

gcc gcc gcg tta ttc tgt gga aca ttt atc gtc gca gcc ggc ggc atc 307 Ala Ala Ala Leu Phe Cys Gly Thr Phe Ile Val Ala Ala Gly Gly Ile 55 60 65

gca gat gtc ttt ggc cga gta cga atc atg atg att ggc aac atc ctt 355 Ala Asp Val Phe Gly Arg Val Arg Ile Met Met Ile Gly Asn Ile Leu

aac atc ctg gga tct ctc ctc atc gcc acg gca acg act tct tta gcc 403 Asn Ile Leu Gly Ser Leu Leu Ile Ala Thr Ala Thr Thr Ser Leu Ala

acc caa atg gtg atc acc ggc cga gtt ctc caa gga ctg gca gcg gcg 451
Thr Gln Met Val Ile Thr Gly Arg Val Leu Gln Gly Leu Ala Ala Ala
105 110 115

gcc atc atg tct gca tcc cta gca tta gtt aag aca tat tgg tta ggt 499
Ala Ile Met Ser Ala Ser Leu Ala Leu Val Lys Thr Tyr Trp Leu Gly
120 125 130

act gac cgc caa cga gca gtc tcc att tgg tcc att ggt tca tgg ggt 547
Thr Asp Arg Gln Arg Ala Val Ser Ile Trp Ser Ile Gly Ser Trp Gly

ggc acc gga ttc tgc gcg ctt ttc gcg ggt ctt gtt gta gca agc ccc 595 Gly Thr Gly Phe Cys Ala Leu Phe Ala Gly Leu Val Val Ala Ser Pro 150 165

ttt ggt tgg aga gga atc ttc gcc ctc tgc gcg atc gtc tcc atc gtt
Phe Gly Trp Arg Gly Ile Phe Ala Leu Cys Ala Ile Val Ser Ile Val

gct att gcc ctt acc cgc cac atc ccg gaa tcc cgt ccg gct caa tcc 693
Ala Ile Ala Leu Thr Arg His Ile Pro Glu Ser Arg Pro Ala Gln Ser
185 190 195

| | | | His | ttg Leu | | | | | | | | | | | | 739 |
|---|-----|---|-----|-------------------|-----|---|-----|-----|-----|-----|-----|---|-----|---|---|-------------|
| | | | | gaa Glu | | | | | | | | | | | | 787 |
| | | | | acc Thr | | | | | | | | | | | | 835 |
| | | | | ttc Phe 250 | | | | | | | | | | | | 883 |
| | | | | aaa Lys | | | | | | | | | | | | 931 |
| | | | | gct Ala | | | | | | | | | | | | 9 79 |
| | | | | tgg Trp | | | | | | | | | | | | 1027 |
| | | | - | gcc Ala | | _ | | | | | - | - | | _ | _ | 1075 |
| - | - | - | | gtt Val 330 | | _ | - | - | | | | | - | | | 1123 |
| - | _ | | | gcg Ala | | _ | | | _ | | | | - | - | | 1171 |
| | Thr | | Ile | gtc Val | Ile | | Leu | Āla | Gly | Phe | Ser | | Tyr | | | 1219 |
| | | | | ttc Phe | | | | | | | | | | | | 1267 |
| | | | | cgt Arg | | | | | | | | | | | | 1315 |
| | | | | gca Ala 410 | | | | | | | | | | | | 1363 |

| | | | | Asp | ggc Gly | | | | | | | | | | | 1411 |
|------------|----------------------------------|------------|------------|------------|-------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------|
| | | _ | | | ggc Gly | | | - | - | | - | - | | - | | 1459 |
| | | - | - | - | ctt Leu | | | | - | - | | | - | | | 1507 |
| | Ser | | | | cct Pro 475 | | | _ | | - | _ | | | | | 1549 |
| taa | aact | tca | ccag | gaca | ga ta | aa | | | | | | | | | | 1572 |
| <21 <21 | 0> 2: 1> 4: 2> P: 3> C: | 83 RT | ebac: | teri | um gl | lutar | nicu | m | | | | | | | | |
| | | | Thr | Ser 5 | Phe | Lys | Gly | Asp | Asp 10 | Lys | Ala | Leu | Ile | Gly 15 | Ile | |
| Val | Leu | Ser | Val 20 | Leu | Thr | Phe | Trp | Leu 25 | Phe | Ala | Gln | Ser | Thr 30 | Leu | Asn | |
| Ile | Gly | Pro 35 | Asp | Met | Ala | Thr | Asp 40 | Leu | Gly | Met | Ser | Asp 45 | Gly | Thr | Met | |
| Asn | Ile 50 | Ala | Val | Val | Ala | Ala 55 | Ala | Leu | Phe | Cys | Gly 60 | Thr | Phe | Ile | Val | |
| Ala 65 | Ala | Gly | Gly | Ile | Ala 70 | Asp | Val | Phe | Gly | Arg 75 | Val | Arg | Ile | Met | Met 80 | |
| Ile | Gly | Asn | Ile | Leu 85 | Asn | Ile | Leu | Gly | Ser 90 | Leu | Leu | Ile | Ala | Thr 95 | Ala | |
| Thr | Thr | Ser | Leu 100 | Ala | Thr | Gln | Met | Val 105 | Ile | Thr | Gly | Arg | Val 110 | Leu | Gln | |
| Gly | Leu | Ala 115 | Ala | Ala | Ala | Ile | Met 120 | Ser | Ala | Ser | Leu | Ala 125 | Leu | Val | Lys | |
| | Tyr 130 | Trp | Leu | Gly | Thr | Asp 135 | Arg | Gln | Arg | Ala | Val 140 | Ser | Ile | Trp | Ser | |
| Ile 145 | Gly | Ser | Trp | Gly | Gly 150 | Thr | Gly | Phe | Cys | Ala 155 | Leu | Phe | Ala | Gly | Leu 160 | |
| Val | Val | Ala | Ser | Pro 165 | Phe | GŢĀ | Trp | Arg | Gly 170 | Ile | Phe | Ala | Leu | Cys 175 | Ala | |

- Ile Val Ser Ile Val Ala Ile Ala Leu Thr Arg His Ile Pro Glu Ser 180 185 190
- Arg Pro Ala Gln Ser Ile Gly Met His Leu Asp Trp Ser Gly Ile Ile 195 200 205
- Val Leu Ala Leu Ser Val Leu Ser Leu Glu Leu Phe Ile Thr Gln Gly 210 215 220
- Glu Ser Leu Gly Trp Thr His Trp Met Thr Trp Thr Leu Leu Ala Val 225 230 235 240
- Ser Leu Thr Phe Leu Ala Val Phe Val Phe Ile Glu Arg Ile Ala Ser 245 250 255
- Trp Pro Val Leu Asp Phe Asn Leu Phe Lys Asp His Ala Phe Ser Gly 260 265 270
- Ala Thr Ile Thr Asn Phe Ile Met Ser Ala Thr Gly Gly Val Val Ala 275 280 285
- Val Val Met Trp Val Gln Gln Met Gly Trp Gly Val Ser Pro Thr Ile 290 295 300
- Ser Gly Leu Thr Ser Ile Gly Phe Ala Ala Phe Val Ile Leu Phe Ile 305 310 315 320
- Arg Val Gly Glu Lys Ala Met Gln Lys Val Gly Ala Arg Ala Val Ile 325 330 335
- Ile Thr Ala Gly Ile Leu Val Ala Thr Ala Thr Ala Leu Leu Met Ile 340 345 350
- Thr Ala Val Ser Glu Ser Thr Tyr Ile Val Ile Ser Leu Ala Gly Phe 355 360 365
- Ser Leu Tyr Gly Leu Gly Leu Gly Leu Phe Ala Thr Pro Val Thr Asp 370 375 380
- Thr Ala Leu Gly Thr Leu Pro Lys Asp Arg Thr Gly Ala Gly Ala Gly 385 390 395 400
- Val Phe Lys Met Ser Ser Leu Gly Ala Ala Leu Gly Ile Ala Ile 405 410 415
- Ser Thr Ser Val Phe Leu Ala Leu Arg Asp Gly Thr Ser Ile Asn Ser 420 425 430
- Asp Val Ala Leu Ala Gly Thr Val Ser Leu Gly Ile Asn Val Val Phe 435 440 445
- Ala Ala Thr Ala Thr Ile Thr Ala Ala Val Leu Ile Pro Lys Ala Ala 450 455 460
- Gly Lys Val Ser Gln Thr Ser Ile Thr Leu Pro Glu Pro Ala Ile Ala 465 470 475 480

Val Lys Ile

<210> 211 <211> 1045 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1045) <223> FRXA02273 <400> 211 taaattttgt ggcactcccc acatttctat caatctatag aaagtatgac ttaaagtcga 60 ttttgcaagt ttctatagat tgatagaaaa gggagtttag atg tct tac aca tct 115 Met Ser Tyr Thr Ser ttt aaa ggc gat gat aaa gcc ctc atc ggc ata gtt tta tca gtt ctc 163 Phe Lys Gly Asp Asp Lys Ala Leu Ile Gly Ile Val Leu Ser Val Leu 10 . 15 aca ttt tgg ctt ttt gct cag tca acc cta aat atc ggc cca gat atg 211 Thr Phe Trp Leu Phe Ala Gln Ser Thr Leu Asn Ile Gly Pro Asp Met gca act gat tta ggg atg agc gat ggc acc atg aac ata gct gtc gtg 259 Ala Thr Asp Leu Gly Met Ser Asp Gly Thr Met Asn Ile Ala Val Val 40 gee gee geg tta tte tgt gga aca ttt ate gte gea gee gge gge ate 307 Ala Ala Ala Leu Phe Cys Gly Thr Phe Ile Val Ala Ala Gly Gly Ile gca gat gtc ttt ggc cga gta cga atc atg atg att ggc aac atc ctt 355 Ala Asp Val Phe Gly Arg Val Arg Ile Met Met Ile Gly Asn Ile Leu 70 75 80 aac atc ctg gga tct ctc ctc atc gcc acg gca acg act tct tta gcc 403 Asn Ile Leu Gly Ser Leu Leu Ile Ala Thr Ala Thr Thr Ser Leu Ala 90 95 100 acc caa atg gtg atc acc ggc cga gtt ctc caa gga ctg gca gca gcg 451 Thr Gln Met Val Ile Thr Gly Arg Val Leu Gln Gly Leu Ala Ala Ala 105 110 gcc atc atg tct gca tcc cta gca tta gtt aag aca tat tgg tta ggt 499 Ala Ile Met Ser Ala Ser Leu Ala Leu Val Lys Thr Tyr Trp Leu Gly 120 125 act gac cgc caa cga gca gtc tcc att tgg tcc att ggt tca tgg ggt Thr Asp Arg Gln Arg Ala Val Ser Ile Trp Ser Ile Gly Ser Trp Gly 135 140

| 990 Gl ₃ 150 | acc Thr | gga Gly | ttc Phe | tgc Cys | gcg Ala 155 | Leu | ttc Phe | gcg Ala | ggt Gly | Ctt Leu 160 | Val | gta Val | gca Ala | agc Ser | ccc Pro 165 | 595 |
|-------------------------------|----------------------------------|------------|------------|-------------------|-------------------|-------------------|------------|------------|-------------------|-------------------|-------------------|------------|------------|-------------------|-------------------|------|
| ttt Phe | ggt Gly | tgg Trp | aga Arg | gga Gly 170 | Ile | ttc Phe | gcc Ala | ctc Leu | tgc Cys 175 | Ala | atc Ile | gtc Val | tcc Ser | atc Ile 180 | gtt Val | 643 |
| | att | | | | | | | | | | | | | | | 691 |
| | ggc | | | | | | | | | | | | | | | 739 |
| gtt Val | cta Leu 215 | tct Ser | ctt Leu | gaa Glu | ttg Leu | ttt Phe 220 | att Ile | acc Thr | caa Gln | ggt Gly | gaa Glu 225 | tca Ser | ctt Leu | ggc Gly | tgg Trp | 787 |
| | cac His | | | | | | | | | | | | | | | 835 |
| | gtt Val | | | | | | | | | | | | | | | 883 |
| | aac Asn | | | | | | | | | | | | | | | 931 |
| | att Ile | | | | | | | | | | | | | | | 979 |
| _ | caa Gln 295 | _ | | | | _ | | | | | - | | | | - | 1027 |
| | ggc Gly | | | Ala | | | | | | | | | | | | 1045 |
| <211 <212 | 0> 21 l> 31 ?> PR B> Co | 5 T | bact | eriu | m gl | utam | icum | | | | | | | | | |
| |)> 21 Ser | | Thr | Ser 5 | Phe : | Lys | Gly | Asp . | Asp 10 | Lys | Ala | Leu | Ile | Gly 15 | Ile | |
| Val | Leu | Ser | Val : | Leu ' | Thr | Phe | Trp | Leu 25 | Phe | Ala | Gln | Ser | Thr 30 | Leu | Asn | |

Ile Gly Pro Asp Met Ala Thr Asp Leu Gly Met Ser Asp Gly Thr Met 35 40 45

Asn Ile Ala Val Val Ala Ala Leu Phe Cys Gly Thr Phe Ile Val 50 55 60

Ala Ala Gly Gly Ile Ala Asp Val Phe Gly Arg Val Arg Ile Met Met 65 70 75 80

Ile Gly Asn Ile Leu Asn Ile Leu Gly Ser Leu Leu Ile Ala Thr Ala 85 90 95

Thr Thr Ser Leu Ala Thr Gln Met Val Ile Thr Gly Arg Val Leu Gln 100 105 110

Gly Leu Ala Ala Ala Ile Met Ser Ala Ser Leu Ala Leu Val Lys 115 120 125

Thr Tyr Trp Leu Gly Thr Asp Arg Gln Arg Ala Val Ser Ile Trp Ser 130 135 140

Ile Gly Ser Trp Gly Gly Thr Gly Phe Cys Ala Leu Phe Ala Gly Leu 145 150 155 160

Val Val Ala Ser Pro Phe Gly Trp Arg Gly Ile Phe Ala Leu Cys Ala 165 170 175

Ile Val Ser Ile Val Ala Ile Ala Leu Thr Arg His Ile Pro Glu Ser 180 185 190

Arg Pro Ala Gln Ser Ile Gly Met His Leu Asp Trp Ser Gly Ile Ile 195 200 205

Val Leu Ala Leu Ser Val Leu Ser Leu Glu Leu Phe Ile Thr Gln Gly 210 215 220

Glu Ser Leu Gly Trp Thr His Trp Met Thr Trp Thr Leu Leu Ala Val 225 230 235 240

Ser Leu Thr Phe Leu Ala Val Phe Val Phe Ile Glu Arg Ile Ala Ser 245 250 255

Trp Pro Val Leu Asp Phe Asn Leu Phe Lys Asp His Ala Phe Ser Gly 260 265 270

Ala Thr Ile Thr Asn Phe Ile Met Ser Ala Thr Gly Gly Val Val Ala 275 280 285

Val Val Met Trp Val Gln Gln Met Gly Trp Gly Val Ser Pro Thr Ile 290 295 300

Ser Gly Leu Thr Ser Ile Gly Phe Ala Ala Phe 305 310 315

<210> 213

<211> 826 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(826) <223> RXN03075 <400> 213 tgtgcaaaat tgcattcagg ctgaaaaatt cctaaaggga ctccgtccga ataattggaa 60 agcccagaag aacagtcaac tcctagatta aaggataatc gtg gcg aaa ttc ctg Val Ala Lys Phe Leu 1 tat aag tta ggc tcc acg gcc tat caa aag aaa tgg ccg ttt ctt gcg Tyr Lys Leu Gly Ser Thr Ala Tyr Gln Lys Lys Trp Pro Phe Leu Ala 15 gtc tgg ctc gtg att ctc ata ggt atc acg acg ctg gcg ggg ctg tat 211 Val Trp Leu Val Ile Leu Ile Gly Ile Thr Thr Leu Ala Gly Leu Tyr 25 gcc aag cca acg tcg agt agc ttc tct atc cct ggt ctt gat tct gtc Ala Lys Pro Thr Ser Ser Ser Phe Ser Ile Pro Gly Leu Asp Ser Val acg acc atg gag aag atg cag gag cgt ttc cct ggt tcg gat gat gca 307 Thr Thr Met Glu Lys Met Gln Glu Arg Phe Pro Gly Ser Asp Asp Ala 55 aca tog got coc act ggt tot gto gto att cag goa cog gaa ggo aag Thr Ser Ala Pro Thr Gly Ser Val Val Ile Gln Ala Pro Glu Gly Lys 70 80 acc ctc act gat cct gag gtt ggg gct gaa gta aac cag atg ctt gat 403 Thr Leu Thr Asp Pro Glu Val Gly Ala Glu Val Asn Gln Met Leu Asp 95 gag gtt cgg gcg act ggt gtg ctg aag gat gct gat tcc gtt gtg gat Glu Val Arg Ala Thr Gly Val Leu Lys Asp Ala Asp Ser Val Val Asp 105 cct gtg ttg gct gcg cag ggt gtg gct gct cag atg acc cca gcc ctg 499 Pro Val Leu Ala Ala Gln Gly Val Ala Ala Gln Met Thr Pro Ala Leu 120 125 gag gct cag ggt gta cct gcg gag aag atc gcc gca gat att gag tcg 547 Glu Ala Gln Gly Val Pro Ala Glu Lys Ile Ala Ala Asp Ile Glu Ser att agt cca ctg agt gca gat gag act acc ggc atc atc tcg atg act 595 Ile Ser Pro Leu Ser Ala Asp Glu Thr Thr Gly Ile Ile Ser Met Thr

150

279

160

643

ttt gat gca gat tct gcc atg gat ata tcc gca gag gat cgt gag aag

Phe Asp Ala Asp Ser Ala Met Asp Ile Ser Ala Glu Asp Arg Glu Lys 175 175 180

gtc acc aat att ctt gat gaa tac gat gac ggc gat ctg act gtt gtc 691

Val Thr Asn Ile Leu Asp Glu Tyr Asp Asp Gly Asp Leu Thr Val Val 185 190

tac aac ggc aac gtg ttt ggc gca gct gca acc agc ttg gac atg acc 739

Tyr Asn Gly Asn Val Phe Gly Ala Ala Ala Thr Ser Leu Asp Met Thr 200

tct gag ctc atc ggc ctg ctg gtg gct gcg gtc gtt ctt atc gtg acc 787

tct gag ctc atc ggc ctg ctg gtg gct gcg gtc gtt ctt atc gtg acc 78° Ser Glu Leu Ile Gly Leu Leu Val Ala Ala Val Val Leu Ile Val Thr 215 220 225

ttc ggt tcg ttc atc gct gcc ggt atg ccg ctg atc tct
Phe Gly Ser Phe Ile Ala Ala Gly Met Pro Leu Ile Ser
230 235 240

<210> 214

<211> 242

<212> PRT

<213> Corynebacterium glutamicum

<400> 214

Val Ala Lys Phe Leu Tyr Lys Leu Gly Ser Thr Ala Tyr Gln Lys Lys 1 5 10 15

Trp Pro Phe Leu Ala Val Trp Leu Val Ile Leu Ile Gly Ile Thr Thr 20 25 30

Leu Ala Gly Leu Tyr Ala Lys Pro Thr Ser Ser Ser Phe Ser Ile Pro 35 40 45

Gly Leu Asp Ser Val Thr Thr Met Glu Lys Met Gln Glu Arg Phe Pro 50 55 60

Gly Ser Asp Asp Ala Thr Ser Ala Pro Thr Gly Ser Val Val Ile Gln 65 70 75 80

Ala Pro Glu Gly Lys Thr Leu Thr Asp Pro Glu Val Gly Ala Glu Val 85 90 95

Asn Gln Met Leu Asp Glu Val Arg Ala Thr Gly Val Leu Lys Asp Ala
100 105 110

Asp Ser Val Val Asp Pro Val Leu Ala Ala Gln Gly Val Ala Ala Gln
115 120 125

Met Thr Pro Ala Leu Glu Ala Gln Gly Val Pro Ala Glu Lys Ile Ala 130 135 140

Ala Asp Ile Glu Ser Ile Ser Pro Leu Ser Ala Asp Glu Thr Thr Gly 145 150 155 160

Ile Ile Ser Met Thr Phe Asp Ala Asp Ser Ala Met Asp Ile Ser Ala

280

165 170 175

Glu Asp Arg Glu Lys Val Thr Asn Ile Leu Asp Glu Tyr Asp Asp Gly
180 185 190

Asp Leu Thr Val Val Tyr Asn Gly Asn Val Phe Gly Ala Ala Thr 195 200 205

Ser Leu Asp Met Thr Ser Glu Leu Ile Gly Leu Leu Val Ala Ala Val 210 215 220

Val Leu Ile Val Thr Phe Gly Ser Phe Ile Ala Ala Gly Met Pro Leu 225 230 235 240

Ile Ser

<210> 215

<211> 826

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(826)

<223> FRXA02907

<400> 215

tgtgcaaaat tgcattcagg ctgaaaaatt cctaaaggga ctccgtccga ataattggaa 60

- agcccagaag aacagtcaac tcctagatta aaggataatc gtg gcg aaa ttc ctg 115 Val Ala Lys Phe Leu
- tat aag tta ggc tcc acg gcc tat caa aag aaa tgg ccg ttt ctt gcg 163
 Tyr Lys Leu Gly Ser Thr Ala Tyr Gln Lys Lys Trp Pro Phe Leu Ala
- gtc tgg ctc gtg att ctc ata ggt atc acg acg ctg gcg ggg ctg tat 211 Val Trp Leu Val Ile Leu Ile Gly Ile Thr Thr Leu Ala Gly Leu Tyr
- gcc aag cca acg tcg agt agc ttc tct atc cct ggt ctt gat tct gtc 259
 Ala Lys Pro Thr Ser Ser Ser Phe Ser Ile Pro Gly Leu Asp Ser Val
 40 45 50
- acg acc atg gag aag atg cag gag cgt ttc cct ggt tcg gat gat gca 307 Thr Thr Met Glu Lys Met Gln Glu Arg Phe Pro Gly Ser Asp Asp Ala
- aca tcg gct ccc act ggt tct gtc gtc att cag gca ccg gaa ggc aag 355
 Thr Ser Ala Pro Thr Gly Ser Val Val Ile Gln Ala Pro Glu Gly Lys
 70 80 85
- acc ctc act gat cct gag gtt ggg gct gaa gta aac cag atg ctt gat 403 Thr Leu Thr Asp Pro Glu Val Gly Ala Glu Val Asn Gln Met Leu Asp

90 95 100

| | _ | | | | ggt Gly | | _ | _ | - | - | - | | - | | _ | 451 |
|---|---|---|---|---|-------------------|---|---|---|---|---|---|---|---|---|---|-----|
| | | | | | cag Gln | | | | | | | | | | | 499 |
| | | | | | cct Pro | | | | | | | | | | | 547 |
| | _ | | _ | _ | gca Ala 155 | - | | | | | | | - | _ | | 595 |
| | | | | | gcc Ala | | | | | | | | | | | 643 |
| - | | | | | gat Asp | - | | • | - | | - | _ | | - | | 691 |
| | | | | | ttt Phe | | - | _ | - | | _ | _ | - | - | | 739 |
| | - | | | | ctg Leu | - | | - | | - | - | | | | | 787 |
| | | _ | | | gct Ala 235 | _ | , | _ | _ | _ | | | | | | 826 |
| | | | | | | | | | | | | | | | | |

<210> 216

<211> 242

<212> PRT

<213> Corynebacterium glutamicum

<400> 216

Val Ala Lys Phe Leu Tyr Lys Leu Gly Ser Thr Ala Tyr Gln Lys Lys 1 5 10 15

Trp Pro Phe Leu Ala Val Trp Leu Val Ile Leu Ile Gly Ile Thr Thr 20 25 30

Leu Ala Gly Leu Tyr Ala Lys Pro Thr Ser Ser Ser Phe Ser Ile Pro 35 40 45

Gly Leu Asp Ser Val Thr Thr Met Glu Lys Met Gln Glu Arg Phe Pro 50 55 60

Gly Ser Asp Asp Ala Thr Ser Ala Pro Thr Gly Ser Val Val Ile Gln Ala Pro Glu Gly Lys Thr Leu Thr Asp Pro Glu Val Gly Ala Glu Val Asn Gln Met Leu Asp Glu Val Arg Ala Thr Gly Val Leu Lys Asp Ala Asp Ser Val Val Asp Pro Val Leu Ala Ala Gln Gly Val Ala Ala Gln Met Thr Pro Ala Leu Glu Ala Gln Gly Val Pro Ala Glu Lys Ile Ala Ala Asp Ile Glu Ser Ile Ser Pro Leu Ser Ala Asp Glu Thr Thr Gly Ile Ile Ser Met Thr Phe Asp Ala Asp Ser Ala Met Asp Ile Ser Ala Glu Asp Arg Glu Lys Val Thr Asn Ile Leu Asp Glu Tyr Asp Asp Gly 190 Asp Leu Thr Val Val Tyr Asn Gly Asn Val Phe Gly Ala Ala Ala Thr 200 Ser Leu Asp Met Thr Ser Glu Leu Ile Gly Leu Leu Val Ala Ala Val 210 215 Val Leu Ile Val Thr Phe Gly Ser Phe Ile Ala Ala Gly Met Pro Leu Ile Ser <210> 217 <211> 2313 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(2290) <223> RXA00479 <400> 217 tagatcccaa ggctcaaaat ttattactta aacaagttga gcaactagcc agccgcaaat 60 cttagaacta acctttacgc ctttaacgga agtgaatttg atg tct act agc atc

Met Ser Thr Ser Ile

1 5

aca aca gag aac aag aag aaa tct ggt cct cct cgc ttg atg aga atc 163
Thr Thr Glu Asn Lys Lys Ser Gly Pro Pro Arg Leu Met Arg Ile
10 15 20

| | | | | Leu | cta Leu | | | | | | | | | | | 211 |
|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-----|
| | | | | | ggc Gly | | | | | | | | | | | 259 |
| | | | | | gaa Glu | | | | | | | | | | | 307 |
| | | | | | gat Asp 75 | | | | | | | | | | | 355 |
| | | | | | tta Leu | | | | | | | | | | | 403 |
| gtt Val | gtt Val | gct Ala | ggg Gly 105 | ctt Leu | tca Ser | gaa Glu | tta Leu | gac Asp 110 | ata Ile | gtt Val | tcc Ser | gat Asp | gaa Glu 115 | gtc Val | tcc Ser | 451 |
| | | | | | gag Glu | | | | | | | | | | | 499 |
| | | | | | gag Glu | | | | | | | | | | | 547 |
| | | | | | acg Thr 155 | | | | | | | | | | | 595 |
| ccg Pro | gct Ala | ggg Gly | ttt Phe | acc Thr 170 | gct Ala | gat Asp | ctc Leu | agc Ser | gca Ala 175 | gct Ala | ttc Phe | gcg Ala | ggt Gly | att Ile 180 | gat Asp | 643 |
| ggg Gly | Leu | ctc Leu | Leu | Ala | gtc Val | Ala | Leu | Ala | Ala | Val | Leu | Val | att Ile 195 | ctt Leu | gtc Val | 691 |
| atc Ile | gtc Val | tat Tyr 200 | cgc Arg | tcc Ser | ttc Phe | att Ile | ctg Leu 205 | ccc Pro | atc Ile | gcc Ala | gtg Val | ctt Leu 210 | gcc Ala | acc Thr | agt Ser | 739 |
| ttg Leu | ttt Phe 215 | gcg Ala | ctg Leu | act Thr | gta Val | gct Ala 220 | cta Leu | ttg Leu | gtg Val | gtg Val | tgg Trp 225 | tgg Trp | cta Leu | gct Ala | aag Lys | 787 |
| tgg Trp 230 | gac Asp | atc Ile | ctg Leu | ctg Leu | ctt Leu 235 | tcg Ser | ggt Gly | cag Gln | act Thr | caa Gln 240 | ggc Gly | atc Ile | ctc Leu | ttc Phe | att Ile 245 | 835 |

| | | | ggc Gly | | Ala | | | | | Leu | | | | | | 883 |
|-------------------|-----|------------|-------------------|------------|-------------------|------------|------------|------------|------------|-------------------|------------|------------|------------|------------|-------------------|------|
| | | | gag Glu 265 | Leu | | | | | Asp | | | | | | | 931 |
| | | | cgg Arg | | | | | Pro | | | | | | | | 979 |
| _ | | | ggc | | | _ | _ | | | - | - | _ | | | | 1027 |
| tcc Ser 310 | Thr | cta Leu | ggt Gly | cca Pro | gta Val 315 | gct Ala | tcg Ser | gtg Val | ggc Gly | att Ile 320 | att Ile | ttt Phe | gca Ala | atg Met | ctt Leu 325 | 1075 |
| | - | | act Thr | | | | _ | _ | - | | - | | | | | 1123 |
| | | | ccc Pro 345 | | | | | | | | | | | | | 1171 |
| | | | atc Ile | | | | | | | | | | | | | 1219 |
| | | | cat His | | | | | | | | | | | | | 1267 |
| | | | gcg Ala | | | | | | | | | | | | | 1315 |
| | | | cta Leu | | | | | | | | | | | | | 1363 |
| | | | gaa Glu 425 | | | | | | | | | | | | | 1411 |
| | | | gaa Glu | | | | | | | | | | | | | 1459 |
| | | | ttc Phe | | | | | | | | | | | | | 1507 |
| ggc | tca | gcc | cca | atc | acc | gct | gac | ggt | att | gtg | ccg | tta | ggt | tct | ggt | 1555 |

| Gly 470 | | Ala | Pro | Ile | Thr 475 | Ala | Asp | Gly | Ile | Val 480 | | Leu | Gly | Ser | Gly 485 | |
|------------|------------|------------|------------|-------------------|------------|-------------------|------------|------------|-------------------|------------|------------|------------|------------|-------------------|------------|------|
| | | | | | Val | gtt Val | | | | | | | | | | 1603 |
| | | | | Ala | | gat Asp | | | Ğlu | | | | | | | 1651 |
| | | | Gln | | | gca Ala | | | | | | | | | | 1699 |
| | | Thr | | | | gta Val 540 | | | | | | | | | | 1747 |
| _ | Asn | - | | | | att Ile | _ | - | _ | - | | _ | - | | | 1795 |
| _ | _ | _ | _ | | | att Ile | - | - | | | _ | | - | _ | | 1843 |
| | | | | | | act Thr | | | | | | | | | | 1891 |
| | | - | | _ | | cca Pro | | _ | _ | | _ | - | | | | 1939 |
| | | | | | | gcc Ala 620 | | | | | | | | | | 1987 |
| _ | | _ | | _ | - | gaa Glu | | | | | | | - | | | 2035 |
| att Ile | ctt Leu | cga Arg | ggc Gly | ctg Leu 650 | aca Thr | gta Val | acc Thr | ggc Gly | gga Gly 655 | gta Val | att Ile | acc Thr | tca Ser | gct Ala 660 | gga Gly | 2083 |
| | | | | | | ttc Phe | | | | | | | | | | 2131 |
| | | | | | | ttc Phe | | | | | | | | | | 2179 |
| | | | | | | ttc Phe | | | | | | | | | | 2227 |

695 700 705

gga ccg aaa atc tgg tgg ccg tca aaa ttg tcc aat cag aaa tac cag 2275 Gly Pro Lys Ile Trp Trp Pro Ser Lys Leu Ser Asn Gln Lys Tyr Gln 710 725

aag cag cct cag cta tgacacacca aaattcgcct cte 2313 Lys Gln Pro Gln Leu 730

<210> 218

<211> 730

<212> PRT

<213> Corynebacterium glutamicum

<400> 218

Met Ser Thr Ser Ile Thr Thr Glu Asn Lys Lys Ser Gly Pro Pro 1 5 10 15

Arg Leu Met Arg Ile Phe Leu Pro Ala Leu Leu Ile Leu Val Trp Leu
20 25 30

Val Gly Ala Gly Val Gly Gly Pro Tyr Phe Gly Lys Val Ser Glu Val 35 40 45

Ser Ser Asn Ser Gln Thr Thr Tyr Leu Pro Glu Ser Ala Asp Ala Thr 50 55 60

Gln Val Gln Glu Gln Leu Gly Asp Phe Thr Asp Ser Glu Ser Ile Pro 65 70 75 80

Ala Ile Val Val Met Val Ser Asp Glu Pro Leu Thr Gln Gln Asp Ile 85 90 95

Thr Gln Leu Asn Glu Val Val Ala Gly Leu Ser Glu Leu Asp Ile Val 100 105 110

Ser Asp Glu Val Ser Pro Ala Ile Pro Ser Glu Asp Gly Arg Ala Val 115 120 125

Gln Val Phe Val Pro Leu Asn Pro Ser Ala Glu Leu Thr Glu Ser Val 130 135 140

Glu Lys Leu Ser Glu Thr Leu Thr Gln Gln Thr Pro Asp Tyr Val Ser 145 150 155 160

Thr Tyr Val Thr Gly Pro Ala Gly Phe Thr Ala Asp Leu Ser Ala Ala 165 170 175

Phe Ala Gly Ile Asp Gly Leu Leu Leu Ala Val Ala Leu Ala Ala Val 180 185 190

Leu Val Ile Leu Val Ile Val Tyr Arg Ser Phe Ile Leu Pro Ile Ala 195 200 205

Val Leu Ala Thr Ser Leu Phe Ala Leu Thr Val Ala Leu Leu Val Val

210 215 220

Trp Trp Leu Ala Lys Trp Asp Ile Leu Leu Ser Gly Gln Thr Gln 225 230 235 240

Gly Ile Leu Phe Ile Leu Val Ile Gly Ala Ala Thr Asp Tyr Ser Leu 245 250 255

Leu Tyr Val Ala Arg Phe Arg Glu Glu Leu Arg Val Gln Gln Asp Lys 260 265 270

Gly Ile Ala Thr Gly Lys Ala Ile Arg Ala Ser Val Glu Pro Ile Leu 275 280 285

Ala Ser Gly Ser Thr Val Ile Ala Gly Leu Leu Cys Leu Leu Phe Ser 290 295 300

Asp Leu Lys Ser Asn Ser Thr Leu Gly Pro Val Ala Ser Val Gly Ile 305 310 315 320

Ile Phe Ala Met Leu Ser Ala Leu Thr Leu Leu Pro Ala Leu Leu Phe 325 330 335

Val Phe Gly Arg Val Ala Phe Trp Pro Lys Arg Pro Lys Tyr Glu Pro 340 345 350

Glu Lys Ala Arg Ala Lys Asn Asp Ile Pro Ala Ser Gly Ile Trp Ser 355 360 365

Lys Val Ala Asp Leu Val Glu Gln His Pro Arg Ala Ile Trp Val Ser 370 375 380

Thr Leu Ile Val Leu Leu Gly Ala Ala Phe Val Pro Thr Leu Lys 385 390 395 400

Ala Asp Gly Val Ser Gln Ser Asp Leu Val Leu Gly Ser Ser Glu Ala 405 . 410 415

Arg Asp Gly Gln Gln Ala Leu Gly Glu His Phe Pro Gly Gly Ser Gly
420 425 430

Ser Pro Ala Tyr Ile Ile Val Asp Glu Thr Gln Ala Ala Gln Ala Ala 435 440 445

Asp Val Val Leu Asn Asn Asp Asn Phe Glu Thr Val Thr Ser 450 455 460

Ala Asp Ser Pro Ser Gly Ser Ala Pro Ile Thr Ala Asp Gly Ile Val 465 470 475 480

Pro Leu Gly Ser Gly Thr Ala Pro Gly Pro Val Val Glu Gly Gln
485
490
495

Val Leu Leu Gln Ala Thr Leu Val Glu Ala Pro Asp Ser Glu Glu Ala 500 505 510

Gln Lys Ala Ile Arg Ser Ile Arg Gln Thr Phe Ala Asp Glu Asn Ile

515 520 525

Ser Ala Val Val Gly Gly Val Thr Ala Thr Ser Val Asp Thr Asn Asp 530 540

Ala Ser Ile His Asp Arg Asn Leu Ile Ile Pro Ile Val Leu Leu Val 545 550 555 560

Ile Leu Val Ile Leu Met Leu Leu Leu Arg Ser Ile Val Ala Pro Leu 565 570 575

Leu Leu Val Val Thr Thr Val Val Ser Phe Ala Thr Ala Leu Gly Val 580 585 590

Ala Ala Leu Leu Phe Asn His Val Phe Ser Phe Pro Gly Ala Asp Pro 595 600 605

Ala Val Pro Leu Tyr Gly Phe Val Phe Leu Val Ala Leu Gly Ile Asp 610 620

Tyr Asn Ile Phe Leu Val Thr Arg Ile Arg Glu Glu Thr Lys Thr His 625 630 635 640

Gly Thr Arg Leu Gly Ile Leu Arg Gly Leu Thr Val Thr Gly Gly Val 645 650 655

Ile Thr Ser Ala Gly Val Val Leu Ala Ala Thr Phe Ala Ala Leu Tyr 660 665 670

Val Ile Pro Ile Leu Phe Leu Ala Gln Ile Ala Phe Ile Val Ala Phe 675 680 685

Gly Val Leu Ile Asp Thr Leu Leu Val Arg Ala Phe Leu Val Pro Ala 690 695 700

Leu Phe Tyr Asp Ile Gly Pro Lys Ile Trp Trp Pro Ser Lys Leu Ser 705 710 715 720

Asn Gln Lys Tyr Gln Lys Gln Pro Gln Leu 725 730

<210> 219

<211> 983

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (1)..(960)

<223> RXN03124

<400> 219

atg act cct acc ctg gcg tcg atg att ggt ctg gct gtc ggt atc gac 48 Met Thr Pro Thr Leu Ala Ser Met Ile Gly Leu Ala Val Gly Ile Asp 1 5 10

| | | | | Ile | gtg Val | | | | Arg | | | | | Ser | | 96 |
|------------|------------|------------|------------|-----|-------------------|------------|------------|------------|-----|------------|------------|------------|------------|-----|------------|-----|
| | | | Asn | | ctg Leu | | | Lys | | | | | | | | 144 |
| | | Pro | | | gct Ala | | Ala | | | | | | | | | 192 |
| | Ala | | | | gtt Val 70 | Val | | | | | Thr | | | | | 240 |
| | | | | | atc Ile | | | | | | | | | | | 288 |
| Ile | Ala | Ala | Ala 100 | Ile | acc Thr | Val | Āla | Ile 105 | Ala | Val | Leu | Val | Ala 110 | Leu | Ser | 336 |
| Phe | Leu | Pro 115 | Ala | Leu | ctt Leu | Gly | Leu 120 | Leu | Gly | Thr | Arg | Ile 125 | Phe | Ala | Ala | 384 |
| Arg | Val 130 | Pro | Gly | Pro | aag Lys | Val 135 | Pro | Asp | Pro | Glu | Asp 140 | Glu | Lys | Pro | Thr | 432 |
| Met 145 | Gly | Leu | Lys | Trp | gtc Val 150 | Arg | Leu | Val | Arg | Lys 155 | Met | Pro | Val | Ala | Tyr 160 | 480 |
| | | | | | gtt Val | | | | | | | | | | | 528 |
| Asn | Met | Arg | Leu 180 | Ala | atg Met | Pro | Thr | Asp 185 | Gly | Thr | Ser | Thr | Leu 190 | Gly | Thr | 576 |
| | _ | _ | _ | | tat Tyr | - | _ | _ | _ | _ | | | | _ | | 624 |
| _ | | | | _ | att Ile | | | | _ | _ | | _ | - | | | 672 |
| | | | | Leu | gtg Val 230 | | | | Ala | | | | | | | 720 |
| act | gat | ggt | gtg | aag | aat | gct | cag | atc | act | cag | acc | acg | gag | aat | ttc | 768 |

| | | | _, | - | | | | | | | | | | | | I CI/IDOO |
|------------|------------------------------|------------|-------------------|------------|-------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----------|
| Thr | Asp | Gly | Val | Lys 245 | Asn | Ala | Gln | Ile | Thr 250 | Gln | Thr | Thr | Glu | Asn 255 | Phe | |
| | | | | Ile | ctg Leu | | | | | | | | | | | 816 |
| | | | Arg | | tcg Ser | | | | | | | | | | | 864 |
| | | Thr | | | cga Arg | | | | | | | | | | | 912 |
| | Met | | | | ctc Leu 310 | | | | | | | | | | | 960 |
| tga | tcgt | ttt | ggtt | ctag | cg ti | c | | | | | | | | | | 983 |
| <21 <21 | 0> 2 1> 3 2> P 3> C | 20 RT | ebac [,] | teri | um g] | lutan | nicur | n | | | | | | | | |
| <40 | 0> 2: | 20 | | | | | | | | | | | | | | |
| Met 、1 | Thr | Pro | Thr | Leu 5 | Ala | Ser | Met | Ile | Gly 10 | Leu | Ala | Val | Gly | 11e 15 | Asp | |
| Tyr | Ala | Leu | Phe 20 | Ile | Val | Ser | Arg | Phe 25 | Arg | Asn | Glu | Leu | Ile 30 | Ser | Gln | |
| Thr | Gly | Ala 35 | Asn | Asp | Leu | Glu | Pro 40 | Lys | Glu | Leu | Ala | Glu 45 | Arg | Leu | Arg | |
| Thr | Met 50 | Pro | Leu | Ala | Ala | Arg 55 | Ala | His | Ala | Met | Gly 60 | Met | Ala | Val | Gly | |
| Thr 65 | Ala | Gly | Ser | Ala | Val 70 | Val | Phe | Ala | Gly | Thr 75 | Thr | Val | Leu | Ile | Ala 80 | |
| Leu | Val | Ala | Leu | Ser 85 | Ile | Ile | Asn | Ile | Pro .90 | Phe | Leu | Thr | Val | Met 95 | Ala | |
| Ile | Ala | Ala | Ala 100 | Ile | Thr | Val | Ala | Ile 105 | Ala | Val | Leu | Val | Ala 110 | Leu | Ser | |
| Phe | Leu | Pro 115 | Ala | Leu | Leu | Gly | Leu 120 | Leu | Gly | Thr | Arg | Ile 125 | Phe | Ala | Ala | |
| Arg | Val 130 | Pro | Gly | Pro | Lys | Val 135 | Pro | Asp | Pro | Glu | Asp 140 | Glu | Lys | Pro | Thr | |
| Met 145 | Gly | Leu | Lys | Trp | Val 150 | Arg | Leu | Val | Arg | Lys 155 | Met | Pro | Val | Ala | Tyr 160 | |

291

315

 Leu
 Leu
 Val
 Val
 Leu
 Leu
 Gly
 Ala
 Ile
 Pro
 Ala
 Ile
 Ala
 Ile
 Pro
 Thr
 Asp
 Gly
 Thr
 Ser
 Thr
 Leu
 Gly
 Thr

 Ala
 Pro
 Ala
 Met
 Pro
 Thr
 Asp
 Gly
 Thr
 Asp
 Ala
 Pro
 Gly
 Thr
 Asp
 Asp
 Asp
 Ala
 Asp
 Ala
 Pro
 Gly
 Pro
 Gly
 Asp
 Asp
 Asp
 Ala
 Asp
 Ala
 Pro
 Asp
 Asp
 Ala
 Asp
 Ala
 Pro
 Asp
 Asp
 Ala
 Asp
 Ala
 Pro
 Asp
 Asp
 Ala
 Asp
 Ala
 Asp
 Ala
 Pro
 Ala
 Asp
 Ala

310

<210> 221 <211> 762 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (1)..(762) <223> FRXA01180 <400> 221 atg act cct acc ctg gcg tcg atg att ggt ctg gct gtc ggt atc gac Met Thr Pro Thr Leu Ala Ser Met Ile Gly Leu Ala Val Gly Ile Asp tac gcg cta ttt atc gtg tcc cgt ttc cgc aat gag ttg att tct cag 96 Tyr Ala Leu Phe Ile Val Ser Arg Phe Arg Asn Glu Leu Ile Ser Gln 20 act ggc gct aat gat ctg gag cca aag gaa ttg gct gag cgt ctg cgc Thr Gly Ala Asn Asp Leu Glu Pro Lys Glu Leu Ala Glu Arg Leu Arg 35 40

| | | Pro | | | | | gcg Ala | | | | | | | | | 192 |
|---|---|-----|---|---|---|-----|-------------------|---|---|---|-----|---|---|---|---|-----|
| | | | | | | Val | ttc Phe | | | | Thr | | | | | 240 |
| _ | _ | - | _ | | | | aat Asn | | | | | | | _ | - | 288 |
| | _ | _ | _ | | | _ | gcc Ala | | - | _ | - | - | - | - | | 336 |
| | | | - | _ | | | ctg Leu 120 | | | | - | | | _ | - | 384 |
| _ | | Pro | | | _ | - | ccg Pro | - | | | _ | - | _ | | _ | 432 |
| | | | | | | | ctt Leu | | | | | | | | | 480 |
| | | | | | | | ctt Leu | | | | | | | | | 528 |
| | | | | | | | act Thr | | | | | | | | | 576 |
| | - | - | _ | | | - | atg Met 200 | _ | - | - | | | | _ | | 624 |
| | | | | | | | ctt Leu | | | | | | | | | 672 |
| - | _ | _ | | _ | | | gga Gly | _ | | _ | | | | | | 720 |
| | | | | | | | cag Gln | | | | | | | | | 762 |

<210> 222

<211> 254

<212> PRT

--- ---

<213> Corynebacterium glutamicum

<400> 222

Met Thr Pro Thr Leu Ala Ser Met Ile Gly Leu Ala Val Gly Ile Asp 1 5 10 15

Tyr Ala Leu Phe Ile Val Ser Arg Phe Arg Asn Glu Leu Ile Ser Gln 20 25 30

Thr Gly Ala Asn Asp Leu Glu Pro Lys Glu Leu Ala Glu Arg Leu Arg 35 40 45

Thr Met Pro Leu Ala Ala Arg Ala His Ala Met Gly Met Ala Val Gly
50 55 60

Thr Ala Gly Ser Ala Val Val Phe Ala Gly Thr Thr Val Leu Ile Ala 65 70 75 80

Leu Val Ala Leu Ser Ile Ile Asn Ile Pro Phe Leu Thr Val Met Ala 85 90 95

Ile Ala Ala Ala Ile Thr Val Ala Ile Ala Val Leu Val Ala Leu Ser 100 105 110

Phe Leu Pro Ala Leu Leu Gly Leu Leu Gly Thr Arg Ile Phe Ala Ala 115 120 125

Arg Val Pro Gly Pro Lys Val Pro Asp Pro Glu Asp Glu Lys Pro Thr 130 135 140

Met Gly Leu Lys Trp Val Arg Leu Val Arg Lys Met Pro Val Ala Tyr 145 150 155 160

Leu Leu Val Gly Val Val Leu Leu Gly Ala Ile Ala Ile Pro Ala Thr 165 170 175

Asn Met Arg Leu Ala Met Pro Thr Asp Gly Thr Ser Thr Leu Gly Thr 180 185 190

Ala Pro Arg Thr Gly Tyr Asp Met Thr Ala Asp Ala Phe Gly Pro Gly 195 200 205

Arg Asn Ala Pro Met Ile Ala Leu Ile Asp Ala Thr Asp Val Pro Glu 210 215 220

Glu Glu Arg Pro Leu Val Phe Gly Gln Ala Val Glu Gln Phe Leu Asn 225 230 235 240

Thr Asp Gly Val Lys Asn Ala Gln Ile Thr Gln Thr Thr Glu 245 250

<210> 223

<211> 393

<212> DNA

<213> Corynebacterium glutamicum

<220> <221> CDS <222> (101)..(370) <223> RXA02586 <400> 223 ttctctgaga tcgtcatgat gaagtacatc gcgttcggca tgatcgcagc gctgattctg 60 gatgccacca tcatccgcat gctgcttgtc ccccgccgtg atg cac ctg ctt cgc 115 Met His Leu Leu Arg 1 163 gac gac aac tgg tgg gca ccc ggc ttc gtt aaa aag gcc tac acc gtc Asp Asp Asn Trp Trp Ala Pro Gly Phe Val Lys Lys Ala Tyr Thr Val 211 atg ggt cac ggc tct gag gtg gag gaa gca cct cgc cca acc acc cgt Met Gly His Gly Ser Glu Val Glu Glu Ala Pro Arg Pro Thr Thr Arg cgc ctc aac gac gat gag gaa gtc acc gtg cat gaa gca gtt gtc gct 259 Arg Leu Asn Asp Asp Glu Glu Val Thr Val His Glu Ala Val Val Ala 40 307 ggc gat acc gtg gca tct cgc ggt ggt ttg agc acg cag gaa aac cgt Gly Asp Thr Val Ala Ser Arg Gly Gly Leu Ser Thr Gln Glu Asn Arg 55 gat ctg gtg tcc ttc gtg gaa ctt aag gct cgt ttg gaa aag cgc agg 355 Asp Leu Val Ser Phe Val Glu Leu Lys Ala Arg Leu Glu Lys Arg Arg 75 80 393 ctt gag gat cta gat taaatctatg cgaggatttt tca Leu Glu Asp Leu Asp <210> 224 <211> 90 <212> PRT <213> Corynebacterium glutamicum Met His Leu Leu Arg Asp Asp Asn Trp Trp Ala Pro Gly Phe Val Lys Lys Ala Tyr Thr Val Met Gly His Gly Ser Glu Val Glu Glu Ala Pro Arg Pro Thr Thr Arg Arg Leu Asn Asp Asp Glu Glu Val Thr Val His 40 Glu Ala Val Val Ala Gly Asp Thr Val Ala Ser Arg Gly Gly Leu Ser

Thr Gln Glu Asn Arg Asp Leu Val Ser Phe Val Glu Leu Lys Ala Arg

70

Leu Glu Lys Arg Arg Leu Glu Asp Leu Asp 85 90

<210> 225 <211> 2214 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(2191) <223> RXA02587 <400> 225 agcctggata acctgccaga cggtggcgca tggctgcagc cgttccgccc tctgactgcc 60 ttgttatcca accgccacaa ttcccaggag taatccaccc gtg ttt tct aaa tgg Val Phe Ser Lys Trp 1 ggc cac ttt gct tac aga ttt agg cgc att gtt ccg tta gtc gtc atc 163 Gly His Phe Ala Tyr Arg Phe Arg Arg Ile Val Pro Leu Val Val Ile 10 . 20 gcc gcg att ttg gct ttg ttt gtc att ttc ggc acc aag ctg ggc gac 211 Ala Ala Ile Leu Ala Leu Phe Val Ile Phe Gly Thr Lys Leu Gly Asp 25 ege atg age cag gaa gga tgg gat gat eet ggt tet tee teg ace get 259 Arg Met Ser Gln Glu Gly Trp Asp Asp Pro Gly Ser Ser Ser Thr Ala gcg gcg cgc atc gag ttg gag acc ttt ggg cgt gac aat gac ggc gat 307 Ala Ala Arg Ile Glu Leu Glu Thr Phe Gly Arg Asp Asn Asp Gly Asp 55 60 gtc gtg ttg ctg ttt act gcg cct gaa ggc act tct ttc gat gat gca 355 Val Val Leu Leu Phe Thr Ala Pro Glu Gly Thr Ser Phe Asp Asp Ala 70 75 80 gag gtg ttc tcc agc atc tct ggc tac tta gat ggg cta atc gag aac 403 Glu Val Phe Ser Ser Ile Ser Gly Tyr Leu Asp Gly Leu Ile Glu Asn 90 aac cct gat gaa gtc agc cac atc aac agc tac ttt gac act cgt aat Asn Pro Asp Glu Val Ser His Ile Asn Ser Tyr Phe Asp Thr Arg Asn 105 caa aat ctc ctc agc aaa gac ggc acc caa acc ttt gca gct ctc ggg 499 Gln Asn Leu Leu Ser Lys Asp Gly Thr Gln Thr Phe Ala Ala Leu Gly 120 547 ctc aaa ggt gac ggc gag caa acg ctg aag gac ttc cgg gag att gaa Leu Lys Gly Asp Gly Glu Gln Thr Leu Lys Asp Phe Arg Glu Ile Glu 135 140 145

| | | | | | | | | | | | | | | | -4- | F 0 5 |
|------------|------------|-------------------|------------|-------------------|------------|------------|-------------------|------------|-------------------|------------|------------|-------------------|------------|-------------------|------------|-------|
| | Gln | ctc Leu | | | | | | | | | | | | | | 595 |
| | | gcc Ala | | | | | | | | | | | | | | 643 |
| | | tca Ser | | | | | | | | | | | | | | 691 |
| ctg Leu | ctc Leu | atc Ile 200 | gtg Val | ttt Phe | ggc Gly | tca Ser | gtt Val 205 | gtt Val | gcc Ala | gcg Ala | gcg Ala | atg Met 210 | cca Pro | ttg Leu | atc Ile | 739 |
| | | att Ile | | | | | | | | | | | | | | 787 |
| | | ttc Phe | | | | | | | | | | | | | | 835 |
| | | ttg Leu | | | | | | | | | | | | | | 883 |
| | | gag Glu | | | | | | | | | | | | | | 931 |
| | | acg Thr 280 | | | | | | | | | | | | | | 979 |
| | | gtg Val | | | | | | | | | | | | | | 1027 |
| | Ser | gtg Val | Ala | Phe | | Ala | Ile | Ser | Ala | Val | Gly | Leu | | | | 1075 |
| atg Met | tcg Ser | gtg Val | acg Thr | gtg Val 330 | ttg Leu | ccg Pro | tcg Ser | ctg Leu | ttc Phe 335 | agc Ser | atg Met | ttg Leu | ggt Gly | aag Lys 340 | aat Asn | 1123 |
| | | aag Lys | | | | | | | | | | | | | | 1171 |
| | | acc Thr 360 | | | | | | | | | | | | | | 1219 |

| | | | | | ggc | | | | | | | | | | | 1267 |
|-----|-----|-----|-----|-----|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------------|------|
| | | | | | aaa Lys 395 | | | | | | | | | | | 1315 |
| | | | | | cgc Arg | | | | | | | | | | | 1363 |
| | | | | | gag Glu | | | | | | | | | | gac Asp. | 1411 |
| | | - | _ | | gat Asp | | | - | _ | - | | - | _ | | | 1459 |
| | | | | | acc Thr | | | | | | | | | | | 1507 |
| | | | | | att Ile 475 | | | | | | | | | | | 1555 |
| | | | | | att Ile | | | | | | | | | | | 1603 |
| | | | | | atg Met | | | | | | | | | | | 1651 |
| | | | | | gct Ala | | | | | | | | | | | 1699 |
| _ | - | - | _ | | ggt Gly | _ | | | - | - | | _ | _ | | | 1747 |
| - | | | - | | atg Met 555 | | - | | _ | | | | | _ | _ | 1795 |
| | | | | | ggt Gly | | | | | | | | | | | 1843 |
| | | | | | ctg Leu | | Leu | | | | | | | | | 1891 |
| tcc | acc | gac | tat | gag | gtg | ttc | ctg | gta | tct | cgc | atg | gtg | gag | gcc | cgc | 1939 |

| Ser | Thr | Asp 600 | Tyr | Glu | Val | Phe | Leu 605 | Val | Ser | Arg | Met | Val 610 | Glu | Ala | Arg | |
|-----|-----|------------|-----|------|------|-------|------------|-------------------|------|-----|-----|------------|-----|-----|-----|------|
| | | | | | | | | gcc Ala | | | | | | | | 1987 |
| | | | | | | | | gca Ala | | | | | | | | 2035 |
| | | | | | | | | gtc Val | | | | | | | | 2083 |
| | | | | | | | | gat Asp 670 | | | | | | | | 2131 |
| | | | | | | | | gct Ala | | | | | | | | 2179 |
| | | ctt Leu | - | taaa | aagg | jcc t | acac | ecgto | a to | 19 | | | | | | 2214 |

<210> 226

<211> 697

<212> PRT

<213> Corynebacterium glutamicum

<400> 226

Val Phe Ser Lys Trp Gly His Phe Ala Tyr Arg Phe Arg Arg Ile Val 1 5 10 15

Pro Leu Val Val Ile Ala Ala Ile Leu Ala Leu Phe Val Ile Phe Gly
20 25 30

Thr Lys Leu Gly Asp Arg Met Ser Gln Glu Gly Trp Asp Asp Pro Gly 35 40 45

Ser Ser Ser Thr Ala Ala Ala Arg Ile Glu Leu Glu Thr Phe Gly Arg 50 55 60

Asp Asn Asp Gly Asp Val Val Leu Leu Phe Thr Ala Pro Glu Gly Thr 65 70 75 80

Ser Phe Asp Asp Ala Glu Val Phe Ser Ser Ile Ser Gly Tyr Leu Asp $85 \hspace{1cm} 90 \hspace{1cm} 95$

Gly Leu Ile Glu Asn Asn Pro Asp Glu Val Ser His Ile Asn Ser Tyr 100 105 110

Phe Asp Thr Arg Asn Gln Asn Leu Leu Ser Lys Asp Gly Thr Gln Thr 115 120 125

Phe Ala Ala Leu Gly Leu Lys Gly Asp Gly Glu Gln Thr Leu Lys Asp Phe Arg Glu Ile Glu Asp Gln Leu His Pro Asp Asn Leu Ala Gly Gly Val Thr Thr Glu Val Ala Gly Ala Thr Ala Val Ala Asp Ala Leu Asp Glu Gly Met Ala Gly Asp Ile Ser Arg Ala Glu Val Phe Ala Leu Pro Phe Val Ala Ile Leu Leu Leu Ile Val Phe Gly Ser Val Val Ala Ala Ala Met Pro Leu Ile Val Gly Ile Leu Ser Ile Leu Gly Ser Leu Gly Ile Leu Ala Ile Leu Ala Gly Phe Phe Gln Val Asn Val Phe Ala Gln Ser Val Val Thr Leu Leu Gly Leu Gly Leu Ala Ile Asp Tyr Gly Leu Phe Met Val Ser Arg Phe Arg Glu Glu Met Asp Lys Gly Thr Pro Val 265 Glu Gln Ala Val Ala Thr Thr Ala Thr Ala Gly Lys Thr Val Val 280 Phe Ser Ala Ala Met Val Ala Val Ala Leu Ser Gly Leu Phe Val Phe Pro Gln Ala Phe Leu Lys Ser Val Ala Phe Gly Ala Ile Ser Ala Val Gly Leu Ala Ala Leu Met Ser Val Thr Val Leu Pro Ser Leu Phe Ser Met Leu Gly Lys Asn Ile Asp Lys Trp Ser Leu Arg Arg Thr Ala Arg Thr Ala Arg Arg Leu Glu Asp Thr Ile Trp Tyr Arg Val Pro Ala Trp 360 Ala Met Arg His Ala Lys Ala Val Thr Val Gly Val Val Leu Leu Leu 375 380 Leu Ala Leu Thr Val Pro Leu Thr Gly Val Lys Phe Gly Gly Ile Asn 390 Glu Thr Tyr Leu Pro Pro Ala Asn Asp Thr Arg Val Ala Gln Glu Arg 410 Phe Asp Glu Ala Phe Pro Ala Phe Arg Thr Glu Pro Val Lys Leu Val 420 425

Val Thr Gly Ala Asp Asn Asn Gln Leu Ile Asp Ile Tyr Val Gln Ala 435 440 445

Asn Glu Val Glu Gly Leu Thr Asp Arg Phe Thr Ala Gly Ala Thr Thr 450 455 460

Asp Asp Gly Thr Thr Val Leu Ser Thr Gly Ile Gln Asp Arg Ser Leu 465 470 475 480

Asn Glu Gln Val Val Glu Gln Leu Arg Ala Ile Ser Val Pro Glu Gly
485 490 495

Val Glu Val Gln Ile Gly Gly Thr Pro Ala Met Glu Ile Glu Ser Ile 500 505 510

Glu Ala Leu Phe Glu Lys Leu Leu Trp Met Ala Leu Tyr Ile Val Leu 515 520 525

Ala Thr Phe Ile Leu Met Ala Leu Val Phe Gly Ser Val Ile Leu Pro 530 535 540

Ala Lys Ala Ile Ile Met Thr Ile Leu Gly Met Gly Ala Thr Leu Gly 545 550 555 560

Ile Leu Thr Leu Met Phe Val Asp Gly Val Gly Ala Ser Ala Leu Asn 565 570 575

Phe Ser Pro Gly Pro Leu Met Ser Pro Val Leu Val Leu Ile Met Ala 580 585 590

Ile Ile Tyr Gly Leu Ser Thr Asp Tyr Glu Val Phe Leu Val Ser Arg 595 600 605

Met Val Glu Ala Arg Asp Lys Gly Glu Ser Thr Asp Asp Ala Ile Arg 610 615 620

Tyr Gly Thr Ala His Thr Gly Ser Ile Ile Thr Ala Ala Ala Leu Ile 625 630 635 640

Met Ile Val Val Cys Gly Ala Phe Gly Phe Ser Glu Ile Val Met Met 645 650 655

Lys Tyr Ile Ala Phe Gly Met Ile Ala Ala Leu Ile Leu Asp Ala Thr 660 665 670

Ile Ile Arg Met Leu Leu Val Pro Arg Arg Asp Ala Pro Ala Ser Arg 675 680 685

Arg Gln Leu Val Gly Thr Arg Leu Arg 690 695

<210> 227

<211> 729

<212> DNA

<213> Corynebacterium glutamicum

<220>
<221> CDS
<222> (101)..(706)
<223> RXN03042

<400> 227 atgacaccgg cgcgacgtat ggcattactg gcgtacccca atttacgatg acatctctgc 60 tegectegge gaegteetgg tteettaegt tetgategtt ttg gtt eta geg tte Leu Val Leu Ala Phe ctc gtg ctg ttg ctc gtg ttc cgg tcc att tgg gtc cca ttg atc gcg 163 Leu Val Leu Leu Val Phe Arg Ser Ile Trp Val Pro Leu Ile Ala get etg gge ttt gge ttg tea gtt etg get ace ttt ggt get ace gtg 211 Ala Leu Gly Phe Gly Leu Ser Val Leu Ala Thr Phe Gly Ala Thr Val 30 gcg atc ttc caa gaa ggt gct ttc ggc atc atc gac gat cct cag cca 259 Ala Ile Phe Gln Glu Gly Ala Phe Gly Ile Ile Asp Asp Pro Gln Pro 307 ctg ctg tcc ttc ttg ccg atc atg ctc atc ggc ctg gta ttt ggt ctg Leu Leu Ser Phe Leu Pro Ile Met Leu Ile Gly Leu Val Phe Gly Leu gcc atg gat tac cag atc ttc ctc gtt act cgt atg cgt gag ggc ttc 355 Ala Met Asp Tyr Gln Ile Phe Leu Val Thr Arg Met Arg Glu Gly Phe 80 403 acc aag ggc aag act gcg ggc aac gca acg tcg aat ggt ttc aag cac Thr Lys Gly Lys Thr Ala Gly Asn Ala Thr Ser Asn Gly Phe Lys His 90 ggt gcc cgc gtg gtc act gct gcg gcg ctg atc atg gtg tct gtg ttc 451 Gly Ala Arg Val Val Thr Ala Ala Ala Leu Ile Met Val Ser Val Phe 105 110 gcg gca ttc ata gcg cag gac atg gcg ttt att aag acc atg ggc ttt 499 Ala Ala Phe Ile Ala Gln Asp Met Ala Phe Ile Lys Thr Met Gly Phe 125 gct ctg gcc gtt gct gtg ttc ttc gat gcc ttc gtt gtt cgc atg atg 547 Ala Leu Ala Val Ala Val Phe Phe Asp Ala Phe Val Val Arg Met Met att atc cct gca aca atg ttc ctg ctt gat gac aag gct tgg tgg cta 595 Ile Ile Pro Ala Thr Met Phe Leu Leu Asp Asp Lys Ala Trp Trp Leu

cct aag tgg ttg gat aag att ctt ccc aac gtt gat gtt gaa ggt gag 643 Pro Lys Trp Leu Asp Lys Ile Leu Pro Asn Val Asp Val Glu Gly Glu 170 175 180

ggt ctt agt gaa cta cat gag gct cgc acc gag gaa ctg aag gaa aat 691 Gly Leu Ser Glu Leu His Glu Ala Arg Thr Glu Glu Leu Lys Glu Asn 185 190 195

gta ggt gtc ggg gct tagagaaaca aaaaaggctg cta 729 Val Gly Val Gly Ala 200

<210> 228

<211> 202

<212> PRT

<213> Corynebacterium glutamicum

<400> 228

Leu Val Leu Ala Phe Leu Val Leu Leu Val Phe Arg Ser Ile Trp
1 5 10 15

Val Pro Leu Ile Ala Ala Leu Gly Phe Gly Leu Ser Val Leu Ala Thr 20 25 30

Phe Gly Ala Thr Val Ala Ile Phe Gln Glu Gly Ala Phe Gly Ile Ile 35 40 45

Asp Asp Pro Gln Pro Leu Leu Ser Phe Leu Pro Ile Met Leu Ile Gly 50 55 60

Leu Val Phe Gly Leu Ala Met Asp Tyr Gln Ile Phe Leu Val Thr Arg 65 70 75 80

Met Arg Glu Gly Phe Thr Lys Gly Lys Thr Ala Gly Asn Ala Thr Ser 85 90 95

Asn Gly Phe Lys His Gly Ala Arg Val Val Thr Ala Ala Ala Leu Ile 100 105 110

Met Val Ser Val Phe Ala Ala Phe Ile Ala Gln Asp Met Ala Phe Ile 115 120 125

Lys Thr Met Gly Phe Ala Leu Ala Val Ala Val Phe Phe Asp Ala Phe 130 135 140

Val Val Arg Met Met Ile Ile Pro Ala Thr Met Phe Leu Leu Asp Asp 145 150 155 160

Lys Ala Trp Trp Leu Pro Lys Trp Leu Asp Lys Ile Leu Pro Asn Val 165 170 175

Asp Val Glu Gly Glu Gly Leu Ser Glu Leu His Glu Ala Arg Thr Glu
180 185 190

Glu Leu Lys Glu Asn Val Gly Val Gly Ala 195 200

<210> 229 <211> 729

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(706)

<223> FRXA02893

<400> 229

atgacaccgg cgcgacgtat ggcattactg gcgtacccca atttacqatq acatctctqc 60

tcgcctcggc gacgtcctgg ttccttacgt tctgatcgtt ttg gtt cta gcg ttc 115

Leu Val Leu Ala Phe
1 5

ctc gtg ctg ttg ctc gtg ttc cgg tcc att tgg gtc cca ttg atc gcg 163 Leu Val Leu Leu Val Phe Arg Ser Ile Trp Val Pro Leu Ile Ala 10 15 20

gct ctg ggc ttt ggc ttg tca gtt ctg gct acc ttt ggt gct acc gtg 211 Ala Leu Gly Phe Gly Leu Ser Val Leu Ala Thr Phe Gly Ala Thr Val 25 30 35

gcg atc ttc caa gaa ggt gct ttc ggc atc atc gac gat cct cag cca 259
Ala Ile Phe Gln Glu Gly Ala Phe Gly Ile Ile Asp Asp Pro Gln Pro
40 45 50

ctg ctg tcc ttc ttg ccg atc atg ctc atc ggc ctg gta ttt ggt ctg 307 Leu Leu Ser Phe Leu Pro Ile Met Leu Ile Gly Leu Val Phe Gly Leu
55

gcc atg gat tac cag atc ttc ctc gtt act cgt atg cgt gag ggc ttc 355
Ala Met Asp Tyr Gln Ile Phe Leu Val Thr Arg Met Arg Glu Gly Phe
70 80 85

acc aag ggc aag act gcg ggc aac gca acg tcg aat ggt ttc aag cac 403 Thr Lys Gly Lys Thr Ala Gly Asn Ala Thr Ser Asn Gly Phe Lys His 90 95 100

ggt gcc cgc gtg gtc act gct gcg gcg ctg atc atg gtg tct gtg ttc 451 Gly Ala Arg Val Val Thr Ala Ala Ala Leu Ile Met Val Ser Val Phe
105 110 115

gcg gca ttc ata gcg cag gac atg gcg ttt att aag acc atg ggc ttt 499
Ala Ala Phe Ile Ala Gln Asp Met Ala Phe Ile Lys Thr Met Gly Phe
120 125 130

gct ctg gcc gtt gct gtg ttc ttc gat gcc ttc gtt gtt cgc atg atg 547 Ala Leu Ala Val Ala Val Phe Phe Asp Ala Phe Val Val Arg Met Met

att atc cct gca aca atg ttc ctg ctt gat gac aag gct tgg tgg cta 595

Ile Ile Pro Ala Thr Met Phe Leu Leu Asp Asp Lys Ala Trp Trp Leu

150 165 160 165

cct aag tgg ttg gat aag att ctt ccc aac gtt gat gtt gaa ggt gag 643 Pro Lys Trp Leu Asp Lys Ile Leu Pro Asn Val Asp Val Glu Gly Glu

170 175 180

ggt ctt agt gaa cta cat gag gct cgc acc gag gaa ctg aag gaa aat 691 Gly Leu Ser Glu Leu His Glu Ala Arg Thr Glu Glu Leu Lys Glu Asn 185 190 195

gta ggt gtc ggg gct tagagaaaca aaaaaggctg cta 729 Val Gly Val Gly Ala 200

<210> 230

<211> 202

<212> PRT

<213> Corynebacterium glutamicum

<400> 230

Leu Val Leu Ala Phe Leu Val Leu Leu Val Phe Arg Ser Ile Trp
1 5 10 15

Val Pro Leu Ile Ala Ala Leu Gly Phe Gly Leu Ser Val Leu Ala Thr 20 25 30

Phe Gly Ala Thr Val Ala Ile Phe Gln Glu Gly Ala Phe Gly Ile Ile 35 40 45

Asp Asp Pro Gln Pro Leu Leu Ser Phe Leu Pro Ile Met Leu Ile Gly 50 55 60

Leu Val Phe Gly Leu Ala Met Asp Tyr Gln Ile Phe Leu Val Thr Arg 65 70 75 80

Met Arg Glu Gly Phe Thr Lys Gly Lys Thr Ala Gly Asn Ala Thr Ser 85 90 95

Asn Gly Phe Lys His Gly Ala Arg Val Val Thr Ala Ala Ala Leu Ile 100 105 110

Met Val Ser Val Phe Ala Ala Phe Ile Ala Gln Asp Met Ala Phe Ile 115 120 125

Lys Thr Met Gly Phe Ala Leu Ala Val Ala Val Phe Phe Asp Ala Phe 130 135 140

Val Val Arg Met Met Ile Ile Pro Ala Thr Met Phe Leu Leu Asp Asp 145 150 155 160

Lys Ala Trp Trp Leu Pro Lys Trp Leu Asp Lys Ile Leu Pro Asn Val 165 170 175

Asp Val Glu Gly Glu Gly Leu Ser Glu Leu His Glu Ala Arg Thr Glu 180 185 190

Glu Leu Lys Glu Asn Val Gly Val Gly Ala 195 200

<210> 231 <211> 1605 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1582) <223> RXA01616 <400> 231 cctacgattt ccgacgtctt aaatcgccac acagcgccgt ggtctaaaac accaacaaaa 60 gagttgtaac tgtaccgacc attcgttaca gttacqatcc atg act tca gaa acc 115 Met Thr Ser Glu Thr tta cag gcg caa gcg cct acg aaa acc caa cgt tgg gct ttc ctc gcc 163 Leu Gln Ala Gln Ala Pro Thr Lys Thr Gln Arg Trp Ala Phe Leu Ala gtt atc agc ggt ggt ctc ttt ctg atc ggt gta gac aac tcg att ctc 211 Val Ile Ser Gly Gly Leu Phe Leu Ile Gly Val Asp Asn Ser Ile Leu tac acc gca ctc cct ctg ctg cgt gaa cag ctc gca gcc tcc gaa acc 259 Tyr Thr Ala Leu Pro Leu Leu Arg Glu Gln Leu Ala Ala Ser Glu Thr 45 caa gcg ttg tgg atc atc aac gca tat ccc ctg ctc atg gcg ggc ctt 307 Gln Ala Leu Trp Ile Ile Asn Ala Tyr Pro Leu Leu Met Ala Gly Leu cgt ttg ggt gcc ggc act ttg ggt gac aaa aac ggc cac cgc cgg atg 355 Arg Leu Gly Ala Gly Thr Leu Gly Asp Lys Asn Gly His Arg Arg Met 75 tto oto atg ggo ttg ago att tto gga atc got toa ott ggt got gog 403 Phe Leu Met Gly Leu Ser Ile Phe Gly Ile Ala Ser Leu Gly Ala Ala 95 ttt gct cca act gcg tgg gct ctt gtt gct gcg aga gct ttc ctt ggc 451 Phe Ala Pro Thr Ala Trp Ala Leu Val Ala Ala Arg Ala Phe Leu Gly atc ggt gcg gca acg atg atg cct gca acc ttg gct ctg atc cgc att 499 Ile Gly Ala Ala Thr Met Met Pro Ala Thr Leu Ala Leu Ile Arg Ile acg ttt gag gat gag cgt gag cgc aac act gca att ggt att tgg ggt 547 Thr Phe Glu Asp Glu Arg Glu Arg Asn Thr Ala Ile Gly Ile Trp Gly 140 tee gtg gea att ett gge get geg gea gge eeg ate att ggt ggt geg 595 Ser Val Ala Ile Leu Gly Ala Ala Ala Gly Pro Ile Ile Gly Gly Ala 155

| WO 01/00804 | PCT/IB00/00922 |
|-------------|----------------|
| | |

| ctg Leu | ttg Leu | gaa Glu | ttc Phe | ttc Phe 170 | tgg Trp | tgg Trp | ggt Gly | tcg Ser | gtt Val 175 | ttc Phe | ctc Leu | att Ile | aac Asn | gtt Val 180 | ccg Pro | 643 |
|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------|
| gtg Val | gct Ala | gtt Val | atc Ile 185 | gcg Ala | ttg Leu | atc Ile | gct Ala | acg Thr 190 | ctt Leu | ttt Phe | gtg Val | gcg Ala | ccg Pro 195 | gcc Ala | aat Asn | 691 |
| | | | | | | | | | | | | | | tat Tyr | | 739 |
| ctg Leu | ctc Leu 215 | aca Thr | ctt Leu | gct Ala | ggg Gly | ttg Leu 220 | atc Ile | atc Ile | acg Thr | atc Ile | aag Lys 225 | gaa Glu | tct Ser | gtg Val | aat Asn | 787 |
| act Thr 230 | gca Ala | cgc Arg | cat His | atg Met | cct Pro 235 | ctt Leu | ctt Leu | ttg Leu | ggt Gly | gca Ala 240 | gtc Val | atc Ile | atg Met | ttg Leu | atc Ile 245 | 835 · |
| | | | | | | | | | | | | | | gag Glu 260 | | 883 |
| ctt Leu | cta Leu | gat Asp | ctg Leu 265 | tcg Ser | ttg Leu | ttc Phe | cgt Arg | aat Asn 270 | cgc Arg | ctt Leu | ttc Phe | tta Leu | ggc Gly 275 | ggt Gly | gtg Val | 931 |
| gtt Val | gct Ala | gcg Ala 280 | ggc Gly | atg Met | gcg Ala | atg Met | ttt Phe 285 | act Thr | gtg Val | tcc Ser | ggt Gly | ttg Leu 290 | gaa Glu | atg Met | act Thr | 979 |
| acc Thr | tcg Ser 295 | cag Gln | cgt Arg | ttc Phe | cag Gln | ttg Leu 300 | tct Ser | gtg Val | ggt Gly | ttc Phe | act Thr 305 | cca Pro | ctt Leu | gag Glu | gct Ala | 1027 |
| ggt Gly 310 | ttg Leu | ctc Leu | atg Met | atc Ile | cca Pro 315 | gct Ala | gca Ala | ttg Leu | ggt Gly | agc Ser 320 | ttc Phe | ccg Pro | atg Met | tct Ser | att Ile 325 | 1075 |
| atc Ile | ggt Gly | ggt Gly | gca Ala | aac Asn 330 | ctg Leu | His | Arg | tgg Trp | Gly | ttc Phe | aaa Lys | ccg Pro | ctg Leu | atc Ile 340 | agt Ser | 1123 |
| ggt Gly | ggt Gly | ttt Phe | gct Ala 345 | gcc Ala | act Thr | gcc Ala | gtt Val | ggc Gly 350 | atc Ile | gcc Ala | ctg Leu | tgt Cys | att Ile 355 | tgg Trp | ggc Gly | 1171 |
| gcg Ala | act Thr | cat His 360 | act Thr | gat Asp | ggt Gly | ttg Leu | ccg Pro 365 | ttt Phe | ttc Phe | atc Ile | gcg Ala | ggt Gly 370 | cta Leu | ttc Phe | ttc Phe | 1219 |
| atg Met | ggc Gly 375 | gcg Ala | ggt Gly | gct Ala | ggt Gly | tcg Ser 380 | gta Val | atg Met | tct Ser | gtg Val | tct Ser 385 | tcc Ser | act Thr | gcg Ala | att Ile | 1267 |
| atc | ggt | tcc | gcg | ccg | gtg | cgt | aag | gct | ggc | atg | gcg | tcg | tcg | atc | gaa | 1315 |

Ile Gly Ser Ala Pro Val Arg Lys Ala Gly Met Ala Ser Ser Ile Glu gag gtc tct tat gag ttc ggc acg ctg ttg tct gtc gcg att ttg ggt 1363 Glu Val Ser Tyr Glu Phe Gly Thr Leu Leu Ser Val Ala Ile Leu Gly 410 age ttg tte cea tte tte tac teg etg cat gee eeg gea gag gtt geg 1411 Ser Leu Phe Pro Phe Phe Tyr Ser Leu His Ala Pro Ala Glu Val Ala 425 430 gat aac ttc tcg gcg ggt gtt cac cac gcg att gat ggc gat gcg gcg 1459 Asp Asn Phe Ser Ala Gly Val His His Ala Ile Asp Gly Asp Ala Ala 445 cgt gca tct ttg gac acc gca tac att aac gtg ttg atc att gcc cta 1507 Arg Ala Ser Leu Asp Thr Ala Tyr Ile Asn Val Leu Ile Ile Ala Leu 460 gta tgc gca gta gcg gct gct ctg atc agc agt tac ctt ttc cgc gga 1555 Val Cys Ala Val Ala Ala Ala Leu Ile Ser Ser Tyr Leu Phe Arg Gly 475 480 aat ccg aag gga gcc aat aat gcg cac tagtaaaaaa gagatgattc 1602 Asn Pro Lys Gly Ala Asn Asn Ala His 490 tgc 1605 <210> 232 <211> 494 <212> PRT <213> Corynebacterium glutamicum <400> 232 Met Thr Ser Glu Thr Leu Gln Ala Gln Ala Pro Thr Lys Thr Gln Arg 10 Trp Ala Phe Leu Ala Val Ile Ser Gly Gly Leu Phe Leu Ile Gly Val Asp Asn Ser Ile Leu Tyr Thr Ala Leu Pro Leu Leu Arg Glu Gln Leu Ala Ala Ser Glu Thr Gln Ala Leu Trp Ile Ile Asn Ala Tyr Pro Leu Leu Met Ala Gly Leu Arg Leu Gly Ala Gly Thr Leu Gly Asp Lys Asn Gly His Arg Arg Met Phe Leu Met Gly Leu Ser Ile Phe Gly Ile Ala Ser Leu Gly Ala Ala Phe Ala Pro Thr Ala Trp Ala Leu Val Ala Ala

Arg Ala Phe Leu Gly Ile Gly Ala Ala Thr Met Met Pro Ala Thr Leu 115 120 125

- Ala Leu Ile Arg Ile Thr Phe Glu Asp Glu Arg Glu Arg Asn Thr Ala 130 135 140
- Ile Gly Ile Trp Gly Ser Val Ala Ile Leu Gly Ala Ala Ala Gly Pro 145 150 155 160
- Ile Ile Gly Gly Ala Leu Leu Glu Phe Phe Trp Trp Gly Ser Val Phe 165 170 175
- Leu Ile Asn Val Pro Val Ala Val Ile Ala Leu Ile Ala Thr Leu Phe 180 185 190
- Val Ala Pro Ala Asn Ile Ala Asn Pro Ser Lys His Trp Asp Phe Leu 195 200 205
- Ser Ser Phe Tyr Ala Leu Leu Thr Leu Ala Gly Leu Ile Ile Thr Ile 210 225 220
- Lys Glu Ser Val Asn Thr Ala Arg His Met Pro Leu Leu Gly Ala 225 230 235 240
- Val Ile Met Leu Ile Ile Gly Ala Val Leu Phe Ser Ser Arg Gln Lys 245 250 255
- Lys Ile Glu Glu Pro Leu Leu Asp Leu Ser Leu Phe Arg Asn Arg Leu 260 265 270
- Phe Leu Gly Gly Val Val Ala Ala Gly Met Ala Met Phe Thr Val Ser 275 280 285
- Gly Leu Glu Met Thr Thr Ser Gln Arg Phe Gln Leu Ser Val Gly Phe 290 295 300
- Thr Pro Leu Glu Ala Gly Leu Leu Met Ile Pro Ala Ala Leu Gly Ser 305 310 315 320
- Phe Pro Met Ser Ile Ile Gly Gly Ala Asn Leu His Arg Trp Gly Phe 325 330 335
- Lys Pro Leu Ile Ser Gly Gly Phe Ala Ala Thr Ala Val Gly Ile Ala 340 345 350
- Leu Cys Ile Trp Gly Ala Thr His Thr Asp Gly Leu Pro Phe Phe Ile 355 360 365
- Ala Gly Leu Phe Phe Met Gly Ala Gly Ala Gly Ser Val Met Ser Val 370 380
- Ser Ser Thr Ala Ile Ile Gly Ser Ala Pro Val Arg Lys Ala Gly Met 385 390 395 400
- Ala Ser Ser Ile Glu Glu Val Ser Tyr Glu Phe Gly Thr Leu Leu Ser 405 410 415

309

Val Ala Ile Leu Gly Ser Leu Phe Pro Phe Phe Tyr Ser Leu His Ala 420 425 430

- Pro Ala Glu Val Ala Asp Asn Phe Ser Ala Gly Val His His Ala Ile 435 440 445
- Asp Gly Asp Ala Ala Arg Ala Ser Leu Asp Thr Ala Tyr Ile Asn Val 450 455 460
- Leu Ile Ile Ala Leu Val Cys Ala Val Ala Ala Ala Leu Ile Ser Ser 465 470 475 480
- Tyr Leu Phe Arg Gly Asn Pro Lys Gly Ala Asn Asn Ala His 485 490
- <210> 233
- <211> 1500
- <212> DNA
- <213> Corynebacterium glutamicum
- <220>
- <221> CDS
- <222> (101)..(1477)
- <223> RXA01666
- <400> 233
- cgacgcgccc ctccaccttt tcagtagcgt cacgggcgcc aatcctgtat ttttagcagc 60
- agtttgaggg tttttgctcc ccatctttag gagacacccc gtg tcc acg ttt cat 119 Val Ser Thr Phe His 1 5
- aaa gtt ttg atc aac acc atg atc tcc aac gtc acc act gga ttt ctg 163 Lys Val Leu Ile Asn Thr Met Ile Ser Asn Val Thr Thr Gly Phe Leu 10 15 20
- ttc ttt gcc gtg gtg ttt tgg atg tat ctt tcc act ggc aac gtc gca 211
 Phe Phe Ala Val Val Phe Trp Met Tyr Leu Ser Thr Gly Asn Val Ala
 25 30 . 35
- ctg acc ggc atc gtc agt gga att tac atg ggt ttg atc gcc gtt tgt 259 Leu Thr Gly Ile Val Ser Gly Ile Tyr Met Gly Leu Ile Ala Val Cys 40 45 50
- tcc atc ttt ttc gga acc gtt gtt gat cac aat cgc aag aag tcc gtc 307 Ser Ile Phe Phe Gly Thr Val Val Asp His Asn Arg Lys Lys Ser Val 55 60 65
- atg ctg ttt tcc agc gtc acc aca ctc gtg ttt tat tgt ctc agt gcc 355
 Met Leu Phe Ser Ser Val Thr Thr Leu Val Phe Tyr Cys Leu Ser Ala
 70 80 85
- ctg gtg tgg gtg ttt tgg ctg gag gaa gac ggc ctg agc atc gga aat 403 Leu Val Trp Val Phe Trp Leu Glu Glu Asp Gly Leu Ser Ile Gly Asn 90 95

| WO 01/00804 | PCT/IB00/00922 |
|-------------|----------------|
| | |

| | _ | • | | Val | ttc Phe | _ | | | | | | | | | | 451 | |
|------------|------------|------------|------------|------------|-------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------|--|
| | | | Arg | | atc Ile | | | Ser | | | | | | | | 499 | |
| | | Ala | | | gac Asp | | Ala | | | | | | | | | 547 | |
| | | | | | gtc Val 155 | | | | | | | | | | | 595 | |
| Phe | Leu | Gly | Met | Glu 170 | | Thr | Leu | Trp | Ile 175 | Cys | Leu | Gly | Leu | Ser 180 | Leu | 643 | |
| Val | Ala | Leu | Leu 185 | His | ctg Leu | Leu | Pro | Ile 190 | Arg | Val | Asp | Ğlu | Pro 195 | Glu | Ile | 691 | |
| Ile | Thr | Gln 200 | Glu | Asp | gca | Gln | Pro 205 | Thr | Val | Ser | Asp | Asp 210 | Ser | Val | Pro | 739 | |
| Thr | Pro 215 | Thr | Ser | Asp | Leu | Ala 220 | Ile | Val | Ser | Lys | Gly 225 | Ile | Asp | Leu | Lys | 787 | |
| Gly 230 | Ser | Met | Lys | Ile | Ile 235 | Leu | Ser | Val | Pro | Gly 240 | Leu | Leu | Ala | Leu | Val 245 | 835 | |
| Leu | Phe | Ala | Ser | Phe 250 | aac Asn | Asn | Leu | Île | Gly 255 | Gly | Val | Tyr | Ser | Ala 260 | Leu | 931 | |
| Met | Asp | Pro | Tyr 265 | Gly | ctg Leu agc | Glu | Leu | Phe 270 | Ser | Pro | Gln | Leu | Trp 275 | Gly | Leu | 979 | |
| Leu | Leu | Gly 280 | Leu | Thr | Ser | Leu | Gly 285 | Phe | Ile | Val | Ğİy | Gly 290 | Ala | Val | Ile | 1027 | |
| Ser | Lys 295 | Thr | ĞÎy | Leu | ggc | Lys 300 | Asn | Pro | Val | Arg | Thr 305 | Leu | Leu | Leu | Val | | |
| Asn 310 | Val | Gly | Val | Ala | Phe 315 | Val | Gly | Met | Leu | Phe 320 | Ala | Ile | Arg | Glu | Trp 325 | 1075 | |
| cgg | tgg | CLC | tac | atc | ctg | ggc | att | CCC | atc | LLC | atg | gct | atc | acc | cca | 1123 | |

| | | | | | _ | | | | | | | | | | | _ | |
|---|-------------------|----------------------------------|------------|------------|------------|-------------------|------------|------------|-------------------|------------|-------------------|------------|------------|------------|------------|-------------------|------|
| | Trp | Trp | Leu | Tyr | Ile 330 | | Gly | Ile | Phe | Ile 335 | | Met | Ala | Ile | Thr 340 | Pro | |
| | | | | | | | | | atc Ile 350 | | | | | | | | 1171 |
| | | | | | | | | | cta Leu | | | | | | | | 1219 |
| | | | | | | | | | gtg Val | | | | | | | | 1267 |
| | ctc Leu 390 | att Ile | cca Pro | tgg Trp | atg Met | gct Ala 395 | ggc Gly | ccc Pro | ggc Gly | gcg Ala | gac Asp 400 | acc Thr | atc Ile | tgg Trp | ggc Gly | gtg Val 405 | 1315 |
| | | | | | | | | | ggc Gly | | | | | | | | 1363 |
| | | | | | | | | | gtg Val 430 | | | | | | | | 1411 |
| | | | | | | | | | tac Tyr | | | | | | | | 1459 |
| | | | gct Ala | | | | taag | jtgci | tct a | agaco | egtto | gt ti | tg | | | | 1500 |
| | <211 <212 |)> 23 .> 45 !> PF !> Co | 59 RT | ebact | eriu | ım gl | .utam | ni cum | n | | | | | | | | |
| | |)> 23 Ser | | Phe | His 5 | Lys | Val | Leu | Ile | Asn 10 | Thr | Met | Ile | Ser | Asn 15 | Val | |
| | Thr | Thr | Gly | Phe 20 | Leu | Phe | Phe | Ala | Val 25 | Val | Phe | Trp | Met | Tyr 30 | Leu | Ser | |
| | Thr | Gly | Asn 35 | Val | Ala | Leu | Thr | Gly 40 | Ile | Val | Ser | Gly | Ile 45 | Tyr | Met | Gly | |
| į | Leu | Ile 50 | Ala | Val | Cys | Ser | Ile 55 | Phe | Phe | Gly | Thr | Val 60 | Val | Asp | His | Asn | |
| 2 | Arg 65 | Lys | Lys | Ser | Val | Met 70 | Leu | Phe | Ser | Ser | Val 75 | Thr | Thr | Leu | Val | Phe 80 | |

Tyr Cys Leu Ser Ala Leu Val Trp Val Phe Trp Leu Glu Glu Asp Gly Leu Ser Ile Gly Asn Thr Ala Leu Trp Val Phe Val Ser Phe Ile Leu Ile Gly Ser Ile Val Glu His Met Arg Asn Ile Ala Leu Ser Thr Val Val Thr Leu Leu Val Pro Glu Ala Glu Arg Asp Lys Ala Asn Gly Leu Val Gly Ala Val Gln Gly Val Gly Phe Leu Val Thr Ser Val Ile Ala Gly Ser Ala Ile Gly Phe Leu Gly Met Glu Ile Thr Leu Trp Ile Cys 170 Leu Gly Leu Ser Leu Val Ala Leu Leu His Leu Leu Pro Ile Arg Val Asp Glu Pro Glu Ile Ile Thr Gln Glu Asp Ala Gln Pro Thr Val Ser 200 Asp Asp Ser Val Pro Thr Pro Thr Ser Asp Leu Ala Ile Val Ser Lys 215 Gly Ile Asp Leu Lys Gly Ser Met Lys Ile Ile Leu Ser Val Pro Gly 230 Leu Leu Ala Leu Val Leu Phe Ala Ser Phe Asn Asn Leu Ile Gly Gly Val Tyr Ser Ala Leu Met Asp Pro Tyr Gly Leu Glu Leu Phe Ser Pro Gln Leu Trp Gly Leu Leu Leu Gly Leu Thr Ser Leu Gly Phe Ile Val Gly Gly Ala Val Ile Ser Lys Thr Gly Leu Gly Lys Asn Pro Val Arg Thr Leu Leu Val Asn Val Gly Val Ala Phe Val Gly Met Leu Phe 315 Ala Ile Arg Glu Trp Trp Trp Leu Tyr Ile Leu Gly Ile Phe Ile Phe Met Ala Ile Thr Pro Ala Ala Glu Ala Ala Glu Gln Thr Ile Leu Gln 345

Arg Val Val Pro Phe Arg Gln Gln Gly Arg Val Phe Gly Leu Ala Met

Ala Val Glu Met Ala Ala Asn Pro Leu Ser Thr Val Ile Val Ala Ile

375

355

Leu Ala Glu Ala Tyr Leu Ile Pro Trp Met Ala Gly Pro Gly Ala Asp Thr Ile Trp Gly Val Ile Leu Gly Glu Gly Lys Ala Arg Gly Met Ala Leu Met Phe Leu Ala Ser Gly Ala Ile Met Leu Val Val Leu Leu Ala Phe Met Ser Arg Ser Tyr Arg Lys Leu Ser Gln Tyr Tyr Ala Thr 440 Thr Ser Gln Asp Ile Ala Gly Ala Ala Glu Lys 455 <210> 235 <211> 1521 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1498) <223> RXA00062 <400> 235 cttcaacata ggcgttgggg ctgactttta aacaggtacc agtagtaccg gcataagcga 60 tcactgttgc gttttcttgc tgccatcaaa aattagtcac atg att tta agc atc Met Ile Leu Ser Ile gtc ctt ttg ggc tac ttc atg att ctg ctt gac acc tcc atc gtc att 163 Val Leu Leu Gly Tyr Phe Met Ile Leu Leu Asp Thr Ser Ile Val Ile 15 acg ggt cta cct gcc atc ggc agt gaa ctt ggc atc gat ccc gtg cac 211 Thr Gly Leu Pro Ala Ile Gly Ser Glu Leu Gly Ile Asp Pro Val His 30 ctg tca tgg gtg cag agt tcc tac aca tta gtc ttc ggc gca ctt ctt 259 Leu Ser Trp Val Gln Ser Ser Tyr Thr Leu Val Phe Gly Ala Leu Leu 40 45 ctg ctg gga gct cgt gcc ggt gat atc ttc ggc cga aag aaa gtg ctc 307 Leu Leu Gly Ala Arg Ala Gly Asp Ile Phe Gly Arg Lys Lys Val Leu 60 355 tac att ggt ctc gcg ttg ttt gcg gct tca tcg ttg gca att gcg ctt Tyr Ile Gly Leu Ala Leu Phe Ala Ala Ser Ser Leu Ala Ile Ala Leu 75 tct cca aat gct gcg gtc ctc att gga gca cgc gta gtt caa ggc gcg 403 Ser Pro Asn Ala Ala Val Leu Ile Gly Ala Arg Val Val Gln Gly Ala

| | | | | Ile | | | | aca Thr 110 | Leu | | | | | | | 451 |
|-----|-----|-----|-----|-----|-----|-----|-----|-------------------|-----|-----|-----|-----|-----|-----|-----|------|
| | | | Gly | | | | | cgt Arg | | | | | | | | 499 |
| | | Gly | | | | | Ala | ggc Gly | | | | | | | | 547 |
| | Asp | | | | | | | ggc Gly | | | | | | | | 595 |
| | | | | | | | | cac His | | | | | | | | 643 |
| | | | | | | | | ttc Phe 190 | | | | | | | | 691 |
| | | - | | | | | _ | att Ile | - | - | - | - | _ | | _ | 739 |
| | | | | | | | | tcc Ser | | | | | | | | 787 |
| | | | | Leu | | | | tcc Ser | | | | | | | | 835 |
| | | | | | | | | agg Arg | | | | | | | | 883 |
| | | | | Val | Gly | Ser | Val | atg Met 270 | Ser | Phe | Phe | Phe | | | | 931 |
| | | | | | | | | atg Met | | | | | | | | 979 |
| | | - | _ | | | _ | - | cag Gln | | _ | _ | - | | _ | | 1027 |
| | | | | | | | | tct Ser | | | | | | | | 1075 |
| ggt | ttc | gcc | atc | atg | gtc | atc | ggc | atg | gca | ggc | ctc | gca | ttt | gta | cca | 1123 |

.

| Gly | Phe | Ala | Ile | Met 330 | Val | Ile | Gly | Met | Ala 335 | Gly | Leu | Ala | Phe | Val 340 | Pro | |
|---|-----|-----|-------------------|------------|-----|-----|-----|-----|------------|-----|-----|------|------|------------|-----|------|
| | | | atc Ile 345 | | | | | | | | | | | | | 1171 |
| | | | gct Ala | | | | | | | | | | | | | 1219 |
| | | | caa Gln | | | | | | | | | | | | | 1267 |
| | | | ggc Gly | | | | | | | | | | | | | 1315 |
| gct Ala | | | gga Gly | | | | | | | | | | | | | 1363 |
| cac His | | | ttc Phe 425 | _ | | | | | - | _ | - | - | - | | | 1411 |
| ttt Phe | | - | | - | _ | _ | _ | | _ | | - | _ | _ | _ | | 1459 |
| cgc Arg | | | | | | | | | | | | | tagt | gcg | ctg | 1508 |
| cagcatccca gtt 152 | | | | | | | | | | | | 1521 | | | | |
| <210> 236 <211> 466 <212> PRT <213> Corynebacterium glutamicum | | | | | | | | | | | | | | | | |
| <400 Met 1 | | - | | Ile 5 | | Leu | Leu | Gly | Tyr 10 | | Met | Ile | Leu | Leu 15 | Asp | |

Thr Ser Ile Val Ile Thr Gly Leu Pro Ala Ile Gly Ser Glu Leu Gly

Ile Asp Pro Val His Leu Ser Trp Val Gln Ser Ser Tyr Thr Leu Val

Phe Gly Ala Leu Leu Leu Gly Ala Arg Ala Gly Asp Ile Phe Gly

Arg Lys Lys Val Leu Tyr Ile Gly Leu Ala Leu Phe Ala Ala Ser Ser '

316

75

80

Leu Ala Ile Ala Leu Ser Pro Asn Ala Ala Val Leu Ile Gly Ala Arg

70

65

Leu Ala Ile Ala Leu Ser Pro Asn Ala Ala Val Leu Ile Gly Ala Arg 85 90 95

Val Val Gln Gly Ala Gly Ala Ala Ile Ile Ala Pro Ala Thr Leu Ala 100 105 110

Leu Ile Thr Glu Phe Phe Pro Glu Gly Pro Ala Arg Leu Arg Ala Thr 115 120 125

Ser Ala Tyr Gly Ala Val Ala Gly Ile Gly Val Ala Ala Gly Leu Val 130 135 140

Ile Gly Gly Val Phe Ala Asp Leu Leu Ser Trp Arg Ile Gly Phe Phe 145 150 155 160

Ile Asn Val Pro Ile Ala Ala Val Leu Ala Tyr Ile Val His Lys Ala 165 170 175

Ile Pro Ala Thr Phe Ser Arg Pro Gly Ser Leu Asp Ile Phe Gly Ala 180 185 190

Ile Thr Ser Thr Ala Gly Ile Ala Ala Val Leu Tyr Ala Ile Val Arg 195 . 200 205

Ser Ala Asp Tyr Ser Trp Thr Asp Pro Phe Val Leu Ile Ser Leu Val 210 215 220

Leu Gly Ile Ala Val Phe Ile Trp Phe Leu Arg His Glu Ser Ser Ala 225 230 235 240

Lys Glu Pro Leu Pro Leu Gly Leu Phe Lys Asn Arg Arg Asn 245 250 255

Thr Ile Leu Ala Ser Arg Phe Leu Leu Val Gly Ser Val Met Ser Phe 260 265 270

Phe Phe Phe Ala Thr Gln Leu Phe Gln Asp Thr Met Gly Met Asn Ala 275 280 285

Leu Gln Ala Gly Leu Ala Phe Met Pro Leu Ser Leu Leu Gln Phe Ala 290 295 300

Ser Ala Ala Met Val Pro Arg Leu Ser Arg Ala Gly Val Ser Asp Ser 305 310 315 320

Met Leu Thr Val Ile Gly Phe Ala Ile Met Val Ile Gly Met Ala Gly 325 330 335

Leu Ala Phe Val Pro Asn Thr Met Ile Ala Leu Ile Leu Pro Ile Val 340 345 350

Leu Val Gly Phe Gly Gln Gly Phe Ala Phe Gly Pro Met Thr Ala Leu 355 360 365

Ala Val Gln Gly Ala Pro Lys Asp Gln Ser Gly Ala Val Ser Gly Leu

370 375 380

Val Asn Ser Leu His Gln Ile Gly Gly Thr Phe Gly Leu Gly Val Phe 385 390 395 400

Ser Ser Leu Ala Val Ala Val Ile Gly His Asp Ala Thr Ser Glu Met 405 410 415

Ile Ser Asp Arg Ala His Phe Gly Phe Leu Leu Ser Thr Val Thr Leu 420 425 430

Thr Leu Ala Thr Ile Phe Ala Val Thr Leu Leu Lys Arg His Glu Thr 435 440 445

Arg Lys Ser Ser Glu Arg Pro Thr Gln Leu Val Asp Glu Lys Ala Val 450 455 460

Thr Ser

<210> 237

<211> 1584

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1561)

<223> RXA00215

<400> 237

cagtgcaaac tgaccccgca tcctaaaccg cgccagattt ctacctcaaa gaattgaagg 60

ccttttccag gcgccctcgt gcgtgaaaga ataactcaac gtg tct gac aaa aag 115 Val Ser Asp Lys Lys 1 5

cag gat cta aca tcc tcc gca gca ggt agt gct gca ccc caa acc aag 163 Gln Asp Leu Thr Ser Ser Ala Ala Gly Ser Ala Ala Pro Gln Thr Lys 10 15 20

gcc tac ccc gcc atg ccc ttg cct gaa aag caa gct tgg cca gct cta 211
Ala Tyr Pro Ala Met Pro Leu Pro Glu Lys Gln Ala Trp Pro Ala Leu
25 30 35

att gcc ttg tgc att ggg ttt ttc atg atc ctg ttg gat caa acc atc 259 Ile Ala Leu Cys Ile Gly Phe Phe Met Ile Leu Leu Asp Gln Thr Ile 40 45 50

gtg gcc gtc tct acc cca gcg tta cag gca gac atg ggc gcg tcc tac 307 Val Ala Val Ser Thr Pro Ala Leu Gln Ala Asp Met Gly Ala Ser Tyr 55 60 65

aac gag gtc atc tgg gta acc tcg gtg tat ctc ctc act ttc gcg gtg 355 Asn Glu Val Ile Trp Val Thr Ser Val Tyr Leu Leu Thr Phe Ala Val 70 75 80 85

| cca Pro | ctg Leu | ctt Leu | gtt Val | act Thr | Gly | cgt Arg | ttg Leu | ggc | gac Asp 95 | Lys | tac Tyr | ggt Gly | ccg Pro | aaa Lys 100 | aat Asn | 403 |
|------------|-------------------|-------------------|-------------------|-------------------|------------|-------------------|-------------------|------------|-------------------|------------|-------------------|-------------------|-------------------|-------------------|------------|------|
| gto Val | tat Tyr | gto Val | gca Ala 105 | Gly | atg Met | gtt Val | atc | Phe | Thr | gtg Val | agc Ser | tct Ser | ttg Leu 115 | gcc Ala | tgt Cys | 451 |
| ggt Gly | ttg Leu | gcc Ala 120 | cca Pro | gac Asp | atg Met | ttc Phe | acg Thr 125 | Leu | att | atc | gct Ala | cgt Arg 130 | ggc | gtt Val | caa Gln | 499 |
| ggt Gly | ttg Leu 135 | ggc Gly | gca Ala | gcc Ala | ctt Leu | ttg Leu 140 | act Thr | cca Pro | caa Gln | acc Thr | atg Met 145 | gca Ala | aca Thr | atc Ile | aac Asn | 547 |
| | Ile | | gct Ala | | | | | | | | | | | | | 595 |
| tct Ser | aca Thr | gct Ala | ggc Gly | ctt Leu 170 | gca Ala | tcc Ser | cta Leu | gca Ala | gga Gly 175 | ccg Pro | atc Ile | ctg Leu | ggt Gly | ggt Gly 180 | gtc Val | 643 |
| | | | aac Asn 185 | | | | | | | | | | | | | 691 |
| | | | atc Ile | | | | | | | | | | | | | 739 |
| | | | acc Thr | | | | | | | | | | | | | 787 |
| | | | ttc Phe | | | | | | | | | | | | | 835 |
| | | | gca Ala | | Val | | Ile | | Ile | Val | | | | | | 883 |
| | | | ttt Phe 265 | | | | | | | | | | | | | 931 |
| | | | gtc Val | | | | | | | | | | | | | ·979 |
| ggc Gly | aat Asn 295 | atc Ile | tgc Cys | atc Ile | Met | gcc Ala 300 | atg Met | gga Gly | ttc Phe | acc Thr | gtg Val 305 | gct Ala | ggt Gly | act Thr | cct Pro | 1027 |

| ctg Leu 310 | Pro | atc Ile | atg Met | ttg Leu | tac Tyr 315 | ttc Phe | cag Gln | caa Gln | gca Ala | cac His 320 | gga Gly | atg Met | aac Asn | gcc Ala | atg Met 325 | 1075 |
|-------------------|------------|---------------------------|-------------------|------------|-------------------|------------|------------|-------------------|------------|-------------------|------------|------------|-------------------|------------|-------------------|------|
| | | | | | atg Met | | | | | | | | | | | 1123 |
| tca Ser | cca Pro | ttt Phe | gtt Val 345 | gga Gly | aag Lys | ctg Leu | gtt Val | gat Asp 350 | cga Arg | tcc Ser | aac Asn | cct Pro | gga Gly 355 | ctc Leu | atg Met | 1171 |
| | | | | | agc Ser | | | | | | | | | | | 1219 |
| | | | | | gat Asp | | | | | | | | | | | 1267 |
| | _ | | | | gga Gly 395 | | _ | | | | _ | _ | | _ | | 1315 |
| | | | | | ctg Leu | | | | | | | | | | | 1363 |
| | | | | | cgc Arg | | | | | | | | | | | 1411 |
| | | | | | cag Gln | | | | | | | | | | | 1459 |
| | | | | | ctt Leu | | | | | | | | | | | 1507 |
| | | - | | | atg Met 475 | _ | | | | - | | | | - | - | 1555 |
| aag Lys | | taaaggtcgc atgaatcctt cga | | | | | | | | | | | | 1584 | | |

```
<210> 238
```

<211> 487

<212> PRT

<213> Corynebacterium glutamicum

<400> 238.

Val Ser Asp Lys Lys Gln Asp Leu Thr Ser Ser Ala Ala Gly Ser Ala 1 5 10 15

Ala Pro Gln Thr Lys Ala Tyr Pro Ala Met Pro Leu Pro Glu Lys Gln Ala Trp Pro Ala Leu Ile Ala Leu Cys Ile Gly Phe Phe Met Ile Leu Leu Asp Gln Thr Ile Val Ala Val Ser Thr Pro Ala Leu Gln Ala Asp Met Gly Ala Ser Tyr Asn Glu Val Ile Trp Val Thr Ser Val Tyr Leu Leu Thr Phe Ala Val Pro Leu Leu Val Thr Gly Arg Leu Gly Asp Lys Tyr Gly Pro Lys Asn Val Tyr Val Ala Gly Met Val Ile Phe Thr Val Ser Ser Leu Ala Cys Gly Leu Ala Pro Asp Met Phe Thr Leu Ile Ile Ala Arg Gly Val Gln Gly Leu Gly Ala Ala Leu Leu Thr Pro Gln Thr 135 Met Ala Thr Ile Asn Arg Ile Phe Ala Phe Glu Arg Arg Gly Ala Ala 150 155 Leu Gly Val Trp Gly Ser Thr Ala Gly Leu Ala Ser Leu Ala Gly Pro Ile Leu Gly Gly Val Ile Thr Glu Asn Trp Gly Trp Gln Trp Val Phe Tyr Ile Asn Val Pro Ile Gly Val Ile Ser Val Ile Ala Val Met Lys 200 Tyr Val Pro Glu Phe Pro Pro Leu Thr Arg Pro Leu Asp Pro Leu Ser Ile Val Leu Ser Ile Val Ala Val Phe Phe Leu Val Phe Ala Phe Gln 230 235 Glu Gly Glu Gly Ala Gly Trp Ala Ala Trp Val Trp Ile Met Ile Val Ala Ala Phe Ala Leu Phe Ala Trp Phe Ile Tyr Gln Gln Ser Arg Ala 265 Glu Lys Ser Gly Asn Asp Pro Leu Val Pro Leu Glu Ile Phe Lys Phe Arg Asn Phe Ser Leu Gly Asn Ile Cys Ile Met Ala Met Gly Phe Thr Val Ala Gly Thr Pro Leu Pro Ile Met Leu Tyr Phe Gln Gln Ala His

Gly Met Asn Ala Met Glu Ala Gly Phe Met Met Val Pro Gln Ala Leu Met Ala Ala Val Leu Ser Pro Phe Val Gly Lys Leu Val Asp Arg Ser Asn Pro Gly Leu Met Ala Ala Leu Gly Phe Ser Thr Val Ala Val Ser 360 Ile Val Leu Leu Ser Met Val Met Ile Phe Asp Thr Gly Leu Val Trp 375 Ala Leu Val Ser Met Thr Leu Leu Gly Ile Gly Asn Ala Phe Val Trp Ala Pro Asn Ser Thr Ser Thr Met Arg Asp Leu Pro His Lys Phe Met Gly Ala Gly Ser Gly Val Phe Asn Thr Thr Arg Gln Leu Gly Ser Val 420 430 Ile Gly Ala Ala Ala Ile Gly Ala Val Met Gln Ile Arg Leu Ala Ala 440 Gly Asp Glu Gly Ala Ala Phe Gly Gln Ala Leu Leu Leu Ala Ala Ala 450 Val Leu Val Ile Gly Ile Val Ala Ser Thr Met Ala Gly Lys Asn Ala 475 His Pro Ala Pro Val Lys Pro 485 <210> 239 <211> 1455 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1432) <223> RXN03064 <400> 239 tggagccttg tcttcctcca gcaatcccac aacggagcag gttgggatcc cgagaaatgt 60 tgtcatcatc ttggctgtat tagtttttac agcctttgtc atg atg ttg aat gag Met Met Leu Asn Glu act act ctg gca gtc gcg ttg ccg tcg atc atg gcg gac ttt gac att Thr Thr Leu Ala Val Ala Leu Pro Ser Ile Met Ala Asp Phe Asp Ile 15 gag gcg aat act gcg cag tgg ttg ctc act ggt ttt atg ttg acc atg

--- --- --- --- --- --- --- --- --- --- --- --- ---

| Glu | Ala | Asn | Thr 25 | | Gln | Trp | Leu | Leu 30 | Thr | Gly | Phe | Met | Leu 35 | Thr | Met | |
|------------|------------|-------------------|------------|------------|-------------------|------------|-------------------|------------|------------|------------|------------|-------------------|------------|------------|------------|-------------|
| | | | Leu | | gct Ala | | | | | | | | | | | 259 |
| | | | | | ttc Phe | | Thr | | | | | Ile | | | | 307 |
| | | | | | cct Pro 75 | | | | | | | | | | | 355 |
| | | | | | acc Thr | | | | | | | | | | | 403 |
| | | | | | cct Pro | | | | | | | | | | | 451 |
| | | | | | gcc Ala | | | | | | | | | | | 499 |
| | | | | | ttg Leu | | | | | | | | | | | 5 47 |
| | | | | | gtg Val 155 | | | | | | | | | | | 595 |
| | _ | • | | | aaa Lys | - | | | _ | _ | _ | | | | _ | 643 |
| | | _ | | _ | ttc Phe | | | | | | _ | • | - | _ | | 691 |
| ggc Gly | atc Ile | att Ile 200 | ttg Leu | gaa Glu | ggt Gly | gac Asp | aga Arg 205 | agc Ser | gct Ala | ttg Leu | gtc Val | gtg Val 210 | ttg Leu | gct Ala | gtc Val | 739 |
| | | | | | gtg Val | | | | | | | | | | | 787 |
| | | | | | ctg Leu 235 | | | | | | | | | | | 835 |
| | | | | | gtt Val | | | | | | | | | | | 883 |

| | • | . • | | • | | | | | | | | | | | | I C I/IDOO |
|------------|-------------------|------------|-------------------|-------------------|-------------------|-------------------|------------|-------------------|-------------------|------------|-------------------|------------|-------------------|-------------------|------------|------------|
| | | | | 250 |) | | | | 255 | | | | | 260 | | |
| ggt Gly | gtc Val | atg Met | aat Asn 265 | Thr | ctg Leu | ccg Pro | ctc Leu | tac Tyr 270 | Leu | cag Gln | gga Gly | tcc Ser | ttg Leu 275 | atg Met | gtc Val | 931 |
| | | | Val | | ggt Gly | | | | | | | | | | | 979 |
| | | Leu | | | ttt Phe | | | | | | | | | | | 1027 |
| | | | | | ggc Gly 315 | | | | | | | | | | | 1075 |
| gca Ala | ctg Leu | tcc Ser | acc Thr | gtc Val 330 | gat Asp | gag Glu | ttc Phe | gcc Ala | aac Asn 335 | gtg Val | tgg Trp | ttc Phe | atc Ile | atc Ile 340 | ggc Gly | 1123 |
| gta Val | cac His | atc Ile | gtg Val 345 | ttc Phe | tcc Ser | atc Ile | ggc Gly | ctt Leu 350 | gcg Ala | ctg Leu | ctg Leu | ttc Phe | acc Thr 355 | cca Pro | ctg Leu | 1171 |
| | | | | | gca Ala | | | | | | | | | | | 1219 |
| tcc Ser | gcg Ala 375 | atc Ile | ctc Leu | aac Asn | acc Thr | ctc Leu 380 | caa Gln | cag Gln | ctc Leu | gcc Ala | ggc Gly 385 | gcc Ala | gca Ala | ggc Gly | acc Thr | 1267 |
| | | | | | gtt Val 395 | | | | | | | | | | | 1315 |
| | | | | | caa Gln | | | | | | | | | | | 1363 |
| | | | | | tgc Cys | | | | | | | | | | | 1411 |
| | | | | | gcc Ala | | taag | ctag | gt c | gcat | gato | a gc | :a | | | 1455 |

<210> 240

<211> 444

<212> PRT

<213> Corynebacterium glutamicum

<400> 240

--- ---

Met Met Leu Asn Glu Thr Thr Leu Ala Val Ala Leu Pro Ser Ile Met 10 Ala Asp Phe Asp Ile Glu Ala Asn Thr Ala Gln Trp Leu Leu Thr Gly Phe Met Leu Thr Met Ala Val Val Leu Pro Ala Thr Gly Trp Met Leu Glu Arg Phe Thr Thr Arg Ser Val Phe Ile Phe Ala Thr Val Val Phe Leu Ile Gly Thr Val Thr Ala Ala Leu Ser Pro Thr Phe Ala Ile Met Leu Ala Ala Arg Val Ala Gln Ala Ile Gly Thr Ala Val Ile Met Pro Leu Leu Met Thr Val Ala Met Thr Val Val Pro Pro Glu Arg Arg Gly Ala Val Met Gly Leu Ile Ala Val Val Met Ala Val Gly Pro Ala Leu Gly Pro Ser Val Ala Gly Phe Val Leu Ser Leu Ser Ser Trp His Ala 135 Ile Phe Trp Val Met Val Pro Leu Val Phe Val Ala Ser Leu Ile Gly 150 145 155 Thr Leu Arg Leu Thr Asn Val Ser Glu Pro Lys Lys Thr Pro Leu Asp 170 Val Ile Ser Phe Leu Ile Ser Ala Val Ala Phe Gly Gly Leu Val Tyr Ala Leu Ser Ser Ile Gly Ile Ile Leu Glu Gly Asp Arg Ser Ala Leu 200 Val Val Leu Ala Val Gly Ile Ile Ala Leu Val Val Phe Val Trp Arg Gln Ile Ala Met Gly Lys Gln Asp Lys Ala Leu Leu Asp Leu Arg Pro Leu Ala Ile Arg Glu Tyr Thr Ile Pro Leu Val Val Leu Leu Thr Leu Phe Gly Ala Leu Leu Gly Val Met Asn Thr Leu Pro Leu Tyr Leu Gln 265 Gly Ser Leu Met Val Thr Ala Leu Val Ala Gly Leu Val Leu Pro 275 Gly Gly Leu Leu Glu Gly Val Leu Ser Pro Phe Val Gly Arg Ile Tyr 300 295

Asp Arg His Gly Pro Arg Gly Leu Val Ile Gly Gly Met Ser Leu Val Val Ile Ser Leu Phe Ala Leu Ser Thr Val Asp Glu Phe Ala Asn Val Trp Phe Ile Ile Gly Val His Ile Val Phe Ser Ile Gly Leu Ala Leu Leu Phe Thr Pro Leu Met Thr Val Ala Leu Ala Ser Val Pro Asp Asn Met Tyr Gly His Gly Ser Ala Ile Leu Asn Thr Leu Gln Gln Leu Ala Gly Ala Ala Gly Thr Ala Val Met Ile Ala Val Tyr Ser Thr Val Ser 385 Asn Asn Ala Leu Ile Asp Gly Ala Thr Gln Gln Thr Ala Leu Ala Asp Gly Ala Asn Ser Ala Phe Phe Ala Ser Ala Cys Val Ala Val Phe Ala 420 425 Leu Ile Val Gly Phe Phe Val Lys Arg Pro Ala Arg 440 <210> 241 <211> 1093 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1093) <223> FRXA00565 <400> 241 tggagccttg tcttcctcca gcaatcccac aacggagcag gttgggatcc cgagaaatgt 60 tgtcatcatc ttggctgtat tagtttttac agcctttgtc atg atg ttg aat gag Met Met Leu Asn Glu act act ctg gca gtc gcg ttg ccg tcg atc atg gcg gac ttt gac att 163 Thr Thr Leu Ala Val Ala Leu Pro Ser Ile Met Ala Asp Phe Asp Ile gag gcg aat act gcg cag tgg ttg ctc act ggt ttt atg ttg acc atg 211 Glu Ala Asn Thr Ala Gln Trp Leu Leu Thr Gly Phe Met Leu Thr Met gct gtg gtt ctt cca gct act ggt tgg atg ttg gaa cgt ttt acc act 259 Ala Val Val Leu Pro Ala Thr Gly Trp Met Leu Glu Arg Phe Thr Thr 40 45

| | | | | | ttc Phe | | | | | | | | | | | 307 |
|-------------------|-------------------|-------------------|------------|-------------------|-------------------|-------------------|-------------------|------------|-------------------|-------------------|-------------------|-------------------|------------|-------------------|-------------------|-----|
| | Ala | | | | cct Pro 75 | | | | | | | | | | | 355 |
| | | | | | acc Thr | | | | | | | | | | | 403 |
| | | | | | cct Pro | | | | | | | | | | | 451 |
| att Ile | gcg Ala | gtc Val 120 | gtg Val | atg Met | gcc Ala | gtt Val | ggt Gly 125 | cct Pro | gct Ala | ctt Leu | gga Gly | cct Pro 130 | agt Ser | gtg Val | gct Ala | 499 |
| | | | | | ttg Leu | | | | | | | | | | | 547 |
| gtt Val 150 | ccg Pro | ttg Leu | gtg Val | ttt Phe | gtg Val 155 | gca Ala | agc Ser | ctg Leu | atc Ile | ggt Gly 160 | acc Thr | ctg Leu | cgt Arg | ctg Leu | acc Thr 165 | 595 |
| aac Asn | gtc Val | agt Ser | gag Glu | cct Pro 170 | aaa Lys | aag Lys | act Thr | cct Pro | ttg Leu 175 | gat Asp | gtt Val | att Ile | tcc Ser | ttc Phe 180 | ctg Leu | 643 |
| | | | | | ttc Phe | | | | | | | | | | | 691 |
| | | | | | ggt Gly | | | | | | | | | | | 739 |
| ggc | atc Ile 215 | att Ile | gcg Ala | ttg Leu | gtg Val | gtg Val 220 | ttt Phe | gtg Val | tgg Trp | cgc Arg | cag Gln 225 | att Ile | gcc Ala | atg Met | ggt Gly | 787 |
| aag Lys 230 | cag Gln | gat Asp | aag Lys | gcg Ala | ctg Leu 235 | ttg Leu | gat Asp | ctg Leu | cgt Arg | ccg Pro 240 | ttg Leu | gcg Ala | att Ile | cgt Arg | gag Glu 245 | 835 |
| | | | | | gtt Val | | | | | | | | | | | 883 |
| | | | | | ctg Leu | | | | | | | | | | | 931 |
| acc | gcc | ttg | gtc | gcg | ggt | cta | gtg | ctg | ttg | cca | ggt | ggt | ctt | ttg | gaa | 979 |

Thr Ala Leu Val Ala Gly Leu Val Leu Pro Gly Gly Leu Leu Glu 285

ggt gtg ctg tcg cca ttt gtg ggt cga att tat gat cgt cat ggt cca 1027 Gly Val Leu Ser Pro Phe Val Gly Arg Ile Tyr Asp Arg His Gly Pro 305

cgc gga ctc gtg atc ggc ggt atg tca ctc gtt gtg atc tcc ctg ttt 1075 Arg Gly Leu Val Ile Gly Gly Met Ser Leu Val Val Ile Ser Leu Phe 315

gca ctg tcc acc gtc gat Asp 330

gca ctg tcc acc gtc gat Asp 330

1093

<210> 242

<211> 331

<212> PRT

<213> Corynebacterium glutamicum

<400> 242

Met Met Leu Asn Glu Thr Thr Leu Ala Val Ala Leu Pro Ser Ile Met

1 5 10 15

Ala Asp Phe Asp Ile Glu Ala Asn Thr Ala Gln Trp Leu Leu Thr Gly
20 25 30

Phe Met Leu Thr Met Ala Val Val Leu Pro Ala Thr Gly Trp Met Leu 35 40 45

Glu Arg Phe Thr Thr Arg Ser Val Phe Ile Phe Ala Thr Val Val Phe 50 55 60

Leu Ile Gly Thr Val Thr Ala Ala Leu Ser Pro Thr Phe Ala Ile Met 65 70 75 80

Leu Ala Ala Arg Val Ala Gln Ala Ile Gly Thr Ala Val Ile Met Pro 85 90 95

Leu Leu Met Thr Val Ala Met Thr Val Val Pro Pro Glu Arg Arg Gly 100 105 110

Ala Val Met Gly Leu Ile Ala Val Val Met Ala Val Gly Pro Ala Leu 115 120 125

Gly Pro Ser Val Ala Gly Phe Val Leu Ser Leu Ser Ser Trp His Ala 130 . 135 140

Ile Phe Trp Val Met Val Pro Leu Val Phe Val Ala Ser Leu Ile Gly 145 150 155 160

Thr Leu Arg Leu Thr Asn Val Ser Glu Pro Lys Lys Thr Pro Leu Asp 165 170 175

Val Ile Ser Phe Leu Ile Ser Ala Val Ala Phe Gly Gly Leu Val Tyr 180 185 190

Ala Leu Ser Ser Ile Gly Ile Ile Leu Glu Gly Asp Arg Ser Ala Leu Val Val Leu Ala Val Gly Ile Ile Ala Leu Val Val Phe Val Trp Arg Gln Ile Ala Met Gly Lys Gln Asp Lys Ala Leu Leu Asp Leu Arg Pro Leu Ala Ile Arg Glu Tyr Thr Ile Pro Leu Val Val Leu Leu Thr Leu Phe Gly Ala Leu Leu Gly Val Met Asn Thr Leu Pro Leu Tyr Leu Gln Gly Ser Leu Met Val Thr Ala Leu Val Ala Gly Leu Val Leu Pro 280 Gly Gly Leu Leu Glu Gly Val Leu Ser Pro Phe Val Gly Arg Ile Tyr 295 Asp Arg His Gly Pro Arg Gly Leu Val Ile Gly Gly Met Ser Leu Val Val Ile Ser Leu Phe Ala Leu Ser Thr Val Asp 325 <210> 243 <211> 380 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (1)..(357) <223> FRXA02878 <400> 243 tgc ctg tcc acc gtc gat gag ttc gcc acg tgt tgg tca tca ttc gcg Cys Leu Ser Thr Val Asp Glu Phe Ala Thr Cys Trp Ser Ser Phe Ala gac aca tcg tgg ttc tca tcg gcc ctt gcg ctg ctg ttc acc cca ctg 96 Asp Thr Ser Trp Phe Ser Ser Ala Leu Ala Leu Leu Phe Thr Pro Leu 20 atg aca gtc gcg ctc gca tcc gtc ccc gac aac atg tac ggc cac ggc 144 Met Thr Val Ala Leu Ala Ser Val Pro Asp Asn Met Tyr Gly His Gly 45 35 40 tee geg ate etc aac ace etc caa cag etc gee gge gee gea gge ace 192 Ser Ala Ile Leu Asn Thr Leu Gln Gln Leu Ala Gly Ala Ala Gly Thr 55 50 gcg gtc atg att gcg gtt tat tcc acc gtc agc aac aac gcg ctt atc

Ala Val Met Ile Ala Val Tyr Ser Thr Val Ser Asn Asn Ala Leu Ile 80

gac ggc gca acc caa caa acc gcc ctc gcc gac ggc gcc aac tct gca 288
Asp Gly Ala Thr Gln Gln Thr Ala Leu Ala Asp Gly Ala Asn Ser Ala 95

ttc ttc gcc tca gcg tgc gtg gca gtg ttt gca ctg atc gtg ggc ttc 336
Phe Phe Ala Ser Ala Cys Val Ala Val Phe Ala Leu Ile Val Gly Phe 100

ttt gta aag agg cca gcc cgc taagctaggt cgcatgatca gca 380
Phe Val Lys Arg Pro Ala Arg

<210> 244

<211> 119

<212> PRT

<213> Corynebacterium glutamicum

<400> 244

Cys Leu Ser Thr Val Asp Glu Phe Ala Thr Cys Trp Ser Ser Phe Ala 1 5 10 15

Asp Thr Ser Trp Phe Ser Ser Ala Leu Ala Leu Leu Phe Thr Pro Leu 20 25 30

Met Thr Val Ala Leu Ala Ser Val Pro Asp Asn Met Tyr Gly His Gly 35 40 45

Ser Ala Ile Leu Asn Thr Leu Gln Gln Leu Ala Gly Ala Ala Gly Thr
50 60

Ala Val Met Ile Ala Val Tyr Ser Thr Val Ser Asn Asn Ala Leu Ile 65 70 75 80

Asp Gly Ala Thr Gln Gln Thr Ala Leu Ala Asp Gly Ala Asn Ser Ala 85 90 95

Phe Phe Ala Ser Ala Cys Val Ala Val Phe Ala Leu Ile Val Gly Phe 100 105 110

Phe Val Lys Arg Pro Ala Arg 115

<210> 245

<211> 1533

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1510)

<223> RXA00648

<400> 245 gtttgccagc tattgcatct tgcacaaaat gtgtaccata cacataatgt catcgagtcc 60 tecegaatea gecacaceae agateaaata eggeetgetg gtg gte act ete gee Val Val Thr Leu Ala tca gct ggt atc act gtt tcc cta gcg cag acc ctg gtt att ccg atc 163 Ser Ala Gly Ile Thr Val Ser Leu Ala Gln Thr Leu Val Ile Pro Ile att ggt egg ttg eee gag ate tte aac ace acg get get aat gee tet 211 Ile Gly Arg Leu Pro Glu Ile Phe Asn Thr Thr Ala Ala Asn Ala Ser 30 tgg atc att act gtg acg ctg ttg gtg ggc gca gtg gcg act cct gtg 259 Trp Ile Ile Thr Val Thr Leu Leu Val Gly Ala Val Ala Thr Pro Val atg ggc agg ctt gca gat atg tac ggc aag aaa aag atg atg ctc atc 307 Met Gly Arg Leu Ala Asp Met Tyr Gly Lys Lys Met Met Leu Ile 60 tca ctt gtc ccg ttc att ctt gga tca gtg atc tgc gct gtg tcg gtg 355 Ser Leu Val Pro Phe Ile Leu Gly Ser Val Ile Cys Ala Val Ser Val gat ttg att ccg atg atc atc ggc cgt ggt ttt cag ggg ctt ggc tct 403 Asp Leu Ile Pro Met Ile Ile Gly Arg Gly Phe Gln Gly Leu Gly Ser ggc ctg att cct ctt ggc att tct ctc atg cat gat ttg ttg ccc cgg 451 Gly Leu Ile Pro Leu Gly Ile Ser Leu Met His Asp Leu Leu Pro Arg gag aaa gca ggg tct gcc att gct ttg atg agt tct tcc atg ggc att 499 Glu Lys Ala Gly Ser Ala Ile Ala Leu Met Ser Ser Met Gly Ile ggc ggt gca ctc ggt cta ccg ctg gct gct att gcc cag ttt gcg 547 Gly Gly Ala Leu Gly Leu Pro Leu Ala Ala Ala Ile Ala Gln Phe Ala 140 tcc tgg cgg gtg ctg ttc tgg ttc acc gct ctg gta gcg ctt aca gtt 595 Ser Trp Arg Val Leu Phe Trp Phe Thr Ala Leu Val Ala Leu Thr Val 155 ggc gcg gtc att tgg aag gcg att cct gct aga ccc agg atc gtg agg 643 Gly Ala Val Ile Trp Lys Ala Ile Pro Ala Arg Pro Arg Ile Val Arg agt ggc ggc ttt gat tat ttc ggt gct ctc ggc ctt gca atg gga ctt Ser Gly Gly Phe Asp Tyr Phe Gly Ala Leu Gly Leu Ala Met Gly Leu atc gca ttg ttg ctc gcg gtg tcc aag gga tca gaa tgg ggc tgg aga 739 Ile Ala Leu Leu Leu Ala Val Ser Lys Gly Ser Glu Trp Gly Trp Arg

200 205 210

| S | gt er | gcc Ala 215 | Leu | aco Thi | c att | ggg Gly | tta Lev 220 | Phe | gtg Val | gca Ala | a geg a Ala | ctg Leu 225 | Val | att | ttg Leu | gtg Val | 787 |
|---|----------------|-------------------|------------|-------------------|-------------------|-------------------|-------------------|------------|-------------------|-------------------|-------------------|-------------------|------------|-------------------|-------------------|-------------------|------|
| G | gt 1y 30 | tgg Trp | ggc | tgg Trp | g tto Phe | gaa Glu 235 | a acc I Thr | cgc Arg | cag Gln | aaa Lys | tcc Ser 240 | Pro | ttg Leu | att Ile | gat Asp | ctg Leu 245 | 835 |
| A | gc | acc Thr | act Thr | att | cgg Arg 250 | , Ala | acc Thr | gtg Val | ttg Leu | atg Met 255 | Thr | aat Asn | att Ile | gcg Ala | tcc Ser 260 | atc Ile | 883 |
| L | tc | atc Ile | ggt Gly | tto Phe 265 | Thr | : atg : Met | tat Tyr | gga Gly | atg Met 270 | Asn | ctg Leu | atc Ile | ctg Leu | cct Pro 275 | cag Gln | gtc Val | 931 |
| | | | | Pro | | | ctg Leu | | | | | | | | | | 979 |
| | | | | | | | atc Ile 300 | | | | | | | | | | 1027 |
| S | cg er 10 | aat Asn | gca Ala | ggt Gly | gca Ala | gcc Ala 315 | att Ile | agc Ser | gct Ala | gct Ala | cat His 320 | ggt Gly | cct Pro | cgt Arg | gtg Val | acg Thr 325 | 1075 |
| | | | | | | | gtg Val | | | | | | | | | | 1123 |
| | | | | | | | ggc Gly | | | | | | | | | | 1171 |
| | | | | | | | acc Thr | | | | | | | | | | 1219 |
| | 1 | | | | | | ggc Gly 380 | | | | | | | | | | 1267 |
| | e i | | | | | | gcc Ala | | | | | | | | | | 1315 |
| | | | | | | | ctg Leu | | | | | | | | | | 1363 |
| | | | Val | | | | atg Met | Met | | | | | | | | | 1411 |

| gga ttc atg acc act ctg atc atc gga tgc tgc gcc gcg ctt gtg gct Gly Phe Met Thr Thr Leu Ile Ile Gly Cys Cys Ala Ala Leu Val Ala 440 445 450 | 1459 |
|---|------|
| gcg gtc atc tcc tat ttc atc ccc acc aca acc act gtg gtg gaa gca Ala Val Ile Ser Tyr Phe Ile Pro Thr Thr Thr Thr Val Val Glu Ala 455 460 465 | 1507 |
| aaa taatcccggc agcgactcga cca Lys 470 | 1533 |
| <210> 246 <211> 470 <212> PRT <213> Corynebacterium glutamicum | |
| <400> 246 | |
| Val Val Thr Leu Ala Ser Ala Gly Ile Thr Val Ser Leu Ala Gln Thr 1 15 | |
| Leu Val Ile Pro Ile Ile Gly Arg Leu Pro Glu Ile Phe Asn Thr Thr 20 25 30 | |
| Ala Ala Asn Ala Ser Trp Ile Ile Thr Val Thr Leu Leu Val Gly Ala 35 40 45 | |
| Val Ala Thr Pro Val Met Gly Arg Leu Ala Asp Met Tyr Gly Lys Lys 50 55 60 | |
| Lys Met Met Leu Ile Ser Leu Val Pro Phe Ile Leu Gly Ser Val Ile 65 70 . 75 80 | |
| Cys Ala Val Ser Val Asp Leu Ile Pro Met Ile Ile Gly Arg Gly Phe 85 90 95 | |
| Gln Gly Leu Gly Ser Gly Leu Ile Pro Leu Gly Ile Ser Leu Met His 100 105 110 | |
| Asp Leu Leu Pro Arg Glu Lys Ala Gly Ser Ala Ile Ala Leu Met Ser 115 120 125 | |
| Ser Ser Met Gly Ile Gly Gly Ala Leu Gly Leu Pro Leu Ala Ala Ala 130 135 140 | |
| Ile Ala Gln Phe Ala Ser Trp Arg Val Leu Phe Trp Phe Thr Ala Leu 145 150 155 160 | |
| Val Ala Leu Thr Val Gly Ala Val Ile Trp Lys Ala Ile Pro Ala Arg 165 170 175 | |
| Pro Arg Ile Val Arg Ser Gly Gly Phe Asp Tyr Phe Gly Ala Leu Gly 180 185 190 | |
| Leu Ala Met Gly Leu Ile Ala Leu Leu Leu Ala Val Ser Lys Gly Ser | |

195 200 205

Glu Trp Gly Trp Arg Ser Ala Leu Thr Ile Gly Leu Phe Val Ala Ala 210 215 220

Leu Val Ile Leu Val Gly Trp Gly Trp Phe Glu Thr Arg Gln Lys Ser 225 230 235 240

Pro Leu Ile Asp Leu Arg Thr Thr Ile Arg Ala Thr Val Leu Met Thr 245 250 255

Asn Ile Ala Ser Ile Leu Ile Gly Phe Thr Met Tyr Gly Met Asn Leu 260 265 270

Ile Leu Pro Gln Val Met Gln Leu Pro Val Ile Leu Gly Tyr Gly Leu 275 280 285

Gly Gln Ser Met Leu Gln Met Gly Ile Trp Leu Ile Pro Met Gly Leu 290 295 300

Gly Met Met Leu Ile Ser Asn Ala Gly Ala Ala Ile Ser Ala Ala His 305 310 315 320

Gly Pro Arg Val Thr Leu Thr Ile Ala Gly Val Val Ile Ala Val Gly 325 330 335

Tyr Ala Leu Thr Ala Thr Val Leu Phe Thr Ile Gly Asn Arg Thr Pro 340 345 350

Gly Gly Asp Ala Asp Asn Ala Leu Ile Leu Thr Thr Leu Val Leu Phe 355 360 365

Ser Val Cys Ser Leu Val Val Gly Ile Gly Ile Gly Leu Ala Phe Gly 370 375 380

Ser Met Pro Ala Leu Ile Met Gly Ala Val Pro Ala Thr Glu Lys Ala 385 390 395 400

Ala Ala Asn Gly Phe Asn Ser Leu Met Arg Ser Leu Gly Thr Thr Gly 405 410 415

Ser Ser Ala Val Ile Gly Ala Val Leu Ala Gly Met Met Ser Gly Gly 420 425 430

Val Pro Thr Leu Gly Gly Phe Met Thr Thr Leu Ile Ile Gly Cys Cys 435 440 445

Ala Ala Leu Val Ala Ala Val Ile Ser Tyr Phe Ile Pro Thr Thr 450 455 460

Thr Val Val Glu Ala Lys 465 470

<210> 247 <211> 1770

<212> DNA

<213> Corynebacterium glutamicum

<220> <221> CDS <222> (101)..(1747) <223> RXN01320 <400> 247 gtgaatggca cgacatgcca caaggcacgc aagctgattt ccaagcctgc tgtcgcaaag 60 caattaaaaa tacttttctt cttagaggtg gattttcaga atg aca tca cag gtc Met Thr Ser Gln Val aag ccg gac gac gaa cgt ccg gta aca aca att tca aaa agt ggt gca Lys Pro Asp Asp Glu Arg Pro Val Thr Thr Ile Ser Lys Ser Gly Ala 10 cet teq que cac ace tea gea cea tat ggt gea gea act gaa gaa 211 Pro Ser Ala His Thr Ser Ala Pro Tyr Gly Ala Ala Ala Thr Glu Glu 25 259 gct gtc gag gaa aaa acc aaa ggt cgc gtt gga ttt atc atc gca gcc Ala Val Glu Glu Lys Thr Lys Gly Arg Val Gly Phe Ile Ile Ala Ala 40 ctc atg ttg gcg atg ctt ctt agc tcc ttg ggt cag acc att ttc ggt Leu Met Leu Ala Met Leu Leu Ser Ser Leu Gly Gln Thr Ile Phe Gly 55 60 tot god otg coa acg att gtt ggt gag ott ggc ggc gtt aac cac atg Ser Ala Leu Pro Thr Ile Val Gly Glu Leu Gly Gly Val Asn His Met 70 75 acc tgg gtg att acc gcc ttc ctc ttg ggc cag acc att tca ttg cct Thr Trp Val Ile Thr Ala Phe Leu Gly Gln Thr Ile Ser Leu Pro 90 95 451 att ttc ggc aag ttg ggt gac cag ttt ggt cgc aaa tac ctc ttc atg Ile Phe Gly Lys Leu Gly Asp Gln Phe Gly Arg Lys Tyr Leu Phe Met 105 115 ttt gcc atc gca ctg ttc gtg gtg ggt tcc atc atc ggt gct ttg gct Phe Ala Ile Ala Leu Phe Val Val Gly Ser Ile Ile Gly Ala Leu Ala 120 cag aac atg acc acc ttg att gtg gct cgt gca ctg cag ggt atc gcc 547 Gln Asn Met Thr Thr Leu Ile Val Ala Arg Ala Leu Gln Gly Ile Ala 135 ggt ggt ggc ttg atg att ctt tct cag gca att acc gct gat gtc acc 595 Gly Gly Gly Leu Met Ile Leu Ser Gln Ala Ile Thr Ala Asp Val Thr 165 150 155 160 acc gcc cgt gag cgt gca aag tac atg ggc atc atg ggt tcc gtt ttc Thr Ala Arg Glu Arg Ala Lys Tyr Met Gly Ile Met Gly Ser Val Phe 170 175

| | | | | Ile | | ggc Gly | | | | | | | | | | 691 |
|-------------------|------------|------------|------------|-------------------|-------------------|-------------------|------------|------------|-------------------|-------------------|------------|------------|------------|-------------------|-------------------|------|
| | | | Trp | | | ggt Gly | | | | | | | | | | 739 |
| | | Leu | | | | gct Ala 220 | | | | | | | | | | 787 |
| cgt Arg 230 | ggc | aag Lys | gtc Val | tcc Ser | gtt Val 235 | gac Asp | tgg Trp | ttg Leu | gga Gly | agc Ser 240 | atc Ile | ttc Phe | atg Met | gct Ala | atc Ile 245 | 835 |
| gcc Ala | acc Thr | acc Thr | gca Ala | ttt Phe 250 | gtc Val | ctc Leu | gca Ala | gtg Val | acc Thr 255 | tgg Trp | ggt Gly | ggc Gly | aat Asn | gaa Glu 260 | tat Tyr | 883 |
| | | | | | | atc Ile | | | | | | | | | | 931 |
| | | | | | | ttc Phe | | | | | | | | | | 979 |
| | | | | | | tcg Ser 300 | | | | | | | | | | 1027 |
| | | | | | | ctg Leu | | | | | | | | | | 1075 |
| | | | | | | gtt Val | | | | | | | | | | 1123 |
| | | | | | | atg Met | | | | | | | | | | 1171 |
| | | | | | | aag Lys | | | | | | | | | | 1219 |
| | | | | | | gtc Val 380 | | | | | | | | | | 1267 |
| | | | | Ser | | gct Ala | | | | | | | | | | 1315 |

| | W | O 01/ | 00804 | i | | | | | | | | | PCT/IB00/00922 |
|--|---|------------|-------|---|---|---|---|---|---|---|--|-------|----------------|
| | | ggc Gly | - | | _ | - | _ | _ | - | _ | | _ | 1363 |
| | | ttc Phe | | | | | | | | | | | 1411 |

tte tte ege caa ate ggt gga gea gta ggt tee gea etg ate ggt gge Phe Phe Arg Gln Ile Gly Gly Ala Val Gly Ser Ala Leu Ile Gly Gly 440 ctg ttt atc tcc aac ctg tcc gac cga ttc acc gaa aac gtc ccc gca 1507

Leu Phe Ile Ser Asn Leu Ser Asp Arg Phe Thr Glu Asn Val Pro Ala

gca qtg gct tcc atg ggt gaa gaa ggc gca caa tac gcc tca gca atg 1555 Ala Val Ala Ser Met Gly Glu Gly Ala Gln Tyr Ala Ser Ala Met 475

1603 tcc gat ttc tcc ggt gca tcc aac ctc act cca cac ctt gtt gaa tca Ser Asp Phe Ser Gly Ala Ser Asn Leu Thr Pro His Leu Val Glu Ser 490

ctt cca caa gca ctc cgt gaa gca att caa ctt tct tac aac gac gcc 1651 Leu Pro Gln Ala Leu Arg Glu Ala Ile Gln Leu Ser Tyr Asn Asp Ala

ctg aca cca atc ttc ttg gcg ctc acc ccg atc gca gta gtc gcc gcg 1699 Leu Thr Pro Ile Phe Leu Ala Leu Thr Pro Ile Ala Val Val Ala Ala 525 520

atc ctc ctc ttt ttc atc cgt gaa gat cac ctc aag gaa acg cac gaa 1747 Ile Leu Leu Phe Phe Ile Arg Glu Asp His Leu Lys Glu Thr His Glu 535

taatgacaca cgaaacttcc gtc 1770

<210> 248

<211> 549

<212> PRT

<213> Corynebacterium glutamicum

<400> 248

Met Thr Ser Gln Val Lys Pro Asp Asp Glu Arg Pro Val Thr Thr Ile

Ser Lys Ser Gly Ala Pro Ser Ala His Thr Ser Ala Pro Tyr Gly Ala

Ala Ala Thr Glu Glu Ala Val Glu Glu Lys Thr Lys Gly Arg Val Gly 35 40

Phe Ile Ile Ala Ala Leu Met Leu Ala Met Leu Leu Ser Ser Leu Gly 55

| Gln 65 | Thr | Ile | Phe | Gly | Ser 70 | | Leu | Pro | Thr | 11e 75 | Val | Gly | Glu | Leu | Gly 80 |
|------------|------------|------------|------------|-----------|------------|------------|------------|-------------|-----------|------------|------------|------------|------------|-----------|------------|
| Gly | Val | Asn | His | Met 85 | | Trp | Val | Ile | Thr 90 | | Phe | Leu | Leu | Gly 95 | Gln |
| Thr | Ile | Ser | Leu 100 | | Ile | Phe | Gly | Lys 105 | Leu | Gly | Asp | Gln | Phe 110 | Gly | Arg |
| Lys | Tyr | Leu 115 | Phe | Met | Phe | Ala | Ile 120 | Ala | Leu | Phe | Val | Val 125 | Gly | Ser | Ile |
| Ile | Gly 130 | Ala | Leu | Ala | Gln | Asn 135 | Met | Thr | Thr | Leu | Ile 140 | Val | Ala | Arg | Ala |
| Leu 145 | Gln | Gly | Ile | Ala | Gly 150 | Gly | Gly | Leu | Met | Ile 155 | Leu | Ser | Gln | Ala | 11e 160 |
| | | • | | 165 | | | Arg | | 170 | | _ | | | 175 | |
| Met | Gly | Ser | Val 180 | Phe | Gly | Leu | Ser | Ser .185 | Ile | Leu | Gly | Pro | Leu 190 | Leu | Gly |
| Gly | Trp | Phe 195 | Thr | Asp | Gly | Pro | Gly 200 | Trp | Arg | Trp | Gly | Leu 205 | Trp | Leu | Asn |
| Val | Pro 210 | Ile | Gly | Ile | Ile | Ala 215 | Leu | Val | Ala | Ile | Ala 220 | Val | Leu | Leu | Lys |
| 225 | | | | | 230 | _ | Lys | | | 235 | | | | | 240 |
| | | | | 245 | | | Thr | | 250 | | | | | 255 | |
| _ | | | 260 | | | | Ala | 265 | | | | | 270 | | |
| | | 275 | | | | | 11e 280 | | | | | 285 | | | |
| | 290 | | | | | 295 | Met | | | | 300 | | | | |
| 305 | | | | | 310 | | Ile | | | 315 | | | | | 320 |
| | | | _ | 325 | | | Tyr | | 330 | | | | | 335 | |
| Pro | Thr | Gln | Ala | Gly | Leu | Met | Leu | Ile | Pro | Met | Met | Ile | Gly | Leu | Ile |

Gly Thr Ser Thr Val Val Gly Asn Ile Val Ser Lys Thr Gly Lys Tyr 355 360 365

Lys Trp Tyr Pro Phe Ile Gly Met Leu Ile Met Val Leu Ala Leu Val 370 380

Leu Leu Ser Thr Leu Thr Pro Ser Ala Ser Leu Ala Leu Ile Gly Leu 385 390 395 400

Tyr Phe Phe Val Phe Gly Phe Gly Leu Gly Cys Ala Met Gln Ile Leu 405 410 415

Val Leu Ile Val Gln Asn Ser Phe Pro Ile Thr Met Val Gly Thr Ala 420 425 430

Thr Gly Ser Asn Asn Phe Phe Arg Gln Ile Gly Gly Ala Val Gly Ser 435 440 445

Ala Leu Ile Gly Gly Leu Phe Ile Ser Asn Leu Ser Asp Arg Phe Thr 450 455 460

Glu Asn Val Pro Ala Ala Val Ala Ser Met Gly Glu Glu Gly Ala Gln 465 470 475 480

Tyr Ala Ser Ala Met Ser Asp Phe Ser Gly Ala Ser Asn Leu Thr Pro 485 490 495

His Leu Val Glu Ser Leu Pro Gln Ala Leu Arg Glu Ala Ile Gln Leu 500 505 510

Ser Tyr Asn Asp Ala Leu Thr Pro Ile Phe Leu Ala Leu Thr Pro Ile 515 520 525

Ala Val Val Ala Ala Ile Leu Leu Phe Phe Ile Arg Glu Asp His Leu 530 535 540

Lys Glu Thr His Glu 545

<210> 249

<211> 841

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(841)

<223> FRXA01314

<400> 249

gtgaatggca cgacatgcca caaggcacgc aagctgattt ccaagcctgc tgtcgcaaag 60

caattaaaaa tacttttctt cttagaggtg gattttcaga atg aca tca cag gtc 115

Met Thr Ser Gln Val

1 5

aag ccg gac gac gaa cgt ccg gta aca aca att tca aaa agt ggt gca 163 Lys Pro Asp Asp Glu Arg Pro Val Thr Thr Ile Ser Lys Ser Gly Ala 10 15 20

| cct Pro | tcg Ser | gcc Ala | cac His | Thi | tca Ser | gca Ala | cca Pro | tat Tyr 30 | Gly | gca Ala | gca Ala | gca Ala | act Thr 35 | Glu | gaa Glu | 211 |
|-------------------|-------------------|-------------------|-------------------|------------------|-------------------|-------------------|-------------------|-------------------|------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-----|
| gct Ala | gtc Val | gaç Glu 40 | Glu | aaa Lys | acc Thr | aaa Lys | ggt Gly 45 | Arg | gtt Val | gga Gly | ttt Phe | atc Ile 50 | atc Ile | gca Ala | gcc Ala | 259 |
| ctc Leu | atg Met 55 | Leu | gcg Ala | atg Met | ctt Leu | ctt Leu 60 | Ser | tcc Ser | ttg Leu | ggt Gly | cag Gln 65 | acc Thr | att Ile | ttc Phe | ggt Gly | 307 |
| tct Ser 70 | gcc Ala | ctg Leu | cca Pro | acg Thr | att Ile 75 | Val | ggt Gly | gag Glu | ctt Leu | ggc Gly 80 | ggc Gly | gtt Val | aac Asn | cac His | atg. Met 85 | 355 |
| acc Thr | tgg Trp | gtg Val | att Ile | acc Thr 90 | Ala | ttc Phe | ctc Leu | ttg Leu | ggc Gly 95 | Gln | acc Thr | att Ile | tca Ser | ttg Leu 100 | cct Pro | 403 |
| att Ile | ttc Phe | ggc Gly | aag Lys 105 | ttg Leu | ggt Gly | gac Asp | cag Gln | ttt Phe 110 | ggt Gly | cgc Arg | aaa Lys | tac Tyr | ctc Leu 115 | ttc Phe | atg Met | 451 |
| ttt Phe | gcc Ala | atc Ile 120 | gca Ala | ctg Leu | ttc Phe | gtg Val | gtg Val 125 | ggt Gly | tcc Ser | atc Ile | atc Ile | ggt Gly 130 | gct Ala | ttg Leu | gct Ala | 499 |
| | | | | | | | | | | | ctg Leu 145 | | | | | 547 |
| ggt Gly 150 | ggt Gly | ggc Gly | ttg Leu | atg Met | att Ile 155 | ctt Leu | tct Ser | cag Gln | gca Ala | att Ile 160 | acc Thr | gct Ala | gat Asp | gtc Val | acc Thr 165 | 595 |
| | | | | | | | | | | | atg Met | | | | | 643 |
| | | | | Ile | Leu | Gly | Pro | Leu | Leu | Gly | ggc Gly | Trp | Phe | Thr | | 691 |
| | | | | | | | | | | | gtt Val | | | | | 739 |
| atc Ile | gca Ala 215 | ctg Leu | gtt Val | gct Ala | atc Ile | gct Ala 220 | gtg Val | ctg Leu | ctg Leu | aaa Lys | ctt Leu 225 | cca Pro | gct Ala | cgt Arg | gaa Glu | 787 |
| cgt Arg 230 | ggc Gly | aag Lys | gtc Val | tcc Ser | gtt Val 235 | Asp | tgg Trp | ttg Leu | gga Gly | agc Ser 240 | atc Ile | ttc Phe | atg Met | gct Ala | atc Ile 245 | 835 |

gcc acc 841
Ala Thr

<210> 250

<211> 247

<212> PRT

<213> Corynebacterium glutamicum

<400> 250

Met Thr Ser Gln Val Lys Pro Asp Asp Glu Arg Pro Val Thr Thr Ile 1 5 10 15

Ser Lys Ser Gly Ala Pro Ser Ala His Thr Ser Ala Pro Tyr Gly Ala 20 25 30

Ala Ala Thr Glu Glu Ala Val Glu Glu Lys Thr Lys Gly Arg Val Gly 35 40 45

Phe Ile Ile Ala Ala Leu Met Leu Ala Met Leu Leu Ser Ser Leu Gly 50 55 60

Gln Thr Ile Phe Gly Ser Ala Leu Pro Thr Ile Val Gly Glu Leu Gly
65 70 75 80

Gly Val Asn His Met Thr Trp Val Ile Thr Ala Phe Leu Leu Gly Gln 85 90 95

Thr Ile Ser Leu Pro Ile Phe Gly Lys Leu Gly Asp Gln Phe Gly Arg 100 105 110

Lys Tyr Leu Phe Met Phe Ala Ile Ala Leu Phe Val Val Gly Ser Ile 115 120 125

Ile Gly Ala Leu Ala Gln Asn Met Thr Thr Leu Ile Val Ala Arg Ala 130 135 140

Leu Gln Gly Ile Ala Gly Gly Gly Leu Met Ile Leu Ser Gln Ala Ile 145 150 155 160

Thr Ala Asp Val Thr Thr Ala Arg Glu Arg Ala Lys Tyr Met Gly Ile 165 170 175

Met Gly Ser Val Phe Gly Leu Ser Ser Ile Leu Gly Pro Leu Leu Gly 180 185 190

Gly Trp Phe Thr Asp Gly Pro Gly Trp Arg Trp Gly Leu Trp Leu Asn 195 200 205

Val Pro Ile Gly Ile Ile Ala Leu Val Ala Ile Ala Val Leu Leu Lys 210 215 220

Leu Pro Ala Arg Glu Arg Gly Lys Val Ser Val Asp Trp Leu Gly Ser 225 230 235 240

Ile Phe Met Ala Ile Ala Thr

245

| <21 <21 | .0> 2 .1> 8 .2> E | 03 NA | iebac | teri | um g | luta | micu | ım | | | | | | | | |
|------------|--------------------------------|------------------|------------|-------------------|------------|------------------|------------------|------------|------------|------------|------------------|------------------|------------|------------|------------|-----|
| <22 | 20> 21> C 22> (23> F | 1) | | | | | | | | | | | | | | |
| gtt | Asp | сса | | gtc Val | Pro | | | | | Ser | | | | | | 48 |
| | | | | gcc Ala | | | | | Gly | | | | | | | 96 |
| atc Ile | gcg Ala | tac Tyr 35 | Met | cct Pro | acc Thr | tac Tyr | ctg Leu 40 | Gln | atg Met | gtt Val | cat His | ggt Gly 45 | ctg Leu | aac Asn | cca Pro | 144 |
| acg Thr | caa Gln 50 | gct Ala | ggt Gly | ctg Leu | atg Met | ctg Leu 55 | atc Ile | cca Pro | atg Met | atg Met | atc Ile 60 | ggc Gly | ctg Leu | att Ile | ggt Gly | 192 |
| | | | | gtg Val | | | | | | | | | | | | 240 |
| | | | | atc Ile 85 | | | | | | | | | | | | 288 |
| | | | | aca Thr | | | | | | | | | | | | 336 |
| | | | | gga Gly | | | | | | | | | | | | 384 |
| | | | | aac Asn | | | | | | | | | | | | 432 |
| | | | | ttc Phe | | | | | | | | | | | | 480 |
| | | | | ctg Leu 165 | | | | | | | | | | | | 528 |

| | | | | | gtg Val | | | | | | | | | | 576 |
|---|---|------------|---|------|-------------------|-------|------|------|------|---|---|---|---|---|-----|
| | | | | | gat Asp | | | | | | | | | | 624 |
| | | | | | cca Pro | | | | | | | | | | 672 |
| | | _ | - | _ | aca Thr 230 | | | | - | | | | - | - | 720 |
| - | - | - | | | ctc Leu | | | | | - | • | - | | _ | 768 |
| - | - | cac His | • | taat | gaca | ica c | gaaa | ctto | c gt | c | | | | | 803 |

<210> 252

<211> 260

<212> PRT

<213> Corynebacterium glutamicum

<400> 252

Val Asp Pro Leu Val Pro Met Gly Leu Phe Ser Asn Arg Asn Phe Val 1 5 10 15

Leu Thr Ala Val Ala Gly Ile Gly Val Gly Leu Phe Met Met Gly Thr 20 . 25 30

Ile Ala Tyr Met Pro Thr Tyr Leu Gln Met Val His Gly Leu Asn Pro 35 40 45

Thr Gln Ala Gly Leu Met Leu Ile Pro Met Met Ile Gly Leu Ile Gly 50 55

Thr Ser Thr Val Val Gly Asn Ile Val Ser Lys Thr Gly Lys Tyr Lys
65 70 75 80

Trp Tyr Pro Phe Ile Gly Met Leu Ile Met Val Leu Ala Leu Val Leu 85 90 95

Leu Ser Thr Leu Thr Pro Ser Ala Ser Leu Ala Leu Ile Gly Leu Tyr 100 105 110

Phe Phe Val Phe Gly Phe Gly Leu Gly Cys Ala Met Gln Ile Leu Val 115 120 125

Leu Ile Val Gln Asn Ser Phe Pro Ile Thr Met Val Gly Thr Ala Thr

130 135 140 Gly Ser Asn Asn Phe Phe Arg Gln Ile Gly Gly Ala Val Gly Ser Ala 150 Leu Ile Gly Gly Leu Phe Ile Ser Asn Leu Ser Asp Arg Phe Thr Glu 170 Asn Val Pro Ala Ala Val Ala Ser Met Gly Glu Glu Gly Ala Gln Tyr 185 Ala Ser Ala Met Ser Asp Phe Ser Gly Ala Ser Asn Leu Thr Pro His 200 Leu Val Glu Ser Leu Pro Gln Ala Leu Arg Glu Ala Ile Gln Leu Ser Tyr Asn Asp Ala Leu Thr Pro Ile Phe Leu Ala Leu Thr Pro Ile Ala 225 Val Val Ala Ala Ile Leu Leu Phe Phe Ile Arg Glu Asp His Leu Lys 250 Glu Thr His Glu 260 <210> 253 <211> 1755 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1732) <223> RXN02926 <400> 253 ccctgacacc aatcttcttg gegeteaccc egategeagt agtegeegeg atcetectet 60 ttttcatccq tqaaqatcac ctcaaqqaaa cgcacqaata atg aca cac gaa act Met Thr His Glu Thr 1 tcc gtc ccc gga cct gcc gac gcg cag gtc gca gga gat acg aag ctg Ser Val Pro Gly Pro Ala Asp Ala Gln Val Ala Gly Asp Thr Lys Leu 10 15 211 cgc aaa ggc cgc gcg aag aag gaa aaa act cct tca tca atg acg cct Arg Lys Gly Arg Ala Lys Lys Glu Lys Thr Pro Ser Ser Met Thr Pro 259 gaa caa caa aag aaa gtc tgg tgg gtc ctc agc gcg ctg atg gtc gcc Glu Gln Gln Lys Lys Val Trp Trp Val Leu Ser Ala Leu Met Val Ala

40

....

307

atq atq atq qcc tcc ctt gac caq atq att ttc ggc aca gcc ctg cca

| Met | Met 55 | | Ala | Ser | Leu | Asp 60 | Gln | Met | Ile | Phe | Gly 65 | Thr | Ala | Leu | Pro | |
|-------------------|------------|------------|------------|------------|-------------------|------------|-------------------|------------|------------|-------------------|------------|------------|------------|------------|-------------------|-----|
| | Ile | | | | | | ggc | | | | | | | | | 355 |
| | | | | | Ala | | acc Thr | | | Leu | | | | | | 403 |
| | | | | | | | aaa Lys | | | | | | | | | 451 |
| | | _ | | | | - | atc Ile 125 | | | | _ | | | _ | | 499 |
| | | | | | | | gta Val | | | | | | | | | 547 |
| | Ile | | | | | | atc Ile | | | | | | | | | 595 |
| | | | | | | | atg Met | | | | | | | | | 643 |
| _ | | | | | | | ggc Gly | | | | - | | | | | 691 |
| _ | | - | | | _ | | atc Ile 205 | | _ | | | | _ | | | 739 |
| _ | _ | | | | _ | _ | att Ile | | _ | _ | _ | _ | _ | | | 787 |
| tgg Trp 230 | gat Asp | tac Tyr | ctg Leu | ggc Gly | act Thr 235 | ttc Phe | ttc Phe | atg Met | atc Ile | gtt Val 240 | gcc Ala | gca Ala | acc Thr | agc Ser | ctg Leu 245 | 835 |
| | | | | | | | gga Gly | | | | | | | | | 883 |
| | | | | | | | acc Thr | | | | | | | | | 931 |
| | | | | | | | aaa Lys | | | | | | | | | 979 |

280 285 290

| ttc Phe | Gln 295 | Asn | cgc Arg | aac Asn | ttc Phe | acg Thr 300 | Leu | Thr | acc Thr | att Ile | gca Ala 305 | Gly | ctg Leu | atc Ile | ctg Leu | 1027 |
|-------------------|------------|------------|-------------------|------------|-------------------|-------------------|------------|-------------------|-------------------|------------|-------------------|------------|-------------------|-------------------|-------------------|------|
| ggt Gly 310 | Ile | gca Ala | atg Met | ttc Phe | ggc Gly 315 | atc Ile | atc | ggc | tac Tyr | Leu 320 | ccg Pro | acc Thr | tac Tyr | ctc Leu | cag Gln 325 | 1075 |
| atg Met | gtc Val | cac | gga Gly | Ile 330 | Asn | gcc Ala | acc Thr | gaa Glu | gcc Ala 335 | Gly | tac Tyr | atg Met | ctg Leu | atc Ile 340 | cca Pro | 1123 |
| atg Met | atg Met | gtc Val | ggc Gly 345 | atg Met | atg Met | ggt Gly | acc Thr | tcc Ser 350 | Ile | tgg Trp | act Thr | ggt Gly | atc Ile 355 | cgc Arg | atc Ile | 1171 |
| | | | Gly | | | | | | | | atc Ile | | | | | 1219 |
| | | | | | | | | | | | gaa Glu 385 | | | | | 1267 |
| | | | | | | | | | | | ggc Gly | | | | | 1315 |
| | | | | | | | | | | | aac Asn | | | | | 1363 |
| | | | | | | | | | | | ttc Phe | | | | | 1411 |
| | | | | | | | | | | | atg Met | | | | | 1459 |
| Leu | | Thr | Leu | Met | Glu | Glu | Arg | Met | Pro | Ala | gcc Ala 465 | Met | | | | 1507 |
| | | | | | | | | | | | ggc Gly | | | | | 1555 |
| | | | | | | | | | | | cca Pro | | | | | 1603 |
| | | Phe | | | | | Asn | | | | atc Ile | | | | | 1651 |

- - -

gtg atg atg cca ctg atc ggc atc gcg ctg ctt ctc ttg ctg ttt att 1699 Val Met Met Pro Leu Ile Gly Ile Ala Leu Leu Leu Leu Phe Ile 520 525 530

aag caa gaa aaa cta cgc gaa acc acc aca gac taaacacaaa acaaatgaga 1752 Lys Gln Glu Lys Leu Arg Glu Thr Thr Thr Asp 535 540

cct 1755

<210> 254

<211> 544

<212> PRT

<213> Corynebacterium glutamicum

<400> 254

Met Thr His Glu Thr Ser Val Pro Gly Pro Ala Asp Ala Gln Val Ala 1 5 . 10 . 15

Gly Asp Thr Lys Leu Arg Lys Gly Arg Ala Lys Lys Glu Lys Thr Pro 20 25 30

Ser Ser Met Thr Pro Glu Gln Gln Lys Lys Val Trp Trp Val Leu Ser 35 40 45

Ala Leu Met Val Ala Met Met Met Ala Ser Leu Asp Gln Met Ile Phe 50 55 60

Gly Thr Ala Leu Pro Thr Ile Val Gly Glu Leu Gly Gly Val Asp His 65 70 75 80

Met Met Trp Val Ile Thr Ala Tyr Leu Leu Ala Glu Thr Ile Met Leu 85 90 95

Pro Ile Tyr Gly Lys Leu Gly Asp Leu Val Gly Arg Lys Gly Leu Phe 100 105 110

Ile Gly Ala Leu Gly Ile Phe Leu Ile Gly Ser Val Ile Gly Gly Leu 115 120 125

Ala Gly Asn Met Thr Trp Leu Ile Val Gly Arg Ala Val Gln Gly Ile 130 135 140

Gly Gly Gly Leu Met Ile Leu Ser Gln Ala Ile Ile Ala Asp Val 145 150 155 160

Val Pro Ala Arg Glu Arg Gly Arg Tyr Met Gly Val Met Gly Gly Val 165 170 175

Phe Gly Leu Ser Ala Val Leu Gly Pro Leu Leu Gly Gly Trp Phe Thr

Glu Gly Pro Gly Trp Arg Trp Ala Phe Trp Met Asn Ile Pro Leu Gly 195 200 205

| Ile | 11e 210 | | Ile | e Gly | / Val | Ala 215 | | Tyr | Phe | Leu | Asp 220 | Ile | Pro | Lys | Lys |
|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Ser 225 | | Lys | Phe | e Arg | 7rp 230 | | Tyr | Leu | Gly | Thr 235 | | Phe | Met | Ile | Va] 240 |
| Ala | Ala | Thr | Ser | 245 | | Leu | Phe | Thr | Thr 250 | Trp | Gly | Gly | Ser | Gln 255 | Туз |
| Glu | Trp | Ser | 260 | | Ile | Ile | Ile | Gly 265 | | Ile | Ile | Thr | Thr 270 | | Va] |
| Ala | Ala | Ala 275 | | Leu | Val | Val | Val 280 | | Leu | Arg | Ala | Lys 285 | | Pro | Leu |
| Val | Pro 290 | | Ser | Phe | Phe | Gln 295 | | Arg | Asn | Phe | Thr 300 | Leu | Thr | Thr | Ile |
| Ala 305 | | Leu | Ile | Leu | Gly 310 | Ile | Ala | Met | Phe | Gly 315 | Ile | Ile | Gly | Tyr | Let 320 |
| Pro | Thr | Tyr | Leu | Gln 325 | Met | Val | His | Gly | Ile 330 | Asn | Ala | Thr | Glu | Ala 335 | Gly |
| Tyr | Met | Leu | 11e 340 | | Met | Met | Val | Gly 345 | Met | Met | Gly | Thr | Ser 350 | Ile | Trp |
| Thr | Gly | Ile 355 | | Ile | Ser | Asn | Thr 360 | Gly | Lys | Tyr | Lys | Leu 365 | Phe | Pro | Pro |
| Ile | Gly 370 | Met | Val | Val | Thr | Phe 375 | Val | Ala | Leu | Ile | Phe 380 | Phe | Ala | Arg | Met |
| Glu 385 | Val | Ser | Thr | Thr | Leu 390 | Trp | Gln | Ile | Gly | Ile 395 | Tyr | Leu | Phe | Val | Leu 400 |
| Gly | Val | Gly | Leu | Gly 405 | Leu | Ala | Met | Gln | Val 410 | Leu | Val | Leu | Ile | Val 415 | Gln |
| Asn | Thr | Leu | Pro 420 | Thr | Ala | Val | Val | Gly 425 | Ser | Ala | Thr | Ala | Val 430 | Asn | Asn |
| Phe | Phe | Arg 435 | Gln | Ile | Gly | Ser | Ser 440 | Leu | Gly | Ser | Ala | Leu 445 | Val | Gly | Gly |
| Met | Phe 450 | Val | Gly | Asn | Leu | Gly 455 | Thr | Leu | Met | Glu | Glu 460 | Arg | Met | Pro | Ala |
| Ala 465 | Met | Ala | Gln | Leu | Ser 470 | Pro | Glu | Glu | Gln | Ala 475 | Ala | Met | Ala | Ala | Gln 480 |
| Gly | Gly | Leu | Asp | Ser 485 | Asn | Glu | Leu | Thr | Pro 490 | Ala | Ile | Val | Asn | Gln 495 | Leu |

Pro Thr Ala Leu His Asp Ala Phe Ala Gly Ser Tyr Asn Asp Ala Leu 500 505 510

Ile Pro Val Phe Tyr Val Met Met Pro Leu Ile Gly Ile Ala Leu Leu 515 520 525

Leu Leu Phe Ile Lys Gln Glu Lys Leu Arg Glu Thr Thr Thr Asp 530 535 540

<210> 255 <211> 1294 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1294) <223> FRXA01319 <400> 255 ccctgacacc aatcttettg gcgctcaccc cgatcgcagt agtcgccgcg atcctcctct 60 ttttcatccg tgaagatcac ctcaaggaaa cgcacgaata atg aca cac gaa act Met Thr His Glu Thr tcc gtc ccc gga cct gcc gac gcg cag gtc gca gga gat acg aag ctg 163 Ser Val Pro Gly Pro Ala Asp Ala Gln Val Ala Gly Asp Thr Lys Leu 15 cgc aaa ggc cgc gcg aag aag gaa aaa act cct tca tca atg acg cct 211 Arg Lys Gly Arg Ala Lys Lys Glu Lys Thr Pro Ser Ser Met Thr Pro gaa caa caa aag aaa gtc tgg tgg gtc ctc agc gcg ctg atg gtc gcc 259 Glu Gln Gln Lys Lys Val Trp Trp Val Leu Ser Ala Leu Met Val Ala 45 atg atg gcc tcc ctt gac cag atg att ttc ggc aca gcc ctg cca 307 Met Met Met Ala Ser Leu Asp Gln Met Ile Phe Gly Thr Ala Leu Pro aca atc gtc ggt gaa ctc ggc ggc gtt gac cac atg atg tgg gtc atc 355 Thr Ile Val Gly Glu Leu Gly Gly Val Asp His Met Met Trp Val Ile ace gea tac cta ctt gee gaa ace ate atg etg eeg ate tac gga aag 403 Thr Ala Tyr Leu Leu Ala Glu Thr Ile Met Leu Pro Ile Tyr Gly Lys ctc ggc gac ctg gtt gga cgt aaa ggt ctc ttc atc gga gcc ctc ggc 451 Leu Gly Asp Leu Val Gly Arg Lys Gly Leu Phe Ile Gly Ala Leu Gly 105 110 atc ttc ctg atc ggc tcc gtc atc ggc ggg ctt gca gga aat atg acc 499 Ile Phe Leu Ile Gly Ser Val Ile Gly Gly Leu Ala Gly Asn Met Thr

120 125 130

| | ttg Leu 135 | Ile | | | | | Val | | | | | Gly | | | | 547 |
|-------------------|-------------------|-----|------------|------------|-------------------|-----|-----|------------|------------|-------------------|-----|------------|------------|------------|-------------------|------|
| atg Met 150 | atc | Leu | tcg Ser | cag Gln | gca Ala 155 | Ile | atc | gcg Ala | gac Asp | gtt Val 160 | Val | cca Pro | gca Ala | cgt Arg | gaa Glu 165 | 595 |
| | ggc | | | | Gly | | | | | | | | | | | 643 |
| | ctt Leu | | | Leu | | | | | | | | | | | | 691 |
| _ | tgg Trp | _ | Phe | | _ | | | | _ | | | | _ | | | 739 |
| | gcc Ala 215 | | | | | | | | | | | | | | | 787 |
| | gat Asp | | | | | | | | | | | | | | | 835 |
| | ctg Leu | | | | | | | | | | | | | | | 883 |
| | atc Ile | | | | | | | | | | | | | | | 931 |
| _ | gtt Val | | - | _ | - | _ | | _ | | _ | _ | | _ | | | 979 |
| | caa Gln 295 | Asn | Arg | Asn | Phe | | Leu | | | Ile | | Ğİy | | | | 1027 |
| | atc Ile | | | | | | | | | | | | | | | 1075 |
| | gtc Val | | | | | | | | | | | | | | | 1123 |
| | atg Met | Val | | | | | Thr | | | | | | | | | 1171 |

tcc aac aca gga aag tac aaa ctc ttc cca cca atc ggc atg gtt 1219 Ser Asn Thr Gly Lys Tyr Lys Leu Phe Pro Pro Ile Gly Met Val Val 360 365 acc ttc gtg gca ctg atc ttc ttt gcc cga atg gaa gtg tcc acc acc 1267 Thr Phe Val Ala Leu Ile Phe Phe Ala Arg Met Glu Val Ser Thr Thr 380 1294 ctg tgg cag atc gga atc tac ctc ttc Leu Trp Gln Ile Gly Ile Tyr Leu Phe 395 <210> 256 <211> 398 <212> PRT <213> Corynebacterium glutamicum <400> 256 Met Thr His Glu Thr Ser Val Pro Gly Pro Ala Asp Ala Gln Val Ala Gly Asp Thr Lys Leu Arg Lys Gly Arg Ala Lys Lys Glu Lys Thr Pro Ser Ser Met Thr Pro Glu Gln Gln Lys Lys Val Trp Trp Val Leu Ser Ala Leu Met Val Ala Met Met Ala Ser Leu Asp Gln Met Ile Phe Gly Thr Ala Leu Pro Thr Ile Val Gly Glu Leu Gly Gly Val Asp His Met Met Trp Val Ile Thr Ala Tyr Leu Leu Ala Glu Thr Ile Met Leu 85 Pro Ile Tyr Gly Lys Leu Gly Asp Leu Val Gly Arg Lys Gly Leu Phe Ile Gly Ala Leu Gly Ile Phe Leu Ile Gly Ser Val Ile Gly Gly Leu Ala Gly Asn Met Thr Trp Leu Ile Val Gly Arg Ala Val Gln Gly Ile 135 Gly Gly Gly Leu Met Ile Leu Ser Gln Ala Ile Ile Ala Asp Val 150 155 Val Pro Ala Arg Glu Arg Gly Arg Tyr Met Gly Val Met Gly Gly Val 170 Phe Gly Leu Ser Ala Val Leu Gly Pro Leu Gly Gly Trp Phe Thr 180 185

Glu Gly Pro Gly Trp Arg Trp Ala Phe Trp Met Asn Ile Pro Leu Gly

195 200 205

Ile Ile Ala Ile Gly Val Ala Ile Tyr Phe Leu Asp Ile Pro Lys Lys 210 215 220

Ser Val Lys Phe Arg Trp Asp Tyr Leu Gly Thr Phe Phe Met Ile Val 225 230 235 240

Ala Ala Thr Ser Leu Ile Leu Phe Thr Thr Trp Gly Gly Ser Gln Tyr
245 250 255

Glu Trp Ser Asp Pro Ile Ile Ile Gly Leu Ile Ile Thr Thr Ile Val 260 265 270

Ala Ala Leu Leu Val Val Val Glu Leu Arg Ala Lys Asp Pro Leu 275 280 285

Val Pro Met Ser Phe Phe Gln Asn Arg Asn Phe Thr Leu Thr Thr Ile 290 295 300

Ala Gly Leu Ile Leu Gly Ile Ala Met Phe Gly Ile Ile Gly Tyr Leu 305 310 315 320

Pro Thr Tyr Leu Gln Met Val His Gly Ile Asn Ala Thr Glu Ala Gly 325 330 335

Tyr Met Leu Ile Pro Met Met Val Gly Met Met Gly Thr Ser Ile Trp 340 345 350

Thr Gly Ile Arg Ile Ser Asn Thr Gly Lys Tyr Lys Leu Phe Pro Pro 355 360 365

Ile Gly Met Val Val Thr Phe Val Ala Leu Ile Phe Phe Ala Arg Met 370 375 380

Glu Val Ser Thr Thr Leu Trp Gln Ile Gly Ile Tyr Leu Phe 385 390 395

<210> 257

<211> 1510

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (93)..(1487)

<223> RXA01578

<400> 257

tgacctcccc tcaaccactc actgaaaaga gaacactgat gtcacttcct gttcagccga 60

gtaaaacctc ggccgccaca gtcataccat tgatg atc gcc ctg ctg gtc gcg 113

Met Ile Ala Leu Leu Val Ala

1 5

gta ttc gcc ttc cag ctc aac gcc tcc atg ctg gcg ccg gca ctg gcc 161

transfer of the control of the second control of the control of th

| Val | Phe | Ala 10 | Gln | Leu | Asn | Ala 15 | Ser | Met | Leu | Ala | Pro 20 | Ala | Leu | Ala | |
|-----|-----|-----------|-----|-----|-----|-----------|-------------------|-----|-----|-----|-----------|-----|-----|-----|-----|
| | | Glu | | | | Ala | aca Thr | | | | | | | | 209 |
| | Thr | | | | Ala | | gcg Ala | | | Ser | | | | | 257 |
| | | | | Ile | | | cgc Arg | | | | | | | | 305 |
| | | | | | | | gtc Val 80 | | | | | | | | 353 |
| | | | | | | | att Ile | | | | | | | | 401 |
| | | | | | | | cgc Arg | | | | | | | | 449 |
| | | | | | | | gtt Val | | | - | | | | | 497 |
| | | | | | | | ggc Gly | | | | | | | | 545 |
| | | | | | | | gct Ala 160 | | | | | | | | 593 |
| | | | | | | | gaa Glu | | | | | | | | 641 |
| | | | | | | | cca Pro | | | | | | | | 689 |
| | | | | | | | ggc Gly | | | | | | | | 737 |
| | | | | | | | atc Ile | | | | | | | | 785 |
| | | | | | | | aag Lys | | | | | | | | 833 |

235 240 245

| t | ac Yyr | ctc Leu | ggt Gly 250 | Glr | a cga n Arg | a cgo | acc Thr | tgg Trp 255 | Ala | ttg Leu | ctg Leu | ctg Leu | agc Ser 260 | Thr | ctt Leu | ctc Leu | 881 |
|----|-------------------|-------------------|-------------------|------------|----------------|-------------------|-------------------|-------------------|------------|------------|-------------------|-------------------|-------------------|------------|------------|-------------------|------|
| 7 | ca Thr | atg Met 265 | Thr | ggt Gly | gta Val | tto Phe | gcc Ala 270 | Val | atg Met | aat Asn | ggt Gly | ctg Leu 275 | Leu | ccc Pro | aac Asn | ctt Leu | 929 |
| P | gcg Ala 280 | cag Gln | gat Asp | gct Ala | gcc Ala | aac Asn 285 | Gly | gcc Ala | ggc | atg Met | tca Ser 290 | gcg Ala | agc Ser | gtg Val | gtg Val | tcc Ser 295 | 977 |
| | | | | | | Pro | | | | | | ttg Leu | | | | | 1025 |
| | | | | | Leu | | | | | Gly | | aag Lys | | | | | 1073 |
| | | | | | | | | | | | | gga Gly | | | | | 1121 |
| | | | | | | | | | | | | atc Ile 355 | | | | | 1169 |
| G | | | | | | | | | | | | ctc Leu | | | | | 1217 |
| | | | | | | | | | | | | ctg Leu | | | | | 1265 |
| | | | | | | | | | | | | ttc Phe | | | | | 1313 |
| | | Val | | | | | Ser | | Asn | | | gga Gly | | | | | 1361 |
| | et | | | | | | | | | | | ttc Phe 435 | | | | | 1409 |
| Le | | | | | | | | | | | | gtg Val | | | | | 1457 |
| | | | | | | | caa Gln | | | | taaa | tcca | ca a | actg | aact | a | 1507 |

agg 1510

<210> 258

<211> 465

<212> PRT

<213> Corynebacterium glutamicum

<400> 258

Met Ile Ala Leu Leu Val Ala Val Phe Ala Phe Gln Leu Asn Ala Ser 1 5 10 15

Met Leu Ala Pro Ala Leu Ala Thr Met Glu Thr Glu Leu Asn Ala Thr 20 25 30

Ala Ala Gln Ile Gly Met Thr Gln Thr Ala Phe Phe Thr Ala Ala Ala 35 40 45

Leu Phe Ser Leu Phe Leu Pro Arg Trp Gly Asp Leu Ile Gly Arg Arg 50 55 60

Lys Val Leu Val Gly Met Met Ile Val Thr Gly Ile Gly Cys Val Val 65 70 75 80

Ala Ala Phe Ala Pro Asn Val Thr Ile Leu Phe Leu Gly Arg Leu Ile 85 90 95

Gln Gly Val Ala Gly Pro Thr Val Pro Leu Cys Leu Ile Ile Leu Arg 100 105 110

Gln Gln Val Thr Asn Glu Lys Gln Tyr Ala Leu Leu Gly Ile Val 115 120 125

Thr Ser Val Asn Gly Gly Ile Gly Gly Val Asp Ala Leu Ala Gly Gly 130 135 140

Trp Leu Ala Glu Thr Leu Gly Phe Arg Ser Ile Phe Trp Val Met Ala 145 150 155 160

Ala Phe Cys Ala Val Ala Ala Leu Ala Leu Pro Phe Ser Val Lys Glu 165 170 175

Ser Thr Ala Glu Glu Thr Pro Lys Met Asp Trp Leu Gly Val Leu Pro 180 185 190

Leu Ala Val Ser Ile Gly Ser Leu Leu Met Ala Phe Asn Glu Ala Gly 195 200 205

Lys Leu Gly Ala Ala Asn Trp Ile Leu Val Val Val Leu Phe Ile Ile 210 215 220

Gly Ile Ala Gly Val Ile Phe Phe Tyr Asn Ile Glu Lys Arg Val Lys 225 230 235 240

His Pro Leu Val Ser Val Glu Tyr Leu Gly Gln Arg Arg Thr Trp Ala 245 250 255

Leu Leu Ser Thr Leu Leu Thr Met Thr Gly Val Phe Ala Val Met Asn Gly Leu Leu Pro Asn Leu Ala Gln Asp Ala Ala Asn Gly Ala Gly 280 Met Ser Ala Ser Val Val Ser Trp Trp Thr Leu Thr Pro Tyr Ala Leu Ala Gly Leu Val Phe Gly Pro Ile Ala Gly Ile Leu Ala Gly Lys Phe Gly Tyr Lys Ile Val Leu Gln Ile Gly Ile Ala Ala Thr Ile Ile Gly Val Ala Gly Ala Thr Phe Leu Val Gly Ser Thr Ser His Leu Ala Tyr Leu Gly Ile Ser Ile Phe Val Gly Ile Thr Tyr Ala Gly Ile Ala Asn 360 Ile Met Leu Asn Gly Leu Gly Ile Val Leu Ser Pro Ala Asn Asn Gln 375 Gly Tyr Leu Pro Gly Met Asn Ala Gly Ala Phe Asn Leu Gly Ala Gly 390 385 395 Ile Ser Phe Ala Ile Leu Phe Ala Val Ser Thr Ala Phe Ser Asp Asn Gly Gly Gly Tyr Ala Ala Gly Met Trp Ala Gly Val Ile Ile Leu Val Leu Ala Phe Leu Cys Ser Leu Leu Ile Pro Arg Pro Glu Ser Ile Thr 440 Asp Thr Val Ala Ala Lys Val Gln Ala Glu Glu Ala Ala Gln Ala Ala 455 Ser 465 <210> 259 <211> 1470 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1447) <223> RXA02087 <400> 259 aatcggattc atgctgtgtg gtgtgatcag tttgctggct gcggtcgcat ggatcttcgg 60

| ccg | ggag | acg | ctgo | caac | gg c | gaaa | igtcg | ia go | aggt | ataa | - | _ | | att Ile | | 115 |
|------------|-------------------|------------|------------|------------|------------|-------------------|------------|------------|------------|------------|-------------------|------------|------------|-------------------|------------|-----|
| | | | | | Lys | | | | | Leu | | | | ctg Leu 20 | | 163 |
| | | | | Asp | | | | | | | | | | aag Lys | | 211 |
| | | | Leu | | | | | Asn | | | | | | tca Ser | | 259 |
| | | | | | | | Val | | | | | | | cgc Arg | | 307 |
| | | | | | | | | | | | | | | gct Ala | | 355 |
| | | | | | | | | | | | | | | gaa Glu 100 | | 403 |
| _ | | - | _ | _ | | | _ | | _ | | | | | ctt Leu | | 451 |
| _ | - | | _ | _ | | | | - | | | - | | _ | cgt Arg | | 499 |
| gga Gly | gcc Ala 135 | gcc Ala | acc Thr | ggg Gly | gtg Val | tgg Trp 140 | agt Ser | gct Ala | gtt Val | gcc Ala | tca Ser 145 | tca Ser | gct Ala | gga Gly | ctt Leu | 547 |
| | | | _ | | | | _ | _ | | | | | - | tgg Trp | | 595 |
| _ | | | _ | _ | | | _ | | | _ | | | | ttt Phe 180 | _ | 643 |
| | | | | | | | | | | | | | | atc Ile | | 691 |
| | | | | | | | | | | | | | | gtt Val | | 739 |
| gcc | ttg | cag | cag | ggg | сса | gaa | ctt | ggg | tgg | gga | aca | ctg | att | tgg | gtg | 787 |

| Ala | Leu 215 | Gln | Gln | Gly | Pro | Glu 220 | Leu | Gly | Trp | Gly | Thr 225 | Leu | Ile | Trp | Val | |
|-------------------|------------|------------|-------------------|-------------------|-------------------|------------|------------|-------------------|-------------------|-------------------|-------------------|------------|-------------------|-------------------|-------------------|------|
| | | | | | | | | | | | ttt Phe | | | | | 835 |
| | | | | | Pro | | | | | | att Ile | | | | | 883 |
| | | | | | | | | | | | ctg Leu | | | | | 931 |
| | | | | | | | | | | | caa Gln | | | | | 979 |
| | | | | | | | | | | | ccg Pro 305 | | | | | 1027 |
| | | | | | | | | | | | gtg Val | | | | | 1075 |
| | | | | | | | | | | | ctg Leu | | | | | 1123 |
| | | | | | | | | | | | tcg Ser | | | | | 1171 |
| | | | | | | | | | | | gcg Ala | | | | | 1219 |
| _ | | | | | _ | _ | _ | _ | _ | _ | cag Gln 385 | _ | | | | 1267 |
| tct Ser 390 | gct Ala | tct Ser | ggt Gly | ttt Phe | tac Tyr 395 | aac Asn | acc Thr | tca Ser | cgc Arg | cag Gln 400 | gtg Val | ggc Gly | gct Ala | gtt Val | ttg Leu 405 | 1315 |
| ggc Gly | gcc Ala | gct Ala | acc Thr | ttg Leu 410 | ggc Gly | gct Ala | gtg Val | atg Met | caa Gln 415 | ata Ile | gga Gly | gtg Val | ggc Gly | acg Thr 420 | gtg Val | 1363 |
| tcc Ser | ttc Phe | ggt Gly | gtt Val 425 | gcc Ala | atg Met | ggt Gly | gcg Ala | gca Ala 430 | atc Ile | ctg Leu | gtg Val | aca Thr | ctc Leu 435 | gtg Val | ccc Pro | 1411 |
| tta Leu | atc Ile | ttt Phe | ggg Gly | ttc Phe | cta Leu | gcg Ala | gta Val | acc Thr | caa Gln | ttt Phe | aga Arg | tagt | tgct | cc | | 1457 |

....

440 445

gattttctca cga 1470

<210> 260

<211> 449

<212> PRT

<213> Corynebacterium glutamicum

<400> 260

Met Thr Pro Ile Val Glu Ser Arg Ala Trp Lys Ala Leu Gly Ala Leu 1 5 10 15

Ser Val Gly Leu Phe Leu Thr Leu Leu Asp Gln Ser Leu Val Ala Val 20 25 30

Ala Leu Pro Lys Ile Gln Glu Asp Leu Gly Ala Ser Leu Asn Gln Ala 35 40 45

Val Trp Val Ser Ala Val Tyr Leu Leu Thr Phe Ala Val Pro Leu Leu
50 60

Ile Thr Gly Arg Leu Gly Asp Arg Tyr Gly Gln Arg Asn Ile Tyr Leu 65 70 75 80

Ala Gly Met Ala Val Phe Thr Leu Ala Ala Leu Ala Cys Val Phe Ala 85 90 95

Pro Ser Ile Glu Trp Leu Ile Ala Ala Arg Ala Val Gln Gly Leu Gly 100 105 110

Gly Ser Leu Leu Asn Pro Gln Pro Leu Ser Ile Ile His Lys Ile Phe 115 120 125

Ala His Asp Arg Arg Gly Ala Ala Thr Gly Val Trp Ser Ala Val Ala 130 135 140

Ser Ser Ala Gly Leu Phe Gly Pro Val Ile Gly Gly Val Leu Val Gly 145 150 155 160

Trp Ile Ser Trp Arg Ala Val Phe Leu Val Tyr Val Pro Leu Gly Leu 165 170 175

Ile Ser Leu Phe Met Val Ala Arg Tyr Val Pro Lys Leu Pro Thr Gly 180 185 190

Thr Ser Lys Ile Asp Trp Leu Ser Gly Ala Val Ser Leu Val Ala Val 195 200 205

Leu Gly Val Val Leu Ala Leu Gln Gln Gly Pro Glu Leu Gly Trp Gly 210 220

Thr Leu Ile Trp Val Ser Leu Ala Val Gly Ile Ala Ala Ala Val Leu 225 230 235 240

Phe Ile Trp Met Gln Thr Arg Ser Lys Ala Pro Leu Met Pro Leu Arg

245 · 250 255

Ile Phe Lys Thr Arg Asn Phe Ala Ile Gly Ala Phe Ser Ile Phe Ser 260 265 270

Leu Gly Phe Thr Val Tyr Ser Val Asn Leu Pro Ile Met Leu Tyr Leu 275 280 285

Gln Thr Ala Gln Gly Met Ser Ser Gln Leu Ala Gly Leu Met Leu Val 290 295 300

Pro Met Gly Ile Ile Ser Val Val Met Ser Pro Val Ile Gly Arg Leu 305 310 315 320

Val Asp Arg Leu Ala Pro Gly Met Ile Ser Lys Ile Gly Phe Gly Ala 325 330 335

Leu Ile Phe Ser Met Ala Leu Met Ala Val Phe Met Ile Ala Asn Leu 340 345 350

Ser Pro Trp Trp Leu Leu Ile Pro Ile Ile Leu Phe Gly Ser Ser Asn 355 360 365

Ala Met Ser Phe Ala Pro Asn Ser Val Ile Ala Leu Arg Asp Val Pro 370 375 380

Gln Asp Leu Val Gly Ser Ala Ser Gly Phe Tyr Asn Thr Ser Arg Gln 385 390 395 400

Val Gly Ala Val Leu Gly Ala Ala Thr Leu Gly Ala Val Met Gln Ile 405 410 415

Gly Val Gly Thr Val Ser Phe Gly Val Ala Met Gly Ala Ala Ile Leu 420 425 430

Val Thr Leu Val Pro Leu Ile Phe Gly Phe Leu Ala Val Thr Gln Phe
435 440 445

Arg

<210> 261

<211> 1338

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1315)

<223> RXA02088

<400> 261

agagcaccca agcgacattg ttcgataata tgttctatta ttggtattaa tactggtcag 60

ctagatataa aaggggcgca gggctagcct tgggtgtgaa atg tta act caa aaa 115 Met Leu Thr Gln Lys

total market and a contract and

ata gaa tta gag gct aaa cca aaa atc cca gag gag atc tgg gtg ctg 163 Ile Glu Leu Glu Ala Lys Pro Lys Ile Pro Glu Glu Ile Trp Val Leu 10 gtt gtg gct gcg ttt att att gcg ctg ggc tat ggc ctg att gcg ccg 211 Val Val Ala Ala Phe Ile Ile Ala Leu Gly Tyr Gly Leu Ile Ala Pro 25 att ttg cca cag ttt gtg gtc ggt ttt gat gta agt ttt gca gct gcc 259 Ile Leu Pro Gln Phe Val Val Gly Phe Asp Val Ser Phe Ala Ala Ala 40 307 agt gcg gtg gtg tcc atc ttt gcg ggc gcc cgg ttg ttg ttt gcg ccg Ser Ala Val Val Ser Ile Phe Ala Gly Ala Arg Leu Leu Phe Ala Pro 55 atg tcg ggg agt ttg atc gat aag atc ggt tcc cgt cgt gtg tat ctc 355 Met Ser Gly Ser Leu Ile Asp Lys Ile Gly Ser Arg Arg Val Tyr Leu act ggt tta ctc acc gtg gct atc acc acg ggg ctt gtt gcg ttg gcg 403 Thr Gly Leu Leu Thr Val Ala Ile Thr Thr Gly Leu Val Ala Leu Ala 90 95 100 cag gaa tac tgg cag att ctg ctg ctt cgt ggc atc gca ggt att ggt Gln Glu Tyr Trp Gln Ile Leu Leu Leu Arg Gly Ile Ala Gly Ile Gly 105 110 tcc acc atg ttt acg gtc tct gcc atg ggc ctg atc gtg aag atg gcg 499 Ser Thr Met Phe Thr Val Ser Ala Met Gly Leu Ile Val Lys Met Ala 120 ccg gtg gag atc cgc ggg cgg tgt tcg tcg gta tat gcc agt tcg ttc 547 Pro Val Glu Ile Arg Gly Arg Cys Ser Ser Val Tyr Ala Ser Ser Phe 135 ctg ttt ggc aat att att ggc ccg gtt gtg ggt gct gcg atg tcc ggt Leu Phe Gly Asn Ile Ile Gly Pro Val Val Gly Ala Ala Met Ser Gly 165 150 155 ttg ggc atg cgg tgg ccg ttc gcg att tat ggt gct tcc gtt ggc tta 643 Leu Gly Met Arg Trp Pro Phe Ala Ile Tyr Gly Ala Ser Val Gly Leu 170 175 gct gca ctt gtt gtg tgg tgg cgg atg ccg aaa acc aac gat tca ctt 691 Ala Ala Leu Val Val Trp Trp Arg Met Pro Lys Thr Asn Asp Ser Leu 190 185 739 cqq aaq qct gat agc aat agt gtg ccg gcg ttg cgc ttt gct gag gca Arg Lys Ala Asp Ser Asn Ser Val Pro Ala Leu Arg Phe Ala Glu Ala 205 200 att aag gat tot goo tac ogo tog gog ttg ttt agt got ttt goo aat 787 Ile Lys Asp Ser Ala Tyr Arg Ser Ala Leu Phe Ser Ala Phe Ala Asn 220 215

| ggt Gly 230 | tgg Trp | tcg Ser | aac Asn | ttt Phe | ggt Gly 235 | gtg Val | cgt Arg | gtg Val | gcg Ala | gtt Val 240 | ctt Leu | cca Pro | ctg Leu | ttt Phe | gcc Ala 245 | 835 |
|-------------------|-------------------|------------|-------------------|------------|-------------------|-------------------|------------|------------|------------|-------------------|-------------------|------------|------------|------------|-------------------|------|
| | | | ttt Phe | | | | | | | | | | | | | 883 |
| | | | gct Ala 265 | | | | | | | | | | | | | 931 |
| | | | att Ile | | | | | | | | | | | | | 979 |
| aat Asn | gca Ala 295 | gtg Val | ttc Phe | acg Thr | gca Ala | atg Met 300 | atc Ile | gga Gly | ttc Phe | ggc Gly | aca Thr 305 | gaa Glu | gtg Val | tgg Trp | atc Ile | 1027 |
| ctg Leu 310 | atc Ile | acg Thr | gta Val | tct Ser | gcg Ala 315 | ttg Leu | gca Ala | ggt Gly | gct Ala | ggt Gly 320 | gcg Ala | ggc Gly | ttg Leu | ctt Leu | aat Asn 325 | 1075 |
| | | | cag Gln | | | | | | | | | | | | | 1123 |
| | | | tta Leu 345 | | | | | | | | | | | | | 1171 |
| | | | att Ile | | | | | | | | | | | | | 1219 |
| atc Ile | gga Gly 375 | ttc Phe | atg Met | ctg Leu | tgt Cys | ggt Gly 380 | gtg Val | atc Ile | agt Ser | ttg Leu | ctg Leu 385 | gct Ala | gcg Ala | gtc Val | gca Ala | 1267 |
| tgg Trp 390 | atc Ile | ttc Phe | ggc Gly | cgg Arg | gag Glu 395 | acg Thr | ctg Leu | cca Pro | acg Thr | gcg Ala 400 | aaa Lys | gtc Val | gag Glu | cag Gln | gta Val 405 | 1315 |
| taaa | tgac | gc c | aatt | gtgg | a gt | С | | | | | | | | | | 1338 |

<210> 262

<211> 405

<212> PRT

<213> Corynebacterium glutamicum

<400> 262

Met Leu Thr Gln Lys Ile Glu Leu Glu Ala Lys Pro Lys Ile Pro Glu 1 5 10 15

Glu Ile Trp Val Leu Val Val Ala Ala Phe Ile Ile Ala Leu Gly Tyr Gly Leu Ile Ala Pro Ile Leu Pro Gln Phe Val Val Gly Phe Asp Val Ser Phe Ala Ala Ala Ser Ala Val Val Ser Ile Phe Ala Gly Ala Arg Leu Leu Phe Ala Pro Met Ser Gly Ser Leu Ile Asp Lys Ile Gly Ser Arg Arg Val Tyr Leu Thr Gly Leu Leu Thr Val Ala Ile Thr Thr Gly Leu Val Ala Leu Ala Gln Glu Tyr Trp Gln Ile Leu Leu Leu Arg Gly Ile Ala Gly Ile Gly Ser Thr Met Phe Thr Val Ser Ala Met Gly Leu Ile Val Lys Met Ala Pro Val Glu Ile Arg Gly Arg Cys Ser Ser Val 140 Tyr Ala Ser Ser Phe Leu Phe Gly Asn Ile Ile Gly Pro Val Val Gly 150 Ala Ala Met Ser Gly Leu Gly Met Arg Trp Pro Phe Ala Ile Tyr Gly 170 Ala Ser Val Gly Leu Ala Ala Leu Val Val Trp Trp Arg Met Pro Lys Thr Asn Asp Ser Leu Arg Lys Ala Asp Ser Asn Ser Val Pro Ala Leu Arg Phe Ala Glu Ala Ile Lys Asp Ser Ala Tyr Arg Ser Ala Leu Phe

Ser Ala Phe Ala Asn Gly Trp Ser Asn Phe Gly Val Arg Val Ala Val

Leu Pro Leu Phe Ala Ala Ala Ala Phe Ser Asn Gly Gly Ala Ile Ala 245 250

Gly Phe Ala Met Ala Ala Phe Ala Ala Gly Asn Ala Leu Cys Leu Gln

Phe Ala Gly Asp Leu Ser Asp Arg Ile Gly Arg Lys Pro Met Ile Ile

Ser Gly Leu Ile Val Asn Ala Val Phe Thr Ala Met Ile Gly Phe Gly

Thr Glu Val Trp Ile Leu Ile Thr Val Ser Ala Leu Ala Gly Ala Gly

363

Ala Gly Leu Leu Asn Pro Ser Gln Gln Ala Val Leu Ala Asp Val Ile Asp Ser Arg Pro Gly Gly Lys Val Leu Ala Asn Phe Gln Met Ala Gln Asp Phe Gly Ala Ile Val Gly Pro Ile Leu Val Gly Met Ile Ala Glu Gln Ala Gly Phe Gln Ile Gly Phe Met Leu Cys Gly Val Ile Ser Leu Leu Ala Ala Val Ala Trp Ile Phe Gly Arg Glu Thr Leu Pro Thr Ala 395 Lys Val Glu Gln Val <210> 263 <211> 1239 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1216) <223> RXA00764 <400> 263 tactgcgtcg gatccgctga tgcttgcaga atcggacagt gatgggccgt ctgcgcctgc 60 acctgggacg actggattat taggggtgga attttcgctc atg aca ctc aag act Met Thr Leu Lys Thr age gtt ttg gca cta ctc tta gat aac gtg cat gtt ctt ctg att gcg Ser Val Leu Ala Leu Leu Leu Asp Asn Val His Val Leu Leu Ile Ala 10 aat cct gag tcg acc acg cag acg cag aaa ctt ttc cgt cgt gtg gtg Asn Pro Glu Ser Thr Thr Gln Thr Gln Lys Leu Phe Arg Arg Val Val 25 30 259 cct gcg ttg atg gcg ctt gat ggt gtg tcg ctt gaa gcg agg ttt acg Pro Ala Leu Met Ala Leu Asp Gly Val Ser Leu Glu Ala Arg Phe Thr 40 cac tat gga ggc cat gcg gag gaa atg gtt gcg ggt ttg acg gtg gat His Tyr Gly Gly His Ala Glu Glu Met Val Ala Gly Leu Thr Val Asp 55 60 gat ttt gat gtg att atc ccc gcg ggt ggg gac ggc acc gtc aac gaa Asp Phe Asp Val Ile Ile Pro Ala Gly Gly Asp Gly Thr Val Asn Glu 70 gtg ata aat ggg tta ctt ggg tcg gcg gaa ggt gat ttt aga aac ctt

| Val | . Ile | Asn | Gly | / Let | | Gly | ' Ser | Ala | Glu 95 | | Asp | Phe | Arg | Asn 100 | Leu | |
|-------------------|-------------------|------------|-------------------|------------|-------------------|-------------------|------------|-------------------|------------|-------------------|-------------------|------------|-------------------|------------|-------------------|------|
| | | | | Ala | | | | ttg Leu 110 | Pro | | | | | | | 451 |
| | | | Ala | | | | | act Thr | | | | | Āla | | | 499 |
| gcc Ala | ctg Leu 135 | Val | gag Glu | ttg Leu | att Ile | cgg Arg 140 | Lys | aac Asn | cac His | acc Thr | aga Arg 145 | Thr | atc Ile | acc Thr | ttg Leu | 547 |
| ggt Gly 150 | Thr | tgg Trp | aag Lys | ggt Gly | gat Asp 155 | gat Asp | cag Gln | ggg Gly | act Thr | cgt Arg 160 | Trp | ttc Phe | gcg Ala | gtt Val | aat Asn 165 | 595 |
| | | | | | | | | gtt Val | | | | | | | | 643 |
| | | | | | | | | ccg Pro 190 | | | | | | | | 691 |
| | | | | | | | | att Ile | | | | | | | | 739 |
| | | | | | | | | aaa Lys | | | | | | | | 787 |
| | | | | | | | | ccg Pro | | | | | | | | 835 |
| | | | | | Pro | | | tct Ser | | | | | | | | 883 |
| ttt Phe | ggc Gly | ttg Leu | act Thr 265 | agt Ser | gtg Val | cga Arg | gga Gly | ttc Phe 270 | ggg Gly | gga Gly | gtg Val | gca Ala | gcg Ala 275 | atg Met | atg Met | 931 |
| | | | | | | | | cgg Arg | | | | | | | | 979 |
| | | | | | Phe | | | gcg Ala | | | | | | | | 1027 |
| gac Asp | | | | | | | | | | | | | | | | 1075 |

310 315 320 325 aca aag gtg gtg ttg gaa tca atc act gat gcg gtg cga gtg tat gcg 1123 Thr Lys Val Val Leu Glu Ser Ile Thr Asp Ala Val Arg Val Tyr Ala ccg aag acg cat ccg aca ccg ccg atc atg aat tgg gct gtc cat ttg 1171 Pro Lys Thr His Pro Thr Pro Pro Ile Met Asn Trp Ala Val His Leu ttt aag cac gtc cgt gat ttc ctc cgg gtg cgc acg ttt ggc atc 1216 Phe Lys His Val Arg Asp Phe Leu Arg Val Arg Thr Phe Gly Ile taggattcat cggagttttc ttc 1239 <210> 264 <211> 372 <212> PRT <213> Corynebacterium glutamicum <400> 264 Met Thr Leu Lys Thr Ser Val Leu Ala Leu Leu Leu Asp Asn Val His Val Leu Leu Ile Ala Asn Pro Glu Ser Thr Thr Gln Thr Gln Lys Leu Phe Arg Arg Val Val Pro Ala Leu Met Ala Leu Asp Gly Val Ser Leu 35 Glu Ala Arg Phe Thr His Tyr Gly Gly His Ala Glu Glu Met Val Ala Gly Leu Thr Val Asp Asp Phe Asp Val Ile Ile Pro Ala Gly Gly Asp Gly Thr Val Asn Glu Val Ile Asn Gly Leu Leu Gly Ser Ala Glu Gly Asp Phe Arg Asn Leu Glu Asp Leu Pro Ala Ile Ala Val Leu Pro Thr Gly Ser Ala Asn Val Phe Ala Arg Ala Leu Gly Tyr Pro Thr Asp Pro 120 Tyr Ala Ala Ala Asp Ala Leu Val Glu Leu Ile Arg Lys Asn His Thr 135 Arg Thr Ile Thr Leu Gly Thr Trp Lys Gly Asp Asp Gln Gly Thr Arg 150 155 Trp Phe Ala Val Asn Ala Gly Phe Gly Ile Asp Ala Asp Val Ile Ala 165 Arg Val Glu Arg Ala Arg Ser Phe Gly Phe Ala Ala Ser Pro Leu Leu

180 185 190

Tyr Leu Gln Val Ser Leu Arg Ala Trp Val Lys Thr Gln Ile Lys Pro 195 200 205

Pro Lys Ile Thr Val Glu Ala Val Asp Ser Lys Gly His Lys Leu Gln 210 215 220

Lys Glu Glu Val Pro Met Leu Leu Ala Ser Asn Thr Asn Pro Trp Thr 225 230 235 240

Phe Leu Gly Pro Leu Pro Val Val Thr Asn Pro Gln Asn Ser Phe Asp 245 250 255

Thr Gly Leu Gly Leu Phe Gly Leu Thr Ser Val Arg Gly Phe Gly Gly 260 265 270

Val Ala Ala Met Met His Leu Ile Gly Val Gly His Gly Arg Lys Leu 275 280 285

Glu Lys Leu Ile Ala Lys Arg Thr Ile Ala Phe Asp Asp Ala Glu Lys 290 295 300

Val Thr Leu Thr Cys Asp Ser Asp Gln Arg Phe Gln Val Asp Gly Glu 305 310 315 320

Tyr Glu Gly Lys Pro Thr Lys Val Val Leu Glu Ser Ile Thr Asp Ala 325 330 335

Val Arg Val Tyr Ala Pro Lys Thr His Pro Thr Pro Pro Ile Met Asn 340 345 350

Trp Ala Val His Leu Phe Lys His Val Arg Asp Phe Leu Arg Val Arg 355 360 365

Thr Phe Gly Ile 370

<210> 265

<211> 271

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(271)

<223> RXN03125

<400> 265

.

tgacaccggc gcgacgtatg gcattactgg cgtcacccca atttacgatg acatctctgc 60

tegectegge gacgteetgg tteettaegt tetgategtt ttg gtt eta geg tte 115
Leu Val Leu Ala Phe
1 5

ctc gtg ctg ttg ctc gtg ttc cgg tcc att tgg gtc cca ttg atc gcg 163

Leu Val Leu Leu Val Phe Arg Ser Ile Trp Val Pro Leu Ile Ala get etg gge tit gge tig tea git etg get ace tit ggit get ace gig 211 Ala Leu Gly Phe Gly Leu Ser Val Leu Ala Thr Phe Gly Ala Thr Val gcg atc ttc caa gaa ggt gct ttc ggc atc atc gac gat cct cag cca 259 Ala Ile Phe Gln Glu Gly Ala Phe Gly Ile Ile Asp Asp Pro Gln Pro 45 ctg ctg tgc ttc 271 Leu Leu Cys Phe 55 <210> 266 <211> 57 <212> PRT <213> Corynebacterium glutamicum <400> 266 Leu Val Leu Ala Phe Leu Val Leu Leu Val Phe Arg Ser Ile Trp Val Pro Leu Ile Ala Ala Leu Gly Phe Gly Leu Ser Val Leu Ala Thr Phe Gly Ala Thr Val Ala Ile Phe Gln Glu Gly Ala Phe Gly Ile Ile Asp Asp Pro Gln Pro Leu Leu Cys Phe <210> 267 <211> 1443 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1420) <223> RXN01553 <400> 267 atgatgatgt cctcagcaag tccaagcgcc aagccatgct qqaaacaatt ctcqagctga 60 taccaagcca gacttaaatt tctaccttaa agtcttgagc atg act gtt cag gaa Met Thr Val Gln Glu tte gae ege geg acc aaa eee aca aaa eee eea att gtt tet tgg 163 Phe Asp Arg Ala Thr Lys Pro Thr Pro Lys Pro Pro Ile Val Ser Trp 10 15 gcg ttt tgg gat tgg ggt tcc gcc tct ttc aac gcg gtc ctc gtg acc

.. 6 -- --

| Ala | Phe | Trp | Asp 25 | | Gly | Ser | Ala | Ser 30 | Phe | Asn | Ala | Val | Leu 35 | Val | Thr | |
|-------------------|-------------------|-------------------|-------------------|------------|-------------------|-------------------|-------------------|-------------------|------------|-------------------|-------------------|-------------------|-------------------|------------|-------------------|-----|
| | | | | | tat Tyr | | | | | | | | | | | 259 |
| | | | | | aca Thr | | | | | | | | | | | 307 |
| | | | | | gtt Val 75 | | | | | | | | | | | 355 |
| | | | | | cgc Arg | | | | | | | | | | | 403 |
| gtg Val | ttc Phe | ttg Leu | atg Met 105 | ttt Phe | tgt Cys | ctc Leu | ttt Phe | aca Thr 110 | gta Val | aag Lys | aac Asn | act Thr | gat Asp 115 | ccc Pro | aca Thr | 451 |
| ttt Phe | ttc Phe | tgg Trp 120 | ttt Phe | ggt Gly | gta Val | gcc Ala | atc Ile 125 | atg Met | gcg Ala | atc Ile | gcc Ala | aac Asn 130 | atc Ile | acc Thr | ttt Phe | 499 |
| gag Glu | ttc Phe 135 | gct Ala | gaa Glu | gtt Val | cag Gln | tac Tyr 140 | tat Tyr | gcg Ala | cag Gln | ctc Leu | tcc Ser 145 | caa Gln | atc Ile | tcg Ser | acc Thr | 547 |
| ege Arg 150 | gaa Glu | aac Asn | gtg Val | ggc Gly | cga Arg 155 | gtt Val | tct Ser | ggt Gly | ttc Phe | ggc Gly 160 | tgg Trp | tcc Ser | atg Met | ggt Gly | tac Tyr 165 | 595 |
| | | | | | cta Leu | | | | | | | | | | | 643 |
| ggt Gly | gat Asp | ggc Gly | gat Asp 185 | acc Thr | cgc Arg | gga Gly | ttc Phe | cta Leu 190 | aac Asn | ctg Leu | ccc Pro | atc Ile | gaa Glu 195 | gac Asp | Gly | 691 |
| atg Met | aat Asn | atc Ile 200 | cgc Arg | ctc Leu | gtc Val | gca Ala | gtg Val 205 | ctt Leu | gca Ala | gcc Ala | gtt Val | tgg Trp 210 | ttc Phe | ttg Leu | gtc Val | 739 |
| tct Ser | gcg Ala 215 | att Ile | ccg Pro | gca Ala | ctt Leu | ctt Leu 220 | cga Arg | gtc Val | cca Pro | gaa Glu | att Ile 225 | gag Glu | gca Ala | cag Gln | gta Val | 787 |
| gct Ala 230 | gcc Ala | gaa Glu | gac Asp | cac His | ccc Pro 235 | aaa Lys | ggc Gly | ctc Leu | ata Ile | gct Ala 240 | gcc Ala | tac Tyr | aag Lys | gat Asp | ctc Leu 245 | 835 |
| ttt Phe | Gly ggg | cag Gln | atc Ile | gct Ala | gag Glu | ctg Leu | tgg Trp | aaa Lys | caa Gln | gac Asp | cgc Arg | aac Asn | tcc Ser | gtg Val | tat Tyr | 883 |

- ده مم الصور <u>بنست وصد فست با با بند</u> با بندا با با با ده ده ده ال

250 255 260

| ttc Phe | ctc Leu | ato Ile | gca Ala 265 | Ala | act Thr | gtt Val | ttc Phe | cgt Arg 270 | Asp | gga Gly | ctc Leu | gcc Ala | gga Gly 275 | gta Val | ttt Phe | 931 |
|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|------|
| acc Thr | ttc Phe | ggt Gly 280 | Ala | atc Ile | ctt Leu | gcg Ala | gtc Val 285 | tct Ser | gtg Val | tac Tyr | gga Gly | cta Leu 290 | tct Ser | gcc Ala | ggt Gly | 979 |
| gat Asp | gtc Val 295 | Leu | ctc Leu | ttc Phe | ggt Gly | gtc Val 300 | gca Ala | gcc Ala | aac Asn | gtg Val | gtc Val 305 | tct Ser | gcg Ala | ttg Leu | gga Gly | 1027 |
| gca Ala 310 | Leu | ctc Leu | gga Gly | gga Gly | ttc Phe 315 | cta Leu | gac Asp | gat Asp | cgc Arg | gtc Val 320 | ggg Gly | cca Pro | aaa Lys | ccc Pro | atc Ile 325 | 1075 |
| atc Ile | ttg Leu | att Ile | tct Ser | ctt Leu 330 | gcc Ala | atc Ile | atg Met | atc Ile | gcc Ala 335 | gat Asp | gct Ala | gca Ala | att Ile | ctc Leu 340 | ttc Phe | 1123 |
| ttc Phe | gtt Val | gaa Glu | ggc Gly 345 | ccc Pro | act Thr | aat Asn | ttc Phe | tgg Trp 350 | atc Ile | ttc Phe | gga Gly | tta Leu | atc Ile 355 | ctc Leu | tgt Cys | 1171 |
| gcg Ala | ttt Phe | gtg Val 360 | gga Gly | cct Pro | gca Ala | cag Gln | tca Ser 365 | gcg Ala | tcg Ser | aga Arg | agc Ser | tat Tyr 370 | tta Leu | aca Thr | cgt Arg | 1219 |
| ctt Leu | tcc Ser 375 | cca Pro | gat Asp | ggc Gly | cag Gln | gaa Glu 380 | ggc Gly | cag Gln | ctc Leu | ttc Phe | ggc Gly 385 | ctt Leu | tat Tyr | gcc Ala | act Thr | 1267 |
| acc Thr 390 | ggc Gly | cgt Arg | gcc Ala | gtg Val | agt Ser 395 | tgg Trp | atg Met | gtg Val | ccg Pro | tcg Ser 400 | ctg Leu | ttt Phe | ggt Gly | gta Val | ttt Phe 405 | 1315 |
| gtg Val | ggg Gly | ctc Leu | acc Thr | ggc Gly 410 | gat Asp | gac Asp | cgc Arg | act Thr | ggt Gly 415 | att Ile | ttg Leu | gcc Ala | atc Ile | gcg Ala 420 | ctg Leu | 1363 |
| att Ile | ctg Leu | cta Leu | ttc Phe 425 | ggt Gly | att Ile | gtg Val | ctg Leu | ctg Leu 430 | agc Ser | atg Met | gtg Val | aag Lys | cca Pro 435 | ccg Pro | cac His | 1411 |
| | gtg Val | | taga | caaa | gc g | ccca | caag | g at | t | | | | | | | 1443 |
| 4010 | | • | | | | | | | | | | | | | | |

<210> 268

<211> 440

<212> PRT

<213> Corynebacterium glutamicum

<400> 268

Met Thr Val Gln Glu Phe Asp Arg Ala Thr Lys Pro Thr Pro Lys Pro 1 5 10 15

- Pro Ile Val Ser Trp Ala Phe Trp Asp Trp Gly Ser Ala Ser Phe Asn 20 25 30
- Ala Val Leu Val Thr Phe Ile Phe Ser Val Tyr Leu Thr Asp Ser Val 35 40 45
- Gly Ala Thr Leu Pro Glu Gly Ser Asn Ala Thr Ser Leu Tyr Ser Met 50 55 60
- Ala Val Ala Ile Ala Gly Val Ile Val Ala Val Val Ala Pro Val Met 65 70 75 80
- Gly Arg Arg Ser Asp Ile Lys Gly Thr Arg Arg Arg Ser Leu Arg Met 85 90 95
- Trp Thr Leu Val Thr Val Phe Leu Met Phe Cys Leu Phe Thr Val Lys 100 105 110
- Asn Thr Asp Pro Thr Phe Phe Trp Phe Gly Val Ala Ile Met Ala Ile 115 120 125
- Ala Asn Ile Thr Phe Glu Phe Ala Glu Val Gin Tyr Tyr Ala Gln Leu 130 135 140
- Ser Gln Ile Ser Thr Arg Glu Asn Val Gly Arg Val Ser Gly Phe Gly 145 150 155 160
- Trp Ser Met Gly Tyr Phe Gly Gly Ile Val Leu Leu Val Cys Tyr
 165 170 175
- Leu Gly Phe Val Ala Gly Asp Gly Asp Thr Arg Gly Phe Leu Asn Leu 180 185 190
- Pro Ile Glu Asp Gly Met Asn Ile Arg Leu Val Ala Val Leu Ala Ala 195 200 205
- Val Trp Phe Leu Val Ser Ala Ile Pro Ala Leu Leu Arg Val Pro Glu 210 215 220
- Ile Glu Ala Gln Val Ala Ala Glu Asp His Pro Lys Gly Leu Ile Ala 225 230 235 240
- Ala Tyr Lys Asp Leu Phe Gly Gln Ile Ala Glu Leu Trp Lys Gln Asp 245 250 255
- Arg Asn Ser Val Tyr Phe Leu Ile Ala Ala Thr Val Phe Arg Asp Gly 260 265 270
- Leu Ala Gly Val Phe Thr Phe Gly Ala Ile Leu Ala Val Ser Val Tyr 275 280 285
- Gly Leu Ser Ala Gly Asp Val Leu Leu Phe Gly Val Ala Ala Asn Val 290 295 300

Val Ser Ala Leu Gly Ala Leu Leu Gly Gly Phe Leu Asp Asp Arg Val Gly Pro Lys Pro Ile Ile Leu Ile Ser Leu Ala Ile Met Ile Ala Asp Ala Ala Ile Leu Phe Phe Val Glu Gly Pro Thr Asn Phe Trp Ile Phe Gly Leu Ile Leu Cys Ala Phe Val Gly Pro Ala Gln Ser Ala Ser Arg Ser Tyr Leu Thr Arg Leu Ser Pro Asp Gly Gln Glu Gly Gln Leu Phe Gly Leu Tyr Ala Thr Thr Gly Arg Ala Val Ser Trp Met Val Pro Ser 390 385 395 Leu Phe Gly Val Phe Val Gly Leu Thr Gly Asp Asp Arg Thr Gly Ile Leu Ala Ile Ala Leu Ile Leu Leu Phe Gly Ile Val Leu Leu Ser Met Val Lys Pro Pro His Lys Val Lys <210> 269 <211> 840 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(817) <223> RXN00535 <400> 269 aatcgcatgg ggcaccgtgg tcagacaccg gatcgcgctc cgcaccccaa aagatggctc 60 cctaaggagc tcacctttac tcaatgctct gatgacaccg atg tgg tgg gca ggc 115 Met Trp Trp Ala Gly atg agt acc gcg atg ctg gca tat ttc tta caa aca gta gca ctt ggt 163 Met Ser Thr Ala Met Leu Ala Tyr Phe Leu Gln Thr Val Ala Leu Gly 10 tte ggc acc ctc ttg gta gtg caa cca gtg ctt gtc ctg tcg ctg atg 211 Phe Gly Thr Leu Leu Val Val Gln Pro Val Leu Val Leu Ser Leu Met . 25 259 ttc acg ctg ccg ctc tca gca cga ttc aat ggc tac cga cta cgc cga Phe Thr Leu Pro Leu Ser Ala Arg Phe Asn Gly Tyr Arg Leu Arg Arg 45

| | V | V O 01 | /0080 | 4 | | | | | | | | | | | | PCT/IB00 | /00922 |
|------------|-------------------|---------------|------------|------------|------------|-------------------|------------|------------|------------|------------|-------------------|------------|------------|------------|------------|----------|--------|
| | _ | | | | - | | | | | _ | gcc Ala 65 | | | | _ | 307 | |
| | | | | | | | | | | | cac His | | | | | 355 | |
| _ | | | | - | | | - | | _ | _ | gta Val | _ | | | _ | 403 | |
| | | | | | | | | | | | aaa Lys | | | | | 451 | |
| | | - | _ | | _ | _ | | | | - | gca Ala | | _ | | | 499 | |
| - | | | _ | | | _ | | | | | acg Thr 145 | | | | _ | 547 | |
| | | - | | | | | | | | - | tta Leu | | | | | 595 | |
| | | | | | | | | | | | caa Gln | | | | | 643 | |
| _ | _ | | | _ | _ | | | _ | _ | | agt Ser | _ | | | _ | 691 | |
| | | | | | | | | | | | gaa Glu | | | | | 739 | |
| ggc Gly | atc Ile 215 | gca Ala | cta Leu | ctg Leu | gtg Val | atg Met 220 | att Ile | gtt Val | tcc Ser | acc Thr | att Ile 225 | gca Ala | ctg Leu | tct Ser | cgt Arg | 787 | |
| | | | atg Met | | | | | | | taaa | acto | ca a | agtt | cccc | ec | 837 | |
| cga | | | | | | | | | | | | | | | | 840 | |
| | > 27 | | | | | | | | | | | | | | | | |

<211> 239 <212> PRT <213> Corynebacterium glutamicum

<400> 270

..__ _ .

Met Trp Trp Ala Gly Met Ser Thr Ala Met Leu Ala Tyr Phe Leu Gln
1 5 10 15

Thr Val Ala Leu Gly Phe Gly Thr Leu Leu Val Val Gln Pro Val Leu 20 25 30

Val Leu Ser Leu Met Phe Thr Leu Pro Leu Ser Ala Arg Phe Asn Gly 35 40 45

Tyr Arg Leu Arg Arg Thr Glu Ile Phe Trp Ala Thr Leu Leu Thr Val 50 55 60

Ala Val Gly Ile Met Ile Val Leu Gly Arg Pro Leu Pro Gly Asn Pro 65 70 75 80

His Pro Pro Leu Asp Arg Trp Ile Pro Val Leu Val Gly Val Ala 85 90 95

Val Met Gly Gly Met Trp Leu Leu Ala Glu Tyr Val Leu Lys Lys Asp 100 105 110

Lys Ala Leu Ile Leu Gly Leu Val Thr Gly Ala Leu Phe Gly Tyr Val 115 120 125

Ala Val Met Ser Lys Ala Ala Val Asp Leu Phe Val His Gln Gly Ile 130 135 140

Thr Gly Leu Ile Leu Asn Trp Glu Gly Tyr Gly Leu Ile Leu Thr Ala 145 150 155 160

Leu Leu Gly Thr Ile Val Gln Gln Tyr Ser Phe Asn Ala Gly Glu Leu 165 170 175

Gln Lys Ser Leu Pro Ala Met Thr Ile Ala Glu Pro Ile Val Ala Phe 180 185 190

Ser Leu Gly Tyr Leu Val Leu Gly Glu Lys Phe Gln Val Val Asp Trp 195 200 205

Glu Trp Ile Ala Met Gly Ile Ala Leu Leu Val Met Ile Val Ser Thr 210 215 220

Ile Ala Leu Ser Arg Thr Ser Thr Met Pro Ala Gly Ser Lys Arg 225 230 235

<210> 271

<211> 2472

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(2449)

<223> RXN00453

<400> 271

tagtggggcg tgaaaaaata gctcatttaa gaggagaagc aaccccgtgg cgaaattgct 60 attcaggttg gggcgatggt cctataatcg caagtggatt gtg att tcg gca tgg 115 Val Ile Ser Ala Trp cta ctt att ttg gcc att gtt ggt ggt ctg gcc ctg acg atg cag aag 163 Leu Leu Ile Leu Ala Ile Val Gly Gly Leu Ala Leu Thr Met Gln Lys 10 ggg ttc agt aac tct ttc act att gaa gac acc cct tcg att gat gcc 211 Gly Phe Ser Asn Ser Phe Thr Ile Glu Asp Thr Pro Ser Ile Asp Ala 25 act gtt tct ctg gtt gaa aat ttc cct gat cag acg aac ccg gtg acg 259 Thr Val Ser Leu Val Glu Asn Phe Pro Asp Gln Thr Asn Pro Val Thr 40 gcc gcc gga gtt aac gtg gtt ttc caa tcc ccg gaa gga acc acg ctt 307 Ala Ala Gly Val Asn Val Val Phe Gln Ser Pro Glu Gly Thr Thr Leu 55 60 gat gat cct cag atg atg act gcg atg gat gca gtc gtt gat tac att 355 Asp Asp Pro Gln Met Met Thr Ala Met Asp Ala Val Asp Tyr Ile 70 gag gac aat ttg cct gat ttt ggt ggg gga gag cgc ttc ggc aat cct 403 Glu Asp Asn Leu Pro Asp Phe Gly Gly Glu Arg Phe Gly Asn Pro 90 95 gtt gag gtg tct cct gcg ttg gaa gag atg gtc atc gag cag atg acc 451 Val Glu Val Ser Pro Ala Leu Glu Glu Met Val Ile Glu Gln Met Thr 105 110 age atg ggg ctt cct gag gaa ace get gea aag gat get gee aat etg 499 Ser Met Gly Leu Pro Glu Glu Thr Ala Ala Lys Asp Ala Ala Asn Leu 120 125 130 gcg gtg ttg agc gaa gac aaa acc att ggc tac acc tct ttc aac att 547 Ala Val Leu Ser Glu Asp Lys Thr Ile Gly Tyr Thr Ser Phe Asn Ile 135 140 gat gtt gag gcc gca gaa tat gtg gag caa aaa cac cgc gat gtg atc 595 Asp Val Glu Ala Ala Glu Tyr Val Glu Gln Lys His Arg Asp Val Ile 150 aac qaa qcq atq caa atc qqt qaa qat tta qqt qtc cqq qtq qaa qcc 643 Asn Glu Ala Met Gln Ile Gly Glu Asp Leu Gly Val Arg Val Glu Ala 170 691 ggt gga cct gct ttc ggt gat cca att cag att gaa acc acc agt gag Gly Gly Pro Ala Phe Gly Asp Pro Ile Gln Ile Glu Thr Thr Ser Glu 185 190 atc atc ggt att ggc atc gcg ttc atc gtg ttg att ttc acc ttt ggt 739 Ile Ile Gly Ile Gly Ile Ala Phe Ile Val Leu Ile Phe Thr Phe Gly 200 205 210

| tct Ser | ttg Leu 215 | Ile | gct Ala | gca Ala | ggc | ttg Leu 220 | Pro | ttg Leu | att Ile | acc Thr | gcg Ala 225 | Val | atc Ile | ggc Gly | gtg Val | 787 |
|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|------|
| ggc Gly 230 | Ile | ggt Gly | gcg Ala | ctg Leu | gca Ala 235 | Ile | gtg Val | ctg Leu | gcc Ala | Thr 240 | Ala | ttt Phe | act Thr | gat Asp | ctc Leu 245 | 835 |
| aac Asn | aat Asn | gtg Val | act Thr | cca Pro 250 | gtg Val | ctc Leu | gca Ala | gtg Val | atg Met 255 | Ile | ggc Gly | ctg Leu | gcc Ala | gtg Val 260 | ggc Gly | 883 |
| att Ile | gac Asp | tac Tyr | gcg Ala 265 | ctg Leu | ttt Phe | att Ile | ttg Leu | tct Ser 270 | agg Arg | tac Tyr | cgt Arg | gcg Ala | gag Glu 275 | tat Tyr | aag Lys | 931 |
| cgc Arg | atg Met | cca Pro 280 | Arg | gcc Ala | gat Asp | gct Ala | gcc Ala 285 | gga Gly | atg Met | gcg Ala | gtg Val | ggc Gly 290 | aca Thr | gct Ala | ggt Gly | 979 |
| | | | | | gct Ala | | | | | | | | | | | 1027 |
| | | | | | atc Ile 315 | | | | | | | | | | | 1075 |
| | | | | | gtg Val | | | | | | | | | | | 1123 |
| | | | | | ttt Phe | | | | | | | | | | | 1171 |
| Gly | Ile | Gly 360 | Gly | Asn | cca Pro | Thr | Pro 365 | Lys | Gln | Thr | Trp | Glu 370 | Gln | Ala | Leu | 1219 |
| | Arg | Arg | Ser | Lys | ggt Gly | Arg | Ser | Trp | Val | Lys | | | | | | 1267 |
| ccg Pro 390 | ggt Gl∙y | ctt Leu | gtg Val | gtg Val | gca Ala 395 | gtg Val | gtg Val | gtc Val | ttg Leu | ggt Gly 400 | ctt Leu | ggt Gly | gcc Ala | ttg Leu | acc Thr 405 | 1315 |
| | | | | | ctg Leu | | | Ser | | | | | | | | 1363 |
| | | | | | cag Gln | | Gln | | | | | | | | | 1411 |

| | | | | | | gcg Ala | | | | | | | | | | 1459 |
|-------------------|------------|------------|------------|------------|-------------------|-------------------|------------|------------|------------|-------------------|------------|------------|------------|------------|-------------------|------|
| | _ | | _ | _ | | acc Thr 460 | - | _ | _ | | _ | | | - | - | 1507 |
| | | | | | | ttc Phe | | | | | | | | | | 1555 |
| | | _ | | - | | cag Gln | | | | | | | - | | - | 1603 |
| | | | | | | gtc Val | | | | | | | | | | 1651 |
| | | | | | | gga Gly | | | | | | | | | | 1699 |
| | | | | | | cag Gln 540 | | | | | | | | | | 1747 |
| | | | | | | Gly | | | | | | | | | | 1795 |
| | | | | | | atg Met | | | | | | | | | | 1843 |
| | | | | | | att Ile | | | | | | | | | | 1891 |
| | | | | | | ttc Phe | | | | | | | | | | 1939 |
| | | | | | | cag Gln 620 | | | | | | | | | | 1987 |
| cct Pro 630 | ggt Gly | ccg Pro | ctg Leu | att Ile | tcc Ser 635 | ttc Phe | atg Met | ccg Pro | atc Ile | ttc Phe 640 | ctc Leu | atc Ile | ggc Gly | gtg Val | acc Thr 645 | 2035 |
| | | | | | | tat Tyr | | | | | | | | | | 2083 |
| gag | cac | tac | acc | cac | cac | aat | ggc | aag | gga | cag | cct | ggt | tcc | aag | tac | 2131 |

| Glu | His | Tyr | Thr 665 | | His | Asn | Gly | Lys 670 | | Glr | Pro | Gly | Ser 675 | Lys | Tyr | |
|-------------------|----------------------------------|-------------------|------------|-------------------|-------------------|-------------------|-------------------|------------|-------------------|-------------------|-------------------|-------------------|------------|-------------------|-------------------|------|
| acc Thr | ccg Pro | gtt Val 680 | gag Glu | caç Glr | g tca Ser | gtg Val | att Ile 685 | Glu | ggc | tto Phe | acg Thr | cag Gln 690 | Gly | tcc Ser | cgc Arg | 2179 |
| gtg Val | gtt Val 695 | Thr | gca Ala | gcg | gca Ala | ctg Leu 700 | Ile | atg Met | att | gcc Ala | gtg Val 705 | Phe | gtg Val | gcg Ala | ttt Phe | 2227 |
| att Ile 710 | Asp | cag Gln | ccg Pro | ttg Leu | cca Pro 715 | ttt Phe | att | aag Lys | atc | ttc Phe 720 | Gly | ttc Phe | gcg Ala | ttg Leu | ggt Gly 725 | 2275 |
| gcg Ala | ggc Gly | gtg Val | ttt Phe | ttc Phe 730 | Asp | gct Ala | ttc Phe | ttc Phe | att Ile 735 | Arg | atg Met | ggt Gly | ctg Leu | gtc Val 740 | ccc Pro | 2323 |
| | | | | | | | | | | | | | | aag Lys | | 2371 |
| ctg Leu | gat Asp | cga Arg 760 | att Ile | ctg Leu | cca Pro | agt Ser | ttg Leu 765 | gac Asp | att Ile | gaa Glu | ggc Gly | acc Thr 770 | gca Ala | ctg Leu | gag Glu | 2419 |
| | | tgg Trp | | | - | _ | _ | - | _ | tag | actt | ggc (| acct | atgt | ca | 2469 |
| gat | | | | | | | | | | | | | | | | 2472 |
| <21: | 0> 2' 1> 71 2> P1 3> Co | 83 | ebact | eri: | ım g] | utan | nicum | n | | | | | | | | |
| |)> 2 Ile | | Ala | Trp | Leu | Leu | Ile | Leu | Ala | Ile | Val | Glv | Glv | Leu | Ala | |
| 1 | | | | 5 | | | | | 10 | | ,,, | 017 | 01, | 15 | | |
| Leu | Thr | Met | Gln 20 | Lys | Gly | Phe | Ser | Asn 25 | Ser | Phe | Thr | Ile | Glu 30 | Asp | Thr | |
| Pro | Ser | Ile 35 | Asp | Ala | Thr | Val | Ser 40 | Leu | Val | Glu | Asn | Phe 45 | Pro | Asp | Gln | |
| Thr | Asn 50 | Pro | Val | Thr | Ala | Ala 55 | Gly | Val | Asn | Val | Val 60 | Phe | Gln | Ser | Pro | |
| Glu 65 | Gly | Thr | Thr | Leu | Asp 70 | Asp | Pro | Gln | Met | Met 75 | Thr | Ala | Met | Asp | Ala 80 | |
| Val | Val | Asp | Tyr | Ile 85 | Glu . | Asp | Asn | Leu | Pro 90 | Asp | Phe | Gly | Gly | Gly 95 | Glu | |

Arg Phe Gly Asn Pro Val Glu Val Ser Pro Ala Leu Glu Glu Met Val Ile Glu Gln Met Thr Ser Met Gly Leu Pro Glu Glu Thr Ala Ala Lys 120 Asp Ala Ala Asn Leu Ala Val Leu Ser Glu Asp Lys Thr Ile Gly Tyr Thr Ser Phe Asn Ile Asp Val Glu Ala Ala Glu Tyr Val Glu Gln Lys His Arg Asp Val Ile Asn Glu Ala Met Gln Ile Gly Glu Asp Leu Gly 165 170 Val Arg Val Glu Ala Gly Gly Pro Ala Phe Gly Asp Pro Ile Gln Ile Glu Thr Thr Ser Glu Ile Ile Gly Ile Gly Ile Ala Phe Ile Val Leu 200 205 Ile Phe Thr Phe Gly Ser Leu Ile Ala Ala Gly Leu Pro Leu Ile Thr Ala Val Ile Gly Val Gly Ile Gly Ala Leu Ala Ile Val Leu Ala Thr Ala Phe Thr Asp Leu Asn Asn Val Thr Pro Val Leu Ala Val Met Ile 250 Gly Leu Ala Val Gly Ile Asp Tyr Ala Leu Phe Ile Leu Ser Arg Tyr Arg Ala Glu Tyr Lys Arg Met Pro Arg Ala Asp Ala Ala Gly Met Ala 280 Val Gly Thr Ala Gly Ser Ala Val Phe Ala Gly Ala Thr Val Ile 295 Ile Ala Leu Val Ala Leu Ile Ile Ala Asp Ile Gly Phe Leu Thr Ala 310 315

Met Gly Ile Ser Ala Ala Phe Thr Val Phe Val Ala Val Leu Ile Ala 325 330 335

Leu Thr Phe Ile Pro Ala Leu Leu Gly Val Phe Gly Gly His Ala Phe 340 345 350

Lys Gly Lys Ile Pro Gly Ile Gly Gly Asn Pro Thr Pro Lys Gln Thr 355 360 365

Trp Glu Gln Ala Leu Asn Arg Arg Ser Lys Gly Arg Ser Trp Val Lys 370 375 380

Leu Val Gln Lys Ala Pro Gly Leu Val Val Ala Val Val Leu Gly 385 390 395 400

Leu Gly Ala Leu Thr Ile Pro Ala Met Asn Leu Gln Leu Ser Leu Pro 405 410 415

Ser Asp Ser Thr Ser Asn Ile Asp Thr Thr Gln Arg Gln Ser Ala Asp 420 425 430

Leu Met Ala Glu Gly Phe Gly Ala Gly Val Asn Ala Pro Phe Leu Val 435 440 445

Ile Val Asp Thr His Glu Val Asn Ala Asp Ser Thr Ala Leu Gln Pro 450 455 460

Leu Ile Glu Ala Gln Glu Pro Glu Glu Gly Glu Phe Asp Arg Glu Gln 465 470 475 480

Ala Ala Arg Phe Ala Thr Tyr Met Tyr Val Thr Gln Thr Tyr Asn Ser 485 490 495

Asn Ile Asp Val Lys Asn Ala Gln Ile Ile Ser Val Asn Asp Asp Phe 500 505 510

Thr Ala Ala Gln Ile Leu Val Thr Pro Tyr Thr Gly Pro Ala Asp Lys 515 520 525

Glu Thr Pro Glu Leu Met His Val Leu Arg Ala Gln Glu Ala Gln Ile 530 535 540

Glu Asp Val Thr Gly Thr Glu Leu Gly Thr Thr Gly Phe Thr Ala Val 545 550 555

Gln Leu Asp Ile Thr Glu Gln Leu Glu Asp Ala Met Pro Val Tyr Leu 565 570 575

Ala Val Val Gly Leu Ala Ile Phe Leu Leu Ile Leu Val Phe Arg 580 585 590

Ser Leu Leu Val Pro Leu Val Ala Gly Leu Gly Phe Leu Leu Ser Val 595 600 605

Gly Ala Ala Phe Gly Ala Thr Val Leu Val Trp Gln Glu Gly Phe Gly 610 620

Gly Phe Val Asn Thr Pro Gly Pro Leu Ile Ser Phe Met Pro Ile Phe 625 630 635 . 640

Leu Ile Gly Val Thr Phe Gly Leu Ala Met Asp Tyr Gln Val Phe Leu 645 650 655

Val Thr Arg Met Arg Glu His Tyr Thr His His Asn Gly Lys Gly Gln 660 665 670

Pro Gly Ser Lys Tyr Thr Pro Val Glu Gln Ser Val Ile Glu Gly Phe 675 680 685

Thr Gln Gly Ser Arg Val Val Thr Ala Ala Ala Leu Ile Met Ile Ala 690 695 700

| 705 | e Val | Ala | Phe | Ile 710 | Asp | Gln | Pro | Leu | Pro 715 | Phe | Ile | Lys | Ile | Phe 720 | |
|---|---|--|--|--|--|--|--|--|--|---|--|--|--|---|---|
| Gly Pho | e Ala | Leu | Gly 725 | Ala | Gly | Val | Phe | Phe 730 | Asp | Ala | Phe | Phe | Ile 735 | Arg | |
| Met Gl | y Leu | Val 740 | Pro | Ala | Ser | Met | Phe 745 | Leu | Met | Gly | Lys | Ala 750 | Thr | Trp | |
| Trp Me | Pro 755 | - | Trp | Leu | Asp | Arg 760 | Ile | Leu | Pro | Ser | Leu 765 | Asp | Ile | Glu | |
| Gly The | | Leu | Glu | Lys | Glu 775 | Trp | Glu | Glu | Lys | Gln 780 | Ala | Ala | Arg | | |
| <210> 2 <211> 3 <212> 1 <213> 0 <220> | 597 DNA Coryn | ebact | teri | um g] | utan | nicum | a | | | | | | | | |
| <221> (<222> <223> I | (101) | | 74) | | | | | | | | | | | | |
| <400> 2 cccaatt | | ttato | gcact | t co | ıgtga | ıggtt | act | caca | aaaq | agta | igcat | gc a | aaago | ccagc | 60 |
| | | | | | | | | | - | - | • | | | | |
| aataago | jtga ' | tgtti | caad | eg at | tago | gttad | | | | atg | acg | cca | | aaa | 115 |
| aataagg ctt cac Leu His | cgt | ttt | gca | gcc | ctt | tta | ggt gaa | aggç atg | ggcc ggt | atg Met 1 | acg Thr | cca Pro | cag Gln ctg | aaa Lys 5 ctg | |
| ctt cad | cgt Arg | ttt Phe | gca Ala 10 | gcc Ala tta | ctt Leu aaa | tta Leu tac | gaa Glu agt | atg Met 15 | ggcc ggt Gly gtg | atg Met 1 acc Thr | acg Thr tgg Trp | cca Pro acc Thr | cag Gln ctg Leu 20 | aaa Lys 5 ctg Leu | 115 |
| ctt cac Leu His | cgt Arg ggc Gly | ttt Phe atg Met 25 | gca Ala 10 atc Ile | gcc Ala tta Leu | ctt Leu aaa Lys | tta Leu tac Tyr | gaa Glu agt Ser 30 | atg Met 15 gga Gly | ggt ggt Gly gtg Val | atg Met 1 acc Thr aca Thr | acg Thr tgg Trp gac Asp | cca Pro acc Thr gcc Ala 35 | cag Gln ctg Leu 20 gta Val | aaa Lys 5 ctg Leu acc Thr | 115 163 |
| ctt cac Leu His atc atc Ile Ile | c cgt Arg c ggc Gly gcc Ala 40 | ttt Phe atg Met 25 ggc Gly | gca Ala 10 atc Ile ggt Gly | gcc Ala tta Leu atc Ile | ctt Leu aaa Lys cac His | tta Leu tac Tyr ggc Gly 45 | gaa Glu agt Ser 30 ttt Phe | atg Met 15 gga Gly ggc Gly | ggt Gly gtg Val ttc Phe | atg Met 1 acc Thr aca Thr ctc Leu | acg Thr tgg Trp gac Asp tgt Cys 50 | cca Pro acc Thr gcc Ala 35 ttt Phe | cag Gln ctg Leu 20 gta Val gca Ala | aaa Lys 5 ctg Leu acc Thr gcc Ala | 115 163 211 |
| ctt cac Leu His atc atc Ile Ile cct att Pro Ile atc acc Ile Thr | c cgt Arg c ggc Gly gcc Ala 40 atc | ttt Phe atg Met 25 ggc Gly acc Thr | gca Ala 10 atc Ile ggt Gly gtg Val | gcc Ala tta Leu atc Ile tgg Trp | ctt Leu aaa Lys cac His atc Ile 60 | tta Leu tac Tyr ggc Gly 45 aat Asn | gaa Glu agt Ser 30 ttt Phe aat Asn | atg Met 15 gga Gly ggc Gly aag Lys | ggt Gly gtg Val ttc Phe tgg Trp | atg Met 1 acc Thr aca Thr ctc Leu aca Thr 65 | acg Thr tgg Trp gac Asp tgt Cys 50 ttc Phe | cca Pro acc Thr gcc Ala 35 ttt Phe ccg Pro | cag Gln ctg Leu 20 gta Val gca Ala cag Gln | aaa Lys 5 ctg Leu acc Thr gcc Ala ggt Gly | 115163211259 |

| | | | | | aag Lys | | | | | | | | | | | 451 |
|------------|----------------------------------|------------|------------|-----------|-------------------|------------|------------|------------|-----------|------------|------------|------------|------------|-----------|-----------|-----|
| | _ | _ | Arg | | cca Pro | | _ | Ser | | | | - | _ | | | 499 |
| | _ | - | • | | tct Ser | | _ | _ | | _ | | | | | _ | 547 |
| | Asp | _ | | - | aac Asn 155 | | | - | | acaa | cag (| cctc | cttc | ac | | 594 |
| atg | | | | | | | | | | | | | | | | 597 |
| <21: | 0> 2° 1> 1! 2> Pi 3> Co | 58 RT | ebact | teri | um gi | lutar | nicu | m. | | | | | | | | |
| <400 | 0> 2 | 74 | | | | | | | | | | | | | | |
| Met 1 | Thr | Pro | Gln | Lys 5 | Leu | His | Arg | Phe | Ala 10 | Ala | Leu | Leu | Glu | Met 15 | Gly | |
| Thr | Trp | Thr | Leu 20 | Leu | Ile | Ile | Gly | Met 25 | Ile | Leu | Lys | Tyr | Ser 30 | Gly | Val | |
| Thr | Asp | Ala 35 | Val | Thr | Pro | Ile | Ala 40 | Gly | Gly | Ile | His | Gly 45 | Phe | Gly | Phe | |
| Leu | Cys 50 | Phe | Ala | Ala | Ile | Thr 55 | Ile | Thr | Val | Trp | Ile 60 | Asn | Asn | Lys | Trp | |
| Thr 65 | Phe | Pro | Gln | Gly | Ile 70 | Ala | Ġly | Leu | Ile | Val 75 | Ser | Val | Ile | Pro | Trp 80 | |
| Ala | Ala | Leu | Pro | Phe 85 | Ala | Leu | Trp | Ala | Asp 90 | Lys | Lys | Gly | Leu | Val 95 | Ala | |
| Gly | Gly | Trp | Arg 100 | Phe | Ser | Asp | Pro | Ser 105 | Glu | Lys | Pro | His | Thr 110 | Phe | Phe | |
| Asp | Lys | Ile 115 | Leu | Ala | Gln | Leu | Val 120 | Arg | His | Pro | Ile | Arg 125 | Ser | Ile | Leu | |
| Ile | Leu 130 | Leu | Val | Ile | Ile | Ala 135 | Val | Val | Phe | Ser | Ile 140 | Leu | Leu | Ala | Met | |
| Gly 145 | Pro | Pro | Tyr | Asp | Pro 150 | Asp | Ala | Ile | Ala | Asn 155 | Thr | Val | Asp | | | |

```
<210> 275
<211> 534
<212> DNA
<213> Corynebacterium glutamicum
<221> CDS
<222> (65)..(511)
<223> RXN03022
<400> 275
acgcctgtgt catccttttc attagagtgg agaaaagccc atacagaaag ttggcgcccg 60
ageagtg atc atc acc gct ggc atc ttg gta gcg acc gcg acc gcc ctc
    Val Ile Ile Thr Ala Gly Ile Leu Val Ala Thr Ala Thr Ala Leu
cta atg atc acc gcg gtc agc gag tca acg tac atc gtc atc tcc ctc
Leu Met Ile Thr Ala Val Ser Glu Ser Thr Tyr Ile Val Ile Ser Leu
gcc ggc ttc tcc ctt tat ggc ctt ggc ctc gga ctc ttc gcc acc cca
                                                                   205
Ala Gly Phe Ser Leu Tyr Gly Leu Gly Leu Gly Leu Phe Ala Thr Pro
                                  40
                                                                   253
gtc acc gat act gcg ctt gga aca ctt ccc aaa gac cgt acc ggc gct
Val Thr Asp Thr Ala Leu Gly Thr Leu Pro Lys Asp Arg Thr Gly Ala
                             55
         50
ggt gca ggt gta ttc aag atg tcc tct tcc ctc ggc gca gca ctc ggc
                                                                   301
Gly Ala Gly Val Phe Lys Met Ser Ser Ser Leu Gly Ala Ala Leu Gly
                                                                   349
ate qua ate tee act tea gtg tte etc gea ett ege gae gge ace tee
Ile Ala Ile Ser Thr Ser Val Phe Leu Ala Leu Arg Asp Gly Thr Ser
                     85
                                                                   397
atc aac tee gae gte gea ete gee gga aca gtt tea ett gge atc aac
Ile Asn Ser Asp Val Ala Leu Ala Gly Thr Val Ser Leu Gly Ile Asn
                                    105
gtt gta ttc gca gca aca gcc acc atc acc gca gca gtc ctt att cca
                                                                   445
Val Val Phe Ala Ala Thr Ala Thr Ile Thr Ala Ala Val Leu Ile Pro
                                120
aaa gcc gct ggc aaa gtc tca caa acc agc atc acc ctt cct gag cca
                                                                   493
Lys Ala Ala Gly Lys Val Ser Gln Thr Ser Ile Thr Leu Pro Glu Pro
                            135
                                                                   534
gct atc gct gta aaa atc taaaacttca ccaggacaga taa
Ala Ile Ala Val Lys Ile
    145
<210> 276
<211> 149
```

383

<212> PRT

<213> Corynebacterium glutamicum

<400> 276

Val Ile Ile Thr Ala Gly Ile Leu Val Ala Thr Ala Thr Ala Leu Leu 1 5 10 15

Met Ile Thr Ala Val Ser Glu Ser Thr Tyr Ile Val Ile Ser Leu Ala 20 25 30

Gly Phe Ser Leu Tyr Gly Leu Gly Leu Gly Leu Phe Ala Thr Pro Val 35 40 45

Thr Asp Thr Ala Leu Gly Thr Leu Pro Lys Asp Arg Thr Gly Ala Gly 50 55 60

Ala Gly Val Phe Lys Met Ser Ser Leu Gly Ala Ala Leu Gly Ile 65 70 75 80

Ala Ile Ser Thr Ser Val Phe Leu Ala Leu Arg Asp Gly Thr Ser Ile 85 90 95

Asn Ser Asp Val Ala Leu Ala Gly Thr Val Ser Leu Gly Ile Asn Val
100 105 110

Val Phe Ala Ala Thr Ala Thr Ile Thr Ala Ala Val Leu Ile Pro Lys 115 120 125

Ala Ala Gly Lys Val Ser Gln Thr Ser Ile Thr Leu Pro Glu Pro Ala 130 135 140

Ile Ala Val Lys Ile 145

<210> 277

<211> 586

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(586)

<223> RXN03151

<400> 277

ccgaacttqq agctttgctg ttggaggcag ccaaatagtc ccaatgtaaa cgcactgggt 60

agtatttgtt taaccatcca cctcaaggag taaaacgcac gtg ctt tcc cac atc 115

Val Leu Ser His Ile

1 5

att gat gtc ctc gcc gac ccg atc gat ggc acc cca ctt gta ggc gcc 163

Ile Asp Val Leu Ala Asp Pro Ile Asp Gly Thr Pro Leu Val Gly Ala

10 15 20

gaa gat ttc tca cgg ttg gtg tct gaa tct ggg cat tcc tac gat gtt 211 Glu Asp Phe Ser Arg Leu Val Ser Glu Ser Gly His Ser Tyr Asp Val

25 . 30 35

| _ | cgt Arg | | | | _ | | _ | _ | | | - | | _ | _ | 259 |
|---|-------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|-----|
| | ggc Gly 55 | _ | _ | _ | _ | _ | | | _ | | - | | | | 307 |
| | ggt Gly | | | - | | | | - | - | - | | | | - | 355 |
| | gtc Val | | | | | | | | | | | | | | 403 |
| | gaa Glu | | | | | | | | | | | | | | 451 |
| | gtt Val | | | | | | | | | | | | | | 499 |
| | aag Lys 135 | | | | | | | | | | | | | | 547 |
| | gca Ala | | - | - | _ | - | | - | - | | | - | | | 586 |

<210> 278

<211> 162

<212> PRT

<213> Corynebacterium glutamicum

<400> 278

Val Leu Ser His Ile Ile Asp Val Leu Ala Asp Pro Ile Asp Gly Thr 1 5 10 15

Pro Leu Val Gly Ala Glu Asp Phe Ser Arg Leu Val Ser Glu Ser Gly 20 25 30

His Ser Tyr Asp Val Ala Arg Gln Gly Tyr Val Thr Leu Ala Gly Gly 40 45

Ala Gly Leu Arg Tyr Ser Gly Asp Asp Ala Gln Met Ile Ala Asp Arg 50 55 60

Glu Thr Phe Leu Ser Gly Gly His Phe Ala Pro Phe Val Glu Ala Val 65 70 75 80

Thr Glu His Val Gln Asp Val Val Asp Gln Ala Gly Leu Ser Asp Asp

85 90 95

Ala Gln Pro Val Val Cys Glu Ile Gly Ala Gly Thr Gly Tyr Tyr Leu
100 105 110

Ser His Thr Leu Asp Ser Val Ala Gly Ser Arg Gly Ile Gly Ile Asp 115 120 125

Val Ser Val His Ala Ala Lys Arg Leu Ala Lys Cys His Pro Arg Val 130 135 140

Gly Ala Val Ile Ala Asn Ala Trp Ala Arg Leu Pro Ile Ala Asp Asn 145 150 155 160

Ser Ser

<210> 279

<211> 543

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (1)..(543)

<223> RXN02832

<400> 279

cgc ggg cca gtg atg gat tat aca aat caa tca tta gta gca ttt ttc 48 Arg Gly Pro Val Met Asp Tyr Thr Asn Gln Ser Leu Val Ala Phe Phe 1 5 10

ttt aaa gca tta acg tca tat tta aag aaa cac aat tgt tta tat gtc 96 Phe Lys Ala Leu Thr Ser Tyr Leu Lys Lys His Asn Cys Leu Tyr Val 20 25 30

ctt gta gat cca tat tta att gaa aat tta cgc aat gca gac ggt gaa 144 Leu Val Asp Pro Tyr Leu Ile Glu Asn Leu Arg Asn Ala Asp Gly Glu

att gtt aaa tct tat gat aac cga gca ttt gtt aga aca atg gat aaa 192 Ile Val Lys Ser Tyr Asp Asn Arg Ala Phe Val Arg Thr Met Asp Lys

tta ggt tat aaa cac caa ggt ttc cct gta ggt tat gat tca atg agc 240 Leu Gly Tyr Lys His Gln Gly Phe Pro Val Gly Tyr Asp Ser Met Ser 65 70 75 80

caa atc cgt tgg ctg tca gtg tta gat tta aaa gat aag act gaa gac 288 Gln Ile Arg Trp Leu Ser Val Leu Asp Leu Lys Asp Lys Thr Glu Asp 85 90 95

caa ctt tta aaa gaa atg gat tat caa acg aga cgt aat att aaa aaa $\,$ 336 Gln Leu Leu Lys Glu Met Asp Tyr Gln Thr Arg Arg Asn Ile Lys Lys $\,$ 100 $\,$ 105 $\,$ 110

| | | _ | att Ile | | _ | | | - | | - | | - | - | _ | 384 |
|---|---|---|-------------------|---|---|---|---|---|---|---|---|---|---|---|-----|
| | | | ttc Phe | _ | | | _ | - | | - | _ | | | | 432 |
| | | _ | gag Glu | | | | - | - | - | | - | | | _ | 480 |
| _ | | - | atg Met | | _ | _ | | | - | | | | | | 528 |
| | _ | _ | caa Gln 180 | | | | | | | | | | | | 543 |

<210> 280

<211> 181

<212> PRT

<213> Corynebacterium glutamicum

<400> 280

Arg Gly Pro Val Met Asp Tyr Thr Asn Gln Ser Leu Val Ala Phe Phe 1 5 10 15

Phe Lys Ala Leu Thr Ser Tyr Leu Lys Lys His Asn Cys Leu Tyr Val 20 25 30

Leu Val Asp Pro Tyr Leu Ile Glu Asn Leu Arg Asn Ala Asp Gly Glu 35 40 45

Ile Val Lys Ser Tyr Asp Asn Arg Ala Phe Val Arg Thr Met Asp Lys 50 55 60

Leu Gly Tyr Lys His Gln Gly Phe Pro Val Gly Tyr Asp Ser Met Ser 65 70 75 80

Gln Ile Arg Trp Leu Ser Val Leu Asp Leu Lys Asp Lys Thr Glu Asp 85 90 95

Gln Leu Leu Lys Glu Met Asp Tyr Gln Thr Arg Arg Asn Ile Lys Lys 100 105 110

Thr Tyr Asp Ile Gly Val Lys Thr Lys Thr Leu Thr Ile Asp Glu Thr
115 120 125

Gln Thr Phe Phe Asp Leu Phe His Met Ala Glu Glu Lys His Gly Phe 130 135 140

Lys Phe Arg Glu Leu Pro Tyr Phe Glu Glu Met Gln Lys Leu Tyr Asp 145 150 155

Asp His Ala Met Leu Lys Leu Ala Tyr Ile Asp Leu Asn Glu Tyr Leu 165 170 175

Lys Thr Leu Gln Leu 180

<210> 281 <211> 1539 <212> DNA <213> Corynebacterium glutamicum <220>

<221> CDS <222> (101)..(1516) <223> RXN00165

<400> 281
aaacctcccc gggcccggcg cgcgaccgtc caagatgccg gcgttggatg ccaaattatg 60

gactctcaaa gtggcgttgt cgcagcggcc gtggagcttt gtg gcg tct gct ggc 115 Val Ala Ser Ala Gly 1 5

atg gcg gcg tct ttt atc tgc aat ggg tta acg cct gtg att gtg ggt 163 Met Ala Ala Ser Phe Ile Cys Asn Gly Leu Thr Pro Val Ile Val Gly 10 15 20

aag gcg gtg gat gag gct att ggc acg agc gat ctg cag cga ttg tgg 211 Lys Ala Val Asp Glu Ala Ile Gly Thr Ser Asp Leu Gln Arg Leu Trp 25 30 35

ttc tgg att gcc atg ttg gcg gtt ctt ttc tta acg gcg atg acg gtg 259
Phe Trp Ile Ala Met Leu Ala Val Leu Phe Leu Thr Ala Met Thr Val
40 45 50

aac tgg att gct cgg tac atg ttg gtg cgg agc cag cag ttg gtc agc 307 Asn Trp Ile Ala Arg Tyr Met Leu Val Arg Ser Gln Gln Leu Val Ser 55 60 65

cat gat ttg cgc atg ttg gtg act gat cgg att caa gat ccg cgt ggt 355 His Asp Leu Arg Met Leu Val Thr Asp Arg Ile Gln Asp Pro Arg Gly 70 75 80 85

ttt gct gga aaa gag cgc act gcg ggt gga ttg ttg tcg att gcg tca 403 Phe Ala Gly Lys Glu Arg Thr Ala Gly Gly Leu Leu Ser Ile Ala Ser

tcg gat acg cag cgg gtg ggc gat atc gtc atg atg acg gtg ttc ccg 451 Ser Asp Thr Gln Arg Val Gly Asp Ile Val Met Met Thr Val Phe Pro 105 110 115

gtg gcg gaa ttg gcg tcg att att tat ggc gcc gtg gtg atg tac agc 499
Val Ala Glu Leu Ala Ser Ile Ile Tyr Gly Ala Val Val Met Tyr Ser
120 125 130

att aat ccg tgg ttg agt gtg gct gtg ctg att ggt gga ccg ctg ctg 547

Ile Asn Pro Trp Leu Ser Val Ala Val Leu Ile Gly Gly Pro Leu Leu gtt gtg gtg gct att cag gtc tca aag ccg ttg cag aag cgt tcg ggt 595 Val Val Val Ala Ile Gln Val Ser Lys Pro Leu Gln Lys Arg Ser Gly 155 gct cgt cag cag gcg gtg gca cag gct gcg gct act gca act gat gtg 643 Ala Arg Gln Gln Ala Val Ala Gln Ala Ala Ala Thr Ala Thr Asp Val 170 gtg cag ggc ttg aga att ttg aag ggt ttg ggc gcg att gtc acg gtg 691 Val Gln Gly Leu Arg Ile Leu Lys Gly Leu Gly Ala Ile Val Thr Val 190 cgc cgt cgg tac gag gcg att tct ggt gag gct tat cgg aag acg gtt Arg Arg Arg Tyr Glu Ala Ile Ser Gly Glu Ala Tyr Arg Lys Thr Val cat gcg gat gct gcg gaa gct cgc ttg aat ggt gtc acc gat gcg gcg 787 His Ala Asp Ala Ala Glu Ala Arg Leu Asn Gly Val Thr Asp Ala Ala 220 ggc gcc atc ttt gtg tcc gcg ttg ggt att gga gca gga ttt ttg gcg 835 Gly Ala Ile Phe Val Ser Ala Leu Gly Ile Gly Ala Gly Phe Leu Ala 235 240 ctg caa ggt cag atg agt att ggt gat ttg atc acg gtt gtg gga ctc 883 Leu Gln Gly Gln Met Ser Ile Gly Asp Leu Ile Thr Val Val Gly Leu 255 aca cag ttt ttg atc atg ccg atg acc atg ctt ggt cga aat gtg gca 931 Thr Gln Phe Leu Ile Met Pro Met Thr Met Leu Gly Arg Asn Val Ala 270 tcg cgc tgg gca tcg gcg gag gcg tcg gca aag cgt att agg gga gtg 979 Ser Arg Trp Ala Ser Ala Glu Ala Ser Ala Lys Arg Ile Arg Gly Val 285 ctc ggt gct gat ttt gag aga gtg tct gcg cat gat gcg gac aag gct 1027 Leu Gly Ala Asp Phe Glu Arg Val Ser Ala His Asp Ala Asp Lys Ala 295 300 gag gag att atc caa caa ctt gcc aaa ggt ttg acg gtt att cga ggc 1075 Glu Glu Ile Ile Gln Gln Leu Ala Lys Gly Leu Thr Val Ile Arg Gly 315 act gat gag cag ctc gtt gag gta tta gag cag ttg cca cgt act cgg 1123 Thr Asp Glu Gln Leu Val Glu Val Leu Glu Gln Leu Pro Arg Thr Arg gtg att gtg gct cct cat gcg gcg gat ctt ttt gat caa agt gtc agg 1171 Val Ile Val Ala Pro His Ala Ala Asp Leu Phe Asp Gln Ser Val Arg 345 gac aat gtg cat ccc gtg gca gag gtc gcg gag aaa gcc att gaa gtt 1219 Asp Asn Val His Pro Val Ala Glu Val Ala Glu Lys Ala Ile Glu Val

360 365 370

gcc tcc tgt gac gat att cca ggt ggt agt tcc aag att gtg ggc gag 1267 Ala Ser Cys Asp Asp Ile Pro Gly Gly Ser Ser Lys Ile Val Gly Glu 375 ggt gga cgg ttg ctc tcg ggt ggt cag cgt cag cgc gtt gca ctg gct 1315 Gly Gly Arg Leu Leu Ser Gly Gly Gln Arg Gln Arg Val Ala Leu Ala 390 395 cgg gcg att gct ttt gat cca gag gtg ttg gtg ctt caa gat ccc aca 1363 Arg Ala Ile Ala Phe Asp Pro Glu Val Leu Val Leu Gln Asp Pro Thr 410 acg gca gtg gat tct gtg acg gag caa aac att gct cag caa gtg gca Thr Ala Val Asp Ser Val Thr Glu Gln Asn Ile Ala Gln Gln Val Ala 425 430 gca cac cgt gca gga aaa gtg acc att gtg ttt agt gag gca ccc gcg 1459 Ala His Arg Ala Gly Lys Val Thr Ile Val Phe Ser Glu Ala Pro Ala 440 445 tgg agt gcg gtg gct gat caa cac gtt gag gca gct gct ttg cgg gag 1507 Trp Ser Ala Val Ala Asp Gln His Val Glu Ala Ala Leu Arg Glu gtt atg aaa tgagtgggga gacgtcgaaa agc 1539 Val Met Lys 470

<210> 282

<211> 472

<212> PRT

<213> Corynebacterium glutamicum

<400> 282

Val Ala Ser Ala Gly Met Ala Ala Ser Phe Ile Cys Asn Gly Leu Thr 1 5 10 15

Pro Val Ile Val Gly Lys Ala Val Asp Glu Ala Ile Gly Thr Ser Asp 20 25 30

Leu Gln Arg Leu Trp Phe Trp Ile Ala Met Leu Ala Val Leu Phe Leu 35 40 45

Thr Ala Met Thr Val Asn Trp Ile Ala Arg Tyr Met Leu Val Arg Ser 50 55 60

Gln Gln Leu Val Ser His Asp Leu Arg Met Leu Val Thr Asp Arg Ile 65 70 75 80

Gln Asp Pro Arg Gly Phe Ala Gly Lys Glu Arg Thr Ala Gly Gly Leu 85 90 95

Leu Ser Ile Ala Ser Ser Asp Thr Gln Arg Val Gly Asp Ile Val Met 100 105 110

Met Thr Val Phe Pro Val Ala Glu Leu Ala Ser Ile Ile Tyr Gly Ala Val Val Met Tyr Ser Ile Asn Pro Trp Leu Ser Val Ala Val Leu Ile 135 Gly Gly Pro Leu Leu Val Val Val Ala Ile Gln Val Ser Lys Pro Leu Gln Lys Arg Ser Gly Ala Arg Gln Gln Ala Val Ala Gln Ala Ala Thr Ala Thr Asp Val Val Gln Gly Leu Arg Ile Leu Lys Gly Leu Gly Ala Ile Val Thr Val Arg Arg Tyr Glu Ala Ile Ser Gly Glu Ala Tyr Arg Lys Thr Val His Ala Asp Ala Ala Glu Ala Arg Leu Asn Gly Val Thr Asp Ala Ala Gly Ala Ile Phe Val Ser Ala Leu Gly Ile Gly 230 235 Ala Gly Phe Leu Ala Leu Gln Gly Gln Met Ser Ile Gly Asp Leu Ile Thr Val Val Gly Leu Thr Gln Phe Leu Ile Met Pro Met Thr Met Leu Gly Arg Asn Val Ala Ser Arg Trp Ala Ser Ala Glu Ala Ser Ala Lys 280 Arg Ile Arg Gly Val Leu Gly Ala Asp Phe Glu Arg Val Ser Ala His Asp Ala Asp Lys Ala Glu Glu Ile Ile Gln Gln Leu Ala Lys Gly Leu Thr Val Ile Arg Gly Thr Asp Glu Gln Leu Val Glu Val Leu Glu Gln 330 Leu Pro Arg Thr Arg Val Ile Val Ala Pro His Ala Ala Asp Leu Phe 345 340 Asp Gln Ser Val Arg Asp Asn Val His Pro Val Ala Glu Val Ala Glu 360 Lys Ala Ile Glu Val Ala Ser Cys Asp Asp Ile Pro Gly Gly Ser Ser Lys Ile Val Gly Glu Gly Gly Arg Leu Leu Ser Gly Gly Gln Arg Gln Arg Val Ala Leu Ala Arg Ala Ile Ala Phe Asp Pro Glu Val Leu Val

Leu Gln Asp Pro Thr Thr Ala Val Asp Ser Val Thr Glu Gln Asn Ile 425 Ala Gln Gln Val Ala Ala His Arg Ala Gly Lys Val Thr Ile Val Phe Ser Glu Ala Pro Ala Trp Ser Ala Val Ala Asp Gln His Val Glu Ala Ala Ala Leu Arg Glu Val Met Lys 470 <210> 283 <211> 1470 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)...(1447) <223> RXN01190 <400> 283 cagggttttg atgagaacaa cacacacgc ttcaagcatt ctgcgaagaa tgatcaggcg 60 gcagcggggc aaggttgcgt ttggcgcatt ctttttgggg atg tgg cag ctg tcg Met Trp Gln Leu Ser gaa gca ttg gtg ccg att gcg att ggt ttg atc gtt gat cat gcg gtt 163 Glu Ala Leu Val Pro Ile Ala Ile Gly Leu Ile Val Asp His Ala Val ctc aca aaa gat ctc cgc cga tta gtg gtc ggg ctt gtc gct ttt gtt 211 Leu Thr Lys Asp Leu Arg Arg Leu Val Val Gly Leu Val Ala Phe Val gtg ctg ttt gtg gtg ttg agt ttt tct aat cgt ttc ggt tcg cgc gcg 259 Val Leu Phe Val Val Leu Ser Phe Ser Asn Arg Phe Gly Ser Arg Ala 45 ttg aat agg gcc gtg aac ttt gaa tcc cat gcg ctc cgc gta gag gta 307 Leu Asn Arg Ala Val Asn Phe Glu Ser His Ala Leu Arg Val Glu Val gcc gat cat gcg ttg aag aat ctg gat ccg cgc aat ttg gtg cct ggc 355 Ala Asp His Ala Leu Lys Asn Leu Asp Pro Arg Asn Leu Val Pro Gly gag gtg atg tcg cgg tcc acc gca gat gcg gat tct tcg acg cgt att 403 Glu Val Met Ser Arg Ser Thr Ala Asp Ala Asp Ser Ser Thr Arg Ile 451 ttc ggg cag atc gga acc ggt gtt tcg gct gcg acg gga ttt ctt ggt Phe Gly Gln Ile Gly Thr Gly Val Ser Ala Ala Thr Gly Phe Leu Gly

105 110 115

| | | Tyr | | | atc | | Asp | | | | | 499 |
|------|-----|-----|---|-----|-------------------|-----|-----|-------|---|---|---|---------|
| | Leu | | | | att Ile 140 | Ser | | | | | | 547 |
| | | | | | gtc Val | | | | | | | 595 |
| | _ | _ | _ | Asp | atc Ile | _ | _ | _ | _ | | _ | 643 |
| | | | | | gcc Ala | | | | | | | 691 |
| | | | | | gtt Val | | | | | | | 739 |
| | | | | | tcc Ser 220 | | | | | | | 787 |
| | | | | | gtc Val | | | | | | | 835 |
| | | | | | gtg Val | | | | | | | 883 |
| | | | | | aat Asn | | | | | | | 931 |
| | | | | | tta Leu | | | | | | | 979 |
| | | | | | aat Asn 300 | | | | | | | 1027 |
| _ | _ | - | | | cac His | | - | | _ | _ | | 1075 |
| | | Ile | | | ggt Gly | | Leu | | | | | 1123 |

| | | | | Val | cca Pro | | | | | | | | | | | 1171 |
|---|--------------|-----------|-----------|-----------|-------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------|
| | | | | | gag Glu | | | | | | | | | | | 1219 |
| | | Ser | | | tcg Ser | | Gly | | | | | | | | | 1267 |
| | Ala | | | | gac Asp 395 | | | | | | | | | | | 1315 |
| | | | | | gtg Val | | | | | | | | | | | 1363 |
| | | | | | aaa Lys | | | | | | | | | | | 1411 |
| | | | - | | gat Asp | | | | | | _ | taat | ttga | atg | | 1457 |
| gcatcatcga cac | | | | | | | | | | | | | | 1470 | | |
| <210> 284 <211> 449 <212> PRT <213> Corynebacterium glutamicum | | | | | | | | | | | | | | | | |
| | 0> 28 Trp | _ | Leu | Ser | Glu | Ala | Leu | Val | Pro | Ile | Ala | Ile | Gly | Leu | Ile | |
| 1 | | | | 5 | | | | | 10 | | | | | 15 | | |
| Val | Asp | His | Ala 20 | Val | Leu | Thr | Lys | Asp 25 | Leu | Arg | Arg | Leu | Val 30 | Val | Gly | |
| Leu | Val | Ala 35 | Phe | Val | Val | Leu | Phe 40 | Val | Val | Leu | Ser | Phe 45 | Ser | Asn | Arg | |
| Phe | Gly 50 | Ser | Arg | Ala | Leu | Asn 55 | Arg | Ala | Val | Asn | Phe 60 | Glu | Ser | His | Ala | |
| Leu 65 | Arg | Val | Glu | Val | Ala 70 | Asp | His | Ala | Leu | Lys 75 | Asn | Leu | Asp | Pro | Arg 80 | |
| Asn | Leu | Val | Pro | Gly 85 | Glu | Val | Met | Ser | Arg 90 | Ser | Thr | Ala | Asp | Ala 95 | Asp | |

Ser Ser Thr Arg Ile Phe Gly Gln Ile Gly Thr Gly Val Ser Ala Ala

PCT/IB00/00922

110

Thr Gly Phe Leu Gly Ala Ala Thr Tyr Leu Leu Ile Ser Asp Trp Leu 120

105

WO 01/00804

100

Val Gly Leu Val Leu Val Leu Val Pro Ile Ile Ser Gly Val Val

Ala Leu Ala Ser Lys Gly Ile Ser Lys Arg Ser Val Thr Gln Glu

Lys Leu Ala Glu Ser Gly Ala Gln Ala Ser Asp Ile Met Met Gly Leu

Arg Val Ile Lys Ala Ile Gly Glu Arg Trp Ala Val Lys Thr Phe

Glu Lys Ala Ser Gln Ala Ser Ala Arg Ala Ala Val Asp Thr Ala Val 200

Ala Ser Gly Lys Val Ala Gly Ile Gly Glu Leu Ser Ile Ala Val Asn

Leu Ala Ala Val Leu Leu Ala Gly Trp Arg Val Thr Thr Gly Glu 230 235

Leu Gly Pro Gly Gln Leu Ile Ala Ile Val Gly Val Ala Val Tyr Leu

Ser Glu Pro Ile Arg Leu Leu Ser Asn Ser Ile Asn Ala Ser Ala Ile

Ala His Gly Ala Ala Glu Arg Val Ala Asn Phe Leu Asn Leu Asp Glu 280

Ser Gln Ala Gln Tyr Glu Ser Ser Glu Thr Ile Asn Asp Gly Glu Phe

Leu Val Ile Val Pro Pro Ala Ser Thr Leu Pro His Gly Asp Asn Ile 310 315

Leu Ala Thr Pro His Ala Ala Asp Ile Phe Glu Gly Thr Leu Arg Ser 325 330

Asn Ile Ser Met Asn His Glu Asp Asn Val Pro Ile Asp Pro Gln Val 345

Ile Arg Ala Ser Gly Leu Thr Asp Ile Ile Glu Val Asp Gly Leu Asp

Ala Pro Val Arg Asp Thr Gly Ser Asn Leu Ser Gly Gly Gln Arg Gln

Arg Val Ala Leu Ala Arg Ala Leu His Ala Asp Ala Glu Val Leu Val

Leu Met Asp Pro Thr Ser Ala Val Asp Ser Val Thr Glu Val Ser Ile

405 410 415

Ala Gln Gly Ile Lys Gln Leu Arg Ala Gly Lys Thr Thr Ile Val Val 420 425 430

Ser Ser Ser Pro Ala Phe Tyr Asn Leu Ala Asp Arg Val Ile Ser His 435 440 445

Val

<210> 285

<211> 1368

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1345)

<223> RXN01102

<400> 285

attctatggt tgttgggaga gatgacttaa tttggaatca cgggctttaa cacgcgctga 60

cattgagcaa cttcccagca tgtggaaaag cccaggtttc gtg gct gtc ctc gtg 115
Val Ala Val Leu Val
1

gcg gtt gca gcg ttc ggc agt tgg tca ctc ctt ctt ccc gtc gta 163 Ala Val Ala Ala Ala Phe Gly Ser Trp Ser Leu Leu Leu Pro Val Val

ccg cta gcg gtc ctc aac aac ggc gga tca agc gct gtc gcc ggt gcc 211 Pro Leu Ala Val Leu Asn Asn Gly Gly Ser Ser Ala Val Ala Gly Ala 25 30 35

acc act ggc atc ttc atg gca gct aca gtg atc act cag att ttc act 259
Thr Thr Gly Ile Phe Met Ala Ala Thr Val Ile Thr Gln Ile Phe Thr
40 45 50

ccc gct gcg ctg cgg aaa att ggc tac acc cca gtg atg gct ttc gcc 307 Pro Ala Ala Leu Arg Lys Ile Gly Tyr Thr Pro Val Met Ala Phe Ala

gca ttc atg ctg ggt gtg cca gcc atc ggg tac atc ttc agc gtc gag 355 Ala Phe Met Leu Gly Val Pro Ala Ile Gly Tyr Ile Phe Ser Val Glu 70 75 80 85

cca att cca gtg ctg gta gtg tcc gca ctt cga gga att ggg ttc ggt 403 Pro Ile Pro Val Leu Val Val Ser Ala Leu Arg Gly Ile Gly Phe Gly 90 95 100

gcg ctc acc gtc gca gaa tct gcg ttg gtg gct gaa ctc gtt ccc gta 451 Ala Leu Thr Val Ala Glu Ser Ala Leu Val Ala Glu Leu Val Pro Val 105 110 115

| cgc Arg | ttc Phe | Leu 120 | Gly | aaa Lys | gct Ala | tct Ser | gga Gly 125 | Met | ttg Leu | ggc | gta Val | ttt Phe 130 | Ile | ggc Gly | ctt Leu | 499 |
|------------|-------------------|------------|------------|------------|------------|-------------------|-------------------|------------|------------|------------|-------------------|-------------------|------------|------------|------------|------|
| tcc Ser | caa Gln 135 | Met | ctt Leu | tto Phe | ctg Leu | cct Pro 140 | Ala | Gly | ttg Leu | gcg Ala | tta Leu 145 | Gly | gac Asp | caa Gln | ttt Phe | 547 |
| | Tyr | | | | | gtt Val | | | | | Ile | | | | | 595 |
| | | | | | Arg | att | | | | | | | | | | 643 |
| | | | | | | cag Gln | | | | | | | | | | 691 |
| | | | Pro | | | gct Ala | | | | | | | | | | 7,39 |
| gca Ala | gtg Val 215 | tct Ser | tca Ser | ttc Phe | ctt Leu | cca Pro 220 | gct Ala | gca Ala | gtc Val | att Ile | gag Glu 225 | tta Leu | gat Asp | cca Pro | gga Gly | 787 |
| Leu 230 | Gly | Ala | Ala | Leu | Ala 235 | ggt Gly | Ile | Ile | Leu | Ser 240 | Ile | Thr | Gly | Gly | Ser 245 | 835 |
| Ser | Met | Val | Phe | Arg 250 | Tyr | ctg Leu | Ser | Gly | Val 255 | Ile | Ala | Asp | Arg | Arg 260 | Gly | 883 |
| Val | Pro | Gly | Thr 265 | Thr | Met | att Ile | Pro | Ala 270 | Gln | Ile | Ile | Gly | Phe 275 | Leu | Ğly | 931 |
| | | | | | | aca Thr | | | | | | | | | | 979 |
| | | | | | | atg Met 300 | | | | | | | | | | 1027 |
| | | | | | | atg Met | | | | | | | | | | 1075 |
| | | | Ser | | | tgg Trp | | Ile | | | | | | | | 1123 |
| atc | gga | agc | ttc | ctc | ctt | ggc | ata | gtt | gcc | gca | tcg | ctt | gct | tac | agt | 1171 |

Ile Gly Ser Phe Leu Leu Gly Ile Val Ala Ala Ser Leu Ala Tyr Ser ggt gct ttt ggt tcc gga gcc gtg gtg att ttg ttt gga atc gtt ttg 1219 Gly Ala Phe Gly Ser Gly Ala Val Val Ile Leu Phe Gly Ile Val Leu 365 ace ace gee gat ega ate att ggg egg cae ege att act gaa tae aac 1267 Thr Thr Ala Asp Arg Ile Ile Gly Arg His Arg Ile Thr Glu Tyr Asn 380 385 aac acc cgc gcg cgt ttg cgc cag gtg cca gtc gct cgg cgt gca gtg 1315 Asn Thr Arg Ala Arg Leu Arg Gln Val Pro Val Ala Arg Arg Ala Val 395 400 caa ggg ctg cgc aac agg cgc aaa gat cgc taaaacgctt ttcgacgcca 1365 Gln Gly Leu Arg Asn Arg Arg Lys Asp Arg 410 415 ccc 1368

<210> 286

<211> 415

<212> PRT

<213> Corynebacterium glutamicum

<400> 286

Val Ala Val Leu Val Ala Val Ala Ala Ala Phe Gly Ser Trp Ser Leu 1 5 10 15

Leu Leu Pro Val Val Pro Leu Ala Val Leu Asn Asn Gly Gly Ser Ser 20 25 30

Ala Val Ala Gly Ala Thr Thr Gly Ile Phe Met Ala Ala Thr Val Ile
35 40 45

Thr Gln Ile Phe Thr Pro Ala Ala Leu Arg Lys Ile Gly Tyr Thr Pro 50 55 60

Val Met Ala Phe Ala Ala Phe Met Leu Gly Val Pro Ala Ile Gly Tyr 65 70 75 80

Ile Phe Ser Val Glu Pro Ile Pro Val Leu Val Val Ser Ala Leu Arg 85 90 95

Gly Ile Gly Phe Gly Ala Leu Thr Val Ala Glu Ser Ala Leu Val Ala 100 105 110

Glu Leu Val Pro Val Arg Phe Leu Gly Lys Ala Ser Gly Met Leu Gly 115 120 125

Val Phe Ile Gly Leu Ser Gln Met Leu Phe Leu Pro Ala Gly Leu Ala 130 135 140

Leu Gly Asp Gln Phe Gly Tyr Asn Val Val Tyr Val Leu Gly Ala Val 145 150 155 160

Ile Ala Leu Val Ala Ala Val Met Cys Leu Arg Ile Pro Gln Val Lys 165 170 175

Ala Ala Ala Lys Gln Gln Pro Gln Val Ser Glu Gln Glu Arg Ser Val 180 185 190

Ser Thr Trp Lys Leu Val Leu Val Pro Ser Leu Ala Val Thr Ser Leu 195 200 205

Ser Met Thr Phe Gly Ala Val Ser Ser Phe Leu Pro Ala Ala Val Ile 210 215 220

Glu Leu Asp Pro Gly Leu Gly Ala Ala Leu Ala Gly Ile Ile Leu Ser 225 230 235 240

Ile Thr Gly Gly Ser Ser Met Val Phe Arg Tyr Leu Ser Gly Val Ile 245 250 255

Ala Asp Arg Gly Val Pro Gly Thr Thr Met Ile Pro Ala Gln Ile
260 265 270

Ile Gly Phe Leu Gly Val Val Leu Ile Thr Val Thr Ile Phe Gln Gly 275 280 285

Trp Ser Val Trp Leu Leu Ile Ile Gly Ala Val Met Phe Gly Gly Ala 290 295 300

Phe Gly Met Val Gln Asn Glu Ala Leu Leu Ser Met Phe Phe Arg Leu 305 310 315 320

Pro Arg Thr Arg Val Ser Glu Ala Ser Ala Ile Trp Asn Ile Ala Phe 325 330 335

Asp Ser Gly Thr Gly Ile Gly Ser Phe Leu Leu Gly Ile Val Ala Ala 340 345 350

Ser Leu Ala Tyr Ser Gly Ala Phe Gly Ser Gly Ala Val Val Ile Leu 355 360 365

Phe Gly Ile Val Leu Thr Thr Ala Asp Arg Ile Ile Gly Arg His Arg 370 375 380

Ile Thr Glu Tyr Asn Asn Thr Arg Ala Arg Leu Arg Gln Val Pro Val 385 390 395 400

Ala Arg Arg Ala Val Gln Gly Leu Arg Asn Arg Arg Lys Asp Arg 405 410 415

<210> 287

<211> 348

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(325) <223> RXN00788

<400> 287

cgcatccctc tagttttcca tcacctcaat gaacggcgct aactccggtt cattgcgcaa 60

ttgatccagc actgcttgca gtgaggcctc attagttggc atg gcc tcc tcc atc 115

Met Ala Ser Ser Ile

1 5

aac atc gga gtg ttc aac ctt gga aat gct gtt gct gcc tgg ctt gct 163 Asn Ile Gly Val Phe Asn Leu Gly Asn Ala Val Ala Ala Trp Leu Ala 10 15 20

ggt gca acc atc acc act tcc ctt gga ctc aca tca gcc gga tta gtt 211 Gly Ala Thr Ile Thr Thr Ser Leu Gly Leu Thr Ser Ala Gly Leu Val 25 30 35

ggc ggt ttg atg acg tcc ctc gga cta gtg ttg gcc atc gtg gct gtg 259 Gly Gly Leu Met Thr Ser Leu Gly Leu Val Leu Ala Ile Val Ala Val
40 45 50

gtt ttg cgt cga aaa gcg caa ggc acc caa gcg acc atc agc gtt gtg 307 Val Leu Arg Arg Lys Ala Gln Gly Thr Gln Ala Thr Ile Ser Val Val 55 60 65

gag cac cag ccc gcc caa taaataattt ctctcttcta att 348 Glu His Gln Pro Ala Gln 70 75

<210> 288

<211> 75

<212> PRT

<213> Corynebacterium glutamicum

<400> 288

Met Ala Ser Ser Ile Asn Ile Gly Val Phe Asn Leu Gly Asn Ala Val 1 5 10 15

Ala Ala Trp Leu Ala Gly Ala Thr Ile Thr Thr Ser Leu Gly Leu Thr 20 25 30

Ser Ala Gly Leu Val Gly Gly Leu Met Thr Ser Leu Gly Leu Val Leu 35 40 45

Ala Ile Val Ala Val Val Leu Arg Arg Lys Ala Gln Gly Thr Gln Ala 50 55 60

Thr Ile Ser Val Val Glu His Gln Pro Ala Gln 65 70 75

<210> 289

<211> 1764

<212> DNA

<213> Corynebacterium glutamicum

<220> <221> CDS <222> (101)..(1741) <223> RXN02119 <400> 289 ttcggtccgc tctggcaaaa atggctggct gccacctcgg cgcagcagct taagggctgg 60 gcttaaattg cttgtcgacg cctagtgcca caatggagac atg acc gaa aca ctt Met Thr Glu Thr Leu gtg gtg aat ggc ctt gca ggc ggc tat ggg cac cgc aca tta ttt aac 163 Val Val Asn Gly Leu Ala Gly Gly Tyr Gly His Arg Thr Leu Phe Asn gat gtg aat ctc acc gta gct gcc ggc gat gtc gtg ggc gtt gtc ggc 211 Asp Val Asn. Leu Thr Val Ala Ala Gly Asp Val Val Gly Val Val Gly gtc aat ggc gct ggt aaa tcc aca ttt cta aaa att ctg gcg ggc gtg Val Asn Gly Ala Gly Lys Ser Thr Phe Leu Lys Ile Leu Ala Gly Val 45 gaa aag cca ctg gct gga act atc gcg ctt tcg cca gcc gat gct ttt 307 Glu Lys Pro Leu Ala Gly Thr Ile Ala Leu Ser Pro Ala Asp Ala Phe gtg ggc tac ttg cca cag gaa cac acc cgc acg tct gga gag acg atc 355 Val Gly Tyr Leu Pro Gln Glu His Thr Arg Thr Ser Gly Glu Thr Ile 75 80 gca gtt tac att gct cgt cga acc ggc tgc caa gct gca aca act gcc 403 Ala Val Tyr Ile Ala Arg Arg Thr Gly Cys Gln Ala Ala Thr Thr Ala 95 90 atg gat gac acc gcc gaa gcg ttt ggt gcg gat cca gac aac gct gcc 451 Met Asp Asp Thr Ala Glu Ala Phe Gly Ala Asp Pro Asp Asn Ala Ala ttg gcc gat gca tac gcc gag gcg ctg gat cgg tgg atg gcc agt ggc 499 Leu Ala Asp Ala Tyr Ala Glu Ala Leu Asp Arg Trp Met Ala Ser Gly 547 gca gcc gat ttg gat gaa cgc atc ccc atc gtg ctc gct gat ttg ggc Ala Ala Asp Leu Asp Glu Arg Ile Pro Ile Val Leu Ala Asp Leu Gly 135 595 ttt gag ett eec ace teg acg etg atg gaa gga ett tea gge ggg eag Phe Glu Leu Pro Thr Ser Thr Leu Met Glu Gly Leu Ser Gly Gln 155 gca gcc cgg gtc ggg ctg gcg gcg tta ctg ttg tca cgt ttt gac att Ala Ala Arg Val Gly Leu Ala Ala Leu Leu Leu Ser Arg Phe Asp Ile 170

| | | | gac Asp 185 | Glu | | | | | Leu | | | | | | | 691 |
|-----|-----|-----|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|
| | | | aat Asn | | | | | | | | | | | | | 739 |
| | | Asp | cgt Arg | | | | Ser | | | | | | | | | 787 |
| | | | cac His | | | | | | | | | | | | | 835 |
| | | | gag Glu | | | | | | | | | | | | | 883 |
| | | | ttt Phe 265 | | | | | | | | | | | | | 931 |
| | | | gaa Glu | | | | | | | | | | | | | 979 |
| _ | | - | aac Asn | _ | | | | _ | | - | _ | | _ | | _ | 1027 |
| | | | gct Ala | | | | | | | | | | | | | 1075 |
| | _ | _ | gtt Val | - | | | _ | | _ | | | _ | _ | | - | 1123 |
| | | Lys | gcg Ala 345 | Ser | Arg | Ser | Ser | Ser | Val | Val | Ser | Thr | | | | 1171 |
| | | | acc Thr | | | | | | | | | | | | | 1219 |
| | | | ggc Gly | | | | | | | | | | | | | 1267 |
| | | | ttg Leu | Leu | | | | | | | | | | | | 1315 |
| ggt | act | gcc | acg | atg | ggc | acg | agc | gtg | gcg | atc | gga | gaa | atc | gat | cag | 1363 |

| Gly | Thr | Ala | Thr | Met 410 | Gly | Thr | Ser | Val | Ala 415 | Ile | Gly | Glu | Ile | Asp 420 | Gln | |
|------|------|------|------|-------------------|------|-----|-----|-----|------------|-----|-----|-----|-----|------------|-----|------|
| _ | _ | | | ctt Leu | - | | _ | _ | | - | | | | | _ | 1411 |
| | | | | gac Asp | | | | | | | | | | | | 1459 |
| | | | _ | aat Asn | _ | | | | - | | _ | _ | _ | _ | | 1507 |
| | | | | cgc Arg | | | | | | | | | | | | 1555 |
| | | | | ctt Leu 490 | | | | | | | | | | | | 1603 |
| | | | | caa Gln | | | | | | | | | | | | 1651 |
| | | | | acg Thr | | | | | | | | | | | | 1699 |
| | | | | cat His | | | | | | | | | | | | 1741 |
| taac | cgtt | tc c | gtat | tgat | g cc | a | | | | | | | | | | 1764 |
| | > 29 | | | | | | | | | | | | | | | |

<211> 547

<212> PRT

<213> Corynebacterium glutamicum

<400> 290

Met Thr Glu Thr Leu Val Val Asn Gly Leu Ala Gly Gly Tyr Gly His 1 5 10 15

Arg Thr Leu Phe Asn Asp Val Asn Leu Thr Val Ala Ala Gly Asp Val 20 25 30

Val Gly Val Gly Val Asn Gly Ala Gly Lys Ser Thr Phe Leu Lys

Ile Leu Ala Gly Val Glu Lys Pro Leu Ala Gly Thr Ile Ala Leu Ser 50 60

Pro Ala Asp Ala Phe Val Gly Tyr Leu Pro Gln Glu His Thr Arg Thr

65 70 75 80 Ser Gly Glu Thr Ile Ala Val Tyr Ile Ala Arg Arg Thr Gly Cys Gln Ala Ala Thr Thr Ala Met Asp Asp Thr Ala Glu Ala Phe Gly Ala Asp Pro Asp Asn Ala Ala Leu Ala Asp Ala Tyr Ala Glu Ala Leu Asp Arg Trp Met Ala Ser Gly Ala Ala Asp Leu Asp Glu Arg Ile Pro Ile Val Leu Ala Asp Leu Gly Phe Glu Leu Pro Thr Ser Thr Leu Met Glu Gly Leu Ser Gly Gly Gln Ala Ala Arg Val Gly Leu Ala Ala Leu Leu Ser Arg Phe Asp Ile Val Leu Leu Asp Glu Pro Thr Asn Asp Leu Asp 185 Leu Asp Gly Leu Glu Gln Leu Glu Asn Phe Val Gln Gly Leu Arg Gly 200 Gly Val Val Leu Val Ser His Asp Arg Glu Phe Leu Ser Arg Cys Val Thr Thr Val Leu Glu Leu Asp Leu His Gln Asn Ser His His Val Tyr Gly Gly Gly Tyr Asp Ser Tyr Leu Glu Glu Arg Ala Val Leu Arg Gln 250 His Ala Arg Asp Gln Tyr Glu Glu Phe Ala Glu Lys Lys Lys Asp Leu Val Ala Arg Ala Arg Thr Gln Arg Glu Trp Ser Ser His Gly Val Arg Asn Ala Ile Lys Arg Ala Pro Asp Asn Asp Lys Leu Arg Lys Lys Ala 295 Ala Ala Glu Ser Ser Glu Lys Gln Ala Gln Lys Val Arg Gln Met Glu 310 315 Ser Arg Ile Ala Arg Leu Glu Glu Val Glu Glu Pro Arg Lys Glu Trp Lys Leu Gln Phe Ser Val Gly Lys Ala Ser Arg Ser Ser Ser Val Val 345

Ser Thr Leu Asn Asp Ala Ser Phe Thr Gln Gly Asp Phe Thr Leu Gly

Pro Val Ser Ile Gln Val Asn Ala Gly Asp Arg Ile Gly Ile Thr Gly

355

370 375 380

Pro Asn Gly Ala Gly Lys Ser Thr Leu Leu Arg Gly Leu Leu Gly Asn 385 390 395 400

Gln Glu Pro Thr Ser Gly Thr Ala Thr Met Gly Thr Ser Val Ala Ile
405 410 415

Gly Glu Ile Asp Gln Ala Arg Ala Leu Leu Asp Pro Gln Leu Pro Leu 420 425 430

Ile Ser Ala Phe Glu Lys His Val Pro Asp Leu Pro Ile Ser Glu Val 435 440 445

Arg Thr Leu Leu Ala Lys Phe Gly Leu Asn Asp Asn His Val Glu Arg
450 455 460

Asp Val Glu Lys Leu Ser Pro Gly Glu Arg Thr Arg Ala Gly Leu Ala 465 470 475 480

Leu Leu Gln Val Arg Gly Val Asn Val Leu Val Leu Asp Glu Pro Thr 485 490 495

Asn His Leu Asp Leu Glu Ala Ile Glu Gln Leu Glu Gln Ala Leu Ala 500 505 510

Ser Tyr Asp Gly Val Leu Leu Leu Val Thr His Asp Arg Arg Met Leu 515 520 525

Asp Ala Val Gln Thr Asn Arg Arg Trp His Val Glu Ala Gly Glu Val 530 535 540

Arg Glu Leu 545

<210> 291

<211> 1638

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1615)

<223> RXN01605

<400> 291

attgaagtca gcgccgagga agccgcgagg gaatcagacg acgggcacct actacttcgg 60

cattgaaatt ccgaagaact tcagcgattc tattgccagc gtg acc agc gat tca 115
Val Thr Ser Asp Ser

ccc gcg cca gca acc gtc aac gcg gta ttc aac aac agc aac ggc ttc 163 Pro Ala Pro Ala Thr Val Asn Ala Val Phe Asn Asn Ser Asn Gly Phe 10 15 20

| att Ile | gcc Ala | Ser | ato Met 25 | Leu | ggc Gly | aac Asn | cag Gln | gtg Val 30 | Val | aac Asn | act Thr | gtt Val | gtg Val 35 | Glu | acc Thr | 211 |
|------------------|------------------|-------------------|-------------------|-------------------|-------------------|------------------|-------------------|-------------------|-------------------|------------------|------------------|-------------------|-------------------|-------------------|------------------|-----|
| atg Met | gac Asp | acg Thr 40 | Glu | ttc Phe | ggc Gly | gto Val | cgc Arg 45 | Ile | gtg Val | gat Asp | aac Asn | atg Met 50 | ctc Leu | gtc Val | ggt Gly | 259 |
| ttc Phe | tcc Ser 55 | Thr | ttg Leu | ggc | gac Asp | ggc Gly 60 | Met | aac Asn | caa Gln | gcc Ala | gcc Ala 65 | gaa Glu | ggt Gly | gcc Ala | act Thr | 307 |
| acg Thr 70 | ctc Leu | agc Ser | gat Asp | ggc Gly | gtc Val 75 | Gly | tcc Ser | gcc Ala | aac Asn | gac Asp 80 | Gly | gca Ala | gtt Val | cag Gln | ctt Leu 85 | 355 |
| | | | | | acc Thr | | | | | | | | | | | 403 |
| ggt Gly | gcg Ala | caa Gln | tcg Ser 105 | ctt Leu | gcc Ala | gac Asp | ggc | gcc Ala 110 | agc Ser | cag Gln | ctc Leu | gac Asp | acc Thr 115 | ggc Gly | ctc Leu | 451 |
| ggc Gly | tcc Ser | gcg Ala 120 | gct Ala | aca Thr | ggc Gly | agc Ser | caa Gln 125 | acg Thr | ctc Leu | gcc Ala | gac Asp | ggt Gly 130 | cta Leu | tcc Ser | agc Ser | 499 |
| | | | | | gcc Ala | | | | | | | | | | | 547 |
| | | | | | ctt Leu 155 | | | | | | | | | | | 595 |
| gtt Val | cca Pro | gac Asp | atc Ile | aac Asn 170 | tct Ser | cag Gln | ttg Leu | atc Ile | acc Thr 175 | ctg Leu | cgc Arg | gac Asp | ggc Gly | gca Ala 180 | gcc Ala | 643 |
| | | | | | cta Leu | | | | | | | | | | | 691 |
| - | • | | - | | agc Ser | - | | - | | | _ | _ | | _ | | 739 |
| | | | | | tcc Ser | | | | | | | | | | | 787 |
| | | | | Ser | caa Gln 235 | | | | | | | | | | | 835 |
| ggc | gca | caa | gca | ctg | cgc | gac | ggc | acc | gtc | cag | ctt | gat | gaa | ggc | tcc | 883 |

| Gly | Ala | Gln | Ala | Leu 250 | - | Asp | Gly | Thr | Val 255 | | Leu | Asp | Glu | Gly 260 | Ser | | |
|-----|-----|-----|-----|------------|---|-----|-----|-----|-------------------|---|-----|-----|-----|------------|-----|------|--|
| - | _ | | _ | Leu | | | | _ | ggc Gly | _ | _ | | - | | | 931 | |
| | - | - | Gly | - | - | | | Ile | gca Ala | | | - | - | | _ | 979 | |
| | - | | - | | | _ | | | ggt Gly | | | | | | | 1027 | |
| | | | | | | Phe | | | gca Ala | | | | | | | 1075 | |
| | | | | | | | | | gac Asp 335 | | | | | | | 1123 | |
| _ | | | - | - | _ | | | | tca Ser | | _ | | | | | 1171 | |
| | | | | | | | | | tac Tyr | | | | | | | 1219 | |
| | | | | | | | | | gcg Ala | | | | | | | 1267 | |
| _ | | | | • | | | _ | | aac Asn | | | _ | | | | 1315 | |
| | | | | | | | | | atg Met 415 | | | | | | | 1363 | |
| | | | | | | | | | cag Gln | | | | | | | 1411 | |
| | | | | | | | | | gca Ala | | | | | | | 1459 | |
| | | | | | | | | | gac Asp | | | | | | | 1507 | |
| | | | | | | | | | ctg Leu | | | | | | | 1555 | |

470 475 480 485

ctg gcg aat aga aca aac aag gtt ctt cgc atg aag gac tac cac cca 1603 Leu Ala Asn Arg Thr Asn Lys Val Leu Arg Met Lys Asp Tyr His Pro 490 495 500

gaa ctg aag gtc taaaagcttt tcccgcccgg ttc 1638 Glu Leu Lys Val

<210> 292

<211> 505

<212> PRT

<213> Corynebacterium glutamicum

<400> 292

Val Thr Ser Asp Ser Pro Ala Pro Ala Thr Val Asn Ala Val Phe Asn 1 5 10 15

Asn Ser Asn Gly Phe Ile Ala Ser Met Leu Gly Asn Gln Val Val Asn 20 25 30

Thr Val Val Glu Thr Met Asp Thr Glu Phe Gly Val Arg Ile Val Asp 35 40 45

Asn Met Leu Val Gly Phe Ser Thr Leu Gly Asp Gly Met Asn Gln Ala 50 55 60

Ala Glu Gly Ala Thr Thr Leu Ser Asp Gly Val Gly Ser Ala Asn Asp 65 70 75 80

Gly Ala Val Gln Leu Ala Asp Gly Ala Val Thr Leu Arg Asp Gly Ile 85 90 95

Ala Ser Ala Asn Glu Gly Ala Gln Ser Leu Ala Asp Gly Ala Ser Gln
100 105 110

Leu Asp Thr Gly Leu Gly Ser Ala Ala Thr Gly Ser Gln Thr Leu Ala 115 120 125

Asp Gly Leu Ser Ser Leu Ser Ala Gly Thr Ala Gln Leu Gly Gln Gly 130 135 140

Ala Thr Gln Val Ser Asp Gly Val Gly Gln Leu Val Asp Gln Val Ala 145 150 155 160

Pro Leu Thr Ala Tyr Val Pro Asp Ile Asn Ser Gln Leu Ile Thr Leu 165 170 175

Arg Asp Gly Ala Ala Thr Ile Ala Ser Glu Leu Ser Asp Pro Ser Ser 180 185 190

Thr Tyr Arg Ser Gly Val Asp Ser Ala Val Ser Ala Ser Gln Gln Leu 195 200 205

Ala Ala Gly Leu Gln Thr Leu Lys Asp Gly Ser Ser Gln Leu Ser Ile

210 215 220

Gly Ala Arg Thr Leu Ala Asp Gly Thr Ser Gln Leu Ala Ala Gly Ser 225 230 235 240

Glu Gln Leu Val Val Gly Ala Gln Ala Leu Arg Asp Gly Thr Val Gln 245 250 255

Leu Asp Glu Gly Ser Ser Glu Leu Ala Leu Lys Leu Thr Asp Gly Ala 260 265 270

Ser Gln Val Pro Thr Phe Ala Asp Gly Ala Asp Thr Thr Ile Ala Thr 275 280 285

Pro Val Glu Thr Glu Gln Ala Gly Asp Thr Thr Pro Leu Phe Gly Ile 290 295 300

Gly Leu Ala Pro Phe Phe Met Ala Val Gly Leu Phe Met Gly Ala Thr 305 310 315 320

Val Ala Trp Met Ile Leu His Pro Ile Ser Arg Arg Ala Leu Asp Ser 325 330 335

Arg Met Gly Gly Phe Arg Gly Thr Leu Ala Ser Tyr Leu Pro Ser Thr 340 345 350

Val Leu Gly Leu Gly Gln Ala Thr Ile Met Trp Ala Val Leu Tyr Phe 355 360 365

Leu Leu Asp Leu Asn Pro Ala His Pro Ala Gly Leu Trp Met Ala Met 370 375 380

Val Ala Ile Ser Trp Val Phe Ile Ser Ile Thr His Met Phe Asn Asn 385 390 395 400

Val Ala Gly Pro Ser Ala Gly Arg Val Leu Ser Ile Val Met Met Ser 405 410 415

Phe Gln Leu Val Ser Ser Gly Gly Leu Tyr Pro Pro Glu Thr Gln Pro 420 425 430

Ala Phe Phe His Trp Phe His Thr Tyr Asp Pro Ile Thr Tyr Ala Val 435 440 445

Asn Leu Val Arg Gln Met Ile Phe Asn Glu Thr Pro Ser Asn Asp Pro 450 455 460

Arg Phe Ile Gln Ala Ile Trp Val Leu Leu Phe Ile Trp Ala Leu Met 465 470 475 480

Leu Ala Ile Ser Thr Leu Ala Asn Arg Thr Asn Lys Val Leu Arg Met 485 490 495

Lys Asp Tyr His Pro Glu Leu Lys Val 500 505

<210> 293 <211> 664 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(664) <223> RXN01091 <400> 293 tcgtcggaaa aactggcgat actattgata acgggcatgg gttcaccttc gataaagcac 60 ggtctatgct ggactatcgc cttttgacac gagtatcgca atg gtc ccg aac aca Met Val Pro Asn Thr gto ott ato cat gac gaa aco goo gat otg gog acg cag ato cag ogg 163 Val Leu Ile His Asp Glu Thr Ala Asp Leu Ala Thr Gln Ile Gln Arg 15 ctg gaa cat atc atg gcg tgc ctg cgc gat ccg gtc agc gga tgc ccg 211 Leu Glu His Ile Met Ala Cys Leu Arg Asp Pro Val Ser Gly Cys Pro tgg gat att gaa cag acc ttt gcc agc atc gcg ccc cac acg att gag 259 Trp Asp Ile Glu Gln Thr Phe Ala Ser Ile Ala Pro His Thr Ile Glu 45 gaa ggc tac gag gtt gcc gac gcc atc gcg cag gaa gac tgg ccc gag 307 Glu Gly Tyr Glu Val Ala Asp Ala Ile Ala Gln Glu Asp Trp Pro Glu cta cgc ggc gag ttg ggc gat ttg ctg ttt cag acc gtg ttt cac gcc 355 Leu Arg Gly Glu Leu Gly Asp Leu Leu Phe Gln Thr Val Phe His Ala 80 caa atg gcg cgc gag gca ggc cat ttc gct ttg gtt gac gtg gtg aag 403 Gln Met Ala Arg Glu Ala Gly His Phe Ala Leu Val Asp Val Val Lys gca att tcg gac aag atg gtt ttg cgc cat ccg cac gtg ttc ggc gcg 451 Ala Ile Ser Asp Lys Met Val Leu Arg His Pro His Val Phe Gly Ala cag tcq aac qcq aaa tcc gcc gac cag cag gtq gaa gat tgg gaa gtc 499 Gln Ser Asn Ala Lys Ser Ala Asp Gln Gln Val Glu Asp Trp Glu Val 125 547 ate aag geg eee gag ege geg gge aaa geg caa aag gge gtt ttg gat Ile Lys Ala Pro Glu Arg Ala Gly Lys Ala Gln Lys Gly Val Leu Asp 135 595 ggc gtc gcg ctg gga ctg cct gcc ctg atg cgc gcg acg aag ctg caa Gly Val Ala Leu Gly Leu Pro Ala Leu Met Arg Ala Thr Lys Leu Gln 150

aac aac gcc gcg cgc gtt ggg ttt gat tgg ccc gac att ggg cag gta 643 Asn Asn Ala Ala Arg Val Gly Phe Asp Trp Pro Asp Ile Gly Gln Val 170 175 180

ctt gga aag gtg acc gag gaa Leu Gly Lys Val Thr Glu Glu 664

<210> 294

<211> 188

<212> PRT

<213> Corynebacterium glutamicum

<400> 294

Met Val Pro Asn Thr Val Leu Ile His Asp Glu Thr Ala Asp Leu Ala 1 5 10 15

Thr Gln Ile Gln Arg Leu Glu His Ile Met Ala Cys Leu Arg Asp Pro 20 25 30

Val Ser Gly Cys Pro Trp Asp Ile Glu Gln Thr Phe Ala Ser Ile Ala 35 40 45

Pro His Thr Ile Glu Glu Gly Tyr Glu Val Ala Asp Ala Ile Ala Gln 50 55 60

Glu Asp Trp Pro Glu Leu Arg Gly Glu Leu Gly Asp Leu Leu Phe Gln
65 70 75 80

Thr Val Phe His Ala Gln Met Ala Arg Glu Ala Gly His Phe Ala Leu 85 90 95

Val Asp Val Val Lys Ala Ile Ser Asp Lys Met Val Leu Arg His Pro 100 105 110

His Val Phe Gly Ala Gln Ser Asn Ala Lys Ser Ala Asp Gln Gln Val 115 . 120 125

Glu Asp Trp Glu Val Ile Lys Ala Pro Glu Arg Ala Gly Lys Ala Gln 130 135 140

Lys Gly Val Leu Asp Gly Val Ala Leu Gly Leu Pro Ala Leu Met Arg 145 150 155 160

Ala Thr Lys Leu Gln Asn Asn Ala Ala Arg Val Gly Phe Asp Trp Pro 165 170 175

Asp Ile Gly Gln Val Leu Gly Lys Val Thr Glu Glu 180 185

<210> 295

<211> 357

<212> DNA

<213> Corynebacterium glutamicum

| <220> <221> CDS <222> (101)(334) <223> RXS02979 | | | | | | | | | | | | | | | | |
|---|---|-----------|-----------|----------|-----------|-----------|-----------|-----------|------|-----------|-----------|-----------|-----------|------------|-----|-----|
| | <400> 295 ctaggtcaag gaacttcact cggctagtcc ttagactcaa atgtgttcag acaaacactg 6 | | | | | | | | | | | | | | 60 | |
| gca | ccgt | aag | gcac | :gaaa | gt t | accg | aaag | g ac | tggt | tccc | _ | | | cca Pro | | 115 |
| | ctc Leu | | | | Thr | | | | | | | | | | | 163 |
| | gtc Val | | | Ile | | | | | Asn | | | | | | | 211 |
| | gca Ala | | Val | | | | | | | | | | | | | 259 |
| | agc Ser 55 | | | | | | | | | | | | | | | 307 |
| | tac Tyr | | | | | | | | taa | aacto | ctc (| agtta | agac | ca | | 354 |
| tta | | | | | | | | | | | | | | | | 357 |
| <212 <212 | 0> 29 1> 78 2> PE 3> Co | 3 RT | ebac | teri | ım gl | lutar | nicur | n | | | | | | | | |
| | 0> 29 Thr | | Pro | Asn 5 | Thr | Leu | Lys | Gln | Thr | Thr | Leu | Arg | Ser | Asp 15 | Glu | |
| Phe | Ser | Cys | Pro 20 | Ser | Cys | Val | Ser | Lys 25 | Ile | Glu | Asn | Lys | Leu 30 | Asn | Gly | |
| Leu | Asp | Gly 35 | Val | Asp | Asn | Ala | Glu 40 | Val | Lys | Phe | Ser | Ser 45 | Gly | Arg | Ile | |
| Leu | Val 50 | Asp | His | Asp | Pro | Ser 55 | Lys | Val | Ser | Ile | Lys 60 | Asp | Leu | Val | Ala | |
| Ala 65 | Val | Ala | Glu | Val | Gly 70 | Tyr | Thr | Ala | Lys | Pro 75 | Ser | Ala | Ile | | | |
| | | | | | | | | | | | | | | | | |

| <213 <213 | 0> 2 1> 3 2> D 3> C | 57 NA | ebac | teri: | um g | luta | micu | m | | | | | | | | |
|------------------------------|------------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------|------------------|------------------|------------------|------------------|------------|-----|
| <222 | 1> C 2> (| | (3 987 | 34) | | | | | | | | | | | | |
| | 0> 2 gttt | | ccag | gtca | ag g | aatt | aacc | c gg | aaag | gacc | gta | tctt | taa | aggt | gcaagc | 60 |
| acaç | ggaa | cat (| gacg | ataa | aa g | atga | aagg | а сс | tggt | tacg | | | | ccc Pro | | 115 |
| acg Thr | ctg Leu | aag Lys | aac Asn | acc Thr 10 | acc Thr | ttg Leu | cgc Arg | tct Ser | gat Asp 15 | gag Glu | ttc Phe | acc Thr | tgt Cys | ccg Pro 20 | agc Ser | 163 |
| tgt Cys | gtc Val | gcc Ala | aag Lys 25 | atc Ile | gaa Glu | aac Asn | aag Lys | ctg Leu 30 | aat Asn | ggt Gly | ttg Leu | gac Asp | ggc Gly 35 | gtg Val | gag Glu | 211 |
| aat Asn | gcg Ala | gag Glu 40 | gtg Val | aag Lys | ttc Phe | tcc Ser | tcc Ser 45 | gga Gly | cgc Arg | atc Ile | ctg Leu | atc Ile 50 | acc Thr | cac His | gac Asp | 259 |
| cca Pro | cag Gln 55 | aag Lys | gtc Val | tcc Ser | gta Val | cgt Arg 60 | gac Asp | ctg Leu | gtc Val | acc Thr | gcg Ala 65 | gta Val | gcc Ala | gag Glu | gtc Val | 307 |
| | | | | | ccg Pro 75 | | | | tgad | cgca | ctc (| ccga | ccc | ac | | 354 |
| aag | | | | | | | | | | | | | | | | 357 |
| <210 <211 <212 <213 | > 78 | 3 RT | ebact | eriu | ım gl | Lutan | nicum | n | | | | | | | | |
| <400 | > 29 | 98 | | | | | | | _, | | _ | 3 | 0 | 3 | C1 | |
| Met 1 | Thr | Ala | Pro | Ala 5 | Thr | Leu | Lys | Asn | Thr 10 | Thr | Leu | Arg | Ser | Asp 15 | GIU | |
| Phe | Thr | Cys | Pro 20 | Ser | Суз | Val | Ala | Lys 25 | Ile | Glu | Asn | Lys | Leu 30 | Asn | Gly | |
| Leu | Asp | Gly 35 | Val | Glu | Asn | Ala | Glu 40 | Val | Lys | Phe | Ser | Ser 45 | Gly | Arg | Ile | |
| Leu | Ile 50 | Thr | His | Asp | Pro | Gln 55 | Lys | Val | Ser | Val | Arg 60 | Asp | Leu | Val | Thr | |

-- --

• • •

Ala Val Ala Glu Val Gly Tyr Thr Ala Lys Pro Ser Ala Ile 70

<210> 299 <211> 492 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(469) <223> RXS03095

<400> 299

aacgeetcaa ttaqtgecag acettgeega eegcagaeca aaetteacea ttteaaacea 60

tecetageea caacaaegge agttgtgeaa tgatetgegt atg aat gea gat aag Met Asn Ala Asp Lys 1

aaa atg tgc gga atg aac ccg gat agc caa tac gtc gaa ctt gcc gtc 163 Lys Met Cys Gly Met Asn Pro Asp Ser Gln Tyr Val Glu Leu Ala Val 10 15

gaa gtt ttc gga ctc ctc gcg gac gcc act cga gtt cgc atc atc ttg 211 Glu Val Phe Gly Leu Leu Ala Asp Ala Thr Arg Val Arg Ile Ile Leu 25

gca ctt cga aac agt ggt gaa ctt tcc gta aac cac ctc gcg gac atc 259 Ala Leu Arg Asn Ser Gly Glu Leu Ser Val Asn His Leu Ala Asp Ile 40 45

gtc gat aaa tcc ccc gca gca gtt tcc caa cac ctc gcc cgg ctg cgc 307 Val Asp Lys Ser Pro Ala Ala Val Ser Gln His Leu Ala Arg Leu Arg

atg gcc cga atc gtg tcc acc cgt caa gaa ggt caa cga gtt ttc tac Met Ala Arg Ile Val Ser Thr Arg Gln Glu Gly Gln Arg Val Phe Tyr 70 75 80

aaa ctc acc aat gaa cac gca tca cag cta gtc tcc gac gct att ttt 403 Lys Leu Thr Asn Glu His Ala Ser Gln Leu Val Ser Asp Ala Ile Phe 90 95

cag gcg gaa cac acc att gcg gac ggc cag act ccc cca cac cac cac Gln Ala Glu His Thr Ile Ala Asp Gly Gln Thr Pro Pro His His His 105 110

cga gaa cga gaa caa tca tgaccaccca cagtcaccaa gaa 492 Arg Glu Arg Glu Gln Ser 120

<210> 300 <211> 123

<212> PRT

<213> Corynebacterium glutamicum

<400> 300

Met Asn Ala Asp Lys Lys Met Cys Gly Met Asn, Pro Asp Ser Gln Tyr
1 5 10 15

Val Glu Leu Ala Val Glu Val Phe Gly Leu Leu Ala Asp Ala Thr Arg 20 25 30

Val Arg Ile Ile Leu Ala Leu Arg Asn Ser Gly Glu Leu Ser Val Asn 35 40 45

His Leu Ala Asp Ile Val Asp Lys Ser Pro Ala Ala Val Ser Gln His 50 55 60

Leu Ala Arg Leu Arg Met Ala Arg Ile Val Ser Thr Arg Gln Glu Gly 65 70 75 80

Gln Arg Val Phe Tyr Lys Leu Thr Asn Glu His Ala Ser Gln Leu Val 85 90 95

Ser Asp Ala Ile P Λ e Gln Ala Glu His Thr Ile Ala Asp Gly Gln Thr 100 105 110

Pro Pro His His His Arg Glu Arg Glu Gln Ser 115 . 120

<210> 301

<211> 10

<212> PRT

<213> Corynebacteriùm glutamicum

<400> 301

Ala Pro Ala Leu Gly Pro Thr Leu Ser Gly

<210> 302

<211> 10

<21²> PRT

<213> Corynebacterium glutamicum

<400> 302

Gly Xaa Xaa Xaa Gly Pro Xaa Xaa Gly Gly 1 5 10

<210> 303

<211> 20

<212> DNA

<213> Corynebacterium glutamicum

<400> 303

ctccaggatt gctccgaagg

20

PCT/IB00/00922



<210> 304 <211> 20 <212> DNA <213> Corynebacterium glutamicum <400> 304 cacagtggtt gaccactggc BGI-124CPPC - 97 -

20